

**FINAL INITIAL STUDY /
MITIGATED NEGATIVE DECLARATION**

New Lakeport Courthouse
For the Superior Court of California, County of Lake

LEAD AGENCY:



Judicial Council of California
Administrative Office of the Courts
455 Golden Gate Avenue
San Francisco, CA 94102-3688

PREPARED BY:



4540 Duckhorn Drive, Suite 202
Sacramento, CA 95834

December 2010

JN 60-100671

Table of Contents

New Lakeport Courthouse Final Initial Study / Mitigated Negative Declaration

	<u>Page</u>
List of Acronyms	iii
1. Initial Study – Overview	1-1
2. Project Description	2-1
Introduction	2-1
Statutory Authority and Requirements	2-1
Incorporation by Reference	2-2
The Proposed Project	2-3
Existing Setting	2-4
Proposed Project Purpose and Objectives	2-5
Project Site and Vicinity	2-5
Courthouse Description	2-9
Proposed Project Design Principles and Objectives	2-9
Project Construction Schedule and Activities	2-11
Required Approvals	2-13
3. Environmental Factors Potentially Affected	3-1
Environmental Checklist	3-2
3.1 Aesthetics	3-2
3.2 Agricultural and Forest Resources	3-6
3.3 Air Quality	3-8
3.4 Biological Resources	3-17
3.5 Cultural Resources	3-25
3.6 Geology, Soils, and Seismicity	3-32
3.7 Greenhouse Gas Emissions	3-38
3.8 Hazards and Hazardous Materials	3-51
3.9 Hydrology and Water Quality	3-56
3.10 Land Use and Land Use Planning	3-62
3.11 Mineral Resources	3-64
3.12 Noise and Vibration	3-65
3.13 Population and Housing	3-76
3.14 Public Services	3-78
3.15 Recreation	3-82
3.16 Transportation and Traffic	3-83
3.17 Utilities and Service Systems	3-92
3.18 Mandatory Findings of Significance	3-97
4. Report Preparers	4-1

Page**Appendices**

- A. LEED Checklist and Rating System
- B. Air Quality Data
- C. Biological Resources Documentation
 - 1. Biological Study Report
 - 2. Pre-Jurisdictional Delineation Report
- D. Cultural Resources Inventory
- E. Greenhouse Gas Data
- F. Phase I Environmental Site Assessment Report
- G. Noise Measurements and Vibration Data
- H. Traffic Impact Analysis
- I. Public Notice
 - Public Notice
 - Affidavit of Publication
 - Public Meeting Sign-In Sheet
- J. Public Comments
- K. Preliminary Conceptual Site Plans
- L. Clarifications to Draft Initial Study / Mitigated Negative Declaration
- M. Mitigation Monitoring Plan

List of Figures

- | | | |
|---|---|-----|
| 1 | Project Location Map | 2-6 |
| 2 | Topographic Map | 2-7 |
| 3 | Project Site Location and Proposed Access | 2-8 |

List of Tables

- | | | |
|--------|---|------|
| 2-1 | Project Construction Activities and Duration | 2-11 |
| 3.3-1 | Construction Emissions | 3-9 |
| 3.3-2 | Operational Emissions | 3-12 |
| 3.3-3 | Project Buildout Carbon Monoxide Concentrations | 3-15 |
| 3.7-1 | Estimated Greenhouse Gas Emissions | 3-40 |
| 3.7-2 | Project Consistency with the Attorney General's Recommendations | 3-42 |
| 3.7-3 | Recommended Actions for Climate Change Proposed Scoping Plan | 3-44 |
| 3.12-1 | Noise and Land Use Compatibility Standard | 3-66 |
| 3.12-2 | Noise Level Criteria | 3-67 |
| 3.12-3 | Existing Traffic Noise Levels | 3-68 |
| 3.12-4 | Typical Construction Noise Levels | 3-68 |
| 3.12-5 | Vibration Velocities for Construction Equipment | 3-71 |
| 3.12-6 | Long-Term Traffic Noise Levels | 3-72 |
| 3.12-7 | Cumulative Noise Scenario | 3-74 |

LIST OF ACRONYMS

AAQS	Ambient Air Quality Standards
AB	Assembly Bill
ADOC	Administrative Director of the Courts
AMSL	Above Mean Sea Level
AOC	Administrative Office of the Courts
APC	Area Planning Council
APE	Area of Potential Effects
APN	Assessor Parcel Number
BMP	Best Management Practice
BGS	Below Ground Surface
BGSF	Building Gross Square Foot/Feet
CARB	California Air Resources Board
CBC	California Building Code
CCR	California Code of Regulations
CDFG	California Department of Fish and Game
CDMG	California Division of Mines and Geology
CEQA	California Environmental Quality Act
CGS	California Geological Survey
CH ₄	Methane
City	City of Lakeport
CLSMD	City of Lakeport Sewer Management District
CNDDDB	California Natural Diversity Data Base
CNPS	California Native Plant Society

CO	Carbon Monoxide
County	County of Lake
CWA	Clean Water Act
dB	Decibel scale
dBA	A-weighted decibel scale
DTSC	Department of Toxic Substance Control
EDR	Environmental Data Resources, Inc.
EIR	Environmental Impact Report
EMS	Emergency Medical Service
EPA	Environmental Protection Agency
FEMA	Federal Emergency Management Agency
FTA	Federal Transit Administration
GHGs	Greenhouse Gases
IPCC	Intergovernmental Panel on Climate Change
ITE	Institute of Transportation Engineers
kWh	Kilowatt Hour
LCAQMD	Lake County Air Quality Management District
L _{dn}	Day-Night Sound Level
L _{eq}	Equivalent Sound Level
LEED	Leadership in Engineering and Environmental Design
LOS	Level of Service
LUFT	Leaking Underground Fuel Tank
MWh	Megawatt Hour
NB	Northbound
N ₂ O	Nitrous Oxide

NOI	Notice of Intent
NO _x	Nitrogen Oxide
NPDES	National Pollutant Discharge Elimination System
OPR	California Governor's Office of Planning and Research
PM _{2.5} / PM ₁₀	Particulate Matter
PPM	Parts Per Million
PPV	Peak Particle Velocity
PRC	Public Resources Code
Proposed Project	New Lakeport Courthouse
Q	Quaternary alluvium and marine deposits (Pliocene and Holocene)
RCRA	Resource Conservation and Recovery Act
RWQCB	Regional Water Quality Control Board
SB	Senate Bill
SB	Southbound
SCAQMD	South Coast Air Quality Management District
SLIC	Spills, Leaks, Investigative Cleanup
SSMP	Sewer System Management Plan
Superior Court	Superior Court of California, County of Lake
SWPPP	Storm Water Pollution Prevention Plan
SWRCB	State Water Resources Control Board
SWMP	Storm Water Management Plan
um	Ultramafic Rocks, Chiefly Mesozoic, Unit 3
USGS	United States Geological Survey
VMT	Vehicle Miles Traveled
WWTP	Waste Water Treatment Plant

Chapter 1

Initial Study – Overview

- 1. Project Title:** New Lakeport Courthouse
Superior Court of California, County of Lake
- 2. Lead Agency Name and Address:** Judicial Council of California
Administrative Office of the Courts
455 Golden Gate Avenue
San Francisco, CA 94102-3688
- 3. Contact Person and Phone Number:** Laura Sainz, Manager
Environment Analysis and Compliance Unit
Office of Court Construction and Management
(916) 263-7992
- 4. Project Location:** 675 Lakeport Boulevard
Lakeport, California
- 5. Project Sponsor's Name and Address:** Administrative Office of the Courts
455 Golden Gate Avenue
San Francisco, CA 94102-3688
- 6. General Plan Designation(s):** MR (Major Retail)
- 7. Zoning Designation(s):** C-2 (Major Retail)

Chapter 2

Project Description

Introduction

The Judicial Council of California (“Judicial Council”) is the rule-making arm of the California court system. It was created by an amendment to article VI of the California Constitution in 1926. In accordance with the California Constitution and under the leadership of the Chief Justice of the Supreme Court of California, the Council is responsible for ensuring the "consistent, independent, impartial, and accessible administration of justice." The Judicial Council's staff agency, the Administrative Office of the Courts, (AOC) is responsible for implementing the Judicial Council’s policies. In that role, the AOC is responsible for implementation of the Trial Court Facilities Act of 2002, the landmark legislation that shifted the governance of courthouses from California counties to the State of California.

Following the Trial Court Facilities Act of 2002, the AOC conducted a survey to assess the physical condition of the state’s courthouses. The survey showed that 90 percent of courthouses need improvements to protect the safety and security of the public, litigants, jurors and families who do business in California’s courts. In October 2008, the Judicial Council identified 41 immediate and critical need courthouse projects, in an effort to prioritize future courthouse construction and renovation. The 41 projects are located in 34 counties across the state.

Also in 2008, Senate Bill (SB) 1407, authored by Senator Don Perata, was passed by the legislature and signed by Governor Schwarzenegger. SB 1407 identified funding to address the physical condition of the state’s courthouses. The funding identified is made up of court fines and fees and does not impact the state’s general fund.

The New Lakeport Courthouse (“proposed project”) is one of the 41 immediate and critical need projects identified by the Judicial Council in 2008. For this proposed project, the AOC would construct a new, approximately 51,000 building gross square foot (BGSF) courthouse, including four courtrooms in the City of Lakeport for the Superior Court of California, County of Lake (“Superior Court”). The proposed project site is currently owned by a private entity, and the State is currently in the feasibility analysis and initial land acquisition process.

Statutory Authority and Requirements

In accordance with the California Environmental Quality Act (CEQA) (Public Resources Code [PRC] Sections 21000-21177) and pursuant to Section 15063 of Title 14 of the California Code of Regulations, the Judicial Council typically acts as the lead agency for courthouse projects. The Judicial Council has delegated this authority to the AOC. In its evaluation of a proposed project, the AOC must consider a project’s potential environmental impacts by preparing the appropriate environmental documentation as specified by CEQA. If the AOC finds no evidence that the project (either as proposed or modified to include mitigation measures) may cause a significant physical effect on the environment, then the AOC will: 1) find that the proposed project will not have a significant effect on the environment; and 2) adopt a negative declaration (or mitigated

negative declaration) for the proposed project. Alternatively, if the AOC finds evidence that any aspect of the project may cause a significant effect on the environment (even after the addition of mitigation measures), the AOC will determine that an Environmental Impact Report (EIR) is necessary to analyze project-related and cumulative environmental impacts. The AOC may decide to prepare a negative declaration (or mitigated negative declaration) rather than an EIR only if “there is no substantial evidence in light of the whole record before the lead agency” that significant effects may occur (PRC Section 21080).

This document is an Initial Study. The purpose of this document is to provide an environmental basis for: 1) the level of CEQA review for the proposed project, i.e., a negative declaration or an EIR; and 2) any subsequent discretionary actions the AOC may take on the proposed project. The final document is not a policy document and its approval and/or certification by the AOC neither presupposes nor mandates any actions on the part of other agencies from whom permits and/or other discretionary approvals will be required for the proposed project.

This document is also subject to public review. During the public review period, stakeholders, public agencies, and the general public may provide written comments to the AOC on environmental issues relative to the proposed project. The AOC will include all comments received and provide written responses in the final CEQA document.

Section 15063 of the State *CEQA Guidelines* identifies specific requirements for an Initial Study, including:

- A description of the proposed project, including the location of the project;
- A description of the environmental setting;
- The identification of environmental effects by use of a checklist, matrix or other method, provided that entries on a checklist or other form are briefly explained to indicate that there is some evidence to support the entries;
- A discussion of ways to mitigate significant effects identified, if any;
- An examination of whether the proposed project is compatible with existing zoning, plans, and other applicable land use controls; and
- The name of the person or persons who prepared or participated in preparation of the Initial Study.

Incorporation by Reference

Pertinent documents used in the development of this Initial Study have been cited and incorporated in accordance with Sections 15148 and 15150 of the State *CEQA Guidelines*, to eliminate the need for including voluminous engineering and technical reports. This Initial Study has incorporated by reference the City of Lakeport General Plan 2025. The general plan was utilized throughout this Initial Study and is available for review on the City of Lakeport’s website

at: http://www.cityoflakeport.com/docs/City-of-Lakeport-General-Plan-2025_Augus-8312009103657PM.pdf.

The City of Lakeport adopted its general plan in April 2009. The general plan formalizes a long term vision for the City of Lakeport and outlines policies, standards, and programs to guide day-to-day decisions concerning Lakeport's development through the year 2025.

The general plan elements reviewed in the preparation of this Initial Study include:

- *Land Use* – including proposed use classifications, buildout projections, land use policies, and public services and facilities.
- *Transportation* – including existing and proposed location of the roadway network, transit systems, bikeways and pedestrian paths, as well as scenic roadways.
- *Conservation* – including analysis of open space, agricultural resources, biological resources, air quality, water resources, and mineral resources.
- *Open Space, Parks, and Recreation* – including a comprehensive system of open space, parks, and recreational opportunities available for public use, and identifying historic structures and preservation districts within the city.
- *Noise* – including a discussion of noise includes noise sources, projected contours, and mitigation policies.
- *Safety* – addressing geology and seismicity, flooding, hazardous materials, and wildfires. Geologic, seismic, and flooding hazards are mapped.

The Proposed Project

The AOC proposes to acquire property for a new courthouse site in the City of Lakeport, construct a new four-courtroom courthouse facility, and operate the facility to serve the Superior Court. The Superior Court of California, County of Lake serves the residents of Lake County in the main business district of Lakeport. Currently, the court occupies the fourth floor of the Lakeport Courthouse, a shared use facility. This facility has significant security problems, severe accessibility deficiencies, is very overcrowded, and has many physical problems preventing the court from providing safe and efficient court services to the public.

The proposed project consists of the construction of a new courthouse building on an approximately six-acre site located at 675 Lakeport Boulevard, in the City of Lakeport. The proposed new courthouse would be approximately 51,000 BGSF, two stories high, and would include four courtrooms, associated support space, and approximately 120 parking spaces. The proposed new courthouse would include space for all court operations, and would include support space for court administration, court clerk, court security operations and holding, and building support space. The proposed new courthouse would also include a basement containing approximately 7,000 BGSF for a detention-level holding area for persons in custody and

associated vehicular/pedestrian entry points and sheriff parking, secure judges' parking, storage and other required areas to service the building.

The proposed new courthouse would replace the existing court space currently in the Lakeport Courthouse, located at 255 N. Forbes Street in the City of Lakeport, where the court occupies the fourth floor. The existing courthouse building includes four courtrooms and is only partially occupied by the court. After construction of the proposed new courthouse, the County of Lake would retain ownership of the existing court space for use by other county agencies. In addition, the proposed project would replace the leased Records Storage Annex, located at 832 Lakeport Boulevard in the City of Lakeport. The court currently holds a lease on approximately 1,400 square feet of space for records storage. After construction of the proposed new courthouse, the leased Records Storage Annex would no longer be required. The Superior Court also has a self-help center in the downtown area. The center is in leased space which would not be needed after the new courthouse is built. The self-help center will be located in the new courthouse.

Existing Setting

The proposed project would construct a new courthouse and relocate staff from existing facilities in the Lakeport area. These existing facilities include:

- Existing Lakeport Courthouse – The Municipal and Superior Courts of Lake County agreed to consolidate administratively, effective July 1, 1995. With unanimous consent of the Municipal and Superior Court Judges, the Judicial Council certified the courts as being unified on June 30, 1998. The official title of the court is the Superior Court of California, County of Lake (Superior Court). Unification facilitates the court's efforts to achieve the maximum utilization of judicial and other court resources, to accomplish increased efficiency in court operations, and to increase public access to court services. The court operates out of the fourth floor of the Lakeport Courthouse building, located at 255 N. Forbes Street in the City of Lakeport (APN 025-401-05), and has approximately 15,332 BGSF. This full service court building is county owned, and handles all case types. Once the court vacates this building, the county intends to reassign the space to other county agencies.
- Existing Records Storage Annex – The Records Storage Annex is located at 832 Lakeport Boulevard in the City Lakeport (APN 025-472-05). The court currently leases approximately 1,400 square feet of space for records storage. After construction of the proposed new courthouse, the Records Storage Annex would no longer be required, as the new courthouse would accommodate records storage.
- The Superior Court also has a self-help center in the downtown area. The center is in leased space which would not be needed when the new courthouse is built. The self-help center will be located in the new courthouse.

Proposed Project Purpose and Objectives

The purpose of the proposed project is to provide a new trial court facility that meets the needs of the Superior Court. The AOC's project objectives are to:

- Provide the Superior Court with a new courthouse with approximately 51,000 BGSF with four courtrooms and improved facilities, including a jury assembly room with ample seating, vending, and restroom facilities;
- Provide a safe and secure courthouse in Lakeport for the public and staff;
- Increase court operational efficiency and improve public service with this new fully accessible court facility; and
- Provide consolidated space for the Superior Court's staff and operations.

Project Site and Vicinity


Lake County is located in northern California, about two and one-half hours driving time from both the San Francisco Bay Area and the Sacramento Metropolitan Area; approximately 110 miles north of San Francisco, 100 miles west of Sacramento, and 80 miles east of the Pacific Coast. The proposed new courthouse site is located at 675 Lakeport Boulevard. The proposed project site borders Lakeport Boulevard and Highway 29, and is adjacent to the Lake County Chamber of Commerce. Lakeport Boulevard forms the northern boundary of the proposed project site, while Highway 29 is approximately 0.10 miles west, and S. Main Street is located approximately 0.22 miles east of the proposed project site. The proposed project site is approximately one-half mile west of Clear Lake. While the proposed project would be located on a hilltop, the actual site for the new courthouse is relatively flat and currently vacant. A project location map is shown in **Figure 1**. A topographic map showing the proposed project location is shown in **Figure 2**. The project site location and proposed access points are shown in **Figure 3**. A conceptual site plan of the proposed project is not available at this time.

The City of Lakeport General Plan 2025 land use designation for the proposed project site is Major Retail (MR). This designation is the principal retail designation for the Lakeport area; the city's zoning for regional and local serving retail establishments, specialty shops, banks, professional offices, motels, and business and personal services. Other uses permitted in this designation include commercial trade services, construction sales and services, warehousing and mini storage. According to the City of Lakeport Community Development Department, the existing zoning for the proposed project site is Major Retail (or the "C-2" Zoning District). The purpose of the "C-2" Zoning District is to provide for the full range of commercial, retail, and service establishments to the community.

Since the AOC is the proposed project's lead agency and is acting for the State of California on behalf of the Judicial Council of California, local land use planning and zoning regulations do not apply to the proposed project. However, the AOC will consult with local government




Source: BING Maps




07/12/2010 JN60-100671 JN671_Figure1.mxd LES

NEW LAKEPORT COURTHOUSE IS/MND Project Location Map

Figure 1



Source: ESRI



07/12/2010 JN60-100671 JN671_Figure2.mxd LES


NEW LAKEPORT COURTHOUSE IS/MND
Topographic Map

Legend
 Project Site

Figure 2



Source: NAIP 2009 (Imagery), Lake County GIS (roads)



09/21/2010 JN60-100671 JN671_Figure3.mxd LES

NEW LAKEPORT COURTHOUSE IS/MND
Project Site Location and Proposed Access

Figure 3

representatives through the Project Advisory Group established for the project in an effort to provide a courthouse that is high quality and consistent with the local architectural environment.

Courthouse Description

The proposed project would consist of a courthouse building with two stories and a basement level. The proposed project would replace the existing Lakeport Courthouse, leased Records Storage Annex, and leased self-help center. The AOC has not yet developed a conceptual site plan for the proposed project. The proposed new courthouse would be approximately 51,000 BGSF, and would include four courtrooms, associated support space, and approximately 120 parking spaces. Parking for 120 cars to support the proposed courthouse would be provided by a surface parking lot adjacent to the new courthouse. The design would be consistent with facilities recently constructed by the AOC with location-specific considerations. Design criteria for the proposed project are taken from the *California Trial Court Facilities Standards*, approved by the Judicial Council in 2006, and discussed in more detail below.

The proposed new courthouse would primarily support felony, misdemeanor, civil, probate, and family law functions. The building would also provide space for administrative and staff offices, juror assembly areas, a public lobby, security screening operations for the building's entrances, and building support space. The basement level would contain approximately 7,000 BGSF for a detention-level holding area for persons in custody and associated vehicular/pedestrian sally ports and sheriff parking, secure judges' parking, storage, and other required areas to service the building. It is anticipated that approximately 53 staff members would be needed at the new courthouse.

Proposed Project Design Principles and Objectives

The AOC's proposed courthouse design would conform to the specifications of the *California Trial Court Facilities Standards*.¹ The standards were developed in 2006 and amended in March 2010. The 2006 edition was developed using input from a variety of sources including experienced and knowledgeable individuals from courts, counties, architects, and engineers. The standards are based on well known principles. The AOC adapted these principles from the Guiding Principles for Federal Architecture by Daniel Patrick Moynihan, Hon. AIA (American Institute of Architects) and from the Excellence in Public Buildings Initiative, by Stephan Castellanos, FAIA (Fellow, American Institute of Architects), and former State Architect of California. These principles include the following:

- Court buildings shall represent the dignity of the law, the importance of the activities within the courthouse, and the stability of the judicial system;

¹ Judicial Council of California, 2006. *California Trial Court Facilities Standards, 2006 Edition*. April 21. Re-issued March 1, 2010 with Amendment 1. http://www.courtinfo.ca.gov/programs/occm/documents/06_April_Facilities_Standards_with_Amendment1.pdf

- Court buildings shall represent an individual expression that is responsive to local context, geography, climate, culture, and history and shall improve and enrich the sites and communities in which they are located;
- Court buildings shall represent the best in architectural planning, design, and contemporary thought and shall have requisite and adequate spaces that are planned and designed to be adaptable to changes in judicial practice;
- Court buildings shall be economical to build, operate, and maintain;
- Court buildings shall provide a healthy, safe, and accessible environment for all occupants; and
- Court buildings shall be designed and constructed using proven best practices and technology with careful use of natural resources.

The AOC would also apply the following codes and standards to the proposed project:

1. California Building Code (edition in effect as of the commencement of the schematic design phase of the proposed project);
2. California Code of Regulations (CCR) Title 24;
3. California Energy Code;
4. Americans with Disabilities Act and American Disability Act Accessibility Guidelines (Section 11); and
5. Division of the State Architect's Access Checklist.

The proposed project would implement sustainable elements throughout its design, operation, and maintenance. Pursuant to the *California Trial Court Facilities Standards*, all courthouse projects shall be designed for sustainability and, at a minimum, to the standards of a Leadership in Energy and Environmental Design (LEED) "certified" rating. The proposed project would be designed to the LEED silver rating and the AOC would seek certification of the silver rating by the U.S. Green Building Council. A copy of LEED requirements is included in **Appendix A**.

The AOC would implement the proposed project in compliance with standard conditions and requirements for state and/or federal regulations or laws that are independent of CEQA compliance. The standard conditions and requirements serve to prevent specific resource impacts. Typical standard conditions and requirements include the following:

1. The California Building Code;
2. National Pollutant Discharge Elimination System (NPDES);
3. Public Resources Code Section 5097 for the discovery of unexpectedly encountered human remains; and
4. Lake County Air Quality Management District rules.

The proposed project, using the *California Trial Court Facilities Standards*, would incorporate specific design elements into the construction and operation to reduce to below a level of significance any potential environmental effects. For example, the parties constructing and/or operating the proposed project would use best management practices (BMPs) and technologies aimed at limiting the use of natural resources as well as operating costs over the life of the building. Because the AOC is incorporating these design features into the proposed project, the design features do not constitute mitigation measures as defined by CEQA.

Project Construction Schedule and Activities

Should the AOC decide to move forward with the proposed project, then the AOC would acquire the proposed courthouse site from a private entity by January 2011. Construction of the New Lakeport Courthouse would require approximately 20 months, with construction beginning in 2012 and ending in 2014. Building occupancy, including the consolidation of court facilities and operations, is expected to begin by mid to late 2014.

Table 2-1, Project Construction Activities and Duration, provides a brief description of the proposed construction activities and an estimate of the duration of anticipated individual construction activities. Some individual construction activities may overlap.

**Table 2-1
Project Construction Activities and Duration**

Construction Phase	Projected Duration (Months)
Mobilization	One month
Grading and Excavation	One month
Building Construction	20 months
Finish/Move-In	Two months

Source: AOC, July 2010.

The proposed new courthouse would be approximately 51,000 BGSF, two stories high, and would include four courtrooms, associated support space, and approximately 120 parking spaces. The proposed new courthouse would include space for all court operations and support space for court administration, court clerk, court security operations and holding, and building support space. The proposed new courthouse would also include a basement containing approximately 7,000 BGSF for a detention-level holding area for persons in custody and associated vehicular/pedestrian sally ports and Sheriff parking, secure judges' parking, storage and other required areas to service the building.

Construction staging areas would be located on-site. The construction contractors would install fencing around the perimeter of the construction area. The AOC anticipates that the primary driveway would be located on the eastern boundary of the site (the Larrecou Lane / Lakeport Boulevard intersection). This location is feasible for site access and, following an extensive traffic analysis, is recommended for the main access to the proposed project site.

The AOC would utilize BMPs and other measures throughout the construction phase to avoid or minimize potential impacts. These BMPs and other measures include:

- General measures:
 - Designate a contact person for public interaction.
 - Inform the Lakeport community through the use of a website that identifies the upcoming work and potential impacts to the surrounding communities.
- Storm water, water quality, and soil erosion management measures:
 - The AOC’s construction contract will include provisions that require the construction contractor to obtain the Central Valley Regional Water Quality Control Board’s (RWQCB) approval of a Storm Water Pollution Prevention Plan (SWPPP). Prior to the start of construction, the AOC will ensure that the construction contractor prepared a SWPPP and secured the RWQCB’s approval of the plan.
 - The construction contractor will incorporate BMPs consistent with the guidelines provided in the California Storm Water Best Management Practice Handbooks: Construction (California Stormwater Quality Association, 2003).²
 - For construction during the rainy season, the construction contractor will implement erosion measures that may include mulching, geotextiles and mats, earth dikes and drainage swales, temporary drains, silt fence, straw bale barriers, sandbag barriers, brush or rock filters, sediment traps, velocity dissipation devices, and/or other measures.
 - Wherever possible, the construction contractor will perform grading activities outside the normal rainy season to minimize the potential for increased surface runoff and the associated potential for soil erosion.
- Air quality management measures. The construction contractor will:
 - Provide an asbestos-dust-hazard mitigation plan (also referred to a serpentine dust control plan) prior to any construction activities on-site. The Plan should include provisions for dust control measures to achieve no visible emissions, prevent material track-out onto the public road, provide for worker notification of the plan requirements and asbestos hazards, the posting of an asbestos warning notice at the site, and the covering of all disturbed serpentine surfaces subject to traffic wear or wind erosion with non-asbestos containing materials. Exposed serpentine surfaces that may be subject to vehicular traffic should have restricted access (fencing or other effective barriers) until such time as the surface is adequately covered with non-asbestos material.
 - When necessary, apply water or a stabilizing agent to exposed surfaces in sufficient quantity at least two times a day to prevent generation of dust plumes.
 - Moisten or cover excavated soil piles to avoid fugitive dust emissions.

² Available at: <http://www.cabmphandbooks.com/Documents/Construction/Construction.pdf>

- Discontinue construction activities that generate substantial dust blowing on unpaved surfaces during windy conditions, trackout, or nuisance conditions. The construction contractor will be required to stop work until corrective measures are in place.
 - Install and use a wheel-washing system to remove bulk material from tires and vehicle undercarriages before vehicles exit the proposed project site.
 - Cover dump trucks hauling soil, sand, and other loose materials with tarps or other enclosures that will reduce fugitive dust emissions.
 - Ensure that all construction and grading equipment is properly maintained.
 - Ensure that construction personnel turn off equipment when equipment is not in use.
 - Ensure that all vehicles and compressors utilize exhaust mufflers and engine enclosure covers (as designed by the manufacturer) at all times.
 - When feasible, use electric construction power for construction operations, in lieu of diesel-powered generators to provide adequate power for man/material hoisting, crane, and general construction operations.
 - Suspend heavy-equipment operations during first-stage and second-stage smog alerts.
- Noise and vibration measures. The construction contractor will:
 - Equip construction equipment with the best available noise attenuation device such as mufflers or noise attenuation shields.
 - When feasible, for construction operations use electric construction power in lieu of diesel-powered generators to provide adequate power for man/material hoisting, crane, and general construction operations.

Construction shall commence no earlier than 7:00 a.m. and cease no later than 6:00 p.m. on weekdays. Construction work might occur on Saturdays; if so, it shall commence no earlier than 9:00 a.m. and cease no later than 6:00 p.m.

Required Approvals

Since the AOC is the lead agency for the proposed project, and is acting for the State of California on behalf of the Judicial Council of California, local government land use planning and zoning regulations do not apply to the proposed project. An exception is the Lake County Air Quality Management District (LCAQMD). The LCAQMD is a Federal and State authority agency with regulation powers. All open air quality issues must be submitted to the LCQAMD for approval, which includes Serpentine Dust Mitigation Plans and permitting of equipment that emits air pollutants such as diesel generations that might be sued for emergency backup power.

The AOC is responsible for approving the CEQA document and the proposed project. The State of California Public Works Board must also approve acquisition of the site for the proposed project.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse*. July 1.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport Zoning Ordinance, Revised July 2008. Accessed: June 29, 2010. Available at: <http://www.cityoflakeport.com/docs/ZONING-ORD-BY-CHAPTER-revised2008-amend-518200951709PM.pdf>

Lake County Air Quality Management District (LCAQMD) Correspondence. Letter submitted by Mr. Warren Massie on September 22, 2010.

Chapter 3

Environmental Factors Potentially Affected

The proposed project could potentially affect the environmental factor(s) checked below. The following pages present a more detailed checklist and discussion of each environmental factor.

- | | | |
|--|---|--|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture and Forestry Resources | <input checked="" type="checkbox"/> Air Quality |
| <input checked="" type="checkbox"/> Biological Resources | <input checked="" type="checkbox"/> Cultural Resources | <input type="checkbox"/> Geology, Soils and Seismicity |
| <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards and Hazardous Materials | <input type="checkbox"/> Hydrology and Water Quality |
| <input type="checkbox"/> Land Use and Land Use Planning | <input type="checkbox"/> Mineral Resources | <input checked="" type="checkbox"/> Noise and Vibration |
| <input type="checkbox"/> Population and Housing | <input type="checkbox"/> Public Services | <input type="checkbox"/> Recreation |
| <input checked="" type="checkbox"/> Transportation and Traffic | <input type="checkbox"/> Utilities and Service Systems | <input checked="" type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION: (To be completed by Lead Agency)

On the basis of this initial study:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, no further environmental documentation is required.

L F Sainz
Signature

Laura F. Sainz
Printed Name

December 6, 2010
Date

Administrative Office of the Courts
For

Environmental Checklist

3.1 Aesthetics

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
AESTHETICS — Would the project:				
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway corridor?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare which would adversely affect daytime or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the project have a substantial adverse effect on a scenic vista?*

Less than Significant Impact. Scenic vistas are defined as expansive views of highly-valued landscapes from publicly accessible viewpoints. Scenic vistas include views of natural features such as topography, water courses, rock outcrops, and natural vegetation, as well as man-made scenic structures. The proposed project consists of the construction of a new courthouse building on an approximately six-acre site located at 675 Lakeport Boulevard, in the City of Lakeport. The proposed project site is located on a parcel of land that is at an elevation approximately 30 feet above Lakeport Boulevard. While the proposed project would be located on a hilltop, the actual site for the new courthouse is relatively flat and currently vacant, with no significant topographic relief or features. The proposed project is located in an area comprised of mixed-uses, including predominantly retail and commercial development. Views north of the proposed project site include Lakeport Boulevard, vacant city-owned property, a small strip-mall shopping center to the northeast, and the Vista Point Shopping Center to the northwest. Views east of the proposed project consist of Bruno's Shopping Center, and a storage facility to the southeast. Vacant land is located south of the proposed project site, and the Lake County Chamber of Commerce and Highway 29 are located west of the proposed project site. Clear Lake is approximately one-half mile east of the proposed project. The proposed project would construct a two-story building on the project site. The AOC is attempting to site the courthouse in a way that reduces impacts on the view from the Lake County Chamber of Commerce; views would only be partially obstructed, if at all. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the project substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway corridor?*

Less than Significant Impact. There are no natural rock outcroppings or other scenic resources on the site, based on observations from the site visit and aerial photographs. The proposed project site consists of bare land that has been graded and includes two terraces. The lower terrace is located on the east side of the proposed project site and is accessed from Lakeport Boulevard on the north. The elevation of the lower terrace is approximately 1,365 feet above mean seal level (amsl). The upper terrace is accessed from the lower terrace by two approaches, one on the north end and one on the south end. The elevation of the upper terrace is approximately 1,380 feet amsl, with a decrease in topographic relief to the east. There are no structures on the proposed project site.

California's Scenic Highway Program was created by the Legislature in 1963. Its purpose is to preserve and protect scenic highway corridors from changes that would diminish the aesthetic value of lands adjacent to highways. There are no officially designated state scenic highways located within Lake County; however, Highway 29, which runs generally north-south through the City of Lakeport, is currently eligible for official designation as a scenic highway. Highway 29 is approximately 0.10 miles west of the proposed project.

As discussed above, the proposed project site is vacant. No rock outcroppings are located on site, and no officially designated state scenic highways are located within Lake County. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- c) *Would the project substantially degrade the existing visual character or quality of the site and its surroundings?*

Less than Significant Impact. The proposed project would involve the development of a two-story courthouse on approximately six acres. According to Figure 16, *Environmentally Sensitive Areas*, found in the City of Lakeport General Plan 2025, the proposed project is located near a "view corridor;" however, the proposed project would be consistent with policies identified in the general plan. The Open Space, Parks and Recreation Element of the City of Lakeport General Plan 2025 contains policies designed to protect scenic views, maintain visual compatibility, and ensure compatibility of new development with surrounding land uses. In addition, the Community Design Element contains numerous policies designed to protect the visual quality and character of the Lakeport area. The courthouse's design would be consistent with courthouse design standards, and the AOC anticipates the courthouse's features to be generally consistent with surrounding development. The proposed scale of the project is compatible and consistent with surrounding existing structures. Therefore, the proposed project would

not substantially degrade the existing visual character or aesthetic quality of the site and its surroundings.

The AOC plans to complete acquisition of the proposed project site by January 2011, begin construction in 2012, and complete construction in 2014. During this period, typical construction equipment such as tractors and cranes would cause short-term visual impacts; however, these visual impacts would no longer exist after project completion. Because the proposed building would not be unusual for the surrounding setting and the visual character and aesthetic quality of the proposed courthouse would be consistent with that of the surrounding area, the physical appearance of the building would not substantially degrade the existing visual character or aesthetic quality of the site's surroundings. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- d) *Would the project create a new source of substantial light or glare which would adversely affect daytime or nighttime views in the area?*

Less than Significant Impact. The proposed project site is vacant and contains no sources of light. The proposed project would involve the development of the site with urban development typical of other development in the region. Introduction of new lighting from the proposed project would include light sources within and around the proposed courthouse, lighting within the parking lot and security lighting on courthouse grounds. All light sources would be shielded to minimize glare impacts on surrounding properties, and landscaping would also block light from these properties.

Most of the proposed project's interior lighting would be limited to the Superior Court's typical weekday operational hours and the periods immediately before and after the Superior Court's operations.

Implementation of these measures and other LEED guidelines would reduce both the generation of exterior light and the potential for light trespass to affect off-site areas. Because the proposed project would comply with LEED criteria for reducing light pollution, the project would not create substantial light or glare that would adversely affect day or nighttime views in the area.

The *California Trial Court Facilities Standards* emphasize that the state's courthouse buildings would be appropriate to the surroundings and would not have substantial metallic finishes. The proposed project would not add building features such as metallic finishes that generate substantial glare. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse*. July 1.

City of Lakeport, General Plan 2025, adopted August, 2009.

URS, *Final Draft Phase I Environmental Site Assessment, Proposed New Lakeport Courthouse*, December 2009.

3.2 Agricultural and Forest Resources

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
<p>AGRICULTURAL AND FOREST RESOURCES — In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state’s inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:</p>				
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland of Statewide Importance to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

a, b, c) *Would the proposed project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use; or conflict with existing zoning for agricultural, Williamson Act, or forest lands?*

No Impact. According to the California Department of Conservation, Division of Land Resource Protection Farmland Mapping and Monitoring Program, the proposed project site is designated as “Urban and Built-Up Land.” The site is not identified as being Prime or Unique Farmland, or Farmland of Statewide Importance, is not under a Williamson Act contract, is not located in forest areas or timberland, nor would it convert any of these uses. In addition, according to the City of Lakeport General Plan 2025, the Lake County Agricultural Commissioner has determined that there are no prime agricultural lands within city limits. The proposed project does not conflict with existing zoning for agricultural use, as the proposed project site is designated “C-2” (Major Commercial). *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- d) *Would the proposed project involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland of Statewide Importance to non-agricultural use or conversion of forest land to non-forest use?*

No Impact. The proposed project site is not identified as being near Prime or Unique Farmland, or Farmland of Statewide Importance, is not under a Williamson Act contract, is not located in forest areas or timberland, nor would it convert any of these uses. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

California Department of Conservation, Important Farmland in California, 2006. Farmland Mapping and Monitoring Program, Lake County Data. Accessed: June 28, 2010. Available at: <ftp://ftp.consrv.ca.gov/pub/dlrp/FMMP/pdf/2006/>

City of Lakeport, General Plan 2025, adopted August, 2009.

3.3 Air Quality

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
AIR QUALITY — Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations.				
Would the project:				
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project conflict with or obstruct implementation of the applicable air quality plan?*

No Impact. The proposed project site is located in the City of Lakeport, within the Lake County Air Basin (Basin), which is under the jurisdiction of the Lake County Air Quality Management District (LCAQMD). The Basin is designated “attainment” or “unclassified” with respect to all national and California Ambient Air Quality Standards (AAQS). Areas that do not meet the AAQS must develop regional air quality plans in order to attain the standards. As the Basin is in attainment for all AAQS, the LCAQMD has not been required to develop a regional air quality plan. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- b) *Would the proposed project violate any air quality standard or contribute substantially to an existing or projected air quality violation?*

Less than Significant with Mitigation.

Short-Term Construction Impacts

The proposed project would construct approximately 51,000 square feet of courthouse space, replacing the existing Lakeport Courthouse, leased Records Storage Annex, and

leased self-help center. The proposed project would affect local pollutant concentrations primarily during the construction phase. Activities such as site clearance and grading would generate substantial amounts of dust (including PM₁₀) from “fugitive” sources, such as earthmoving activities and vehicle travel over unpaved surfaces. Emissions would also be generated from the operation of heavy equipment construction machinery and construction worker automobile trips. Construction-related dust emissions would vary from day to day, depending on the level and type of activity, silt content of the soil, and meteorological conditions. Construction is expected to occur over 20 months, between 2012 and 2014.

As the LCAQMD does not have thresholds for construction or operational emissions, the proposed project emissions have been compared to the California and national AAQS. To be conservative, the following averaging times have been utilized: CO (one-hour), NO_x (one-hour), PM₁₀ (24-hour), and PM_{2.5} (24-hour). CO, PM₁₀, and PM_{2.5} emissions are modeled in order to determine if the proposed project would generate emissions that would impact localized air quality and human health. As NO_x is an ozone precursor, NO_x emissions were compared to the more conservative 1-hour standard as opposed to the annual arithmetic mean. If NO_x emissions are below the California and National AAQS, then ozone impacts would not be significant.

Although construction would occur between 2012 and 2014, activities occurring in year 2012 would generate the greatest amount of emissions (due to site clearing and grading). Therefore, year 2012 construction emissions were modeled as a worst case scenario. The peak daily construction emissions calculated in URBEMIS2007 were then modeled using the SCREEN3 dispersion model to determine localized pollutant concentrations from operational activities. Dispersion modeling predicts pollutant concentrations based on the amount of pollution emitted as well as the meteorological conditions at the site. Background concentrations were added to the calculated concentrations to determine if proposed project emissions would result in the violation of a California or national AAQS. As shown in [Table 3.3-1, Construction Emissions](#), emissions would not result in the violation of a state or national AAQS. Therefore, construction-related emissions would be less than significant.

**Table 3.3-1
Construction Emissions**

Estimated Emissions	Pollutant – Averaging Time			
	CO (µg/m ³) 1 Hour	NO _x (µg/m ³) 1 Hour	PM ₁₀ (µg/m ³) 24 Hour	PM _{2.5} (µg/m ³) 24 Hour
Project peak concentration (2012)	56.05	98.96	26.89	16.81
Background Concentration	3.5	0.45	17.6	7.8
Total	59.15	99.41	44.49	24.61
NAAQS	40,000	203	150	35

**Table 3.3-1, Continued
Construction Emissions**

Estimated Emissions	Pollutant – Averaging Time			
	CO ($\mu\text{g}/\text{m}^3$) 1 Hour	NO _x ($\mu\text{g}/\text{m}^3$) 1 Hour	PM ₁₀ ($\mu\text{g}/\text{m}^3$) 24 Hour	PM _{2.5} ($\mu\text{g}/\text{m}^3$) 24 Hour
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>
CAAQS	23,000	339	50	-
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>

ppm = parts per million; $\mu\text{g}/\text{m}^3$ = micrograms per cubic meter; CAAQS = California Ambient Air Quality Standards; NAAQS = National Ambient Air Quality Standards

The proposed project would also incorporate BMPs in order to further reduce air quality impacts during construction. These would include limiting on-site vehicle speeds, shutting down equipment when not in use for extended periods of time, watering the site twice daily when needed, applying nontoxic chemical soil stabilizers to construction areas not in use, and tarping haul trucks (**Mitigation Measure AQ-1**). The proposed project would also be required to obtain an Authority to Construct permit, pursuant to Chapter IV, Article I of the LCAQMD Rules and Regulations.

Mitigation required: Mitigation Measure AQ-1 (see below).

Significance after Mitigation: Less than Significant.

Naturally Occurring Asbestos

Asbestos is a term used for several types of naturally occurring fibrous minerals that are a human health hazard when airborne. The most common type of asbestos is chrysotile, but other types such as tremolite and actinolite are also found in California. Asbestos is classified as a known human carcinogen by state, federal, and international agencies and was identified as a toxic air contaminant by the California Air Resources Board (CARB) in 1986.

Asbestos can be released from serpentinite and ultramafic rocks when the rock is broken or crushed. At the point of release, the asbestos fibers may become airborne, causing air quality and human health hazards. These rocks have been commonly used for unpaved gravel roads, landscaping, fill projects, and other improvement projects in some localities. Asbestos may be released to the atmosphere due to vehicular traffic on unpaved roads, during grading for development projects, and at quarry operations. All of these activities may have the effect of releasing potentially harmful asbestos into the air. Natural weathering and erosion processes can act on asbestos bearing rock and make it easier for asbestos fibers to become airborne if such rock is disturbed. According to the Department of Conservation Division of Mines and Geology, *A General Location Guide for Ultramafic Rocks in California – Areas More Likely to Contain Naturally Occurring Asbestos Report* (August 2000), as well as the city's general plan, naturally occurring asbestos is known to occur within the proposed project area.

As naturally occurring asbestos is known to underlie the proposed project site, the project would be required to comply with LCAQMD Rules and Regulations. Chapter II, Article IV, Part V of the LCAQMD Rules and Regulations states that all construction projects located on a serpentine outcrop or alluvial material with greater than one percent asbestos should notify the LCAQMD of intended operations 30 days prior to construction activity. The project applicant would be required to file and receive approval of an asbestos-dust-hazard mitigation plan prior to construction activities. The applicant would also be required to inform employees working on the proposed project site of the potential health risk of airborne asbestos and the requirements of the asbestos-dust-hazard mitigation plan (**Mitigation Measure AQ-2**). Therefore, with implementation of **Mitigation Measure AQ-2**, impacts from naturally occurring asbestos at the proposed project site would be less than significant.

Mitigation required: Mitigation Measure AQ-2 (see below).

Significance after Mitigation: Less than Significant.

Long-Term Operational Impacts

For long-term operational impacts, there are both mobile sources and area sources of emissions. Mobile sources are emissions from motor vehicles, including tailpipe and evaporative emissions. Depending upon the pollutant being discussed, the potential air quality impact may be of either regional or local concern. Trip generation rates associated with the proposed project were based on traffic data within the *New Lakeport Courthouse Traffic Impact Analysis*, prepared by RBF Consulting (June 29, 2010, Revised October 4, 2010). Based on this *Traffic Impact Analysis*, the proposed project would result in 403 new daily trips, which would equate to 3,049 vehicle miles traveled (VMT).

Area source emissions would be generated due to the development of the proposed project and the associated increase in demand for electrical energy and propane consumption. The primary use of propane by the proposed project would be for space and water heating, and other miscellaneous heating or air conditioning sources.

As the LCAQMD does not have thresholds for construction or operational emissions, the proposed project emissions have been compared to the California and national AAQS. To be conservative, the following averaging times have been utilized: CO (one-hour), NO_x (one-hour), PM₁₀ (24-hour), and PM_{2.5} (24-hour). CO, PM₁₀, and PM_{2.5} emissions are modeled in order to determine if the proposed project would generate emissions that would impact localized air quality and human health. As NO_x is an ozone precursor, NO_x emissions were compared to the more conservative 1-hour standard as opposed to the annual arithmetic mean. If NO_x emissions are below the California and national AAQS, then ozone impacts would not be significant. The peak daily operational emissions calculated in URBEMIS2007 were then modeled using the SCREEN3 dispersion model to determine localized pollutant concentrations from operational activities, then added to the

background concentrations. As indicated in Table 3.3-2, *Operational Emissions*, emissions generated by mobile and area sources would not exceed California or national AAQS standards for CO, NO_x, PM₁₀, and PM_{2.5}, impacts to long-term air quality emissions would be less than significant.

**Table 3.3-2
Operational Emissions**

Estimated Emissions	Pollutant – Averaging Time			
	CO (µg/m ³) 1 Hour	NO _x (µg/m ³) 1 Hour	PM ₁₀ (µg/m ³) 24 Hour	PM _{2.5} (µg/m ³) 24 Hour
Project peak concentration	146.40	17.09	9.48	1.85
Background Concentration	3.5	0.45	17.6	7.8
Total	149.90	17.54	27.08	9.65
NAAQS	40,000	203	150	35
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>
CAAQS	23,000	339	50	35
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>

ppm = parts per million; µg/m³ = micrograms per cubic meter; CAAQS = California Ambient Air Quality Standards; NAAQS = National Ambient Air Quality Standards

Mitigation Measure AQ-1 and AQ-2 would reduce potential impacts to a less-than-significant level.

Mitigation Measure AQ-1: During construction operations, excessive fugitive dust emissions shall be controlled by regular water or other dust preventive measures using the following best management practices:

- Limit on-site vehicle speed to 15 miles per hour.
- Water material excavated or graded sufficiently to prevent excessive amounts of dust. Water three times daily with complete coverage, preferably in the late morning and after work is done for the day.
- Water or securely cover material transported on-site or off-site sufficiently to prevent generating excessive amounts of dust.
- Minimize area disturbed by clearing, grading, earth moving, or excavation operations so as to prevent generating excessive amounts of dust.
- Indicate these control techniques in project specifications. Compliance with the measure shall be subject to periodic site inspections by the city.
- Prevent visible dust from the project from emanating beyond the property line, to the maximum extent feasible.
- Apply nontoxic chemical soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for ten days or more).
- Trucks transporting soil, sand, cut or fill materials, and/or construction debris to or from the site must be tarped from the point of origin.

Mitigation Measure AQ-2: The project applicant shall notify the Lake County Air Quality Management District of intended operations 30 days prior to construction activity. The project applicant shall file and receive approval of an asbestos-dust-hazard mitigation plan (also referred to as a serpentine dust control plan) prior to any construction activity at the project site. The plan shall address and include mitigation for: excavation, roads, yards, driveways, parking areas, hauling and tracking of material onto adjacent roadways. All material shall be transported in a manner minimizing dust emissions. In no instance shall the dust from such operations exceed five percent opacity 20-feet from the traveled surface. The applicant shall inform employees working at the project site of the potential health risk of airborne asbestos and the requirements of the asbestos-dust-hazard mitigation plan. Exposed serpentine surfaces that may be subject to vehicular traffic shall have restricted access (fencing or other effective barriers) until such time as the surface is adequately covered with non-asbestos material. The plan shall be consistent with the California Air Resources Board Section 93105, *Final Regulation Order – Asbestos Air Toxic Control Measure for Construction, Grading, Quarrying, and Surface Mining Operations*.

Significance after Mitigation: Less than Significant.

-
- c) *Would the proposed project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions, which exceed quantitative thresholds for ozone precursors)?*

Less than Significant with Mitigation. The Basin is currently designated “unclassified” or “attainment” for all criteria pollutants under applicable California or national AAQS. Therefore, the proposed project would not result in an increase of a criteria pollutant for which the region is non-attainment. Also, construction emissions would be reduced with implementation of **Mitigation Measure AQ-1**. Therefore, construction activities occurring in close proximity to the LCAQMD’s air monitoring equipment would not exceed the California or national AAQS, and would not affect the Lake County Air Basin Attainment Status. Furthermore, operational emissions combined with existing background concentrations would be below the California and national AAQS. A less than significant impact would occur after implementation of **Mitigation Measure AQ-1**. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: **Mitigation Measure AQ-1**, above.

Significance after Mitigation: Less than Significant.

-
- d) *Would the proposed project expose sensitive receptors to substantial pollutant concentrations?*

Less than Significant with Mitigation. Sensitive receptors are defined as facilities or land uses that include members of the population that are particularly sensitive to the effects of air pollutants, such as children, the elderly, and people with illnesses. Examples of these sensitive receptors are residences, schools, hospitals, and daycare centers. CARB has identified the following groups of individuals as the most likely to be affected by air pollution: the elderly over 65, children under 14, athletes, and persons with cardiovascular and chronic respiratory diseases such as asthma, emphysema, and bronchitis.

The nearest sensitive uses are residential uses located approximately 340 feet to the northeast of the proposed project site. As discussed above under section 3.3 c), the proposed project would not result in a violation of a California or national AAQS during construction or operation.

Carbon Monoxide Hotspots

In order to identify impacts to sensitive receptors, a carbon monoxide (CO) analysis was completed for localized mobile (i.e. traffic) source impacts. An assessment of CO “hotspots” is performed when a proposed project increases the volume of traffic to capacity ratio (also called the intersection capacity utilization) by 0.02 (two percent) for relevant intersections with an existing level of service (LOS) D or worse. Because traffic congestion is highest where vehicles queue and are subject to reduced speeds, these hotspots are typically produced at intersection locations.

The projected traffic volumes were modeled using the BREEZE ROADS dispersion model. The resultant values were then added to an ambient concentration. A receptor height of 1.8 meters was used in accordance with the Environmental Protection Agency’s (EPA’s) recommendations. The calculations assume a meteorological condition of almost no wind (0.5 meters/second), a flat topological condition between the source and the receptor and a mixing height of 1,000 meters. A standard deviation of five degrees was used for the deviation of wind direction. The suburban land classification was used for the aerodynamic roughness coefficient. This follows the BREEZE ROADS user’s manual definition of suburban as “regular coverage with large obstacles, open spaces roughly equal to obstacle heights, villages, mature forests.” All of the above parameters are based on the standards stated in the *Transportation Project-Level Carbon Monoxide (CO Protocol)*, December 1997.

For the purposes of this analysis, the ambient concentration used in the modeling was the highest one-hour measurement from 2009 (the latest year data was available) of monitoring data at the Santa Rosa Monitoring Station (nearest CO monitoring station to the proposed project site). Actual future ambient CO levels may be lower due to emissions control strategies that would be implemented between now and the proposed project buildout date. Due to changing meteorological conditions over an eight-hour period which diffuses the local CO concentrations, the eight-hour CO level concentrations have been found to be typically proportional and lower than the one-hour concentrations, where it is possible to have stable atmospheric conditions last for the

entire hour. Therefore, eight-hour CO levels were calculated using the locally derived persistence factor as stated in the CO Protocol. The local persistence factor is derived by calculating the highest ratio of eight-hour to one-hour maximum locally measured CO concentrations from the most recent three years of data. Table 3.3-3, *Project Buildout Carbon Monoxide Concentrations*, shows that of the most recent three years of data, year 2007 has the highest eight-hour to one-hour ratio of 0.66.

The intersections in the proposed project area currently operate at an LOS ranging from LOS A to LOS C for PM peak hour activities. At proposed project buildout, four of these intersections would operate at LOS D or worse in an unmitigated condition, requiring a CO hotspot analysis. As indicated in Table 3.3-3 below, CO concentrations would be well below the thresholds. The modeling results are compared to the California AAQS for CO of 9 ppm on an eight-hour average and 20 ppm on a one-hour average. Neither the one-hour average nor the eight-hour average would be equaled or exceeded. Impacts in regards to localized CO hotspots would be less than significant.

**Table 3.3-3
Project Buildout Carbon Monoxide Concentrations**

Intersection	1-hour CO (ppm) ¹		8-Hour CO (ppm) ¹	
	1-hour Standard	Future + Project	8-hour Standard	Future + Project
Highway 29 SB Ramps/Lakeport Boulevard	20 ppm	3.9	9 ppm	2.57
Highway 29 NB Ramps/Lakeport Boulevard	20 ppm	4.0	9 ppm	2.64
Bevins Street/Lakeport Boulevard	20 ppm	4.0	9 ppm	2.64
Main Street/Lakeport Boulevard	20 ppm	3.9	9 ppm	2.57

Note:

- As measured at a distance of 10 feet from the corner of the intersection predicting the highest value. Presented 1 hour CO concentrations include a background concentration of 3.5 ppm. Eight-hour concentrations are based on a persistence of 0.66 of the 1-hour concentration.

Refer to **Appendix B, *Air Quality Data***.

Naturally Occurring Asbestos

As stated in section 3.3 b) above, the proposed project area is known to contain naturally occurring asbestos. Therefore, the proposed project would be required to comply with Chapter II, Article IV, Part V of the LCAQMD Rules and Regulations. The project applicant would be required to file and receive approval of an asbestos-dust-hazard mitigation plan prior to construction activities. With the implementation of **Mitigation Measure AQ-2**, impacts to sensitive uses from naturally occurring asbestos would be less than significant. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: **Mitigation Measure AQ-2**, described above.

Significance after Mitigation: Less than Significant.

- e) *Would the proposed project create objectionable odors affecting a substantial number of people?*

Less than Significant Impact. As a general matter, the types of land use development that pose potential odor problems include wastewater treatment plants, refineries, landfills, composting facilities and transfer stations. No such uses would occupy the proposed project site. Construction activities associated with the proposed project may generate detectable odors from heavy-duty equipment exhaust. Construction-related odors would be short-term in nature and cease upon project completion. Any impacts to existing adjacent land uses would be short-term and are less than significant. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

- California Air Resources Board, *Ambient Air Quality Standards*, <http://www.arb.ca.gov/research/aaqs/aaqs.htm>, accessed July 2010.
- Department of Conservation Division of Mines and Geology, *A General Location Guide for Ultramafic Rocks in California – Areas More Likely to Contain Naturally Occurring Asbestos Report*, August 2000.
- Institute of Transportation Studies, *Transportation Project-Level Carbon Monoxide*, December 1997.
- Lake County Air Quality Management District, *Rules and Regulations*, updated August 9, 2006.
- RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis*, June 29, 2010, Revised October 4, 2010.
- Rimpo and Associates, *URBEMIS 2007* (version 9.2.4), June 2007.
- Trinity Consultants, *BREEZE ROADS User Manual*, 2003.
- U.S. Environmental Protection Agency, *SCREEN3 Model User's Guide*, September 1995.

3.4 Biological Resources

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
BIOLOGICAL RESOURCES— Would the project:				
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

- a) *Would the project have a substantial adverse effect on any species identified as a candidate, sensitive, or special-status species?*

Less than Significant with Mitigation.

Special-Status Plant Species

A review of the California Natural Diversity Data Base (CNDDB) records show that two special-status plant species, green jewel-flower and mayacamas popcorn-flower, have been broadly mapped to include the proposed project area. Twenty-six other special-status plant species are known to occur within a 10-mile radius of the proposed project site: Anthony’s Peak lupine, beaked tracyina, bent-flowered fiddleneck, Boggs Lake hedge-hyssop, Bolander’s horkelia, Brandegee’s eriastrum, bristly sedge, Burke’s goldfields, Colusa layia, dimorphic snapdragon, eel-grass pondweed, glandular western flax, Koch’s cord moss, Konocti manzanita, Napa bluecurls, Norris’ beard moss, oval-leaved viburnum, Raiche’s manzanita, Rincon Ridge ceanothus, robust monardella, serpentine cryptantha, small-flowered calycadenia, small groundcone, Sonoma canescent

manzanita, two-carpellate western flax, and woolly meadowfoam. The potential for each special-status plant species to utilize the proposed project area is evaluated in the *Biological Study Report* (refer to **Appendix C**).

A botanical survey was conducted on April 9 and 29, May 17, and June 19, 2010. All of the special-status plant species potentially occurring in the proposed project area would have been evident at the time of the fieldwork. The survey consisted of an intensive and systematic evaluation of the proposed project site. The botanical survey confirmed the presence of four special-status plant species on the proposed project site, including: 1) *Colusa layia*; 2) bent-flowered fiddleneck; 3) serpentine cryptantha; and 4) Tracy's clarkia (a special-status species not reported in the CNDDDB records search). Locations of the plant populations are shown in **Appendix C** (refer to Figure 3 of the *Biological Study Report*). Data forms documenting the special-status plant occurrences have been submitted to the CNDDDB.

Colusa layia, serpentine cryptantha, and bent-flowered fiddleneck are on the California Native Plant Society's (CNPS's) List 1B. Although not state or federally listed, plants with this CNPS listing status are generally considered to qualify as "endangered, rare, or threatened" under Section 15380(d) of the State *CEQA Guidelines* and thus require consideration during CEQA review. Tracy's clarkia is on CNPS List 4; plants of this status rarely qualify for state listing, but may be locally significant.

Because detailed site development plans have not yet been prepared, the extent of impacts to the serpentine herb community and the four on-site special-status plant species cannot be quantified. However, in general terms, site development has a high potential to adversely affect these resources. It appears that Tracy's clarkia, which is the least sensitive of the plants, would be least affected because it primarily occurs on the periphery of the proposed project site. Serpentine cryptantha, which is the most sensitive of the four species on the proposed project site, is the most centrally located and would be the most difficult to avoid during site development.

California Department of Fish and Game (CDFG) staff were contacted following discovery of the special-status plant populations. However, the CDFG has not conducted a field review of the site or provided guidance as to potential mitigation strategies. Because full avoidance of the special-status plant populations and serpentine herb community does not appear to be possible, the project proponent should prepare a mitigation plan acceptable to CDFG prior to the start of construction activities. Mitigation would likely include avoidance of at least some of the on-site serpentine herb community and associated special-status plant populations. Detailed mapping of the extent and densities of the special-status plant communities prepared as part of the botanical study (refer to **Appendix C**) will assist in preparing a site design that minimizes impacts to the populations. The mitigation plan should be prepared as early as possible, in conjunction with preparation of site design and development plans. Other options for mitigation include preservation of other local populations of these special-status plants,

restoration of degraded populations on other sites in the area, and/or creation or new populations.

Special-Status Animal Species

Review of CNDDDB records showed that one special-status animal species, American badger, has been broadly mapped as occurring within the proposed project area. In addition, eight other special-status animal species are known to occur within a 10-mile radius: Clear Lake hitch, foothill yellow-legged frog, grasshopper sparrow, Pacific fisher, Sacramento perch, Townsend's big-eared bat, tricolored blackbird, and western pond turtle. The CNDDDB records search also identified seven non-status animal species within the search radius: *Calasellus californicus*, Bell's sage sparrow, blennosperma vernal pool andrenid bee, double-crested cormorant, great blue heron, osprey, and silver-haired bat. The potential for each special-status animal species to utilize the proposed project area is evaluated in the *Biological Study Report* (refer to **Appendix C**).

A wildlife survey was conducted on March 17, 2010. No special-status animal species were observed in the proposed project area during the wildlife evaluation. However, as documented in the *Biological Study Report* (refer to **Appendix C**), two special-status animal species, grasshopper sparrow and Townsend's big-eared bat, as well as the non-status silver-haired bat, could potentially utilize the proposed project site during their life cycles.

The grasshopper sparrow, a migratory bird, has a low potential to nest in the on-site annual grassland community. Potential adverse effects on nesting grasshopper sparrows can be avoided through proper timing of vegetation removal.

Townsend's big-eared bat and silver-haired bat could potentially forage on-site. However, they are very unlikely to roost on the proposed project site, given the lack of suitable roosting locations. Because suitable roosting habitat is much more available on other local sites and similar or higher quality foraging habitat is widely available, site development would have a negligible effect on these bat species; no mitigation is warranted.

Implementation of **Mitigation Measure BIO-1** and **BIO-2** would reduce impacts to special-status plant and animal species to a less-than-significant level.

Mitigation Measure BIO-1: Following the development of a site plan and prior to the commencement of construction activities, the AOC shall prepare a Mitigation Plan to offset impacts to the on-site serpentine herb community and the following three special-status plants species: 1) Colusa layia; 2) serpentine cryptantha; and 3) bent-flowered fiddleneck. Tracy's clarkia shall also be avoided/protected where possible.

As discussed with California Department of Fish and Game (CDFG) staff, the highest priority for mitigation shall be to avoid and protect the existing on-site populations of the special-status plants to the extent feasible. Secondly, if suitable habitat will be

temporarily disturbed but will remain viable in the long term, an effort shall be made to re-establish special-status plant populations in these areas upon completion of construction. If CDFG determines that the available on-site options for plant protection and re-establishment do not fully compensate for the project impacts, off-site mitigation shall be provided. This can be accomplished through preservation or enhancement of off-site serpentine habitats and special-status plant populations, restoration of degraded habitats on other local sites capable of supporting the sensitive resources, creation of new habitats capable of supporting the sensitive resources, and/or purchase of appropriate credits at a qualifying mitigation bank (if available).

The Mitigation Plan shall be submitted to CDFG for review, and shall be approved in writing by CDFG prior to initiation of construction activities. The Plan shall identify the mitigation site(s); methods to be employed to protect, restore, enhance, and/or create serpentine-herb habitat and the associated special-status plant populations; an implementation schedule; success criteria; monitoring and reporting requirements; long-term maintenance provisions; remedial measures to be undertaken if the success criteria are not fully met; and/or other pertinent data to ensure successful mitigation.

Mitigation Measure BIO-2: Vegetation removal shall be conducted between August 1 and February 28, if feasible. If vegetation removal must be conducted between March 1 and July 31, a nesting bird survey shall be conducted within two weeks prior to initiation of work. If active nests are present, work within 500 feet of the nest(s) shall be postponed until the young have fledged, unless a smaller next buffer zone is authorized by the California Department of Fish and Game.

Significance after Mitigation: Less than Significant.

-
- b) *Would the proposed project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?*

Less than Significant with Mitigation. The proposed project site is approximately 1,340 - 1,400 feet above sea level, and is surrounded on three sides by urban development. The proposed project site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s; the site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988.³ Soils on the proposed project site are identified as Henneke-Montara Rock Outcrop Complex, 15 to 50 percent slopes, with a negligible amount of Still loam, stratified substratum, in the extreme northeast corner of the site. The Henneke-Montara Complex consists of very deep, moderately well-drained soils formed in alluvium from mixed rock types. However, grading

³ *Biological Study Report*, ENPLAN, July 2010.

activities dramatically altered the soils and natural contours of the proposed project site. Roughly 20 feet of surface material was removed from the upper portion of the proposed project site, resulting in two level terraces.

Small rocks of serpentine origin are exposed on the upper terrace and hillsides, which support a serpentine herb community. The lower terrace supports a disturbed annual grassland. Locations of the communities, as well as photographs, are shown in the *Biological Study Report* (refer to **Appendix C**). Two small, shallow seasonal waters with rock substrates are present on the upper terrace. Most runoff from the proposed project site enters constructed ditches that convey flow to the east. Flow enters the city's storm drain system, which discharges into Clear Lake approximately one-quarter mile east of the proposed project site.

Annual Grassland

Annual grasslands are characterized by a sparse to dense cover of annual grasses with inclusions of numerous species of native annual forbs ("wildflowers"). Germination occurs with the onset of the fall rains; growth, flowering, and seed-set occur from winter through spring. With a few exceptions, the plants are dead through the summer-fall dry season, persisting as seeds. On the proposed project site, the annual grassland community is best represented on the lower terrace of the site, on the eastern edge of the proposed project area. Common species in this community include wild oats, soft chess, California meadow barley, cream sacs, winter vetch, Spanish lotus, and various clovers. Although several special-status plant species were observed on the fringe of the annual grassland community, the community itself is not considered unique or sensitive. Overall, the on-site grassland has low value to wildlife species.

Serpentine Herb Community

The on-site serpentine herb community generally consists of a sparse, low-growing cover of annual and perennial forbs and grasses on the upper terrace and hillsides. Serpentine soils have unique chemical properties that prohibit the growth of many common plant species. A number of other plant species have evolved mechanisms allowing them to survive on serpentine soils. The flora of serpentine sites is thus unique and often supports plants of limited distribution, including a number of endemic species. As discussed above, four serpentine-adapted special-status plant species were observed in this community.

The serpentine herb community is considered to be a sensitive natural community due to its somewhat restricted distribution and the high potential for endemic plant species to be present. The on-site community has been highly disturbed by grading. Although this has reduced the value of the site for some plant species, it has formed a "serpentine barren" that supports a unique suite of species, including four special-status species. Loss of the serpentine herb community as a result of project development is considered a significant adverse impact. Mitigation for this loss is best considered in conjunction with impacts on the four special-status plant species. Because all four of the special-status plant species

have an affinity for serpentine soils, mitigation for the loss of the plants would also provide mitigation for the loss of the serpentine herb community.

With implementation of **Mitigation Measure BIO-1**, project impacts to the serpentine herb community would be less than significant.

Mitigation required: **Mitigation Measure BIO-1**, above.

Significance after Mitigation: Less than Significant.

-
- c) *Would the proposed project have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

Less than Significant Impact. National Wetlands Inventory Maps were reviewed to determine if any jurisdictional waters had been previously reported on or within one-half mile of the proposed project site; however, no data was available for the Lakeport quadrangle. The field investigations were conducted in accordance with the technical methods outlined in the U.S. Army Corps of Engineers Wetland Delineation Manual and under the Regional Supplement to the U.S. Army Corps of Engineers Wetland Delineation Manual: Arid West Region (Arid West Supplement). During the field investigation on April 29 and 30, 2010, eight non-wetland waters of the United States were mapped within two categories: seasonal waters and constructed ditches.

Two seasonal waters, on the western edge of the upper terrace, were created when the site was graded and bedrock was exposed. Water now ponds to a depth of two to three inches in these shallow depressions underlain by bedrock. Representative plant species include scribner grass (*Scribneria bolanderi*), annual hairgrass (*Deschampsia danthonioides*), and rigiopappus (*Rigiopappus leptocladus*), but vegetative cover is less than five percent. Features with an ordinary high water mark and less than five percent vegetative cover are non-wetland waters. The extent of ponding was documented through site inspections on February 8 and April 9, 29 and 30, 2010, as well as by the presence of waterstained rock, sediment deposits, and a biotic crust (refer to **Appendix C**).

Constructed ditches are excavated features that may be located in either wetlands or uplands, and may convey water collected from sheet flow or diverted from other water bodies. The jurisdictional status of constructed ditches depends in part on these characteristics. The on-site ditches are constructed in uplands, and receive sheet-flow runoff and discharge from the two non-wetland waters on the upper terrace. Most of the ditches have only ephemeral flow. However, two of the constructed ditches, 3:CD and 8:CD as identified in the Pre-Jurisdictional Delineation Report (refer to **Appendix C**), do not drain well and support wetland plant species in their lower ends; species present

include annual ryegrass (*Lolium multiflorum*), Mediterranean barley (*Hordeum marinum* ssp. *gussoneanum*), and common monkey-flower (*Mimulus guttatus*).

As described in Regulatory Guidance Letter 08-02, the AOC concurs with the U.S. Army Corps of Engineers that waters regulated under the Clean Water Act may be present on the proposed project site. As such, these waters will be treated as jurisdictional for the purpose of calculating fill and satisfying future mitigation requirements. The AOC understands that it can later request and obtain an approved jurisdictional determination if that becomes necessary or appropriate during the permit process or during the administrative appeal process. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- d) *Would the proposed project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?*

Less than Significant with Mitigation. No terrestrial wildlife corridors exist at the proposed project site. The proposed project site is located within an undeveloped area that is surrounded by development, and just east of Highway 29. The surrounding development and roadways act as existing barriers for terrestrial wildlife movement. Therefore, the proposed project would not interfere with native wildlife movements.

The federal Migratory Bird Treaty Act states that without a permit issued by the U.S. Department of the Interior, it is unlawful to pursue, hunt, take, capture, or kill any migratory bird. Although ambient noise and disturbance levels are high in the site vicinity as a result of existing human and vehicle traffic, it is possible that certain bird species tolerant of disturbance might use these trees or buildings as nesting substrate. Direct impacts to nesting birds could occur if nesting substrate (e.g., trees) is removed while active nests are present. In addition, indirect impacts to nearby nesting birds could occur as a result of project-related construction noise, that causes stress on the birds or nest abandonment. The grasshopper sparrow, a migratory bird, has a low potential to nest in the on-site annual grassland community. Potential adverse effects on nesting grasshopper sparrows can be avoided through proper timing of vegetation removal. Implementation of **Mitigation Measure BIO-2** would reduce these potential impacts to a less-than-significant level.

Mitigation required: **Mitigation Measure BIO-2**, above.

Significance after Mitigation: Less than Significant.

- e) *Would the Project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?*

Less than Significant with Mitigation. The proposed project does not conflict with any local policies or ordinances protecting biological resources. No trees are located on-site; therefore, policies and ordinances related to tree protection are not applicable. The proposed project would result in the removal of special-status plant species; however, implementation of **Mitigation Measure BIO-1**, would result in impacts that are less than significant.

Mitigation required: **Mitigation Measure BIO-1**, above.

Significance after Mitigation: Less than Significant.

- f) *Would the Proposed Project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?*

No Impact. The proposed project is not within an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

City of Lakeport, General Plan 2025, adopted August, 2009.

ENPLAN, 2010, *Biological Study Report*, July 15, 2010

ENPLAN, 2010, *Pre-jurisdictional Delineation Report*, July 16, 2010.

3.5 Cultural Resources

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
CULTURAL RESOURCES — Would the project:				
a) Cause a substantial adverse change in the significance of a historical resource as defined in §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Cause a substantial adverse change in the significance of a unique archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project cause a substantial adverse change in the significance of a historical resource as defined in §15064.5?*

No Impact. State *CEQA Guidelines* Section 15064.5 requires the lead agency to consider the effects of a project on historical resources. A historical resource is defined as any building, structure, site, or object listed in or determined to be eligible for listing in the California Register of Historical Resources (CRHR), or determined by a lead agency to be significant in the architectural, engineering, scientific, economic, agricultural, educational, social, political, or cultural annals of California.

The CRHR includes resources that have been listed in or formally determined eligible for listing in the National Register of Historic Places (NRHP), as well as some California State Landmarks and Points of Historical Interest. Under U.S. Department of the Interior, National Park Service guidelines (NPS, 1997), buildings, structures, and objects usually need to be more than 50 years old to be eligible for listing in the NRHP. The California Office of Historic Preservation guidelines for project review and planning call for the identification and evaluation of resources that are more than 45 years old to account for the passage of time between the period of project review and project completion. Resources that are less than 50 years old are generally excluded from listing in the NRHP or CRHR, unless they can be shown to be exceptionally significant.

Historic Background

The area now known as Lake County may have first been visited by Euro-Americans in 1821, when Captain Luis Arguello led a military expedition north from San Francisco. Fur trappers, explorers and settlers soon followed. Miners travelling to and from the gold fields traversed the area beginning in the 1840s and many returned after the gold rush to settle.

Lakeport was originally named Forbestown after an early settler. Forbes donated land to the local government in exchange for making the town the county seat in 1861. At the same time, a decision was made to change the name of the town to Lakeport to advertise its natural port. Important industries in Lake County have included mining, agriculture, and ranching. Today, the economy is boosted by tourism, wineries, and agricultural products including nuts, fruit, and grapes.

Background Research and Results

A records search was conducted at the Northwest Information Center (NWIC) of the California Historical Resources Information System at Sonoma State University on May 26, 2010. Results of the records search conducted at the NWIC indicate that there have been 18 previous surveys within a half-mile radius of the proposed project site. Historic features were noted by the NWIC record search. There are numerous historic structures documented through the City of Lakeport, although none are within or adjacent to the proposed project area.

A pedestrian survey was taken of the entire project area of potential effects (APE) on April 29, 2010 to identify potentially historic architectural resources. To address the possibility of buried cultural resources, the exposed cutbank on the proposed project site's north end and existing road cuts were examined.

No historic sites were noted during the cultural resources survey; however, it should be noted that the entire top 20 feet of the proposed project area was previously removed to create a building pad. This action would have destroyed any cultural resources which might have been present (refer to **Appendix D, Cultural Resources Inventory**, for more information). The proposed project would not affect any sites or structures eligible for inclusion of the CRHR or the NRHP. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

-
- b) *Would the proposed project cause a substantial adverse change in the significance of a unique archaeological resource pursuant to §15064.5?*

Less than Significant Impact with Mitigation. CEQA requires the lead agency to consider the effects of a project on archaeological resources and to determine whether any identified archaeological resource is a historical resource. State *CEQA Guidelines* Section 15064.5 also requires consideration of potential project impacts on “unique” archaeological resources that do not qualify as historical resources. PRC Section 21083.2 defines a unique archaeological resource as an archaeological artifact, object, or site about which it can be clearly demonstrated that, without merely adding to the current body of knowledge, there is a high probability that it meets one or more of the following criteria: (1) contains information needed to answer important scientific research questions, and there is a

demonstrable public interest in that information; (2) has a special and particular quality, such as being the oldest of its type or the best available example of its type; and/or (3) is directly associated with a scientifically recognized important prehistoric or historic event or person. PRC Section 15064.5(c)(4) provides that, if an archaeological resource is neither a unique archaeological resource nor a historical resource, the effects of a project on the resource are not considered significant.

Prehistoric Background

The first archaeological work in the Clear Lake region was that of Harrington (1948) at the Borax Lake site (CA-LAK-36). The site was estimated to date to 10,000 B.P., a date that was later validated through obsidian hydration. Although no further large scale archaeological investigations took place in the area until work was conducted at Anderson Flat (White and Frederickson 1992, White et al. 1995, 2002), several broad chronological schemes were developed to interpret the prehistory of the area. White and Frederickson (1992) present a more specific framework for the Clear Lake Basin based upon six sites. The earliest human activity in the area is identified at the Borax Lake site. This pattern (10000-7500 B.P.) is associated with large points, crescents, scrapers, and choppers and assumed to be related to big game hunting. However, the location of the site near the lake may indicate lacustrine use. The sequence continues through the Houx Aspect of the Berkeley Pattern (7500-1200 B.P.), with a drier climate, a shift away from hunting to a more diversified subsistence strategy and increasing populations. The chronology ends with the late prehistoric to early historic Clear Lake Aspect (1200 B.P. – historic contact). Interestingly, two distinct populations are identified occupying the area simultaneously between 4000- 1200 B.P. The intrusive Mendocino Pattern people exhibit similarities to cultures associated with the surrounding mountains while the pre-existing Houx Aspect peoples had ties to Clear Lake.

Ethnographic

The project area was inhabited by the Eastern Pomo at the time of Euro-American contact. Ethnographic sources for the Eastern Pomo include Loeb (1926), Kroeber (1925), Gifford (1923, 1926) and McLendon and Lowy (1978). The following summary is taken from the latter source. The Pomo, identified as part of the Hokan language family, consisted of twelve groups who spoke seven separate, distinct dialects.

The Eastern Pomo followed a seasonal lifestyle that was based upon the environment of the Clear Lake area. Heavy winter rains led to rushing streams in the spring and a full lake at the beginning of summer. Dry summers led to a lower lake level and access to lakeside marshlands. Subsistence activities were tied to this weather pattern. Fish, which were dried for year-round use, were caught in streams in the spring while waterfowl were obtained in the fall. Acorns, a dietary staple, were gathered during the autumn. Roots were dug and tules were harvested in early summer; lake fishing and clam collection took place in early summer as well.

Villages developed along the lake or permanent streams. They were occupied for much of the year; however, many of the inhabitants left the village at certain times of the year in order to obtain specific resources (e.g., acorns).

Tules were a key raw material used by the Eastern Pomo for housing, boats, and clothing, as well as household items and food. Clam shell beads were used as the medium of exchange for the Eastern Pomo. The shells were brought back from the coast, broken, shaped and drilled into beads. Although bartering sometimes took place, beads were principally used to trade for salt, obsidian blades, and a number of other items.

Background Research and Results

Results of the cultural resources records search conducted at the NWIC indicate that there have been 18 previous surveys within a half-mile radius of the proposed project site. No archaeological sites have been recorded in the immediate project area; however, three prehistoric sites have been recorded within one-half mile of the proposed project. Site P-17-000492, known as Prayer Hill, is located 1,000 feet from the proposed project site. There is no site record for this feature, but an article published by the Lake County Chamber of Commerce (Geoble ND), suggests that it was used by the local Native Americans for ceremonies prior to the historic period. This feature has been substantially altered by a road cut and quarrying, with much of the hilltop removed.⁴

A pedestrian survey was conducted on the APE on April 29, 2010. The northern bank was visible to a depth of approximately 29 feet. Ground visibility varied from good (approximately 80 percent exposed ground on top of the hill) to fair (approximately 20 to 30 percent visibility near the base) for the survey area. An archaeological surface survey was conducted on the proposed project area; however, no archaeological resources were recorded during the archaeological surface or pedestrian survey.

The Native American Heritage Commission (NAHC) was contacted on March 16, 2010 to request a database search for sacred lands or other cultural properties of significance within or adjacent to the proposed project area. A response was received on March 25, 2010. The sacred lands file search did not identify the presence of cultural resources in the project area. Letters were sent to Native American organizations and to the Lakeport Historical Society on April 2, 2010. An email response was received from Mr. Shannon Ford of the Scotts Valley Band of Pomo Indians on April 15, 2010, requesting that a member of his tribe monitor the area during ground disturbing activities. The Lakeport Historical Society contacted ENPLAN by telephone on April 20, 2010 to indicate that they have no concerns with the proposed project (refer to **Appendix D, Cultural Resources Inventory**, for details and copies of the correspondence).

⁴ *Cultural Resources Inventory*, ENPLAN, July 2010.

The accidental discovery of archaeological materials during ground-disturbing activities cannot be entirely discounted. In the unlikely event that archaeological materials are unearthed, implementation of **Mitigation Measure CUL-1** would reduce potential impacts to archaeological resources to less than significant levels.

Mitigation Measure CUL-1: If previously unevaluated cultural resources are encountered, all earth-disturbing work shall stop within 50 feet of the find until a qualified archaeologist and a Native American representative can make an assessment of the discovery and recommend/implement mitigation measures as necessary. Prehistoric archaeological materials might include obsidian and chert flaked-stone tools (e.g., projectile points, knives, scrapers) or tool making debris; culturally darkened soil (“midden”) containing heat-affected rocks, artifacts, or shellfish remains; and stone milling equipment (e.g., mortars, pestles, handstones, or milling slabs); and battered stone tools, such as hammerstones and pitted stones. Historic-period materials might include stone, concrete, or adobe footings and walls; filled wells or privies; and deposits of metal, glass, and/or ceramic refuse. If the archaeologist and Native American representative determine that the resources may be significant, they will notify the AOC. An appropriate treatment plan for the resources should be developed. The archaeologist shall consult with Native American representatives in determining appropriate treatment for prehistoric or Native American cultural resources.

In considering any suggested mitigation proposed by the archaeologist and Native American representative, the AOC will determine whether avoidance is necessary and feasible in light of factors such as the nature of the find, project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) shall be instituted. Work may proceed in other parts of the project area while mitigation for cultural resources is being carried out.

Significance after Mitigation: Less than Significant.

-
- c) *Would the proposed project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?*

Less than Significant with Mitigation. Paleontology is a multidisciplinary science that combines elements of geology, biology, chemistry, and physics in an effort to understand the history of life on earth. Paleontological resources, or fossils, are the remains, imprints, or traces of once-living organisms preserved in rocks and sediments. The fossil yielding potential of a particular area is highly dependent on the geologic age and origin of the underlying rocks. In general, older sedimentary rocks (more than 10,000 years old) are considered most likely to yield fossils of scientific interest.

According to the Natural Resources Conservation Service Web Soil Survey, the proposed project site is located within Soil Map Unit 142: Henneke-Montara Rock Outcrop Complex, 15 to 50 percent slopes. This soil map unit consists of very deep, moderately

well drained soils with medium runoff, and very slow permeability, formed in alluvium from mixed rock sources. The native geology of the proposed project site is mapped as Ultramafic Rocks, chiefly Mesozoic, Unit 3 (um) (Middle and Late Jurassic) by the United States Geological Survey. The proposed project site is surrounded by Quaternary alluvium and marine deposits (Pliocene to Holocene) (Q) (USGS 2010). These two geologic mapping units, um and Q, have the potential to contain paleontological resources; however, the entire top 20 feet of the proposed project area was previously removed to create a building pad. This action would have destroyed any paleontological resources which might have been present. In addition, according to the University of California, Museum of Paleontology (UCMP), no records of previous vertebrate fossil finds or fossil plant sites are located within the proposed six-acre site.

Although there is low potential to encounter paleontological resources during construction, implementation of **Mitigation Measure CUL-2** would reduce any potential impacts to less than significant levels with respect to paleontological resources.

Mitigation Measure CUL-2: In the event that paleontological resources are discovered during ground disturbing activities, grading and construction work within 100 feet of the find shall be suspended until the significance of the features can be determined by a qualified professional paleontologist as appropriate. A qualified professional paleontologist shall then make recommendations for measures necessary to protect the find, or to undertake data recovery, excavation, analysis, and curation of paleontological materials as appropriate.

Significance after Mitigation: Less than Significant.

-
- d) *Would the proposed project disturb any human remains, including those interred outside of formal cemeteries?*

Less than Significant with Mitigation. Results of the record searches and pedestrian survey indicate that the proposed project area has a low potential to contain buried cultural materials including human remains. However the possibility of uncovering human remains cannot be entirely discounted. In the unlikely event that human remains are uncovered during ground-disturbing activity, the implementation of **Mitigation Measure CUL-3** would reduce potential impacts to human remains to less than significant levels.

Mitigation Measure CUL-3: If human remains are encountered unexpectedly during construction excavation and grading activities, State Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the Lake County Coroner has made the necessary findings as to origin and disposition pursuant to Public Resources Code Section 5097.98. If the remains are determined to be of Native American descent, the coroner has 24 hours to notify the Native American Heritage Commission. The Native American Heritage Commission will then identify the person(s) thought to be the

Most Likely Descendent, who will help determine what course of action should be taken in dealing with the remains.

Significance after Mitigation: Less than Significant.

References

- Geoble, Merion, ND, *The Old Indian Prayer Hill*, Lake County Chamber of Commerce, Lakeport, CA, no date.
- ENPLAN, 2010, *Cultural Resources Inventory for the Proposed Lake County Courthouse Site, in the City of Lakeport, Lake County, California*, July 2010.
- University of California Museum of Paleontology. Paleontology Records Search. July 2010. Available at: <http://www.ucmp.berkeley.edu/science/collectionspolicies.php>.
- USGS, 2010, *Mineral Resources On-Line Spatial Data – California Geologic Map Data*, Available at: <http://tin.er.usgs.gov/geology/state/state.php?state=CA>, Accessed on July 19, 2010.
-

3.6 Geology, Soils, and Seismicity

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
GEOLOGY, SOILS, AND SEISMICITY — Would the project:				
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? (Refer to Division of Mines and Geology Special Publication 42.)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

a.i) *Would the project expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?*

Less than Significant Impact. The proposed project site is not located in an Alquist-Priolo Earthquake Fault Zone⁵ as defined by the California Geological Survey (CGS) (formerly the California Division of Mines and Geology [CDMG]). However, Fault-Rupture Hazard Zones maps prepared by the CGS (pursuant to the Alquist-Priolo Earthquake Fault Zoning Act) do identify areas in the northern section of Lake County as being located in a fault zone. The fault zone runs diagonally in a southeast to northwest direction through the Potato Hill, Lake Pillsbury, and Sanhedrin topographic quad maps. In the far southeastern corner of the county there is a fault zone in the Jericho Valley, an area that runs along the Lake/Napa County line. These faults have the potential for

⁵ Alquist-Priolo Zones designate areas most likely to experience fault rupture, although surface fault rupture is not necessarily restricted to those specifically zoned areas.

surface rupture; therefore, the proposed project may result in potential adverse effects involving rupture of a known earthquake fault.

While fault rupture is not necessarily bound to occur directly along the fault trace, ground displacement is usually experienced within a narrow zone along the fault trace. Because the proposed project site is not located on an active or potentially active fault, the potential for surface fault rupture is low, and the impact is considered less than significant.

In addition, the California Building Code (CBC) establishes standards for investigation and mitigation of site conditions related to fault movement, ground rupture, ground shaking as well as other seismically inducted activities. As part of its design effort, the AOC prepares a geotechnical report to evaluate site conditions including seismic issues, and the report's geologist and engineer provide structural recommendations. The AOC's design would incorporate seismic recommendations from the geotechnical report into the proposed project's design to ensure that the building's structural and safety elements meet requirements the CBC. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- a.ii) *Would the project expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving strong seismic ground shaking?*

Less than Significant Impact. Lakeport is located in a highly active earthquake area and the potential exists for a significant seismic event in the future. Immediately east of the city, between the city and Clear Lake, there is a potentially active rupture zone. Potentially active rupture zones are faults which have been active in the past 2,000 years. Little is known about the shoreline fault rupture zone; however, it represents a potential significant hazard and must be taken into consideration when development occurs in the vicinity. To the west of the city lie the San Andreas Fault and the Healdsburg Fault, 30 and 15 miles away, respectively. Both of these faults have been responsible for moderate to major seismic events in the past. The maximum earthquake magnitudes observed to date are 8.5 (Richter Scale) for the San Andreas Fault and 6.75 (Richter Scale) for the Healdsburg fault.

Within the past 200 years, no major damaging earthquakes have occurred along faults in Lake County; however, numerous minor faults exist within the county, designated potentially active, which could cause ground rupture, failure and shaking. Precise locations of these faults are not well established; however, it appears that the greatest number of faults occur in the southwestern portion of the county near Mt. Konocti. The southeastern portion of the county also appears to have considerable faults, particularly from Grizzly Peak eastward and running from Knoxville to the southern county line.

Although some structural damage is typically not avoidable during an earthquake, building codes and construction ordinances have been established to protect against building collapse and major injury during a seismic event. The design and construction of the proposed facilities and their foundations would be in accordance with current applicable requirements of the CBC and would reduce the potential for injury and structural damage. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- a.iii) *Would the project expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving seismic-related ground failure, including liquefaction?*

Less than Significant Impact. Liquefaction is a phenomenon where saturated subsurface soils lose strength because of increased pore pressure and can behave more like a liquid than a solid. The soils most susceptible to liquefaction are clean, loose, uniformly graded, saturated, fine-grained soils that occur close to the ground surface, usually at depths of less than 50 feet. Because liquefaction only occurs in saturated soil, its effects are most commonly observed in low-lying areas near bodies of water such as rivers, lakes, bays, and oceans. Soils in and around Lakeport, especially near the Clear Lake shore, are susceptible to liquefaction during a seismic event.

Regardless, modern construction methods and materials can reduce the potential damage from liquefaction. The design phase geotechnical investigation, as required for by the CBC, would evaluate the potential for liquefaction and include recommendations to reduce the potential impact per standard engineering practices. Implementation of these geotechnical engineering recommendations into the proposed project's specifications would make the potential damage from liquefaction a less-than-significant impact. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- a.iv) *Would the project expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving landslides?*

Less than Significant Impact. The landslide potential of an area is a function of the area's hydrology, geology, and seismic characteristics. Areas that are often susceptible to landsliding include steep slopes underlain by weak bedrock. While the proposed project would be located on a hilltop, the actual site for the new courthouse is relatively flat and currently vacant. According to the Lake County General Plan EIR (2008),⁶ no recent landslides have been identified in the county, though the potential for failure does exist in

⁶ Available at: http://www.co.lake.ca.us/Government/Directory/Community_Development/documents//2008FinGP.htm. Accessed: July 15, 2010.

the region, especially in areas of previous landslide debris. The Safety Element of the City of Lakeport General Plan 2025 states that since zones of moderate to high landslide potential exist in Lakeport, soils tests should be carried out by a registered soils engineer or geologist are essential wherever landslide potential is indicated or suspected. As previously mentioned, as part of its design effort, the AOC prepares a geotechnical report to evaluate site conditions including potential landslide issues, and the report's geologist and engineer provide structural recommendations. The AOC's design would incorporate landslide recommendations from the geotechnical report into the proposed project's design to ensure that the building's structural and safety elements are met. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the project result in substantial soil erosion or the loss of topsoil?*

Less than Significant Impact. Construction of the proposed project would involve excavation, soil stockpiling, and grading. These activities would expose areas of soil that have previously been covered with asphalt, concrete, or vegetation. Exposed soil could be subject to erosion by wind and storm water runoff. The extent of erosion that could occur varies depending on soil type, vegetation/cover, and weather conditions. Concentrated water erosion, if not managed or controlled, could eventually result in significant soil loss. Sediment from project-induced erosion could also accumulate in downstream drainage facilities, interfere with flow, and aggravate downstream flooding conditions. The project applicant would be required to apply for a NPDES General Permit for Discharges of Storm Water Runoff Associated with Construction Activity (General Construction Permit), which involves preparing a SWPPP for all construction phases of the proposed project (see Hydrology and Water Quality for more information). This permit is required by the RWQCB. The objectives of the SWPPP are to identify pollutant sources (such as sediment) that may affect the quality of storm water discharge and to implement BMPs to reduce pollutants in storm water discharges. The applicant would be required to submit a Notice of Intent (NOI) to the RWQCB prior to the start of construction and provide a copy of the SWPPP at the job site at all times.

At the end of each construction year (if applicable), the applicant would be required to submit an annual report to the RWQCB describing the performance of the prescribed BMPs and measures to correct BMPs that failed. Upon completion of the proposed project, the applicant would be required to submit a Notice of Termination to the RWQCB to indicate that all phases of construction are complete. Implementation of the plan would start with the commencement of construction and would continue through completion of the proposed project. Compliance with the SWPPP and the prescribed BMPs would reduce potential erosion of exposed soil and reduce potential erosion impacts. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- c) *Would the project be located on geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?*

Less than Significant Impact. The proposed project would include a design level geotechnical investigation that would have recommendations for foundation soils as well as compaction and backfill specifications to ensure geotechnically sound construction. The potential landslide hazard for the proposed project is considered very low due to the relatively level topography. Construction building codes for seismic conditions such as those present at the proposed project site include stringent requirements for foundation and building designs and would be enforced for the proposed project. With incorporation of geotechnical recommendations made in the design level investigation, the potential hazard from unstable soils would be considered less than significant. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- d) *Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?*

Less than Significant Impact. Expansive soils are those soils that shrink and swell in response to changes in moisture content potentially causing serious damage to overlying structures. According to the Natural Resources Conservation Service Web Soil Survey, the proposed project site is located within Soil Map Unit 142: Henneke-Montara Rock Outcrop Complex, 15 to 50 percent slopes. This soil map unit consists of very deep, moderately well drained soils with medium runoff, and very slow permeability, formed in alluvium from mixed rock sources. Expansive soils are often remedied during pre-construction site preparation either through treatment with lime or replacement with engineered fill. The proposed project would include a geotechnical evaluation of the building site location. As part of this investigation, the geotechnical engineer would evaluate the potential for expansive soils and provide recommendations. Implementation of these recommendations, as required by the CBC, would result in less-than-significant impacts. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- e) *Would the project site have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?*

No Impact. The proposed project does not include any element that would require the need for a septic wastewater disposal system. The wastewater generated by the proposed

project would be handled by the city sewer system. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

Hart, E. W., 1997, *Fault-Rupture Hazard Zones in California: Alquist-Priolo Special Studies Zones Act of 1972 with Index to Special Studies Zones Maps*, California Division of Mines and Geology, Special Publication 42, 1990, revised and updated 1997.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

United States Department of Agriculture, Natural Resources Conservation Service: Soil Survey Area: Lake County, California. Survey Area Data: Version 7, Aug 31, 2009.

3.7 Greenhouse Gas Emissions

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
GREENHOUSE GAS EMISSIONS — Would the project:				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?*

Less than Significant Impact.

Global Climate Change

Greenhouse gas (GHG) emissions have the potential to adversely affect the environment because they contribute to global climate change. GHGs are global in their effect, which is to increase the earth's ability to absorb heat in the atmosphere. As primary GHGs have a long lifetime in the atmosphere, accumulate over time, and are generally well-mixed, their impact on the atmosphere is mostly independent of the point of emission. Prominent GHGs of concern include carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O). California is a substantial contributor of GHGs, emitting over 400 million tons of carbon dioxide (CO₂) per year.⁷ Climate studies indicate that California is likely to see an increase of three to four degrees Fahrenheit (°F) over the next century. Methane is also an important GHG that potentially contributes to global climate change.

The impact of anthropogenic activities on global climate change is apparent in the observational record. Air trapped by ice has been extracted from core samples taken from polar ice sheets to determine the global atmospheric variation of CO₂, methane (CH₄), and nitrous oxide (N₂O) from before the start of industrialization (approximately 1750), to over 650,000 years ago. For that period, it was found that CO₂ concentrations ranged from 180 parts per million (ppm) to 300 ppm. For the period from approximately 1750 to the present, global CO₂ concentrations increased from a pre-industrialization period concentration of 280 ppm to 379 ppm in 2005, with the 2005 value far exceeding the upper end of the pre-industrial period range.

Regulations and Significance Criteria

The Intergovernmental Panel on Climate Change (IPCC) constructed several emission trajectories of GHGs needed to stabilize global temperatures and climate change impacts.

⁷ California Energy Commission, *Inventory of California Greenhouse Gas Emissions and Sinks: 1990 to 2004*, 2006.

It concluded that a stabilization of GHGs at 400 to 450 ppm carbon dioxide-equivalent concentration is required to keep global mean warming below 2 degrees Celsius (°C), which in turn is assumed to be necessary to avoid dangerous climate change.

California Governor Arnold Schwarzenegger issued Executive Order S-3-05 in June 2005, which established the following GHG emission reduction targets:

- 2010: Reduce GHG emissions to 2000 levels;
- 2020: Reduce GHG emissions to 1990 levels; and
- 2050: Reduce GHG emissions to 80 percent below 1990 levels.

Assembly Bill (AB) 32 requires that the California Air Resources Board (CARB) determine what the statewide GHG emissions level was in 1990, and approve a statewide GHG emissions limit that is equivalent to that level, to be achieved by 2020. CARB has approved a 2020 emissions limit of 427 million metric tons of CO₂ equivalent.

Due to the nature of global climate change, it is not anticipated that any single development project would have a substantial effect on global climate change. In actuality, GHG emissions from the proposed project would combine with emissions emitted across California, the United States, and the world to cumulatively contribute to global climate change.

In June 2008, the California Governor's Office of Planning and Research (OPR) published a Technical Advisory, which provides informal guidance for public agencies as they address the issue of climate change in *CEQA* documents.⁸ This is assessed by determining whether a project is consistent with or obstructs the 39 Recommended Actions identified by CARB in its Climate Change Scoping Plan which includes nine Early Action Measures (qualitative approach). The Attorney General's Mitigation Measures identify areas where GHG emissions reductions can be achieved in order to achieve the goals of AB 32. As set forth in the OPR Technical Advisory and in the proposed amendments to the State *CEQA Guidelines* Section 15064.4, this analysis examines whether the proposed project's GHG emissions are significant based on a qualitative and performance based standard (Proposed State *CEQA Guidelines* Section 15064.4(a)(1) and (2)).

The Lake County Air Quality Management District (LCAQMD) does not currently have a quantitative threshold of significance for GHG emissions. In the absence of such a threshold, this analysis is based upon consistency with State GHG emission reductions targets established by AB 32. To achieve the GHG reduction goals of AB 32, a minimum 28.5 percent reduction from the "business as usual" scenario must be accomplished. Therefore, if the proposed project would reduce its "business as usual" emissions by a minimum of 28.5 percent, then a less than significant impact would result.

⁸ Governor's Office of Planning and Research, *CEQA and Climate Change: Addressing Climate Change Through California Environmental Quality Act (CEQA) Review*, 2008.

Direct Project-Related Sources of Greenhouse Gases

Direct project-related GHG emissions include emissions from construction activities, area sources, and mobile sources. Construction would commence in 2012 and would cease in 2014. GHG emissions from construction are typically amortized over the lifetime of the project (50 years, in accordance with the Judicial Council standards) and added to the operational emissions. Table 3.7-1, *Estimated Greenhouse Gas Emissions*, presents the estimated CO₂, N₂O, and CH₄ emissions associated with construction and operations of the proposed project. As seen in Table 3.7-1, construction-related activities would result in an amortized total of 9.31 metric tons of carbon dioxide equivalents per year (MTCO₂eq/yr)⁹. GHGs associated with area sources and mobile sources would be 95.34 MTCO₂eq/yr and 494.90 MTCO₂eq/yr, respectively.

**Table 3.7-1
Estimated Greenhouse Gas Emissions**

Source	CO ₂	N ₂ O		CH ₄		Total Metric Tons of CO ₂ eq/yr ⁶
	Metric Tons/yr	Metric Tons/yr	Metric Tons of CO ₂ eq/yr ⁶	Metric Tons/yr	Metric Tons of CO ₂ eq/yr ⁶	
Construction Emissions						
2012	159.34	0.00	0.09	0.02	5.91	165.34
2013	185.28	0.00	0.06	0.01	4.43	189.77
2014	120.14	0.00	0.01	0.00	0.37	120.51
Total Construction Emissions	464.76	0.00	0.16	0.03	10.71	464.80
Total Amortized Construction Emissions (30 years)	9.30	0.00	0.00	0.00	0.01	9.31
Operational Emissions						
Direct Emissions						
• Area Source ²	94.76	0.00	0.54	0.00	0.04	95.34
• Mobile Source ^{2,3}	483.00	0.04	11.17	0.03	0.73	494.90
Total Direct Emissions⁷	577.76	0.04	11.71	0.03	0.77	590.24
Indirect Emissions						
• Electricity Consumption ⁴	226.74	0.00	0.60	0.01	0.25	227.59
• Water Supply ⁵	0.43	0.00	0.00	0.00	0.00	0.43
Total Indirect Emissions⁷	227.17	0.00	0.60	0.01	0.25	228.02
Total Project-Related GHG Emissions <u>WITHOUT</u> Reductions	827.57 MTCO ₂ eq/yr					

⁹ GHG emissions are presented in carbon dioxide equivalents (CO₂eq) in order to establish a comparable unit of measure. Each GHG is converted to CO₂eq based on its Global Warming Potential, which describes its effect on climate change relative to a similar amount of carbon dioxide.

Table 3.7-1, Continued
Estimated Greenhouse Gas Emissions

Source	CO ₂	N ₂ O		CH ₄		Total Metric Tons of CO ₂ eq/yr ⁶
	Metric Tons/yr	Metric Tons/yr	Metric Tons of CO ₂ eq/yr ⁶	Metric Tons/yr	Metric Tons of CO ₂ eq/yr ⁶	
Total Project-Related Operational Emissions <u>WITH</u> 29 % Reductions	587.57 MTCO ₂ eq/yr ⁷					

Notes:

1. Emissions calculated using CARB's Construction Equipment Emissions Table and the URBEMIS 2007 computer model.
2. Emissions calculated using URBEMIS 2007 computer model for CO₂ and the SCAQMD's *CEQA Handbook for N₂O and CH₄* (note that SCAQMD has the most comprehensive demand factors available).
3. Emissions calculated using URBEMIS 2007 computer model and EMFAC2007, *Highest (Most Conservative) Emission Factors for On-Road Passenger Vehicles and Delivery Trucks*.
4. Electricity Consumption emissions calculated using the SCAQMD's *CEQA Handbook* (note that SCAQMD has the most comprehensive demand factors available) and updated with factors from the California Energy Commission, *Reference Appendices for the 2008 Building Energy Efficiency Standards for Residential and Nonresidential Buildings*, revised June 2009.
5. Emissions are based on energy usage factors for water conveyance from the California Energy Commission, *Water Energy Use in California*, accessed July 2010. <http://www.energy.ca.gov/research/iaw/industry/water.html>
6. CO₂ Equivalent values calculated using the U.S. Environmental Protection Agency Website, *Greenhouse Gas Equivalencies Calculator*, <http://www.epa.gov/cleanenergy/energy-resources/calculator.html>, accessed July 2010.
7. Totals may be slightly off due to rounding.

Refer to **Appendix E, Greenhouse Gas Data**, for detailed model input/output data.

Indirect Project-Related Sources of Greenhouse Gases

Electricity Consumption. Energy Consumption emissions were calculated using the South Coast Air Quality Management District's (SCAQMD) *CEQA Air Quality Handbook*,¹⁰ (as the SCAQMD has the most comprehensive factors available), the U.S. Energy Information Administration,¹¹ and project-specific land use data. The emission factors for electricity use (771.62 pounds of CO₂ per megawatt hour [MWh], 0.00659 pounds of N₂O per MWh, and 0.4037 pounds of CH₄ per MWh) were obtained from the U.S. Energy Information Administration. The proposed project would indirectly result in 227.59 MTCO₂eq/yr due to electricity usage; refer to Table 3.7-1.

Water Supply. Water demand for the proposed uses would be approximately 28 acre-feet per year, based on typical water consumption rates for office uses. Domestic water is supplied by groundwater and surface water. Based on energy usage factors for from the California Energy Commission, groundwater pumping consumes approximately 1.46 kilowatt hours [kWh] per acre-foot per foot of lift.¹² Emissions from indirect energy impacts due to water supply would result in 0.43 MTCO₂eq/yr.

¹⁰ SCAQMD's *CEQA Air Quality Handbook, Table A9-11*, November 1993.

¹¹ U.S. Energy Information Administration, *Domestic Electricity Emissions Factors 1999-2002*.

¹² California Energy Commission, *Water Energy Use in California*, Accessed June 2010. <http://www.energy.ca.gov/research/iaw/industry/water.html>

Consistency With the California Attorney General's Mitigation Measures

The proposed project would incorporate several design features that are consistent with the California Office of the Attorney General's recommended measures to reduce GHG emissions. A list of the Attorney General's recommended measures and the proposed project's compliance with each applicable measure are listed in Table 3.7-2, *Project Consistency with the Attorney General's Recommendations*. The proposed project would incorporate sustainable practices which include water, energy, solid waste, land use, and transportation efficiency measures.

**Table 3.7-2
Project Consistency with the Attorney General's Recommendations**

Project Design Feature	Project Applicability	Percent Reduction
Energy Efficiency		
Incorporate green building practices and design elements.	Compliant. The proposed project would incorporate energy and water efficiency measures, as described below. The proposed project would utilize shade trees in the parking lot, and other shading mechanisms such as shades and blinds to optimize on-site energy performance.	2
Install energy efficient lighting (e.g., light emitting diodes [LEDs]), heating and cooling systems, appliances, equipment, and control systems.	Compliant. The proposed project would include energy efficient lighting. Light controls, timers, and sensors would be installed in the proposed building. Also, the building would be designed to take advantage of natural light.	1
Install efficient lighting, (including LEDs) for traffic, street and other outdoor lighting.		
Reduce unnecessary outdoor lighting.		
Use passive solar design, e.g., orient buildings and incorporate landscaping to maximize passive solar heating during cool seasons, minimize solar heat gain during hot seasons, and enhance natural ventilation. Design buildings to take advantage of sunlight.	Compliant. The proposed project would be oriented to take advantage of daylight and natural breezes.	1
Water Conservation and Efficiency		
Incorporate water-reducing features into building and landscape design.	Compliant. The proposed project would incorporate water-reducing features, water-efficient landscapes, and water-efficient irrigation in accordance with LEED guidelines.	1
Create water-efficient landscapes.		
Install water-efficient irrigation systems and devices, such as soil moisture-based irrigation controls and use water-efficient irrigation methods.		
Design buildings to be water-efficient. Install water-efficient fixtures and appliances.	Compliant. The proposed project would incorporate water-efficient fixtures and appliances.	1

Table 3.7-2, Continued
Project Consistency with the Attorney General's Recommendations

Project Design Feature	Project Applicability	Percent Reduction
Solid Waste Measures		
Reuse and recycle construction and demolition waste (including, but not limited to, soil, vegetation, concrete, lumber, metal, and cardboard).	Compliant. The proposed project would reuse and recycle construction waste.	1
Provide easy and convenient recycling opportunities for residents, the public, and tenant businesses.	Compliant. The proposed project would include areas for recycling inside and outside of the courthouse.	1
Land Use Measures		
Ensure consistency with “smart growth” principles – mixed-use, infill, and higher density projects that provide alternatives to individual vehicle travel and promote the efficient delivery of services and goods.	Compliant. The proposed project is considered to be an infill project, as it is proposed on a vacant site within a developed portion of the city. Also, the proposed project is located within a quarter mile of residential, retail, open space, and office uses (suburban mixed-use). Together, infill and mixed-use projects result in a decrease in vehicle miles traveled (VMT) due to the proposed project’s proximity to a variety of uses. This allows employees and visitors to take advantage of local transit, as well as bicycle and pedestrian travel.	15
Incorporate public transit into the project’s design.	Compliant. The proposed project is located approximately 0.22 miles to an existing bus stop, providing employees and visitors the opportunity to utilize alternative modes of transportation which reduces VMT.	1
Preserve and create open space and parks. Preserve existing trees, and plant replacement trees at a set ratio.	Compliant. The proposed project would include public areas, such as plazas. The proposed project site is vacant and would not disturb existing trees; however, the project would incorporate landscaping into the project design.	1
Include pedestrian and bicycle facilities within projects and ensure that existing non-motorized routes are maintained and enhanced.	Compliant. The proposed project’s design would include bicycle racks to encourage non-motorized travel. Also, portions of Lakeport Boulevard contain improved sidewalks which promote pedestrian activity. The proposed project will include sidewalks on the site as well.	2
Promote “least polluting” ways to connect people and goods to their destinations.	Compliant. The proposed project is adjoined by an existing bicycle route along Lakeport Boulevard which terminates at the project site. This bicycle route is proposed to be extended to the east.	2
Require amenities for non-motorized transportation, such as secure and convenient bicycle parking.	Compliant. The proposed project would include bicycle racks.	Accounted for above
Total % Reduction		29

In addition to being compliant with many of the Attorney General’s recommended design features, the proposed project is also consistent with the California Environmental Protection Agency Climate Action Team proposed early action measures to mitigate climate change. These early action measures are designed to ensure that projects meet the Governor’s climate reduction targets, and are documented in the *Climate Action Team Report to Governor Schwarzenegger at the Legislature*, March 2006. The early action measures are also included in the CARB Scoping Plan and are mandated under AB 32.

Consistency with the CARB Scoping Plan

A complete list of CARB Scoping Plan Measures/Recommended Actions needed to obtain AB 32 goals, as well as the Governor’s Executive Order, are referenced in [Table 3.7-3, Recommended Actions for Climate Change Proposed Scoping Plan](#). Of the 39 measures identified, those that would be considered to be applicable to the proposed project would primarily be those actions related to electricity and propane use and water conservation. Consistency of the proposed project with these measures is evaluated by each source-type measure below. [Table 3.7-3](#) identifies which CARB Recommended Actions applies to the proposed project, and of those, whether the proposed project is consistent therewith.

AB 32 requires California to reduce its GHG emissions by approximately 28.5 percent below business as usual. CARB identified reduction measures to achieve this goal as set forth in the CARB Scoping Plan. The proposed project would facilitate development that would directly generate GHG emissions. Potential indirect GHG emissions could also be generated by incremental electricity consumption and waste generation. A detailed discussion of each applicable measure and if the proposed project conflicts with its implementation is provided below.

**Table 3.7-3
Recommended Actions for Climate Change Proposed Scoping Plan**

ID #	Sector	Strategy Name	Applicable to Project?	Will Project Conflict With Implementation?
T-1	Transportation	Pavley I and II – Light-Duty Vehicle GHG Standards	No	No
T-2	Transportation	Low Carbon Fuel Standard (Discrete Early Action)	No	No
T-3	Transportation	Regional Transportation-Related GHG Targets	Yes	No
T-4	Transportation	Vehicle Efficiency Measures	No	No
T-5	Transportation	Ship Electrification at Ports (Discrete Early Action)	No	No
T-6	Transportation	Goods-movement Efficiency Measures	Yes	No

Table 3.7-3, Continued
Recommended Actions for Climate Change Proposed Scoping Plan

ID #	Sector	Strategy Name	Applicable to Project?	Will Project Conflict With Implementation?
T-7	Transportation	Heavy Duty Vehicle Greenhouse Gas Emission Reduction Measure – Aerodynamic Efficiency (Discrete Early Action)	No	No
T-8	Transportation	Medium and Heavy-Duty Vehicle Hybridization	No	No
T-9	Transportation	High Speed Rail	No	No
E-1	Electricity and Propane/Natural Gas	Increased Utility Energy efficiency programs More stringent Building and Appliance Standards	Yes	No
E-2	Electricity and Propane/Natural Gas	Increase Combined Heat and Power Use by 30,000GWh	No	No
E-3	Electricity and Propane/Natural Gas	Renewable Portfolio Standard	No	No
E-4	Electricity and Propane/Natural Gas	Million Solar Roofs	No	No
CR-1	Electricity and Propane/Natural Gas	Energy Efficiency	Yes	No
CR-2	Electricity and Propane/Natural Gas	Solar Water Heating	No	No
GB-1	Green Buildings	Green Buildings	Yes	No
W-1	Water	Water Use Efficiency	Yes	No
W-2	Water	Water Recycling	No	No
W-3	Water	Water System Energy Efficiency	No	No
W-4	Water	Reuse Urban Runoff	No	No
W-5	Water	Increase Renewable Energy Production	No	No
W-6	Water	Public Goods Charge (Water)	No	No
I-1	Industry	Energy Efficiency and Co-benefits Audits for Large Industrial Sources	No	No
I-2	Industry	Oil and Gas Extraction GHG Emission Reduction	No	No
I-3	Industry	GHG Leak Reduction from Oil and Gas Transmission	No	No
I-4	Industry	Refinery Flare Recovery Process Improvements	No	No
I-5	Industry	Removal of Methane Exemption from Existing Refinery Regulations	No	No

Table 3.7-3, Continued
Recommended Actions for Climate Change Proposed Scoping Plan

ID #	Sector	Strategy Name	Applicable to Project?	Will Project Conflict With Implementation?
RW-1	Recycling and Waste Management	Landfill Methane Control (Discrete Early Action)	No	No
RW-2	Recycling and Waste Management	Additional Reductions in Landfill Methane – Capture Improvements	No	No
RW-3	Recycling and Waste Management	High Recycling/Zero Waste	Yes	No
F-1	Forestry	Sustainable Forest Target	No	No
H-1	High Global Warming Potential Gases	Motor Vehicle Air Conditioning Systems (Discrete Early Action)	No	No
H-2	High Global Warming Potential Gases	SF ₆ Limits in Non-Utility and Non-Semiconductor Applications (Discrete Early Action)	No	No
H-3	High Global Warming Potential Gases	Reduction in Perfluorocarbons in Semiconductor Manufacturing (Discrete Early Action)	No	No
H-4	High Global Warming Potential Gases	Limit High GWP Use in Consumer Products (Discrete Early Action, Adopted June 2008)	No	No
H-5	High Global Warming Potential Gases	High GWP Reductions from Mobile Sources	No	No
H-6	High Global Warming Potential Gases	High GWP Reductions from Stationary Sources	No	No
H-7	High Global Warming Potential Gases	Mitigation Fee on High GWP Gases	No	No
A-1	Agriculture	Methane Capture at Large Dairies	No	No

Source: California Air Resources Board, *Assembly Bill 32 Scoping Plan*, 2008.

Transportation

Action T-3 is based on the requirements of SB 375 which establishes mechanisms for the development of regional targets for reducing passenger vehicle GHG emissions. Through the SB 375 process, regions will work to integrate development patterns and the transportation network in a way that achieves the reduction of GHG emission while

meeting housing needs and other regional planning objectives. SB 375 requires CARB to develop, in consultation with the Lake County/City Area Planning Council (APC), passenger vehicle GHG emissions reduction targets for 2020 and 2035 by September 30, 2010. As the city is within the APC area, development of the proposed project would be consistent with Action T-3.

Action T-6 refers to the improvement of efficiency in goods movement activities. T-6 mainly addresses ports, but also includes a discussion on trucks and related facilities. The proposed project is located approximately 0.22 miles from an existing bus stop, providing employees and visitors the opportunity to utilize alternative modes of transportation which reduces VMT. Additionally, the proposed project is adjoined by an existing bicycle route along Lakeport Boulevard and provides pedestrian connectivity to the surrounding circulation system. Bicycle racks are also proposed for the courthouse. These features would ensure efficient movement of goods and helps reduce vehicular trips associated with the proposed project. Therefore, the proposed project would be consistent with Recommended Action T-6.

Electricity and Propane/Natural Gas

Action E-1 aims to reduce electricity demand by increased efficiency of Utility Energy Programs and adoption of more stringent building and appliance standards. The proposed project would incorporate shade trees, blinds, shades, energy efficient heating and cooling systems, and control systems in order to reduce energy demand of the proposed building. Therefore, the proposed project would help implement and would not conflict with Action E-1.

Recommended Action CR-1 refers to energy efficiency. Key energy efficiency strategies would include codes and standards, existing buildings, improved utility programs, solar water heating, and combined heat and power, among others. The proposed courthouse would be oriented to take advantage of passive solar design and natural breezes. Also, the project proposes to incorporate lighting sensors and controls to improve energy efficiency. Therefore, the proposed project would not obstruct implementation of Action CR-1.

Green Buildings

Recommended Action GB-1 expands the use of green building practices to reduce the carbon footprint of California's new and existing inventory of buildings. The proposed project would be required to comply with the requirements of Title 24 of the California Administrative Code. The proposed project would also incorporate energy efficiency design features, such as shade trees and other shading mechanisms, as well as lighting and system controls to optimize energy performance. Therefore, the proposed project would not obstruct implementation of Action GB-1.

Water Use

Recommended Action W-1 pertains to implementation water use efficiency measures. The project proposes to incorporate water-efficient buildings and landscapes into the project design. Buildings would include water-efficient fixtures and appliances. The proposed project is consistent with and would not obstruct this Recommended Action.

Recycling and Waste Management

RW-3 relates to high recycling/zero waste and would apply to the proposed project. The project proposes to reuse and recycle construction and demolition waste. Additionally, the project would provide interior and exterior storage areas for recyclables in public areas. The proposed project would comply with Recommended Action RW-3.

Conclusion

The proposed project would result in the construction of a new courthouse for the Superior Court. As shown in [Table 3.7-1](#), the proposed project would result in 827.57 MTCO₂eq/yr of emissions without reductions associated with the project design features. To quantify GHG emissions reductions resulting from proposed project operations, CAPCOA has identified the percent reduction associated with such GHG mitigation measures (found in Appendix B of CAPCOA's *CEQA and Climate Change White Paper*). Based on the reduction measures in [Table 3.7-2](#), the proposed project would reduce its GHG emissions 29 percent below the "business as usual"¹³ scenario. Therefore, the proposed project's operational GHG emissions would be reduced to 587.57 MTCO₂eq/yr. AB 32 requires the reduction of GHG emissions to 1990 levels, which would require a minimum 28.5 percent reduction in "business as usual" GHG emissions for the entire state. In general, with implementation of proposed project design reduction features, the project would result in a 29 percent reduction in GHG emissions, and would have a less than significant impact with regards to GHG emissions. The CARB Scoping Plan analysis above demonstrates "that projected ... emissions will be equal to or less than 1990 emissions."¹⁴ As the proposed project would reduce its GHG emissions by 29 percent, it would be consistent with the goals established in AB 32. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the proposed project conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?*

¹³ "Business as Usual" refers to the project-related GHG emissions before project design features are incorporated into the GHG calculations.

¹⁴ California Air Pollution Control Officers Association, *CEQA and Climate Change*, January 2008.

Less than Significant Impact. The City of Lakeport does not have an applicable plan, policy, or regulation adopted for the purpose of reducing GHG emissions. Therefore, the proposed project would not conflict with an adopted plan, policy, or regulation pertaining to GHGs. The City of Lakeport General Plan 2025 includes goals and policies related to energy efficiency and conservation, and green technologies. As presented in Table 3.7-2, the proposed project would incorporate measures intended to maximize energy efficiency, which would inherently reduce GHG emissions. Also, the proposed project would not result in substantial construction-related or operational GHG emissions, and proposed project design features would result in a 29 percent reduction in GHG emissions below the “business as usual” scenario, which exceeds the 28.5 percent reduction mandated by AB 32. The proposed project would not hinder the state's GHG reduction goals established by AB 32. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

California Air Pollution Control Officers Association, *CEQA and Climate Change*, January 2008.

California Air Resources Board, *Assembly Bill 32 Scoping Plan*, 2008.

California Air Resources Board, *EMFAC 2007* (version 2.3), November 1, 2006.

California Energy Commission, *Inventory of California Greenhouse Gas Emissions and Sinks: 1990 to 2004, Staff Final Report*, December 2006.

California Energy Commission, *Reference Appendices for the 2008 Building Energy Efficiency Standards for Residential and Nonresidential Buildings*, revised June 2009.

California Energy Commission, *Water Energy Use in California*, <http://www.energy.ca.gov/research/iaw/industry/water.html>, accessed July 2010.

California Environmental Protection Agency, *Climate Action Team Report to Governor Schwarzenegger at the Legislature*, March 2006.

California Climate Action Registry, *General Reporting Protocol*, January 2009.

Governor's Office of Planning and Research, *CEQA and Climate Change: Addressing Climate Change Through California Environmental Quality Act (CEQA) Review*, 2008.

California Office of the Attorney General, *Addressing Climate Change at the Project Level*, January 22, 2010.

Intergovernmental Panel on Climate Change, *The Science of Climate Change – Contribution of Working Group I to the Second Assessment Report of the IPCC*, 1996.

Intergovernmental Panel on Climate Change, *Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, 2007.

Judicial Council of California, Administrative Office of the Courts, *Appellate Court Facilities Guidelines*, July 1, 2002.

RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis*, June 29, 2010, Revised October 4, 2010.

Rimpo and Associates, *URBEMIS 2007* (version 9.2.4), June 2007.

South Coast Air Quality Management District, *CEQA Handbook*, 1993.



3.8 Hazards and Hazardous Materials

<u>Issues (and Supporting Information Sources):</u>	<u>Potentially Significant Impact</u>	<u>Less Than Significant with Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
HAZARDS AND HAZARDOUS MATERIALS — Would the project:				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?*

Less than Significant Impact. The proposed project would not require the routine transport, use, or disposal of hazardous materials beyond the limited quantities necessary for cleaning and maintenance activities. The use of these commonly available products would be used and stored in accordance with U.S. Environmental Protection Agency, Occupational Safety and Health Administration, State of California Environmental Protection Agency, and the Lake County Solid Waste Management District.

A review of available environmental databases maintained by the State Water Resources Control Board (SWRCB) and Department of Toxic Substances Control (DTSC) for sites that have been impacted by leaking underground fuel tanks (LUFT), non-fuel related cases

known as Spills, Leaks, Investigative Cleanup (SLIC), and other cleanup sites was conducted for the proposed project site and surrounding area (refer to **Appendix F**). The proposed project site is not listed among either of these databases, and the Phase I investigation for the site concluded that no recognized environmental conditions existed on-site.¹⁵

If hazardous waste is identified during construction, it will be transported by a licensed hazardous waste hauler to a disposal facility in accordance with regulations of the U.S. Environmental Protection Agency, the U.S. Department of Transportation, the Resource Conservation and Recovery Act (RCRA), and the State of California. For any RCRA wastes and California-regulated hazardous wastes, hazardous waste manifests will be prepared for transportation and disposal. For any California non-hazardous wastes, transportation and disposal will be documented on a non-hazardous waste manifest. Any potential hazardous building materials such as lead-based paint or asbestos containing materials will be surveyed by a licensed contractor and abated, if present, according to regulations from the Lake County Air Quality Management District. The potential for encountering impacts from the routine transport, use or disposal of hazardous materials would be less than significant. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the proposed project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?*

Less than Significant with Mitigation. As described above, the proposed project would not include the storage or handling of any significant quantities of hazardous materials. During construction, the contractor would be required to adhere to BMPs as outlined in the SWPPP which includes measures to reduce accidental upset conditions of hazardous materials used during construction. Therefore, with adherence to the existing regulatory requirements from the agencies listed above, the potential impact from upset and accident conditions would be less than significant.

The proposed project is located within an area of Lake County known to have naturally occurring asbestos in soils weathered from serpentine bedrock materials that underlie the proposed project site and surrounding area. Therefore, the proposed project would be required to comply with LCAQMD Rules and Regulations. Chapter II, Article IV, Part V of the LCAQMD Rules and Regulations states that all construction projects located on a serpentine outcrop or alluvial material with greater than one percent asbestos should notify the LCAQMD of intended operations 30 days prior to construction activity. The project applicant would be required to file and receive approval of an asbestos-dust-hazard mitigation plan prior to construction activities. The applicant would also be

¹⁵ URS Corporation, *Final Draft Phase I Environmental Site Assessment Report*, December 2009.

required to inform employees working on the proposed project site of the potential health risk of airborne asbestos and the requirements of the asbestos-dust-hazard mitigation plan (**Mitigation Measure AQ-2**, above). Therefore, with implementation of **Mitigation Measure AQ-2**, impacts from naturally occurring asbestos at the proposed project site would be less than significant.

Mitigation required: **Mitigation Measure AQ-2**, above.

Significance after Mitigation: Less than Significant.

-
- c) *Would the proposed project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?*

Less than Significant Impact. No existing or proposed schools are located within one-quarter mile of the proposed project site; however, Mendocino College is located approximately 0.32 miles west of the proposed project, and Konocti Christian Academy is located approximately 0.30 miles north of the proposed project. As described above, the proposed project would have limited use of hazardous materials. As stated in section 3.8 a) above, the proposed project would adhere to all applicable local and state regulations, so that the project will have a less than significant impact on the nearby Mendocino College and Konocti Christian Academy. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- d) *Would the proposed project be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?*

No Impact. The proposed project was not identified during a review of applicable regulatory agency lists of known and potential hazardous waste sites, properties, of facilities currently under investigation for potential environmental violations, and those sites storing or using hazardous materials (Environmental Data Resources, Inc. [EDR]). The proposed project site is not included on the databases maintained by the DTSC and the SWRCB. In addition, according to the Phase I completed for the proposed project site, the review of environmental databases did not include the proposed project site and no recognized environmental conditions were found as part of the investigation that would create a significant hazard to the public or environment (URS, 2009). *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- e) *For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?*

Less Than Significant Impact. The proposed project site is not located within two miles of any airport and is not within an airport land use plan. The nearest operational, public airport is Lampson Field Airport, located approximately three miles south of the proposed project site. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- f) *For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?*

No Impact. The proposed project site is not located within the vicinity of a private airstrip. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- g) *Would the proposed project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

Less than Significant Impact. Proposed construction methods such as site grading and facility installation are expected to interfere only minimally, if at all, with local traffic or roadways. The location of and construction methods for the proposed project would be designed and carried out in consultation with City of Lakeport requirements to ensure adequate police, ambulance, and fire personnel access to the proposed structure as well as to surrounding streets and development. During construction operations, access to the project site would be via existing roads, and it is not anticipated that new access routes or emergency evacuation plans would be required. Considering that the proposed project site is small and the construction involved at the site would not impact thoroughfares to a significant degree, the impact of the proposed project to emergency evacuation plans would be less than significant. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- h) *Would the proposed project expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?*

Less than Significant Impact. The proposed project is located in a developed area that is serviced by the Lakeport Fire Protection District. According to the Lake County GIS database, the proposed project area is not intermixed with or located adjacent to any wildlands. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

Google Earth. Accessed June 28, 2010.

Lake County Site Finder, GIS Application. Accessed June 29, 2010. Available at:
<http://gis.co.lake.ca.us/website/economicdev/>

URS, *Final Draft Phase I Environmental Site Assessment, Proposed New Lakeport Courthouse*, December 2009.

3.9 Hydrology and Water Quality

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
HYDROLOGY AND WATER QUALITY — Would the project:				
a) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially alter the existing drainage pattern of a site or area through the alteration of the course of a stream or river, or by other means, in a manner that would result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Substantially alter the existing drainage pattern of a site or area through the alteration of the course of a stream or river, or by other means, substantially increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other authoritative flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Place within a 100-year flood hazard area structures that would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
j) Expose people or structures to a significant risk of loss, injury or death involving inundation by seiche, tsunami, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project violate any water quality standards or waste discharge requirements?*

Less than Significant Impact. Construction of the proposed project would involve earthwork and grading activities. These activities would disturb soil that, if exposed during a rain storm or high winds, could erode and cause silt and clay-laden sediment to become entrained in storm water runoff. Although erosion and subsequent sediment transport to receiving waters could occur, the potential at the proposed project site is low because: 1) the site is essentially

flat, and 2) sedimentation would be managed using standard construction and engineering BMPs. BMPs are standard construction practices used to reduce erosion and sedimentation. These practices include stabilizing the soil surface, reducing erosive energy of surface flow, filtering runoff, and capturing sediment-laden water. As discussed below, the SWPPP, in accordance with the existing NPDES permit, would require the construction contractor to implement, monitor, and maintain appropriate BMPs.

Construction equipment would require petroleum products such as diesel fuel, hydraulic fluid, and lubrication greases. Release or spillage from a vehicle or piece of equipment during maintenance or fueling could affect water quality if these petroleum products infiltrated into soil or were washed into nearby storm drains or directly into receiving waters. However, given that the volume of petroleum released during an incidental spill on a construction site is typically small (less than 25 gallons) and can be cleaned up immediately, impacts associated with petroleum spills during the construction phase are considered less than significant. Nevertheless, the SWPPP would include BMPs to manage any hazardous materials used during construction. BMPs are individual or combined measures that can be implemented in an effective and practicable manner on the proposed project site. When applied, BMPs prevent or minimize the potential release of contaminants into surface waters and groundwater. Implementation of standard construction procedures and precautions for working with petroleum and construction chemicals would further ensure that the impacts related to chemical handling during proposed project construction would be less than significant.

The federal Clean Water Act (CWA) regulates grading or construction occurring at project sites that are more than one acre in size. The RWQCB is the administering agency for the CWA in California. The NPDES permit program under Section 402(p) of the CWA controls water pollution by regulating storm water discharges into waters of the United States. Under the NPDES program, the construction contractor would be required to prepare a SWPPP and Erosion Control Plan. Implementation of these plans would manage storm water flow and prevent sediment generated during construction from flowing into receiving waters. The Erosion Control Plan would address BMPs to protect creeks (such as Forbes Creek, located approximately 0.15 miles north of the proposed project site) from sedimentation. BMPs can include minimizing or restricting earthwork during periods of rain, establishing a vegetative buffer between the construction area and the creeks, silt fencing, and straw bales to prevent runoff.

The proposed project may also require temporary dewatering during construction to complete the basement.¹⁶ Dewatering activities would be temporary in nature and would be subject to the permitting requirements of the RWQCB, either as specified in the NPDES General Construction Permit or another NPDES permit issued by the RWQCB. The discharge permit would identify measures necessary to be implemented to avoid erosion and protect water quality in the receiving water and would include monitoring requirements for the

¹⁶ No site-specific groundwater data were available for the proposed project site; however, according to the California Department of Water Resources, wells in the general vicinity of the proposed project site indicate that the depth to groundwater is approximately 25 feet below ground surface.

discharge. With compliance with the legally-required NPDES permit discharge requirements, water quality impacts related to discharges of groundwater during construction dewatering would be less than significant.

The AOC would require its construction contractor to prepare a SWPPP, obtain the Central Valley RWQCB's approval of the SWPPP, and implement and maintain the SWPPP. Therefore, the potential for construction-related surface water pollution as well as the water quality during operation would be minimized. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the proposed project substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?*

Less than Significant Impact. The proposed project site and surrounding area are generally developed with existing buildings and landscaped surfaces or roadways. The proposed project would not significantly affect groundwater resources because dewatering, if necessary, would temporarily remove groundwater with only localized and inconsequential effects to the regional groundwater system. In addition, the proposed project would include landscaped surfaces that would allow groundwater recharge. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- c) *Would the proposed project substantially alter the existing drainage pattern of a site or area through the alteration of the course of a stream or river, or by other means, in a manner that would result in substantial erosion or siltation on- or off-site?*

Less Than Significant Impact. The proposed project would not alter the course of a stream or river. As discussed above, the proposed project would not significantly alter the existing drainage patterns. The nearest body of water is Forbes Creek, located approximately 0.15 miles north of the proposed project site.

The proposed project would be required to incorporate BMPs during construction and operation. BMPs are consistent with guidelines provided in the California Stormwater BMP Handbook for substantiated erosion and siltation. In addition, the proposed project's surfaces would be covered by structures, pavement, or landscaping; and the proposed project's design would include vegetated swales or similar storm water

management techniques to slow runoff flow and trap sediment. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- d) *Would the proposed project substantially alter the existing drainage pattern of a site or area through the alteration of the course of a stream or river, or by other means, substantially increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site?*

Less than Significant Impact. Also see section 3.9 c), above. The proposed project would not significantly alter existing onsite drainage patterns that would cause on- or offsite flooding. The proposed project site is relatively flat and is located in a predominantly developed area. Based on topographic relief at the site, the groundwater flow direction is inferred to be to the east, down gradient toward Clear Lake. The proposed project would be designed to ensure adequate drainage facilities for storm capacities; therefore, there is a very low potential that the project would impede on receiving waters causing up-or down-stream flooding. In addition, the proposed project would adopt BMPs to incorporate inlet filtration devices to capture potential pollutants from the storm drain runoff and utilize landscape areas for percolation of runoff. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- e) *Would the proposed project create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff?*

Less than Significant Impact. Also see sections 3.9 c) and d), above. The proposed project site covers approximately six acres. The proposed project does not propose an increase in impervious surfaces of a magnitude that would substantially increase the amount of runoff from the site. Therefore, the proposed project would not significantly alter existing onsite drainage patterns and storm water volumes would be expected to be similar to existing flows. In addition, as stated above, the proposed project would adopt BMPs to incorporate inlet filtration devices to capture potential pollutants from the storm drain runoff and utilize landscape areas for percolation of runoff. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- f) *Would the proposed project otherwise substantially degrade water quality?*

Less than Significant Impact. Also see sections 3.9 a), c), d), and e), above. Development projects can degrade water quality through temporary construction impacts or over the long term through operations. As stated above, construction of the proposed project would be in accordance with BMPs. Therefore, water quality degradation related to construction is less than significant. Operationally, the proposed project has a low potential of degrading water quality of receiving waters through the addition of contaminated runoff because the proposed project would implement operational BMPs that reduce water quality contaminants at the source, contain spills, and control runoff. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- g) *Would the proposed project place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other authoritative flood hazard delineation map?*

No Impact. The proposed project is limited to a new courthouse facility and would not include development of residential housing. In addition, according to Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (Panel 491 of 1000), the proposed project site is located within Zone X: areas determined to be outside the 0.2 percent annual chance floodplain. Zone X is considered as an area of minimal flood hazard, determined to be outside the 500-year flood zone. The site would not cause any flooding to neighboring residences. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- h) *Would the proposed project place within a 100-year flood hazard area structures that would impede or redirect flood flows?*

Less than Significant Impact. Also see discussion under section 3.9 g), above. The structures associated with the proposed project would not impede or redirect 100-year flood flows because it is not located within an identified 100-year flood zone. The structures would be designed so that storm water would flow around the structures and into the existing city storm drainage system. There would be no change in the overall water flow patterns, and the proposed project would not redirect flows or impede a 100-year flood. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- i) *Would the proposed project expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?*

Less than Significant Impact. The buildings and areas associated with the proposed project would not expose people or structures to a significant risk due to flooding, including flooding as a result of the failure of a dam or levee. The proposed project site has not been identified in a dam inundation area and is not otherwise protected by any levees.¹⁷ *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- j) *Would the proposed project expose people or structures to a significant risk of loss, injury or death involving inundation by seiche, tsunami, or mudflow?*

Less Than Significant Impact. A seiche is a wave that oscillates in a large body of water as a result of seismic or atmospheric disturbances. No historic data exists to suggest that significant damage has occurred in the Lakeport area as the result of a seiche. Following a major seismic event in the region, a seiche could develop on Clear Lake; however, according to Figure 3.7-2 in the Lakeport General Plan EIR, the proposed project is not located in a seiche inundation zone. The proposed project site is approximately 45 miles from the Pacific Ocean, and separated by mountain ridges; therefore, the proposed project site would not be affected by a tsunami. Additionally, the relatively flat topography also precludes the site from risk of mudflows. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

FEMA Map Service Center. Accessed: June 29, 2010. Available at:
<http://map1.msc.fema.gov/idms/IntraView.cgi?KEY=51874643&IFIT=1>

Lake County Clean Water Program. Storm Water Management Plan. Fiscal Years 2003-2004 through 2007-2008. Accessed: June 29, 2010. Available at:
http://www.co.lake.ca.us/Government/Directory/Community_Development/Clean_Water_Program/History.htm

¹⁷ Lake County Site Finder, GIS Application. Accessed June 29, 2010. Available at:
<http://gis.co.lake.ca.us/website/economicdev/>

3.10 Land Use and Land Use Planning

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
LAND USE AND LAND USE PLANNING — Would the project:				
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

- a) *Would the proposed project divide an established community?*

Less than Significant Impact. The proposed project is located in an area comprised of mixed uses, including predominantly retail and commercial development. Views north of the proposed project site include Lakeport Boulevard, vacant city-owned property, a small strip-mall shopping center to the northeast, and the Vista Point Shopping Center to the northwest. Views east of the proposed project consist of Bruno’s Shopping Center, and a storage facility is located to the southeast. Vacant land is located south of the proposed project site, and the Lake County Chamber of Commerce and Highway 29 are located west of the proposed project site. Clear Lake is approximately one-half mile east of the proposed project.

The proposed project would not cause a significant physical division within the established community, nor would the proposed project create land use and planning impacts that would physically divide an established community. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b, c) *Would the proposed project conflict with any applicable land use plan, policy or regulation of an agency, or conflict with any applicable habitat or natural community conservation plan?*

No Impact. Since the AOC is the proposed project’s lead agency and is acting for the State of California’s Judicial Council, local government land use planning and zoning regulations do not apply to the proposed project. The City of Lakeport General Plan 2025 land use designation for the proposed project site is MR (Major Retail), and the zoning designation is C-2 (Major Retail); therefore, the proposed project is consistent with the

city's general plan and the parcel's zoning classification. Furthermore, the site is not located within a habitat or natural community conservation plan designated area. *Therefore, the ACO concludes there are no impacts.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse*. July 1.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport Zoning Ordinance, Revised July 2008. Accessed: June 29, 2010. Available at: <http://www.cityoflakeport.com/docs/ZONING-ORD-BY-CHAPTER-revised2008-amend-518200951709PM.pdf>

3.11 Mineral Resources

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
MINERAL RESOURCES — Would the project:				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

- a) *Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?*

No Impact. There are no active mining or mineral extraction operations within the City of Lakeport limits; therefore, the proposed project would not result in the loss of availability of a regionally-important mineral resource. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- b) *Would the project result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?*

No Impact. No mineral resources are known to exist at the proposed project site; therefore, the proposed project would not result in the loss of availability of a locally-important mineral resource. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

3.12 Noise and Vibration

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
NOISE — Would the project:				
a) Result in exposure of persons to, or generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Result in exposure of persons to, or generation of, excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Result in a substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Result in a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan area, or, where such a plan has not been adopted, in an area within two miles of a public airport or public use airport, would the project expose people residing or working in the area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project located in the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Background Information

Sound is mechanical energy transmitted by pressure waves in a compressible medium such as air, and is characterized by both its amplitude and frequency (or pitch). The human ear does not hear all frequencies equally. In particular, the ear deemphasizes low and very high frequencies. To better approximate the sensitivity of human hearing, the A-weighted decibel scale (dBA) has been developed. On this scale, the human range of hearing extends from approximately 3 dBA to around 140 dBA.

Noise is generally defined as unwanted or excessive sound, which can vary in intensity by over one million times within the range of human hearing; therefore, a logarithmic scale, known as the decibel scale (dB), is used to quantify sound intensity. Noise can be generated by a number of sources, including mobile sources such as automobiles, trucks, and airplanes, and stationary sources such as construction sites, machinery, and industrial operations. Noise generated by mobile sources typically attenuates (is reduced) at a rate between 3 dBA and 4.5 dBA per doubling of distance. The rate depends on the ground surface and the number or type of objects between the noise source and the receiver. Hard and flat surfaces, such as concrete or asphalt, have an attenuation rate of 3 dBA per doubling of distance. Soft surfaces, such as uneven or vegetated terrain, have an attenuation rate of about 4.5 dBA per doubling of distance. Noise generated by stationary sources typically attenuates at a rate between 6 dBA and about 7.5 dBA per doubling of distance.

A number of metrics are used to characterize community noise exposure, which fluctuate constantly over time. One such metric, the equivalent sound level (L_{eq}), represents a constant sound that, over the specified period, has the same sound energy as the time-varying sound. Noise exposure over a longer period of time is often evaluated based on the Day-Night Sound Level (L_{dn}). This is a measure of 24-hour noise levels that incorporates a 10-dBA penalty for sounds occurring between 10 PM and 7 AM. The penalty is intended to reflect the increased human sensitivity to noises occurring during nighttime hours, particularly at times when people are sleeping and there are lower ambient noise conditions. Typical L_{dn} noise levels for light and medium density residential areas range from 55 dBA to 65 dBA.

Two of the primary factors that reduce levels of environmental sounds are increasing the distance between the sound source and the receiver and having intervening obstacles such as walls, buildings, or terrain features between the sound source and the receiver. Factors that act to increase the loudness of environmental sounds include moving the sound source closer to the receiver, sound enhancements caused by reflections, and focusing caused by various meteorological conditions.

City of Lakeport General Plan

The City of Lakeport General Plan 2025 contains goals and policies to provide its residents with an environment that is free from excessive noise and promote compatibility of land uses with respect to noise. The noise standards used by the City of Lakeport comply with state standards and include the Land Use Compatibility Standards for Community Noise environment below. The compatibility standards are shown in Table 3.12-1, *Noise and Land Use Compatibility Standards*.

**Table 3.12-1
Noise and Land Use Compatibility Standards**

Land Use	Maximum Exterior Noise Level
Residential Development	Up to 60 dB
Transient Lodging: Motel and Hotel	Up to 60 dB
School, Library, Church, Hospital and Nursing Home	Up to 60 dB
Auditorium, Concert Hall, Amphitheater, Sports Arena	Up to 70 dB
Sports Arena, Outdoor Spectator Sports	Up to 75 dB
Playgrounds, Neighborhood Parks, Open Space	Up to 70 dB
Golf Course, cemetery	Up to 70 dB
Office Building, Business, Commercial & Professional	Up to 65 dB
Industrial, Manufacturing, Utilities	Up to 70 dB

Source: Quad Knopf, General Plan 2025, IX. Noise Element, Table 15 - Noise and Land Use Compatibility Standards, Page IX-5, dated August 2009.

City of Lakeport Municipal Code

The City of Lakeport’s Municipal Code, Section 17-28, Performance Standards, regulates the design and use of buildings or parcels of land, in order to minimize public hazards and to prevent the creation of nuisances and other conditions which are potentially harmful or detrimental to the uses of the property or surrounding area. Certain noise levels are detrimental to the health and safety of individuals. Excessive noise is considered a public nuisance and is discouraged within the City of Lakeport. According to the Municipal Code, in no case shall noise or sound emissions, for any use occurring on any property, exceed the equivalent sound pressure levels and decibels (the A-weighted scale) for any fifteen-minute period in any one-hour period as stipulated in Table 3.12-2, Noise Level Criteria, below:

**Table 3.12-2
Noise Level Criteria**

Time of Day	Receiving Property Zoning District		
	*Residential	Commercial	Industrial
7 a.m. – 10 p.m.	60	70	75
10 p.m. – 7 a.m.	45	55	60

*NOTE: The residential category includes all single-family and multifamily zoning districts.

Source: City of Lakeport Municipal Code, Section 17-28.010 A.

The maximum noise levels listed in Table 3.12-2 are applicable at any point beyond the property lines of the property containing or generating the noise.

Existing Conditions

Stationary Sources

The primary sources of stationary noise in the proposed project vicinity are urban-related activities (i.e., mechanical equipment, parking areas, and pedestrians). The proposed project site is a vacant six acre parcel adjacent to the existing Lake County Chamber of Commerce. The proposed project borders Lakeport Boulevard to the north, the Lake County Chamber of Commerce to the west, open space to the south, and Bruno’s Shopping Center to the east. The noise associated with these sources may represent a single-event noise occurrence, short-term or long-term/continuous noise.

Mobile Sources

Mobile source noise was modeled using the Federal Highway Administration’s Highway Noise Prediction Model (FHWA RD-77-108), which incorporates several roadway and site parameters. The model does not account for ambient noise levels. Noise projections are based on modeled vehicular traffic as derived from the *New Lakeport Courthouse Traffic Impact Analysis* prepared by RBF Consulting (June 29, 2010). A 30 to 35 mile per hour average vehicle speed was assumed for existing conditions based on posted maximum speeds along Lakeport Boulevard and Main Street. Average daily traffic estimates were derived from the *Traffic Impact Analysis*. Existing modeled

traffic noise levels are shown in Table 3.12-3, *Existing Traffic Noise Levels*. Refer to **Appendix G**, *Noise Measurements and Vibration Data*, for additional information.

**Table 3.12-3
Existing Traffic Noise Levels**

Roadway Segment	Existing Conditions				
	ADT	dBA @ 100 Feet from Roadway Centerline	Distance from Roadway Centerline to: (Feet)		
			60 CNEL Noise Contour	65 CNEL Noise Contour	70 CNEL Noise Contour
Lakeport Boulevard					
Between Bevins Street and Larrecou Lane	5,840	59.6	101	32	10
Between Larrecou Lane and Main Street	5,750	59.5	99	31	10
Main Street					
North of Lakeport Boulevard	6,670	58.7	82	26	8
South of Lakeport Boulevard	4,950	57.4	61	19	6

Notes: ADT = average daily trips; dBA = A-weighted decibels; CNEL = community noise equivalent level.
Source: RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis* prepared by RBF Consulting, prepared June 29, 2010, Revised October 4, 2010.

Discussion

- a) *Would the project result in exposure of persons to, or generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?*

Less than Significant with Mitigation. Construction activity noise levels at and near the proposed project site would fluctuate depending on the particular type, number, and duration of uses of various pieces of construction equipment. Construction-related trips would raise ambient noise levels along haul routes, depending on the number of haul trips made and types of vehicles used. Table 3.12-4, *Typical Construction Noise Levels*, provides a description of construction noise levels during specific construction stages. The nearest sensitive receptors are residences located approximately 340 feet northeast of the proposed project site. Construction activities associated with the proposed project would be temporary in nature and related noise impacts would be short-term. Proposed project construction is planned to commence in 2012 and be completed in 2014. However, since construction activities could substantially increase ambient noise levels at noise-sensitive locations, construction noise could result in potentially significant, albeit temporary, impacts to sensitive receptors.

**Table 3.12-4
Typical Construction Noise Levels**

Construction Activity	Noise Level (dBA, Leq) ^a
Ground Clearing	84
Excavation	89
Foundations	78

Table 3.12-4, Continued
Typical Construction Noise Levels

Construction Activity	Noise Level (dBA, Leq)a
Erection	85
Finishing	89

Average noise levels correspond to a distance of 50 feet from the noisiest piece of equipment associated with a given phase of construction and 200 feet from the rest of the equipment associated with that phase.
Source: U.S. Environmental Protection Agency, Noise from Construction Equipment and Operations, Building Equipment, and Home Appliances, 1971.

Implementation of **Mitigation Measures NOI-1** through **NOI-3** would reduce this construction-related impact to a less than significant level.

Mitigation Measure NOI-1: Construction shall commence no earlier than 7:00 a.m. and cease no later than 6:00 p.m. on weekdays. Construction work might occur on Saturdays; if so, it shall commence no earlier than 9:00 a.m. and cease no later than 6:00 p.m.

Mitigation Measure NOI-2: To reduce noise impacts due to construction, the project applicant shall require construction contractors to implement the following measures which shall be ongoing through grading and construction:

- Equipment and trucks used for project construction shall utilize the best available noise control techniques (e.g., improved mufflers, equipment redesign, use of intake silencers, ducts, engine enclosures, and acoustically-attenuating shields or shrouds, wherever feasible).
- Impact tools (e.g., jack hammers, pavement breakers, and rock drills) used for project construction shall be hydraulically or electronically powered wherever possible to avoid noise associated with compressed air exhaust from pneumatically powered tools. However, where use of pneumatic tools is unavoidable, an exhaust muffler shall be used; this muffler can lower noise levels from the exhaust by up to about 10 dBA. External jackets on the tools themselves shall be used where feasible, and this could achieve a reduction of 5 dBA. Quieter procedures shall be used, such as drills rather than impact equipment, whenever feasible.
- Stationary noise sources shall be located as far from adjacent receptors as possible, and they shall be muffled and enclosed within temporary sheds, incorporated insulation barriers, or other measures to the extent feasible.

Mitigation Measure NOI-3: Prior to any ground disturbance activities, the AOC shall develop a list of measures to respond to and track complaints pertaining to construction noise, ongoing throughout demolition, grading, and/or construction. These measures shall include the following:

- A procedure and phone numbers for notifying the AOC project manager and the construction contractor (during regular construction hours and off-hours);

- A sign posted on-site pertaining the permitted construction days and hours and complaint procedures and who to notify in the event of a problem. The sign shall also include a listing of the construction contractor's telephone numbers (during regular construction hours and off-hours);
- The designation of an on-site construction complaint and enforcement manager for the project. The manager shall act as a liaison between the project and its neighbors. The manager's responsibilities and authority shall include the following:
 - An active role in monitoring project compliance with respect to noise;
 - Ability to reschedule noisy construction activities to reduce effects on surrounding noise sensitive receivers;
 - Site supervision of all potential sources of noise (e.g., material delivery, shouting, debris box pick-up and delivery) for all trades; and
 - Intervening or discussing mitigation options with contractors.
- Notification of adjacent property owners and occupants at least 30 days in advance of extreme noise generating activities about the estimated duration of the activity; and
- A preconstruction meeting shall be held with the job inspectors and the general contractor/on-site project manager to confirm that noise measures and practices (including construction hours, neighborhood notification, posted signs, etc.) are completed.

Significance after Mitigation: Less than Significant.

- b) *Would the project result in exposure of persons to, or generation of, excessive groundborne vibration or groundborne noise levels?*

Less than Significant with Mitigation. Certain land uses are particularly sensitive to noise, including schools, hospitals, rest homes, long-term medical and mental care facilities, and parks and recreation areas. The types of construction vibration impact include human annoyance and building damage. Human annoyance occurs when construction vibration rises significantly above the threshold of human perception for extended periods of time. Building damage can be cosmetic or structural. Ordinary buildings that are not particularly fragile would not experience any cosmetic damage (e.g., plaster cracks) at distances beyond 30 feet. This distance can vary substantially depending on the soil composition and underground geological layer between vibration source and receiver. In addition, not all buildings respond similarly to vibration generated by construction equipment. Typical vibration produced by construction equipment is illustrated in Table 3.12-5, *Vibration Velocities for Construction Equipment*.

**Table 3.12-5
Vibration Velocities for Construction Equipment**

Equipment	Approximate peak particle velocity at 25 feet (inches/second)	Approximate peak particle velocity at 75 feet (inches/second)
Pile Driver (sonic/vibratory)	0.734	0.141
Upper Range	0.170	0.033
Typical		
Large Bulldozer	0.089	0.017
Loaded Trucks	0.076	0.015
Small bulldozer	0.003	0.001
Auger/drill rigs	0.089	0.017
Jackhammer	0.035	0.007
Vibratory Hammer	0.035	0.007

Notes:

1. Peak particle ground velocity measured at 25 feet unless noted otherwise.
2. Root mean square amplitude ground velocity in decibels (VdB) referenced to 1 micro-inch/second

Source: Federal Transit Administration, *Transit Noise and Vibration Impact Assessment*, May 2006.

The Federal Transit Administration (FTA) has published standard vibration velocities for construction equipment operations. In general, the FTA architectural damage criterion for continuous vibrations (i.e., 0.20 inch/second) appears to be conservative. As indicated in [Table 3.12-5](#), based on the FTA data, vibration velocities from typical heavy construction equipment operations that would be used during proposed project construction range from 0.003 to 0.734 inch-per-second peak particle velocity (PPV) at 25 feet from the source of activity. At 75 feet from the source of activity, vibration velocities range from 0.001 to 0.141 inch-per-second PPV. With regard to the proposed project, ground-borne vibration would be generated primarily during site clearing and grading activities on-site and by off-site haul-truck travel.

Grading and construction of infrastructure and buildings is not anticipated to generate excessive ground-borne vibration or ground-borne noise levels that would negatively impact the Lake County Chamber of Commerce to the west, Bruno's Shopping Center to the east, or the nearest sensitive receptors which are located 340 feet to the northeast. Equipment operating during construction activities would not generate ground-borne vibration and noise levels that would exceed the FTA criteria of 0.2 PPV for structural damage. Less than significant impacts are anticipated in this regard with incorporation of **Mitigation Measures NOI-1 through NOI-3**.

Mitigation required: Mitigation Measures NOI-1 through NOI-3, above.

Significance after Mitigation: Less than Significant.

- c) *Would the project result in a substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?*

Less than Significant Impact.

Mobile Noise Impacts

If the ambient noise environment is quiet and the new source increases the noise exposure, an impact may occur even though a criterion level might not be exceeded. In areas where the ambient noise level is less than 60 dBA, any increase in community noise louder than 5 dBA or greater is considered a significant impact. In areas where the ambient noise level without a project is 60 dBA to 65 dBA, an increase in the ambient noise level of greater than 3 dBA would be significant impact. In areas where the ambient noise level is greater than 65 dBA, any increase in community noise louder than 1.5 dBA or greater is considered a significant impact.

Future development generated by the proposed project would result in additional traffic on adjacent roadways, thereby increasing vehicular noise in the vicinity of existing and proposed land uses. The “Long-Term Without Project” and “Long-Term With Project” scenarios were compared. According to Table 3.12-6, Long-Term Traffic Noise Levels, under the “Long-Term Without Project” scenario, noise levels at a distance of 100 feet from centerline would range from approximately 59.7 dBA to 62.3 dBA. The highest noise levels would occur along Lakeport Boulevard, between Bevins Street and Larrecou Lane. The “Long-Term With Project” scenario would result in a maximum noise level increase to 62.5 dBA also along the same roadway segment. Since the greatest traffic noise level increase is less than 1.5, a less than significant impact would occur in this regard.

**Table 3.12-6
Long-Term Traffic Noise Levels**

Roadway Segment	Long-Term Without Project					Long-Term With Project					Difference In dBA @ 100 Feet from Roadway
	ADT	dBA @ 100 Feet from Roadway Centerline	Distance from Roadway Centerline to: (Feet)			ADT	dBA @ 100 Feet from Roadway Centerline	Distance from Roadway Centerline to: (Feet)			
			60 CNEL Noise Contour	65 CNEL Noise Contour	70 CNEL Noise Contour			60 CNEL Noise Contour	65 CNEL Noise Contour	70 CNEL Noise Contour	
Lakeport Boulevard											
Between Bevins Street and Larrecou Lane	10,870	62.3	187	59	19	11,400	62.5	197	62	20	0.2
Between Larrecou Lane and Main Street	10,830	62.2	187	59	19	10,870	62.3	187	59	19	0.1
Main Street											
North of Lakeport Boulevard	13,820	61.9	171	54	17	13,850	61.9	171	54	17	0
South of Lakeport Boulevard	8,460	59.7	104	33	10	8,470	59.7	105	33	10	0

ADT = average daily trips; dBA = A-weighted decibels; CNEL = community noise equivalent level

Source: RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis* prepared by RBF Consulting, prepared June 29, 2010, Revised October 4, 2010.

Stationary Noise Impacts

Operational noise would increase since the proposed project would replace vacant land. The new courthouse would be approximately 51,000 square feet and include four courtrooms with associated support office space and a parking area with approximately 120 spaces. Sources of operational noise would be typical of indoor and outdoor activities associated with courthouse buildings. These activities do not generate excessive amounts of noise, and typically occur during daytime hours. Noise associated with these sources is not expected to result in significant noise levels.

Cumulative Mobile Source Impacts

The cumulative mobile noise analysis is conducted in a two-step process. First, the combined effects from both the proposed project and other projects are compared. Second, for combined effects that are determined to be cumulatively significant, the proposed project's incremental effects are analyzed. The proposed project's contribution to a cumulative traffic noise increase would be considered significant when the combined effect exceeds the perception level (i.e., auditory level increase) threshold. The combined effects compares the "Long-Term With Project" condition to "Existing" conditions to account for the traffic noise increase due to the proposed project and traffic due to projects based on the cumulative projects list. The following criteria have been utilized to evaluate the combined effect of the cumulative noise increase:

Combined Effects: The cumulative with project noise level ("Long-Term With Project" increase above Existing ambient) causes the following:

- An increase of the existing ambient noise level by 5 dB or more, where the existing ambient level is less than 60 dB CNEL
- An increase of the existing ambient noise level by 3 dB or more, where the existing ambient level is 60 to 65 dB CNEL
- An increase of the existing ambient noise level by 1.5 dB or more, where the existing ambient level is greater than 65 dB CNEL

Incremental Effects: A project increases the ambient ("Long-Term Without Project" versus "Long-Term With project") noise level by 1 dB or more.

Noise by definition is a localized phenomenon, and drastically reduces as distance from the source increases. Consequently, only projects and growth due to occur in the general vicinity of the project site would contribute to cumulative noise impacts. Table 3.12-7, *Cumulative Noise Scenario*, lists the traffic noise effects along roadway segments in the project vicinity for "Existing Conditions," "Long-Term Without Project," and "Long-Term With Project," including incremental and net cumulative impacts.

First, it must be determined whether the *Combined Effects* criteria is exceeded. Per Table 3.12-7, this criteria is not exceeded along any of the study segments. Secondly, based on the results of Table 3.12-7, the *Incremental Effects* criteria is not exceeded along any of the

study segments. The proposed project would not result in long-term mobile noise impacts based on project-generated traffic as well as cumulative and incremental noise levels. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

**Table 3.12-7
Cumulative Noise Scenario**

Roadway Segment	Existing	Long-Term Without Project	Long-Term With Project	Combined Effects	Incremental Effects	Cumulatively Significant Impact?
	dBA @ 100 feet from Roadway Centerline	dBA @ 100 feet from Roadway Centerline	dBA @ 100 feet from Roadway Centerline	Difference in dBA between "Existing" and "Long-Term With Project"	Difference in dBA between "Long-Term Without Project" and "Long-Term With Project"	
Lakeport Boulevard						
Between Bevins Street and Larrecou Lane	59.6	62.3	62.5	2.7	0.2	No
Between Larrecou Lane and Main Street	59.5	62.2	62.3	2.7	0.1	No
Main Street						
North of Lakeport Boulevard	58.7	61.9	61.9	3.2	0	No
South of Lakeport Boulevard	57.4	59.7	59.7	2.3	0	No

ADT = average daily trips; dBA = A-weighted decibels; CNEL = community noise equivalent level
Source: RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis* prepared by RBF Consulting, prepared June 29, 2010, Revised October 4, 2010

Mitigation required: None.

- d) *Would the project result in a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?*

Less than Significant with Mitigation. Refer to section 3.12 a), 3.12 b), and 3.12 c) above.

Mitigation required: Mitigation Measures NOI-1 through NOI-3, above.

Significance after Mitigation: Less than Significant.

-
- e) *For a project located within an airport land use plan area, or, where such a plan has not been adopted, in an area within two miles of a public airport or public use airport, would the project expose people residing or working in the area to excessive noise levels?*

No Impact. The proposed project is not located within an airport land-use plan or within 2 miles of a public airport. The nearest public airport is the Lampson Field Airport, located in Lakeport, approximately 2.87 miles located south of the proposed project site. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

-
- f) *For a project located in the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?*

No Impact. The proposed project is not located in the vicinity of a private airstrip. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

- City of Lakeport, *Lakeport Municipal Code*, December 15, 2009.
- Cyril M. Harris, *Handbook of Noise Control*, 1979.
- Federal Transit Administration, *Transit Noise and Vibration Impact Assessment Guidelines*, May 2006.
- Quad Knopf, *City of Lakeport General Plan 2025*, August 2009.
- Quad Knopf, *City of Lakeport General Plan Update Draft Environmental Impact Report*, November 2008.
- RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis*, June 29, 2010, Revised October 4, 2010.
- U.S. Environmental Protection Agency Office of Noise Abatement and Control, *Noise Effects Handbook-A Desk Reference to Health and Welfare Effects of Noise*, October 1979 (revised July 1981).

3.13 Population and Housing

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
POPULATION AND HOUSING — Would the project:				
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Displace substantial numbers of existing housing units, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

- a) *Would the project induce substantial population growth in an area, either directly or indirectly?*

Less than Significant Impact. The proposed project would construct a new courthouse on an approximately six-acre site located at 675 Lakeport Boulevard. The proposed project is intended to incorporate the existing functions of the court space in the existing Lakeport Courthouse building. The proposed project does not include a residential component and is located in a developed area of the city, which is fully supported by infrastructure including roads and utilities. In addition, the proposed project would not require an increase in the number of staff needed at the facility. The proposed project would not directly or indirectly induce substantial population growth. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- b) *Would the project displace substantial numbers of existing housing units, necessitating the construction of replacement housing elsewhere?*

No Impact. The proposed project would construct a new courthouse on a site that is currently vacant. No existing housing or other residential dwellings are currently located on the proposed project site. There are no expected impacts regarding the displacement of substantial amounts of existing housing units that would necessitate the construction of replacement housing elsewhere. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- c) *Would the project displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?*

No Impact. The proposed project would construct a new courthouse on a site that is currently vacant. No existing housing or other residential dwellings are currently located on the proposed project site, and the proposed project does not include any residential component. The proposed project would not result in the displacement of substantial numbers of people that would necessitate the construction of replacement housing elsewhere. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse.* July 1.

3.14 Public Services

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
PUBLIC SERVICES — Would the project:				
a) Result in substantial adverse physical impacts associated with the provision of, or the need for, new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the following public services:				
i) Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv) Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
v) Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

Would the proposed project result in substantial adverse physical impacts associated with the provision of, or the need for, new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the following public services:

a.i) *Fire protection?*

Less than Significant Impact. The proposed project is located within the Lakeport Fire Protection District, which provides fire protection and emergency medical services for the City of Lakeport and surrounding areas with a total coverage area of 42.5 square miles. The Lakeport Fire Protection District is an independent fire district that was formed in 1894 to provide fire protection to the City of Lakeport. In 1956, the Lakeport County Fire Protection District was formed to provide fire protection to the unincorporated areas of Lakeport. The Lakeport County Fire Protection District merged with the Lakeport Fire Department, forming the Lakeport Fire Protection District. The Lakeport Fire Protection District operates out of two fire station locations: Headquarters (Station 50), and the substation (Station 52).

The Lakeport Fire Protection District responds to over 2,200 calls per year, including structure and wildland fires, vehicle accidents, and medical aid. The Lakeport Fire Protection District is a combination department, with both paid and volunteer staff. Paid staff include one Chief, one Deputy Chief, three Captains, six firefighters, and one

District Secretary. Volunteer staff include eight Fire Apparatus Engineers and 12 firefighters.¹⁸

The nearest fire station to the proposed project site is Lakeport Fire Protection District's headquarters, Station 50, which is located at 445 North Main Street, approximately 0.8 miles northeast of the project site. This station is staffed with four personnel on duty at all times. The Lakeport Fire Protection District's substation (Station 52), is located at 3600 Hill Road East, approximately 3.5 miles north of the proposed project site.

The average response time for Fire and Emergency Medical Services (EMS) within the District is three to four minutes, and the average remote distance response time is eight minutes.¹⁹ The proposed project would not affect acceptable response times or service ratios since the courthouse would not create a substantial increase in population or service needs as compared to the existing facility. There would be no need for new fire department facilities. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

a.ii) *Police protection?*

Less than Significant Impact. The proposed project is located within the jurisdiction of the Lakeport Police Department, which provides 24-hour police protection for the city, including patrol, traffic and parking enforcement, investigations, a school resource officer, special response team, narcotics task force and community crime prevention. The department is located at 916 North Forbes Street, and has 13 sworn police professionals and four civilian police professionals. The city maintains a mutual aid agreement with the Lake County Sheriff's Department. Dispatch is coordinated through the Lake County Sheriff, including 911 calls.²⁰

The proposed project is the construction and operation of a new courthouse facility. The Lake County Sheriff's Department provides most of the security at the courthouse facilities, and would continue to provide security services to the new courthouse facility through its contract with the court. Security screening is provided by a private security company.

Lake County Deputy Sheriffs are assigned as bailiffs to the court and provide security services to the courtrooms only while court is in session. The existing courthouse has

¹⁸ Lakeport Fire District. Available at: <http://www.lakeportfire.com/about/>. Accessed: July 12, 2010.

¹⁹ City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

²⁰ City of Lakeport Police Department. Available at: <http://www.cityoflakeport.com/departments/page.aspx?deptID=76&id=50>. Accessed: July 12, 2010.

one full-time sergeant, seven 900-hour at will deputy sheriffs, and 3/5-time of one full-time deputy sheriff.²¹

The proposed project would consolidate court operations into one courthouse, which would have improved security features that increase the efficiency of the court's security operations. Sheriff and private security staffing requirements as a result of the proposed project would therefore be the same or slightly increased from current levels. With no significant security staffing increase, the proposed project would not have a substantial adverse physical impact on sheriff facilities nor would the proposed project require the construction of new facilities. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

a.iii) *Schools?*

No Impact. The proposed project is to construct a new courthouse facility to replace existing courthouse facilities. Residential development is not a part of the proposed project, nor would the proposed project cause population growth requiring schools. Although the proposed project is located within the Lakeport Unified School District, the project would not create a need for alteration to school facilities or new school construction. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

a.iv) *Parks?*

No Impact. The proposed project does not involve residential development or recreational facilities and would not cause an increase in population or residential housing. The proposed project would not increase the use of parks or other recreational facilities or cause physical deterioration of a park or facility. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

²¹ Pers. Comm. with Captain James W. Bauman, Custody Branch Director, Public Information Officer, Lake County Sheriff's Department, July 17, 2010. Note: Staffing numbers listed above do not include personnel or services relating to the transportation and security of in-custody defendants by the County Sheriff Custody staff to the courthouse or while such inmates are at the courthouse.

a.v) *Other public facilities?*

No Impact. The proposed project does not involve residential development and would not cause an increase in population or residential housing. The proposed project would not increase the use of public facilities such as post offices, libraries, and hospitals, nor would the proposed project cause physical deterioration of any such facilities. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse.* July 1.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

City of Lakeport Police Department. Available at:

<http://www.cityoflakeport.com/departments/page.aspx?deptID=76&id=50>. Accessed: July 12, 2010.

Pers. Comm. with Captain James W. Bauman, Custody Branch Director, Public Information Officer, Lake County Sheriff's Department, July 17, 2010.

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse.* July 1.

3.15 Recreation

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
RECREATION — Would the project:				
a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion

- a) *Would the proposed project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?*

No Impact. The proposed project does not involve residential development or parks or recreational facilities, and would not cause an increase in population or residential housing. The proposed project would not result in an increase in the use of neighborhood and regional parks or other recreational facilities. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

- b) *Would the proposed project include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?*

No Impact. The proposed project does not include any recreational facility components nor would it require expansion of recreational facilities. *Therefore, the AOC concludes there are no impacts.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse.* July 1.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

3.16 Transportation and Traffic

<u>Issues (and Supporting Information Sources):</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporation	Less Than Significant Impact	No Impact
TRANSPORTATION AND TRAFFIC — Would the project:				
a) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Discussion

a, b) *Would the proposed project conflict with an applicable plan, ordinance or policy, or congestion management policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?*

Less than Significant with Mitigation. A *Traffic Impact Analysis* (June 2010, Revised October 2010) was prepared which identified potential traffic impacts that may be associated with the development of the proposed project. It included traffic analyses at intersections and street segments during typical weekday AM peak hours. The AM peak period is the most critical for court houses and presents a worst-case scenario. The traffic analysis for the proposed project includes six intersections:

- Parallel Drive / Lakeport Boulevard
- Highway 29 southbound ramps / Lakeport Boulevard
- Highway 29 northbound ramps / Lakeport Boulevard
- Bevins Street / Lakeport Boulevard
- Larrecou Lane / Lakeport Boulevard
- South Main Street / Lakeport Boulevard

Traffic counts for the above intersections and a speed survey were conducted on April 1, 2010. Counts were performed during the AM peak hour per guidance from the AOC. The traffic volumes along Lakeport Boulevard were increased by 6.9 percent to reflect seasonal trends as identified in the City of Lakeport General Plan 2025.

The City of Lakeport has established a Level of Service (LOS) C as the minimum acceptable LOS for overall intersection operations. The standard Caltrans LOS is the LOS C/D threshold in which LOS C is acceptable in all cases and LOS D is acceptable on a case-by-case basis. Caltrans has jurisdiction over the Highway 29 northbound (NB) and southbound (SB) ramp intersections with Lakeport Boulevard.

Existing Conditions

Synchro and Sidra, traffic operations analysis software programs, were used to determine the LOS for the weekday existing AM peak hour at each of the six intersections within the proposed project area. Under Existing Conditions, all six intersections operate at acceptable LOS, either LOS A or B, during the existing weekday AM peak hour (refer to **Appendix H**, for calculations and intersection volumes).

Existing Plus Background Conditions

Existing Plus Background Conditions include existing traffic plus the traffic generated by approved projects within the vicinity of the proposed project. All background projects were obtained from the City of Lakeport Planning Department website per Andrew Britton (Planning Services Manager). The trip generation for each project was calculated using the Institute of Transportation Engineers (ITE) Manual, *Trip Generation 7th Edition*, 2003. The trip distribution was calculated based on typical travel patterns in the city and engineering judgment. The background projects would generate approximately 284 AM peak hour trips (refer to **Appendix H**, *Traffic Impact Analysis*).

Traffic analysis was performed for the weekday Existing Plus Background AM peak hour at each of the study intersections within the proposed project area using Synchro and Sidra. All intersections would operate at an acceptable LOS (LOS C or better) (refer to **Appendix H**, for calculations and intersection volumes).

Existing Plus Background Plus Project Conditions

For the AM peak hour Existing Plus Background Plus Project Conditions development scenario, the proposed project trips were added to the Existing and Background trips, and then analyzed. All of the study intersections for Existing Plus Background Plus Project Conditions would continue to operate at acceptable LOS (LOS C or better) (refer to **Appendix H**, for calculations and intersection volumes).

The ITE Manual, *Trip Generation 7th Edition* is the most widely accepted reference for transportation professionals for determining trip generation rates for various land use types. However, the reference does not provide trip generation rates for courthouses.

Therefore, a methodology for determining the trip generation rate was developed based on a similar traffic study performed in San Diego, CA and with information provided by Superior Court staff.

In 2000, Linscott Law & Greenspan (LLG) prepared a Traffic Impact Analysis report for the San Diego County Courthouse. An employee survey, conducted in 1992 by San Diego County, was used to determine mode of travel, daily trips per person, and vehicle occupancy rates. In addition, the report assumed that 30 visitors/jurors were in each courtroom. The trip generation rate was calculated based on the number of employees and visitors/jurors and the results from the employee survey.

Similar methodology was used for the Lake County Courthouse *Traffic Impact Analysis*. It was assumed that the primary choice of transportation is a passenger car for each employee and visitor/juror. In addition, as in the LLG study, it was assumed that 25 percent of employees leave and return to the courthouse once during the day.

In order to determine the proposed project's AM peak hour trips, a comparison was made between the AM peak hour average rate and daily rate for General Office (Code 710) in the *ITE Trip Generation 7th Edition*. The General Office land use was used because it is similar to the proposed project and is slightly more conservative than the LLG study. This provided an AM percentage of the daily trips. This percentage was then applied to the daily trips to calculate the AM peak hour proposed project trips. The directional distribution identified in the LLG study was used to determine inbound and outbound proposed project trips.

At project build out, the proposed project would generate 403 daily trips; with 61 trips (55 in, 6 out) occurring during the AM peak hour.

The city of Lakeport plans to extend the future Court Street alignment from Lakeport Boulevard southward along the eastern boundary of the proposed project site. To accommodate this future city project, the AOC, if feasible, would dedicate right-of-way to the city to support this future arterial extension.

Cumulative Conditions (Projected 2030 Traffic Conditions) Without the Project

The cumulative traffic volumes were analyzed at the six study intersections. Two of the study intersections would operate at acceptable LOS, while four intersections would operate at unacceptable LOS. The four intersections operating at unacceptable LOS are discussed in detail below.

The **Highway 29 SB Ramps / Lakeport Boulevard** intersection would operate at unacceptable LOS F during the AM peak hour with the southbound off-ramp approach also operating at LOS F.

The **Highway 29 NB Ramps / Lakeport Boulevard** intersection is forecast to operate at an overall LOS F during the AM peak hour. The worst approach is also forecast to operate at LOS F during the AM peak hour.

The **Bevins Street / Lakeport Boulevard** intersection is forecast to operate at an overall LOS A during the AM peak hour; however, the worst approach is forecast to operate at LOS F.

The **Main Street / Lakeport Boulevard** intersection is forecast to operate at an overall LOS E during the AM peak hour and the worst approach is forecast to operate at LOS F. It should be noted that this intersection was studied in the City of Lakeport General Plan 2025 and was forecast to operate at an overall LOS F during the PM peak hour. Refer to **Appendix H**, for details regarding calculations and cumulative peak hour volumes.

Cumulative Plus Project Conditions

The Cumulative Plus Project traffic volumes were analyzed at the six study intersections. Two of the study intersections would operate at acceptable LOS, while four intersections would operate at unacceptable LOS. The four intersections operating at unacceptable LOS are discussed in detail below.

The **Highway 29 SB Ramps / Lakeport Boulevard** intersection would continue to operate at unacceptable LOS F during the AM peak hour. The worst approach is also forecast to operate at LOS F.

The **Highway 29 NB Ramps / Lakeport Boulevard** intersection is forecast to continue to operate at an overall LOS F during the AM peak hour. The worst approach is also forecast to operate at LOS F.

The **Bevins Street / Lakeport Boulevard** intersection is forecast to continue to operate at an overall LOS A during the AM peak hour; however, the worst approach is forecast to operate at LOS F.

The **Main Street / Lakeport Boulevard** intersection is forecast to operate at an overall LOS E during the AM peak hour. The worst approach is forecast to operate at LOS F. It should be noted that this intersection was studied in the City of Lakeport General Plan 2025 and was forecast to operate at an overall LOS F during the PM peak hour.

Refer to **Appendix H**, for details regarding calculations and cumulative peak hour volumes.

Intersection Improvements

The City of Lakeport General Plan 2025 identifies either the installation of modern roundabouts or the signalization of the following four study intersections as part of the City's Long Range Roadway Improvement Program: Highway 29 SB Ramps / Lakeport Boulevard; Highway 29 NB Ramps / Lakeport Boulevard; Bevins Street / Lakeport Boulevard; and Main Street / Lakeport Boulevard. The installation of traffic signals is anticipated to improve the operations of the intersections for Cumulative Conditions Without Project. The close spacing of the intersections would require the intersections to coordinate the signals:

The installation of a traffic signal at the **Highway 29 SB Ramps / Lakeport Boulevard** is anticipated to improve the operations of the intersection to LOS C during the Cumulative Without Project AM peak hour. The traffic signal would be coordinated with the Highway 29 NB Ramps / Lakeport Boulevard and Bevins Street / Lakeport Boulevard intersections. The signal would provide a protected left turn for westbound traffic. In addition, the southbound approach should be improved to include a 150-foot right turn lane to reduce vehicle queues.

The installation of a traffic signal at the **Highway 29 NB Ramps / Lakeport Boulevard** is anticipated to improve the operations of the intersection to LOS B during the Cumulative Without Project AM peak hour. The traffic signal would be coordinated with the Highway 29 SB Ramps / Lakeport Boulevard and Bevins Street / Lakeport Boulevard intersections. The signal would provide a protected left turn for eastbound traffic. In addition, the intersection should be re-striped to provide approximately 150 feet of vehicle storage length for the eastbound left turn lane. Also, the northbound approach should be improved to include a 200-foot right turn lane to reduce vehicle queues.

The installation of a traffic signal at the **Bevins Street / Lakeport Boulevard** intersection would improve the operations of the intersection to LOS C during the Cumulative Without Project AM peak hour. The traffic signal would be coordinated with the Highway 29 SB Ramps / Lakeport Boulevard and Highway 29 NB Ramps / Lakeport Boulevard intersections.

The installation of a traffic signal at the **Main Street / Lakeport Boulevard** intersection is anticipated to improve the operations of the intersection to LOS B during the Cumulative Without AM peak hour. The signal would be split phased in the east-west direction and protected in the north-south direction. The southbound right turn lane would have an overlap phase with the eastbound split phase.

The above improvements are recommended for the Cumulative Plus Project Conditions. Therefore, fairshare contributions for the intersection improvements would be required. Each of the intersections meets the California MUTCD signal warrant for peak hour traffic volumes. The LOS calculation sheets for mitigated intersection conditions are included in **Appendix H**.

Mitigation Measure TRANS-1 would reduce potential cumulative plus project impacts to a less-than-significant level.

Mitigation Measure TRANS-1: Prior to occupancy and the operation of the courthouse, the AOC would be required to pay the City of Lakeport the proposed project's fair share contribution towards improving the following intersections: Highway 29 SB Ramps / Lakeport Boulevard; Highway 29 NB Ramps / Lakeport Boulevard; Bevins Street / Lakeport Boulevard; and Main Street / Lakeport Boulevard.

Significance after Mitigation: Less than Significant.

-
- c) *Would the proposed project result in a change in air traffic patterns, including either an increase in traffic levels or a change in location, that results in substantial safety risks?*

No Impact. The proposed project would not change air traffic patterns, increased air traffic levels or result in a change in location that would result in substantial safety risks. *Therefore, the AOC concludes there are no impacts.*

-
- d) *Would the proposed project substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

Less than Significant with Mitigation. The initial field visit for the *Traffic Impact Analysis* and subsequent analysis to the proposed project intersections revealed that there are potential sight distance deficiencies for northbound left turn vehicles at the Lakeport Boulevard / Bevins Street intersection. This intersection is located at the top of a hill with the westbound approach being below grade. Exiting vehicles from the northbound driveway have sight distance constraints looking at the westbound approach of this intersection due to the crest curve and existing earth. During traffic counts/traffic analyses in April 2010, it was witnessed that left turn vehicles on the northbound approach were having trouble making the left turn from the driveway onto Lakeport Boulevard. Exiting vehicles were observed to make right turns and then make a U-turn at Larrecou Lane to continue westbound. A sight distance analysis was performed on this intersection.

The Larrecou Lane / Lakeport Boulevard intersection is the recommended main access driveway and is located approximately 30 feet below the proposed site. This intersection was also evaluated for sight distance (refer to **Appendix H**, for results of the sight distance analysis).

The sight distance analysis shows that left turning vehicles on the northbound approach at the Bevins Street / Lakeport Boulevard intersection do not have sufficient sight distance to safely proceed onto westbound Lakeport Boulevard under the existing configuration. It

is recommended that earthwork be performed on the south eastern side of the intersection to regrade the area in order to increase the sight distance.

Proposed project traffic would be added to this intersection. Increasing the traffic at an intersection with a pre-existing sight distance safety hazard would result in the proposed project having an impact on safety. Therefore, fairshare contributions for the intersection improvements would be required. **Mitigation Measure TRANS-2** would reduce potential impacts to less than significant levels.

Mitigation Measure TRANS-2: Prior to occupancy and the operation of the courthouse, the AOC would be required to pay the City of Lakeport the proposed project's fair share contribution towards improving the sight distance at the Bevins Street / Lakeport Boulevard intersection.

Significance after Mitigation: Less than Significant.

-
- e) *Would the proposed project result in inadequate emergency access?*

Less than Significant Impact. The proposed project site is located approximately 30 feet above Lakeport Boulevard. A site plan was not available to indicate the driveway access points to the proposed courthouse; therefore, four locations were evaluated for the proposed site (refer to **Figure 3**) and are discussed below.

Location 1: Off of Lakeport Boulevard positioned in center of project site: Location 1 is located off of Lakeport Boulevard at the center of the proposed site and would provide a central access point the courthouse. In order to accommodate the driveway at this location, significant grading would need to be performed to provide adequate sight distance and to construct the driveway up the grades to the elevation the proposed project site. In addition, the driveway would be located in between Larrecou Lane and a shopping center driveway. This would provide limited intersection spacing. It was determined that, due to the amount of earthwork needed and intersection spacing, this location is not feasible for site access.

Location 2: Off of Lakeport Boulevard across from Larrecou Lane: Location 2 is located at the Larrecou Lane intersection off of Lakeport Boulevard. This location would take advantage of an existing pathway and grading adjacent to the proposed project site. This location would provide adequate sight distance and would not limit intersection spacing. Grading would need to be performed but not to the degree of Location 1. It was determined that this location is feasible for site access and is recommended for the main access.

Location 3: Off of Bevins Street through the Lake County Chamber of Commerce parking lot: Location 3 takes advantage of the Lake County Chamber of Commerce parking lot, located above the proposed project site, to provide an access driveway. To accommodate

this driveway location, grading and construction of retaining walls would need to be performed and the elimination of parking spaces would occur. It was determined that this location is not feasible for site access.

Location 4: Off of Bevins Street behind the Lake County Chamber of Commerce:

Location 4 is located behind the Lake County Chamber of Commerce and would take advantage of an existing pathway and grading adjacent to the proposed project site. Limited grading would need to be performed. It was determined that this location is a feasible site access and is recommended for secondary access for prisoner pick-up and drop-off.

The proposed project would conform to recommendations of the Superior Court of California, the Lake County Sheriff's Department, and the Lakeport Fire Department to ensure adequate emergency access considerations. The driveways would be required to be designed to accommodate emergency vehicles. There would be no blockage of access or traffic pattern disturbance that would significantly affect emergency access. Red curbs would be required along driveways and entrances to the courthouse to provide sufficient access response time for emergency vehicles. A fire lane would be required and on average should be approximately 20 feet in width at minimum and must be kept clear at all times. The proposed project would conform to design requirement for the Superior Court of California and the City of Lakeport. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- f) *Would the proposed project conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?*

Less than Significant with Mitigation. Lake Transit provides mass transit for Lake County and provides local and regional bus service for the City of Lakeport along four routes (Route 4, 4A, 7, and 8). Route 8 (Lakeport City) provides exclusive service for the City of Lakeport from Peckham Court in the south to Sutter Lakeside Hospital in the north. Routes 4 (South Shore) and 4A (Soda Bay) provide regional service to Clearlake and Kit's Corner, respectively, with limited city service. Route 7 (Lakeport – Ukiah) provides regional service from Lakeport to the Ukiah Municipal Airport, Greyhound, and Amtrak stations. The transfer point in the City of Lakeport is located on Main Street at the Third Street intersection. Currently, Routes 4, 4A, and 8 travel along Lakeport Boulevard in the vicinity of the proposed project. Route 4 does not stop in the vicinity of the proposed project, and Route 4A stops at Mendocino College on Parallel Drive, approximately ½ mile west of the proposed project site. Route 8 stops at Mendocino College and the Bevins Court Health Center on Bevins Street. There are currently no bus stops at the proposed project site.

It is recommended that bus stops be constructed immediately east and west of the Larrecou Lane / Lakeport Boulevard intersection per Lake Transit standards. The addition of the bus stops would provide direct access from the local bus system and indirect access from the regional bus system to and from the proposed project.

According to the 2006 Lake County Regional Bikeway Plan, the county has five bikeways. None of the bikeways are in the vicinity of the proposed project site. The nearest bikeway facility is a Class II Bike Lane located on North High Street approximately 1.5 miles away. The Transportation Element of the City of Lakeport General Plan 2025 identifies Parallel Drive, Lakeport Boulevard, Bevins Street, and Main Street as future bikeway locations. **Mitigation Measures TRANS-3** and **TRANS-4** would reduce potential impacts to less than significant levels.

Mitigation Measure TRANS-3: Prior to occupancy and operation of the courthouse, bus stops shall be constructed immediately east and west of the Larrecou Lane / Lakeport Boulevard intersection per Lake Transit standards, in order to provide direct access from the local bus system and indirect access from the regional bus system to and from the proposed project.

Mitigation Measure TRANS-4: Prior to occupancy and operation of the courthouse, high visibility crosswalks shall be installed to provide safe access for pedestrians to and from the bus stops. In addition, pedestrian access should be provided throughout the proposed project with links to the existing pedestrian pathways and sidewalks.

Significance after Mitigation: Less than Significant.

References

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

Dow & Associates, *Lake County Regional Bikeway Plan*. Adopted by the Lake County Area Planning Council on: August 9, 2006. Accessed: July 6, 2010. Available at: www.lakeapc.org/docs/2006%20Lake%20Regional%20Bikeway-Final.pdf

RBF Consulting, *New Lakeport Courthouse Traffic Impact Analysis*, June 29, 2010, Revised October 4, 2010.

3.17 Utilities and Service Systems

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
UTILITIES AND SERVICE SYSTEMS — Would the project:				
a) Conflict with wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Require or result in the construction of new storm water drainage facilities, or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Result in a determination by the wastewater treatment provider that would serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project conflict with wastewater treatment requirements of the applicable Regional Water Quality Control Board?*

Less than Significant Impact. The proposed project would be served by the City of Lakeport Municipal Sewer District (CLMSD). Pursuant to City of Lakeport Ordinance No. 872 (2008), any residence or facility within the boundaries of CLMSD must connect to the municipal sanitary sewer system with limited exception. The boundaries of the CLMSD include areas within the City of Lakeport, in addition to a few unincorporated areas to the south and west. The CLMSD collection and treatment system spans approximately 135,400 feet of collector sewer mains and 13,500 feet of interceptor sewers.²² The wastewater treatment facility is located at 795 Linda Lane, just southeast of the city limits. The treatment facility was constructed in the early 1990s for an average dry weather flow of one million gallons per day (mgd).

Wastewater produced by the proposed project would be limited to restroom facilities for the courthouse and is considered negligible. In addition, courthouse activities would not

²² City of Lakeport Municipal Sewer District, *Sewer System Management Plan, 2010*. Available at: <http://www.cityoflakeport.com/docs/SSMP-Final-512201062607PM.pdf>. Accessed: July 12, 2010.

result in containment emissions that would require a higher wastewater treatment level since sanitary wastewater would only be generated during courthouse operations. Therefore, the existing wastewater system would be capable of handling the wastewater generated from the new facility.

The proposed project would primarily shift employees from existing facilities to the new courthouse location. Any increase in the number of employees attributable to the proposed project would be minimal. Thus, the amount of wastewater generated by the proposed project would be similar to that generated in existing facilities and would not require a higher level of treatment. The proposed project would not conflict with requirements of the Regional Water Quality Control Board. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

-
- b) *Would the proposed project require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?*

Less than Significant Impact. The City of Lakeport would provide water and wastewater treatment services to the proposed project. The proposed project would construct one courthouse that replaces the existing facilities currently located in three separate locations. The amount of water used and wastewater generated daily would likely be the same as the existing amount of water used and wastewater generated.

As noted above, the proposed project is not anticipated to result in a substantial increase in employees. Therefore, the amount of water consumed by the proposed project would not result in the need to expand water facilities. The proposed project would connect to the existing water system and would not include the development of new water lines. Therefore, the impact would be less than significant.

As noted above, the proposed project is not anticipated to result in a substantial increase in employees. Therefore, the amount of wastewater generated by the proposed project would not result in the need to expand wastewater treatment facilities. The proposed project would connect to the existing wastewater system and would not include the development of new sewer lines. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- c) *Would the project require or result in the construction of new storm water drainage facilities, or expansion of existing facilities, the construction of which could cause significant environmental effects?*

Less than Significant Impact. The proposed project site is currently undeveloped; therefore, development of the new courthouse facility would include impervious surfaces. While it is anticipated that the proposed project may result in storm water runoff from non-storm and storm water discharges, as discussed in Section 3.9, Hydrology and Water Quality, the proposed project would be required to comply with NPDES regulations, ensuring that impacts to storm water drainage systems are minimized. Under the NPDES program, the construction contractor would be required to prepare a SWPPP and Erosion Control Plan. In addition, the city has adopted a Storm Water Management Plan (SWMP) which is designed to reduce the discharge of pollutants into Clear Lake and to enhance the water quality. The city has also adopted an ordinance that would prohibit non-storm water discharge into the city's storm drainage system. The design of the proposed project will meet all city and state requirements.

Implementation of the SWPPP, the Erosion Control Plan, and SWMP would minimize the potential for construction-related surface water pollution as well as the water quality during operation due to new storm water drainage facilities. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- d) *Would the proposed project have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?*

Less than Significant Impact. According to the *City of Lakeport 2008 Water Master Plan*, the city obtains water from two sources: groundwater sources from four wells in Scotts Valley and water from Clear Lake treated at the city's water treatment plant. The city currently has an agreement with Yolo County Flood Control, who has the water rights to Clear Lake to draw up to 2,000 acre-feet per year. The city also has water conservation programs in place. Any increase in the number of employees attributable to the proposed project would be minimal. Thus, the amount of water needed by the proposed project would be similar to that used by existing courthouse facilities. The proposed project is not expected to require additional water supplies above what has already been anticipated in the *City of Lakeport General Plan 2025*. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- e) *Would the proposed project result in a determination by the wastewater treatment provider that would serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?*

Less than Significant Impact. Wastewater generated by the City of Lakeport is collected and transported to the City of Lakeport wastewater treatment plant (WWTP), located southwest of the city limits. The WWTP (which is owned and operated by the CLMSD) had an original design treatment capacity of 1.05 million gallons per day (MGD) of dry weather flow and a maximum daily discharge not to exceed 3.8 million gallons (MG). In 2007, the City of Lakeport received a Cease and Desist Order from the California Regional Water Quality Control Board Central Valley Region which reduced capacity to 0.42 MGD dry weather flow. Currently, the CLMSD has adequate capacity for approximately 100 residential unit equivalents under the Cease and Desist Order restrictions. In addition, the SSMP acknowledges that the CLMSD intends to expand the sewer system over the next 10 years to accommodate the potential commercial and residential growth within the city.

Any increase in the number of employees attributable to the proposed project would be minimal. Thus, the amount of wastewater generated by the proposed project would be similar to that generated in existing facilities. The project would not exceed the capacity of the City's WWTP. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

- f) *Would the proposed project be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?*

Less than Significant Impact. Lakeport has a contract with the Lakeport Disposal Company for its solid waste disposal. Most solid waste refuse from Lakeport is transported first to a transfer station on Soda Bay Road outside of the Lakeport city limits, and then on to the East Lake Landfill, located just outside the City of Clearlake. The Eastlake Landfill is located on a 32 acre parcel outside the city limits of Clearlake. The landfill has a total permitted capacity of six million cubic yards and the estimated remaining capacity is 2,859,962 cubic yards (or 47.3 percent).²³ The estimated closure date for the landfill is December 2027. This landfill has enough capacity to accommodate solid waste generated by the proposed project. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

²³ California Department of Resources Recycling and Recovery, 2010. Available at: <http://www.calrecycle.ca.gov/profiles/Facility/Landfill/LFProfile1.asp?COID=17&FACID=17-AA-0001>, Accessed: July 13, 2010.

- g) *Would the project comply with federal, state, and local statutes and regulations related to solid waste?*

Less than Significant Impact. The AOC shall ensure that the best method of solid waste disposal and reduction of the solid waste stream is implemented at the proposed project site. The proposed project would result in the transfer of all solid waste to permitted facilities (including hazardous waste). The proposed project is expected to comply with all federal, state, and local statutes and regulations related to solid waste. *Therefore, the AOC concludes that project impacts would be less-than-significant.*

Mitigation required: None.

References

Administrative Office of the Courts (AOC), Office of Court Construction and Management, 2008. *Project Feasibility Report, Superior Court of California, County of Lake, New Lakeport Courthouse*. July 1.

California Department of Resources Recycling and Recovery, 2010. Available at: <http://www.calrecycle.ca.gov/profiles/Facility/Landfill/LFProfile1.asp?COID=17&FACID=17-AA-0001>, Accessed: July 13, 2010.

City of Lakeport, General Plan 2025, adopted August, 2009.

City of Lakeport, General Plan Update Draft Environmental Impact Report, November 2008.

City of Lakeport Municipal Sewer District, *Sewer System Management Plan, 2010*. Available at: <http://www.cityoflakeport.com/docs/SSMP-Final-512201062607PM.pdf>. Accessed: July 12, 2010.

Pace Civil, Inc, *City of Lakeport 2008 Master Water Plan*, April 2008.

3.18 Mandatory Findings of Significance

<i>Issues (and Supporting Information Sources):</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant with Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
MANDATORY FINDINGS OF SIGNIFICANCE — Would the project:				
a) Have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Have impacts that would be individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Have environmental effects that would cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) *Would the proposed project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?*

Less than Significant with Mitigation. The proposed project may have potentially significant impacts on biological resources (Section 4.3) and cultural resources (Section 4.4). However, implementation of mitigation measures in those sections would reduce these potential impacts to a less-than-significant level.

- b) *Would the proposed project have impacts that would be individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)*

Less than Significant with Mitigation. The proposed project may have potentially significant impacts on air quality (Section 3.3), biological resources (Section 3.4), cultural resources (Section 3.54), noise and vibration (Section 3.12), and transportation and traffic (Section 3.16), which would include cumulative impacts. However,

implementation of mitigation measures in those sections would reduce these potential impacts to a less-than-significant level.

The probability of construction of other proposed projects in the area and their construction timetables are uncertain due to current economic issues, and construction of the proposed project is expected to be completed in 2014. Since potential impacts from the proposed project and future projects would be mitigated in accordance with local and state regulations and the construction of other projects would likely occur after completion of the proposed courthouse, the AOC concludes that the cumulative impacts from the proposed project would be less than significant.

The proposed project would consolidate existing courthouse staff at one location; no additional staff would be added with this project. Therefore, the proposed project is not growth-inducing in and of itself.

-
- c) *Would the proposed project have environmental effects that would cause substantial adverse effects on human beings, either directly or indirectly?*

Less than Significant with Mitigation. The proposed project may have potentially significant impacts on air quality (Section 3.3), biological resources (Section 3.4), cultural resources (Section 3.54), noise and vibration (Section 3.12), and transportation and traffic (Section 3.16). However, implementation of mitigation measures in those sections would reduce these potential impacts to a less-than-significant level.

Chapter 4

Report Preparers

Judicial Council of California

Administrative Office of the Courts
2860 Gateway Oaks Drive
Sacramento, CA 95833-3509

Laura Sainz, Environmental Program Manager
Office of Court Construction and Management

RBF Consulting

4540 Duckhorn Drive, Suite 202
Sacramento, CA 95834

Bruce Gove, Project Manager
Jennifer Stewart, Environmental Planner
Frederik Venter, Transportation Engineer
Eddie Torres, Air Quality and Noise Specialist
Lane Simmons, GIS Specialist

ENPLAN

3179 Bechelli Lane
Redding, CA 96002

Donald Burk, Botanical Field Surveys
Darrin Doyle, Wildlife Evaluation
Wayne Waint, Archaeologist

Appendix A
LEED Checklist and Rating System



LEED 2009 for New Construction and Major Renovations

Project Checklist

Project Name

Date

		Possible Points: 26	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 1 Construction Activity Pollution Prevention
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1 Site Selection
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 Development Density and Community Connectivity
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3 Brownfield Redevelopment
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.1 Alternative Transportation—Public Transportation Access
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.2 Alternative Transportation—Bicycle Storage and Changing Rooms
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.3 Alternative Transportation—Low-Emitting and Fuel-Efficient Vehicles
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.4 Alternative Transportation—Parking Capacity
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 5.1 Site Development—Protect or Restore Habitat
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 5.2 Site Development—Maximize Open Space
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6.1 Stormwater Design—Quantity Control
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6.2 Stormwater Design—Quality Control
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 7.1 Heat Island Effect—Non-roof
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 7.2 Heat Island Effect—Roof
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 8 Light Pollution Reduction

		Possible Points: 10	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 1 Water Use Reduction—20% Reduction
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1 Water Efficient Landscaping
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 Innovative Wastewater Technologies
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3 Water Use Reduction

		Possible Points: 35	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 1 Fundamental Commissioning of Building Energy Systems
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 2 Minimum Energy Performance
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 3 Fundamental Refrigerant Management
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1 Optimize Energy Performance
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 On-Site Renewable Energy
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3 Enhanced Commissioning
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4 Enhanced Refrigerant Management
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 5 Measurement and Verification
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6 Green Power

		Possible Points: 14	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 1 Storage and Collection of Recyclables
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.1 Building Reuse—Maintain Existing Walls, Floors, and Roof
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.2 Building Reuse—Maintain 50% of Interior Non-Structural Elements
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 Construction Waste Management
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3 Materials Reuse

		Possible Points: 15	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4 Recycled Content
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 5 Regional Materials
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6 Rapidly Renewable Materials
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 7 Certified Wood

		Possible Points: 15	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 1 Minimum Indoor Air Quality Performance
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prereq 2 Environmental Tobacco Smoke (ETS) Control
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1 Outdoor Air Delivery Monitoring
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 Increased Ventilation
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3.1 Construction IAQ Management Plan—During Construction
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 3.2 Construction IAQ Management Plan—Before Occupancy
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.1 Low-Emitting Materials—Adhesives and Sealants
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.2 Low-Emitting Materials—Paints and Coatings
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.3 Low-Emitting Materials—Flooring Systems
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 4.4 Low-Emitting Materials—Composite Wood and Agrifiber Products
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 5 Indoor Chemical and Pollutant Source Control
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6.1 Controllability of Systems—Lighting
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 6.2 Controllability of Systems—Thermal Comfort
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 7.1 Thermal Comfort—Design
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 7.2 Thermal Comfort—Verification
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 8.1 Daylight and Views—Daylight
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 8.2 Daylight and Views—Views

		Possible Points: 6	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.1 Innovation in Design: Specific Title
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.2 Innovation in Design: Specific Title
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.3 Innovation in Design: Specific Title
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.4 Innovation in Design: Specific Title
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.5 Innovation in Design: Specific Title
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 2 LEED Accredited Professional

		Possible Points: 4	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.1 Regional Priority: Specific Credit
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.2 Regional Priority: Specific Credit
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.3 Regional Priority: Specific Credit
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Credit 1.4 Regional Priority: Specific Credit

		Possible Points: 110	
Y	N	?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Total

LEED 2009 FOR

NEW

CONSTRUCTION

AND MAJOR RENOVATIONS

For Public Use and Display

LEED 2009 for New Construction and
Major Renovations Rating System

USGBC Member Approved November 2008 (Updated July 2010)



PREFACE FROM USGBC

The built environment has a profound impact on our natural environment, economy, health, and productivity. Breakthroughs in building science, technology, and operations are now available to designers, builders, operators, and owners who want to build green and maximize both economic and environmental performance.

Through the LEED® green building certification program, the U.S. Green Building Council (USGBC) is transforming the built environment. The green building movement offers an unprecedented opportunity to respond to the most important challenges of our time, including global climate change, dependence on non sustainable and expensive sources of energy, and threats to human health. The work of innovative building professionals is a fundamental driving force in the green building moment. Such leadership is a critical component to achieving USGBC's mission of a sustainable built environment for all within a generation.

USGBC MEMBERSHIP

USGBC's greatest strength is the diversity of our membership. USGBC is a balanced, consensus based nonprofit with more than 18,000 member companies and organizations representing the entire building industry. Since its inception in 1993, USGBC has played a vital role in providing a leadership forum and a unique, integrating force for the building industry. USGBC's programs have three distinguishing characteristics:

Committee-based

The heart of this effective coalition is our committee structure, in which volunteer members design strategies that are implemented by staff and expert consultants. Our committees provide a forum for members to resolve differences, build alliances, and forge cooperative solutions for influencing change in all sectors of the building industry.

Member-driven

Membership is open and balanced and provides a comprehensive platform for carrying out important programs and activities. We target the issues identified by our members as the highest priority. We conduct an annual review of achievements that allows us to set policy, revise strategies, and devise work plans based on members' needs.

Consensus-focused

We work together to promote green buildings, and in doing so, we help foster greater economic vitality and environmental health at lower costs. We work to bridge ideological gaps between industry segments and develop balanced policies that benefit the entire industry.

Contact the U.S. Green Building Council
2101 L Street, NW
Suite 500
Washington, DC 20037
(800) 795-1747 Office
(202) 828-5110 Fax
www.usgbc.org

COPYRIGHT

Copyright © 2009 by the U.S. Green Building Council, Inc. All rights reserved.

The U.S. Green Building Council, Inc. (USGBC®) devoted significant time and resources to create this LEED® Rating System. USGBC authorizes individual use of the LEED Rating System. In exchange for this authorization, the user agrees:

1. to retain all copyright and other proprietary notices contained in the LEED Rating System,
2. not to sell or modify the LEED Rating System, and
3. not to reproduce, display, or distribute the LEED Rating System in any way for any public or commercial purpose.

Unauthorized use of the LEED Rating System violates copyright, trademark, and other laws and is prohibited.

DISCLAIMER

None of the parties involved in the funding or creation of the LEED Rating System, including the USGBC, its members, its members, volunteers, or contractors, assume any liability or responsibility to the user or any third parties for the accuracy, completeness, or use of or reliance on any information contained in the LEED Rating System, or for any injuries, losses, or damages (including, without limitation, equitable relief) arising from such use or reliance. Although the information contained in the LEED Rating System is believed to be reliable and accurate, all materials set forth within are provided without warranties of any kind, either express or implied, including but not limited to warranties of the accuracy or completeness of information or the suitability of the information for any particular purpose.

As a condition of use, the user covenants not to sue and agrees to waive and release the U.S. Green Building Council, its members, volunteers, and contractors from any and all claims, demands, and causes of action for any injuries, losses, or damages (including, without limitation, equitable relief) that the user may now or hereafter have a right to assert against such parties as a result of the use of, or reliance on, the LEED Rating System.

U.S. Green Building Council
2101 L Street, NW
Suite 500
Washington, DC 20037

TRADEMARKS

USGBC®, U.S. Green Building Council® and LEED® are registered trademarks of the U.S. Green Building Council.

ACKNOWLEDGMENTS

The LEED 2009 Rating System has been made possible only through the efforts of many dedicated volunteers, staff members, and others in the USGBC community. The Rating System improvement work was managed and implemented by USGBC staff and included review and input by many Technical Advisory Group (TAG) members with oversight by the LEED Steering Committee. We extend our deepest gratitude to all of our LEED committee members who participated in the development of this rating system, for their tireless volunteer efforts and constant support of USGBC's mission:

LEED Steering Committee

Scot Horst, Chair, LSC	Horst, Inc
Joel Ann Todd, Vice-Chair, LSC	Joel Ann Todd
Muscoe Martin	M2 Architecture
Stuart Carron	JohnsonDiversey, Inc.
Holley Henderson	H2 Ecodesign, LLC
Christine Magar	Greenform
Kristin Shewfelt	Architectural Energy Corporation
Jessica Millman	Agora DC
Bryna Dunn	Moseley Architects
Neal Billetdeaux	JJR
Greg Kats	Managing Good Energies
Mark Webster	Simpson Gumpertz & Heger
Bob Thompson	EPA Indoor Environment Management Branch
Malcolm Lewis	Constructive Technologies Group, Inc.
John Boecker	7Group
Sara O'Mara	Choate Construction Company
Alex Zimmerman	Rep Canada Green Building Council
Ian Theaker	Rep Canada Green Building Council

Sustainable Sites TAG

Bryna Dunn, Chair	Moseley Architects
Stewart Comstock, Vice-Chair	Maryland Department of the Environment
Michele Adams	Cahill Associates
Gina Baker	Burt Hill
Ted Bardacke	Global Green USA
Stephen Benz	Sasaki
Mark Brumbaugh	Brumbaugh & Associates
Laura Case	Emory University Campus Services
Zach Christeson	the HOK Planning Group
Jay Enck	Commissioning & Green Building Services
Ron Hand	E/FECT. Sustainable Design Solutions
Richard Heinisch	Acuity Lighting Group
Michael Lane	Lighting Design Lab
Marita Roos	HNTB
Zolna Russell	Hord Coplan Macht, Inc.
Alfred Vick	Ecos Environmental Design, Inc.

Water Efficiency TAG

Neal Billetdeaux, Chair	JJR
John Koeller, Vice-Chair	Alliance for Water Efficiency
David Carlson	Columbia University
Bill Hoffman	H.W. Hoffman and Associates, LLC
Geoff Nara	Civil & Environmental Consultants
Stephanie Tanner	U.S. Environmental Protection Agency
Daniel Yeh	University of South Florida
David Bracciano	Tampa Bay Water
Robert Rubin	NCSU-BAE and McKim & Creed
Winston Huff	SSR Engineers
Robert Benazzi	Jaros Baum & Bolles
Gunnar Baldwin	TOTO USA, INC
Heather Kinkade	Forgotten Rain, LLC
Shabbir Rawalpindiwala	Kohler Company
Bill Wall	Clivus New England, Inc.

Energy & Atmosphere TAG

Greg Kats, Chair	GoodEnergies
Marcus Sheffer, Vice-Chair	7group
Drury Crawley	US Department of Energy
Jay Enck	Commissioning & Green Building Solutions, Inc.
Ellen Franconi	IPMVP and AEC
Mark Frankel	New Buildings Institute
Nathan Gauthier	Harvard Green Campus Initiative
Rusty Hodapp	Dallas/Fort Worth, Energy & Transportation Management
John Hogan	City of Seattle Department of Planning & Development
Bion Howard	Building Environmental Science and Technology
Dan Katzenberger	Engineering, Energy, and the Environment
Bob Maddox	Sterling Planet
Brenda Morawa	BVM Engineering, Inc.
Erik Ring	LPA, Inc.
Michael Rosenberg	Oregon Department of Energy
Mick Schwedler	Trane
Gord Shymko	IPMVP and G.F. Shymko & Associates
Gail Stranske	CTG Energetics
Michael Zimmer	Thompson Hine LLP

Materials & Resources TAG

Mark Webster, Chair	Simpson Gumpertz & Heger
Steven Baer, Vice Chair	Five Winds International
Paul Bertram	NAIMA
Chris Dixon	NBBJ
Ann Edminster	Design AVenues
Lee Gros	Lee Gros Architect and Artisan, Inc
Theresa Hogerheide-Reusch	Reusch Design Services
Nadav Malin	BuildingGreen, LLC.

Nancy Malone	Siegel & Strain Architects
Kirsten Ritchie	Gensler
Wayne Trusty	Athena Sustainable Materials Institute
Denise Van Valkenburg	MASCO Retail Cabinet Group
Gabe Wing	Herman Miller, Inc.

Indoor Environmental Quality TAG

Bob Thompson, Chair	EPA Indoor Environment Management Branch
Steve Taylor, Vice-Chair	Taylor Engineering
Nancy Clanton	Clanton and Associates
Alexis Kurtz	Ove Arup & Partners
George Loisos	Loisos+ Ubelohde
Prasad Vaidya	The Weidt Group
Daniel Bruck	BRC Acoustics & Tech.
David Lubman	David Lubman & Associates
Charles Salter	Salter Associates
Ozgem Ornektekin	DMJM Harris
Jude Anders	Shoreline Concepts, LLC
Brian Cloward	Mithun Architects+Designers+Planners
Larry Dykhuis	Herman Miller, Inc
Francis (Bud) Offerman	Indoor Environmental Engineering
Christopher Schaffner	The Green Engineer
Dennis Stanke	Trane Company

The LEED 2009 for New Construction Rating System builds on the work of those who helped create previous versions:

LEED for New Construction Version 2.2 Core Committee

James H. Goldman, Chair	Turner Construction
Tom Scarola, Vice-Chair	Tishman Speyer Properties
Lee Burgett	Trane Company
Craig Kneeland	NYSERDA
Joe Higgins	Fidelity Real Estate Company
Harry Gordon	Burt Hill Kosar Rittelmann Associates
Muscoe Martin	Wallace Roberts & Todd, LLC
Chris Dixon	Mithun
Bill Odell	HOK Architects
Chris Schaffner	The Green Engineer
Wayne Trusty	Athena Sustainable Materials Institute
Jerry Yudelson	Greenway Consulting Group, LLC
Charlotte Matthews	Bovis Lend Lease
John McFarland	WorkingBuildings LLC
Prasad Vaidya	The Weidt Group
Aalok Deshmuk	The Rocky Mountain Institute

LEED 2009 FOR NEW CONSTRUCTION AND MAJOR RENOVATIONS PROJECT CHECKLIST

Sustainable Sites

26 Possible Points

<input checked="" type="checkbox"/>	Prerequisite 1	Construction Activity Pollution Prevention	Required
<input type="checkbox"/>	Credit 1	Site Selection	1
<input type="checkbox"/>	Credit 2	Development Density and Community Connectivity	5
<input type="checkbox"/>	Credit 3	Brownfield Redevelopment	1
<input type="checkbox"/>	Credit 4.1	Alternative Transportation—Public Transportation Access	6
<input type="checkbox"/>	Credit 4.2	Alternative Transportation—Bicycle Storage and Changing Rooms	1
<input type="checkbox"/>	Credit 4.3	Alternative Transportation—Low-Emitting and Fuel-Efficient Vehicles	3
<input type="checkbox"/>	Credit 4.4	Alternative Transportation—Parking Capacity	2
<input type="checkbox"/>	Credit 5.1	Site Development—Protect or Restore Habitat	1
<input type="checkbox"/>	Credit 5.2	Site Development—Maximize Open Space	1
<input type="checkbox"/>	Credit 6.1	Stormwater Design—Quantity Control	1
<input type="checkbox"/>	Credit 6.2	Stormwater Design—Quality Control	1
<input type="checkbox"/>	Credit 7.1	Heat Island Effect—Nonroof	1
<input type="checkbox"/>	Credit 7.2	Heat Island Effect—Roof	1
<input type="checkbox"/>	Credit 8	Light Pollution Reduction	1

Water Efficiency

10 Possible Points

<input checked="" type="checkbox"/>	Prerequisite 1	Water Use Reduction	Required
<input type="checkbox"/>	Credit 1	Water Efficient Landscaping	2-4
<input type="checkbox"/>	Credit 2	Innovative Wastewater Technologies	2
<input type="checkbox"/>	Credit 3	Water Use Reduction	2-4

Energy and Atmosphere

35 Possible Points

<input checked="" type="checkbox"/>	Prerequisite 1	Fundamental Commissioning of Building Energy Systems	Required
<input checked="" type="checkbox"/>	Prerequisite 2	Minimum Energy Performance	Required
<input checked="" type="checkbox"/>	Prerequisite 3	Fundamental Refrigerant Management	Required
<input type="checkbox"/>	Credit 1	Optimize Energy Performance	1-19
<input type="checkbox"/>	Credit 2	On-site Renewable Energy	1-7
<input type="checkbox"/>	Credit 3	Enhanced Commissioning	2
<input type="checkbox"/>	Credit 4	Enhanced Refrigerant Management	2
<input type="checkbox"/>	Credit 5	Measurement and Verification	3
<input type="checkbox"/>	Credit 6	Green Power	2

Materials and Resources

14 Possible Points

<input checked="" type="checkbox"/>	Prerequisite 1	Storage and Collection of Recyclables	Required
<input type="checkbox"/>	Credit 1.1	Building Reuse—Maintain Existing Walls, Floors and Roof	1-3
<input type="checkbox"/>	Credit 1.2	Building Reuse—Maintain Existing Interior Nonstructural Elements	1
<input type="checkbox"/>	Credit 2	Construction Waste Management	1-2
<input type="checkbox"/>	Credit 3	Materials Reuse	1-2
<input type="checkbox"/>	Credit 4	Recycled Content	1-2

<input type="checkbox"/>	Credit 5	Regional Materials	1-2
<input type="checkbox"/>	Credit 6	Rapidly Renewable Materials	1
<input type="checkbox"/>	Credit 7	Certified Wood	1

Indoor Environmental Quality

15 Possible Points

<input checked="" type="checkbox"/>	Prerequisite 1	Minimum Indoor Air Quality Performance	Required
<input checked="" type="checkbox"/>	Prerequisite 2	Environmental Tobacco Smoke (ETS) Control	Required
<input type="checkbox"/>	Credit 1	Outdoor Air Delivery Monitoring	1
<input type="checkbox"/>	Credit 2	Increased Ventilation	1
<input type="checkbox"/>	Credit 3.1	Construction Indoor Air Quality Management Plan—During Construction	1
<input type="checkbox"/>	Credit 3.2	Construction Indoor Air Quality Management Plan—Before Occupancy	1
<input type="checkbox"/>	Credit 4.1	Low-Emitting Materials—Adhesives and Sealants	1
<input type="checkbox"/>	Credit 4.2	Low-Emitting Materials—Paints and Coatings	1
<input type="checkbox"/>	Credit 4.3	Low-Emitting Materials—Flooring Systems	1
<input type="checkbox"/>	Credit 4.4	Low-Emitting Materials—Composite Wood and Agrifiber Products	1
<input type="checkbox"/>	Credit 5	Indoor Chemical and Pollutant Source Control	1
<input type="checkbox"/>	Credit 6.1	Controllability of Systems—Lighting	1
<input type="checkbox"/>	Credit 6.2	Controllability of Systems—Thermal Comfort	1
<input type="checkbox"/>	Credit 7.1	Thermal Comfort—Design	1
<input type="checkbox"/>	Credit 7.2	Thermal Comfort—Verification	1
<input type="checkbox"/>	Credit 8.1	Daylight and Views—Daylight	1
<input type="checkbox"/>	Credit 8.2	Daylight and Views—Views	1

Innovation in Design

6 Possible Points

<input type="checkbox"/>	Credit 1	Innovation in Design	1-5
<input type="checkbox"/>	Credit 2	LEED Accredited Professional	1

Regional Priority

4 Possible Points

<input type="checkbox"/>	Credit 1	Regional Priority	1-4
--------------------------	----------	-------------------	-----

LEED 2009 for New Construction and Major Renovations

100 base points; 6 possible Innovation in Design and 4 Regional Priority points

Certified	40–49 points
Silver	50–59 points
Gold	60–79 points
Platinum	80 points and above

TABLE OF CONTENTS

Preface	i
Introduction	xi
I. LEED® Green Building Rating System™	xi
II. Overview and Process	xiii
III. Minimum Program Requirements	xiv
IV. Exemplary Performance Strategies	xv
Minimum Program Requirements	xvi
Sustainable Sites (SS)	1
Prerequisite 1 Construction Activity Pollution Prevention	1
Credit 1 Site Selection	2
Credit 2 Development Density and Community Connectivity	3
Credit 3 Brownfield Redevelopment	5
Credit 4.1 Alternative Transportation—Public Transportation Access	6
Credit 4.2 Alternative Transportation—Bicycle Storage and Changing Rooms	7
Credit 4.3 Alternative Transportation—Low-Emitting and Fuel-Efficient Vehicles	8
Credit 4.4 Alternative Transportation—Parking Capacity	10
Credit 5.1 Site Development—Protect or Restore Habitat	12
Credit 5.2 Site Development—Maximize Open Space	13
Credit 6.1 Stormwater Design—Quantity Control	14
Credit 6.2 Stormwater Design—Quality Control	15
Credit 7.1 Heat Island Effect—Nonroof	16
Credit 7.2 Heat Island Effect—Roof	17
Credit 8 Light Pollution Reduction	18
Water Efficiency (WE)	21
Prerequisite 1 Water Use Reduction	21
Credit 1 Water Efficient Landscaping	23
Credit 2 Innovative Wastewater Technologies	25
Credit 3 Water Use Reduction	26
Energy and Atmosphere (EA)	29
Prerequisite 1 Fundamental Commissioning of Building Energy Systems	29
Prerequisite 2 Minimum Energy Performance	31
Prerequisite 3 Fundamental Refrigerant Management	34
Credit 1 Optimize Energy Performance	35
Credit 2 On-site Renewable Energy	38
Credit 3 Enhanced Commissioning	39
Credit 4 Enhanced Refrigerant Management	41

Credit 5	Measurement and Verification	43
Credit 6	Green Power	45
Materials and Resources (MR)		47
Prerequisite 1	Storage and Collection of Recyclables	47
Credit 1.1	Building Reuse—Maintain Existing Walls, Floors, and Roof	48
Credit 1.2	Building Reuse—Maintain Interior Nonstructural Elements	49
Credit 2	Construction Waste Management	50
Credit 3	Materials Reuse	51
Credit 4	Recycled Content	52
Credit 5	Regional Materials	53
Credit 6	Rapidly Renewable Materials	54
Credit 7	Certified Wood	55
Indoor Environmental Quality (IEQ)		57
Prerequisite 1	Minimum Indoor Air Quality Performance	57
Prerequisite 2	Environmental Tobacco Smoke (ETS) Control	58
Credit 1	Outdoor Air Delivery Monitoring	60
Credit 2	Increased Ventilation	61
Credit 3.1	Construction Indoor Air Quality Management Plan—During Construction	63
Credit 3.2	Construction Indoor Air Quality Management Plan—Before Occupancy	64
Credit 4.1	Low-Emitting Materials—Adhesives and Sealants	66
Credit 4.2	Low-Emitting Materials—Paints and Coatings	68
Credit 4.3	Low-Emitting Materials—Flooring Systems	69
Credit 4.4	Low-Emitting Materials—Composite Wood and Agrifiber Products	71
Credit 5	Indoor Chemical and Pollutant Source Control	72
Credit 6.1	Controllability of Systems—Lighting	73
Credit 6.2	Controllability of Systems—Thermal Comfort	74
Credit 7.1	Thermal Comfort—Design	75
Credit 7.2	Thermal Comfort—Verification	76
Credit 8.1	Daylight and Views—Daylight	77
Credit 8.2	Daylight and Views—Views	81
Innovation in Design (ID)		83
Credit 1	Innovation in Design	83
Credit 2	LEED® Accredited Professional	84
Regional Priority (RP)		85
Credit 1	Regional Priority	85

INTRODUCTION

I. LEED® GREEN BUILDING RATING SYSTEM

Background on LEED®

Following the formation of the U.S. Green Building Council (USGBC) in 1993, the organization's members quickly realized that the sustainable building industry needed a system to define and measure "green buildings." USGBC began to research existing green building metrics and rating systems. Less than a year after formation, the members acted on the initial findings by establishing a committee to focus solely on this topic. The composition of the committee was diverse; it included architects, real estate agents, a building owner, a lawyer, an environmentalist, and industry representatives. This cross section of people and professions added a richness and depth both to the process and to the ultimate product.

The first LEED Pilot Project Program, also referred to as LEED Version 1.0, was launched at the USGBC Membership Summit in August 1998. After extensive modifications, LEED Green Building Rating System Version 2.0 was released in March 2000, with LEED Version 2.1 following in 2002 and LEED Version 2.2 following in 2005.

As LEED has evolved and matured, the program has undertaken new initiatives. In addition to a rating system specifically devoted to building operational and maintenance issues (LEED for Existing Buildings: Operations & Maintenance), LEED addresses the different project development and delivery processes that exist in the U.S. building design and construction market, through rating systems for specific building typologies, sectors, and project scopes: LEED for Core & Shell, LEED for New Construction, LEED for Schools, LEED for Neighborhood Development, LEED for Retail, LEED for Healthcare, LEED for Homes, and LEED for Commercial Interiors.

Project teams interact with the Green Building Certification Institute (GBCI) for project registration and certification. GBCI was established in 2008 as a separately incorporated entity with the support of the U.S. Green Building Council. GBCI administers credentialing and certification programs related to green building practice. These programs support the application of proven strategies for increasing and measuring the performance of buildings and communities as defined by industry systems such as LEED.

The green building field is growing and changing daily. New technologies and products are being introduced into the marketplace, and innovative designs and practices are proving their effectiveness. The LEED rating systems and reference guides will evolve as well. Project teams must comply with the version of the rating system that is current at the time of their registration.

USGBC will highlight new developments on its website on a continual basis at www.usgbc.org.

Features of LEED®

The LEED Green Building Rating Systems are voluntary, consensus-based, and market-driven. Based on existing and proven technology, they evaluate environmental performance from a whole building perspective over a building's life cycle, providing a definitive standard for what constitutes a green building in design, construction, and operation.

The LEED rating systems are designed for rating new and existing commercial, institutional, and residential buildings. They are based on accepted energy and environmental principles and strike a balance between known, established practices and emerging concepts. Each rating system is organized into 5 environmental categories:

Sustainable Sites, Water Efficiency, Energy and Atmosphere, Materials and Resources, and Indoor Environmental Quality. An additional category, Innovation in Design, addresses sustainable building expertise as well as design measures not covered under the 5 environmental categories. Regional bonus points are another feature of LEED and acknowledge the importance of local conditions in determining best environmental design and construction practices.

The LEED Credit Weightings

In LEED 2009, the allocation of points between credits is based on the potential environmental impacts and human benefits of each credit with respect to a set of impact categories. The impacts are defined as the environmental or human effect of the design, construction, operation, and maintenance of the building, such as greenhouse gas emissions, fossil fuel use, toxins and carcinogens, air and water pollutants, indoor environmental conditions. A combination of approaches, including energy modeling, life-cycle assessment, and transportation analysis, is used to quantify each type of impact. The resulting allocation of points among credits is called credit weighting.

LEED 2009 uses the U.S. Environmental Protection Agency's TRACI¹ environmental impact categories as the basis for weighting each credit. TRACI was developed to assist with impact evaluation for life-cycle assessment, industrial ecology, process design, and pollution prevention.

LEED 2009 also takes into consideration the weightings developed by the National Institute of Standards and Technology (NIST); these compare impact categories with one another and assign a relative weight to each. Together, the 2 approaches provide a solid foundation for determining the point value of each credit in LEED 2009.

The LEED 2009 credit weightings process is based on the following parameters, which maintain consistency and usability across rating systems:

- All LEED credits are worth a minimum of 1 point.
- All LEED credits are positive, whole numbers; there are no fractions or negative values.
- All LEED credits receive a single, static weight in each rating system; there are no individualized scorecards based on project location.
- All LEED rating systems have 100 base points; Innovation in Design (or Operations) and Regional Priority credits provide opportunities for up to 10 bonus points.

Given the above criteria, the LEED 2009 credit weightings process involves 3 steps:

1. A reference building is used to estimate the environmental impacts in 13 categories associated with a typical building pursuing LEED certification.
2. The relative importance of building impacts in each category are set to reflect values based on the NIST weightings.²
3. Data that quantify building impacts on environmental and human health are used to assign points to individual credits.

Each credit is allocated points based on the relative importance of the building-related impacts that it addresses. The result is a weighted average that combines building impacts and the relative value of the impact categories. Credits that most directly address the most important impacts are given the greatest weight, subject to the system design parameters described above. Credit weights also reflect a decision by LEED to recognize the market implications of point allocation. The result is a significant change in allocation of points compared with previous LEED rating systems. Overall, the changes increase the relative emphasis on the reduction of energy consumption and greenhouse gas emissions associated with building systems, transportation, the embodied energy of water, the embodied energy of materials, and where applicable, solid waste.

The details of the weightings process vary slightly among individual rating systems. For example, LEED for Existing Buildings: Operations & Maintenance includes credits related to solid waste management but LEED for New Construction does not. This results in a difference in the portion of the environmental footprint addressed by each rating system and the relative allocation of points. The weightings process for each rating system is fully documented in a weightings workbook.

The credit weightings process will be reevaluated over time to incorporate changes in values ascribed to different building impacts and building types, based on both market reality and evolving scientific knowledge related to buildings. A complete explanation of the LEED credit weightings system is available on the USGBC website, at www.usgbc.org.

Regional Priority Credits

To provide incentive to address geographically specific environmental issues, USGBC regional councils and chapters have identified 6 credits per rating system that are of particular importance to specific areas. Each regional priority credit is worth an additional 1 point, and a total of 4 regional priority points may be earned. Upon project registration, LEED Online automatically determines a project's regional priority credits based on its zip code. If the project achieves more than 4 regional priority credits, the team can choose the credits for which these points will apply. The USGBC website also contains a searchable database of regional priority credits.

II. OVERVIEW AND PROCESS

The LEED 2009 Green Building Rating System for New Construction and Major Renovations is a set of performance standards for certifying the design and construction of commercial or institutional buildings and high-rise residential buildings of all sizes, both public and private. The intent is to promote healthful, durable, affordable, and environmentally sound practices in building design and construction.

Prerequisites and credits in the LEED 2009 for New Construction and Major Renovations addresses 7 topics:

- Sustainable Sites (SS)
- Water Efficiency (WE)
- Energy and Atmosphere (EA)
- Materials and Resources (MR)
- Indoor Environmental Quality (IEQ)
- Innovation in Design (ID)
- Regional Priority (RP)

LEED 2009 for New Construction and Major Renovations certifications are awarded according to the following scale:

Certified	40–49 points
Silver	50–59 points
Gold	60–79 points
Platinum	80 points and above

GBCI will recognize buildings that achieve 1 of these rating levels with a formal letter of certification.

When to Use LEED 2009 for New Construction

LEED for New Construction was designed primarily for new commercial office buildings, but it has been applied to many other building types by LEED practitioners. All commercial buildings, as defined by standard building codes, are eligible for certification as LEED for New Construction buildings. Examples of commercial occupancies include offices, institutional buildings (libraries, museums, churches, etc.), hotels, and residential buildings of 4 or more habitable stories.

LEED for New Construction addresses design and construction activities for both new buildings and major renovations of existing buildings. If the project scope does not involve significant design and construction activities and focuses more on operations and maintenance activities, LEED for Existing Buildings: Operations & Maintenance is more appropriate because it addresses operational and maintenance issues of working buildings.

Please see the Rating System Selection Policy, located in the LEED resources section of www.usgbc.org, for more information about choosing a rating system.

Registration

Project teams interested in earning LEED certification for their buildings must first register the project with GBCI. Projects can be registered on the GBCI website (www.gbci.org). The website also has information on registration costs for USGBC national members as well as nonmembers. Registration is an important step that establishes contact with GBCI and provides access to software tools, errata, critical communications, and other essential information.

Certification

To earn LEED certification, the applicant project must satisfy all the prerequisites and qualify for a minimum number of points to attain the established project ratings as listed below. Having satisfied the basic prerequisites of the program, applicant projects are then rated according to their degree of compliance within the rating system.

LEED 2009 for New Construction provides the option of splitting a certification application into two phases: design and construction. Documentation for design phase credits, identified in LEED-Online, can be submitted for review at the end of the design phase; the submittals for these credits can be fully evaluated based on documentation available during this phase of the project. For example, if a project site meets the requirements of LEED for New Construction SS Credit 3, Brownfield Redevelopment, the likelihood of credit achievement can be assessed before construction is complete. The LEED credit itself, however, is not awarded at the design review stage.

For more information on the LEED certification process including LEED-Online, Credit Interpretation Requests and Rulings, Appeals, and Fees please see the LEED Reference Guide for Green Building Design and Construction, 2009 Edition and visit www.usgbc.org or www.gbci.org.

III. MINIMUM PROGRAM REQUIREMENTS

The LEED 2009 Minimum Program Requirements (MPRs) define the minimum characteristics that a project must possess in order to be eligible for certification under LEED 2009. These requirements define the categories of buildings that the LEED rating systems were designed to evaluate, and taken together serve three goals: to give clear guidance to customers, to protect the integrity of the LEED program, and to reduce challenges that occur during the LEED certification process. It is expected that MPRs will evolve over time along with LEED rating system improvements. The requirements will apply only to those projects registering under LEED 2009.

To view the list of MPRs, please read the Minimum Program Requirements section of this document.

IV. EXEMPLARY PERFORMANCE STRATEGIES

Exemplary performance strategies result in performance that greatly exceeds the performance level or expands the scope required by an existing LEED 2009 for New Construction credit. To earn exemplary performance credits, teams must meet the performance level defined by the next step in the threshold progression. For credits with more than 1 compliance path, an Innovation in Design point can be earned by satisfying more than 1 compliance path if their benefits are additive.

The credits for which exemplary performance points are available through expanded performance or scope are noted in the LEED Reference Guide for Green Design & Construction, 2009 Edition and in LEED Online.

Endnotes

- ¹ Tools for the Reduction and Assessment of Chemical and Other Environmental Impacts (TRACI). U.S. Environmental Protection Agency, Office of Research and Development. <http://www.epa.gov/nrmrl/std/sab/traci/>.
- ² Relative impact category weights based on an exercise undertaken by NIST (National Institute of Standards and Technology) for the BEES program. <http://www.bfrl.nist.gov/oe/software/bees/>.

MINIMUM PROGRAM REQUIREMENTS

These Minimum Program Requirements were updated in October 2009 to include additional clarifying language. No new requirements have been added.

At this time U.S. Green Building Council, Inc. has authorized the Green Building Certification Institute (GBCI) to confer LEED Certification. A project must demonstrate compliance with all rating system requirements including each of these Minimum Program Requirements (MPRs) in order to achieve LEED Certification. Definitions, exceptions, and more extensive guidance relating to these MPRs are available in a separate document titled: *LEED 2009 MPR Supplemental Guidance*. Terms that are *italicized and underlined* here are defined in the Supplemental Guidance document (they are marked as such only the first time that they appear).

This document identifies the MPRs, or minimum characteristics that a project must possess in order to be eligible for LEED Certification. These requirements define the types of buildings that the LEED Green Building Rating Systems were designed to evaluate, and taken together serve three goals: to give clear guidance to customers, to protect the integrity of the LEED program, and to reduce complications that occur during the LEED Certification process. The requirements in this document will apply to all those, and only those projects seeking to demonstrate conformance with the rating systems listed above.

GBCI has agreed to consider requests for exceptions to MPRs that are not already defined in the LEED 2009 MPR Supplemental Guidance document on a case-by-case basis for special circumstances.

LEED 2009 Minimum Requirements for New Construction & Major Renovations

1. Must Comply with Environmental Laws

The *LEED project building or space*, all other *real property* within the *LEED project boundary*, and all *project work* must comply with applicable federal, state, and local building-related environmental laws and regulations in place where the project is located. This condition must be satisfied from the date of *LEED project registration* or the commencement of *schematic design*, whichever comes first, up and until the date that the building receives a *certificate of occupancy* or similar official indication that it is fit and ready for use.

A lapse in a project's compliance with a building-related environmental law or regulation that results from an unforeseen and unavoidable circumstance shall not necessarily result in non-compliance with this MPR. Such lapses shall be excused so long as they are remediated as soon as feasibly possible.

2. Must be a Complete, Permanent Building or Space

All LEED projects must be designed for, constructed on, and operated on a permanent location on already existing *land*. LEED projects shall not consist of mobile structures, equipment, or vehicles. No building or space that is designed to move at any point in its lifetime may pursue LEED Certification.

LEED projects must include the new, ground-up design and construction, or *major renovation*, of at least one commercial, institutional, or high-rise residential building in its *entirety*.

3. Must Use a Reasonable Site Boundary

1. The LEED project boundary must include all contiguous land that is associated with and supports normal building operations for the LEED project building, including all land that was or will be disturbed for the purpose of *undertaking the LEED project*.
2. The LEED project boundary may not include land that is owned by a party other than that which owns the LEED project unless that land is associated with and supports normal building operations for the LEED project building.

3. LEED projects located on a campus must have project boundaries such that if all the buildings on campus become LEED certified, then 100% of the gross land area on the campus would be included within a LEED boundary. If this requirement is in conflict with MPR #7, Must Comply with Minimum Building Area to Site Area Ratio, then MPR #7 will take precedence.
 4. Any given parcel of real property may only be attributed to a single LEED project building.
 5. *Gerrymandering* of a LEED project boundary is prohibited: the boundary may not unreasonably exclude sections of land to create boundaries in unreasonable shapes for the sole purpose of complying with prerequisites or credits.
4. Must Comply with Minimum Floor Area Requirements
The LEED project must include a minimum of 1,000 square feet (93 square meters) of gross floor area.
 5. Must Comply with Minimum Occupancy Rates
The LEED project must serve 1 or more *Full Time Equivalent* (FTE) occupant(s), calculated as an annual average in order to use LEED in its entirety. If the project serves less than 1 annualized FTE, optional credits from the Indoor Environmental Quality category may not be earned (the prerequisites must still be earned).
 6. Must Commit to Sharing Whole-Building Energy and Water Usage Data
All certified projects must commit to sharing with U.S. Green Building Council, Inc. all available actual whole-project energy and water usage data. The purpose of data collection is for research purposes to aid in improving the LEED program. USGBC may publish such data; however, any data that is made publicly available shall be presented in an aggregate form with no identifying project-specific characteristics. For all rating systems, Project Owners must comply with this MPR commencing on the project completion date and maintain their commitment to share data for a period of at least 5 years.

Sharing data includes supplying information on a regular basis in a free, accessible, and secure online tool or, in the alternative, either allowing USGBC to access the whole-project metering facility where such meters are in place, or taking any action necessary to authorize USGBC or its designee to collect project information directly from service or utility providers. LEED project buildings or spaces that do not have meters in place that measure energy and/or water usage for the entire LEED certified gross floor area will not be required to supply energy and/or water usage data unless and until such meters are installed.

If a LEED project is altered in such a way that the data for the original LEED project becomes impractical to collect, the building owner will no longer be required to provide the data or provide access to the data. Building owners must commit to using reasonable efforts to ensure that this commitment carries forward in the event that the building or space changes ownership or lessee. If all or part of a LEED project is sold, assigned or otherwise transferred in such a way that the data for the original LEED project becomes impractical to collect, the building owner will no longer be required to provide the data or provide access to the data.
 7. Must Comply with a Minimum Building Area to Site Area Ratio
The gross floor area of the LEED project building must be no less than 2% of the gross land area within the LEED project boundary.

SUSTAINABLE SITES

SS Prerequisite 1: Construction Activity Pollution Prevention

Required

Intent

To reduce pollution from construction activities by controlling soil erosion, waterway sedimentation and airborne dust generation.

Requirements

Create and implement an erosion and sedimentation control plan for all construction activities associated with the project. The plan must conform to the erosion and sedimentation requirements of the 2003 EPA Construction General Permit OR local standards and codes, whichever is more stringent. The plan must describe the measures implemented to accomplish the following objectives:

- To prevent loss of soil during construction by stormwater runoff and/or wind erosion, including protecting topsoil by stockpiling for reuse.
- To prevent sedimentation of storm sewers or receiving streams.
- To prevent pollution of the air with dust and particulate matter.

The EPA's construction general permit outlines the provisions necessary to comply with Phase I and Phase II of the National Pollutant Discharge Elimination System (NPDES) program. While the permit only applies to construction sites greater than 1 acre, the requirements are applied to all projects for the purposes of this prerequisite.

Information on the EPA construction general permit is available at <http://cfpub.epa.gov/npdes/stormwater/cgp.cfm>.

Potential Technologies & Strategies

Create an erosion and sedimentation control plan during the design phase of the project. Consider employing strategies such as temporary and permanent seeding, mulching, earthen dikes, silt fencing, sediment traps and sediment basins.

SS Credit 1: Site Selection

1 Point

Intent

To avoid the development of inappropriate sites and reduce the environmental impact from the location of a building on a site.

Requirements

Do not develop buildings, hardscape, roads or parking areas on portions of sites that meet any of the following criteria:

- Prime farmland as defined by the U.S. Department of Agriculture in the United States Code of Federal Regulations, Title 7, Volume 6, Parts 400 to 699, Section 657.5 (citation 7CFR657.5)
- Previously undeveloped land whose elevation is lower than 5 feet above the elevation of the 100-year flood as defined by the Federal Emergency Management Agency (FEMA)
- Land specifically identified as habitat for any species on federal or state threatened or endangered lists
- Land within 100 feet of any wetlands as defined by the U.S. Code of Federal Regulations 40 CFR, Parts 230-233 and Part 22, and isolated wetlands or areas of special concern identified by state or local rule, OR within setback distances from wetlands prescribed in state or local regulations, as defined by local or state rule or law, whichever is more stringent
- Previously undeveloped land that is within 50 feet of a water body, defined as seas, lakes, rivers, streams and tributaries that support or could support fish, recreation or industrial use, consistent with the terminology of the Clean Water Act
- Land that prior to acquisition for the project was public parkland, unless land of equal or greater value as parkland is accepted in trade by the public landowner (park authority projects are exempt).

Potential Technologies & Strategies

During the site selection process, give preference to sites that do not include sensitive elements or restrictive land types. Select a suitable building location and design the building with a minimal footprint to minimize disruption of the environmentally sensitive areas identified above.

SS Credit 2: Development Density and Community Connectivity

5 Points

Intent

To channel development to urban areas with existing infrastructure, protect greenfields, and preserve habitat and natural resources.

Requirements

OPTION 1. Development Density

Construct or renovate a building on a previously developed site AND in a community with a minimum density of 60,000 square feet per acre net. The density calculation is based on a typical two-story downtown development and must include the area of the project being built.

OR

OPTION 2. Community Connectivity

Construct or renovate a building on a site that meets the following criteria:

- Is located on a previously developed site
- Is within 1/2 mile of a residential area or neighborhood with an average density of 10 units per acre net
- Is within 1/2 mile of at least 10 basic services
- Has pedestrian access between the building and the services

For mixed-use projects, no more than 1 service within the project boundary may be counted as 1 of the 10 basic services, provided it is open to the public. No more than 2 of the 10 services required may be anticipated (i.e., at least 8 must be existing and operational). In addition, the anticipated services must demonstrate that they will be operational in the locations indicated within 1 year of occupation of the applicant project.

Examples of basic services include the following:

- | | | |
|-----------------------|----------------------------|--------------------|
| ■ Bank | ■ Laundry | ■ School |
| ■ Place of Worship | ■ Library | ■ Supermarket |
| ■ Convenience Grocery | ■ Medical or Dental Office | ■ Theater |
| ■ Day Care Center | ■ Senior Care Facility | ■ Community Center |
| ■ Cleaners | ■ Park | ■ Fitness Center |
| ■ Fire Station | ■ Pharmacy | ■ Museum |
| ■ Beauty Salon | ■ Post Office | |
| ■ Hardware | ■ Restaurant | |

Proximity is determined by drawing a 1/2-mile radius around a main building entrance on a site map and counting the services within that radius.

Potential Technologies & Strategies

During the site selection process, give preference to urban sites with pedestrian access to a variety of services.

SS Credit 3: Brownfield Redevelopment

1 Point

Intent

To rehabilitate damaged sites where development is complicated by environmental contamination and to reduce pressure on undeveloped land.

Requirements

OPTION 1

Develop on a site documented as contaminated (by means of an ASTM E1903-97 Phase II Environmental Site Assessment or a local voluntary cleanup program).

OR

OPTION 2

Develop on a site defined as a brownfield by a local, state, or federal government agency.

Potential Technologies & Strategies

During the site selection process, give preference to brownfield sites. Identify tax incentives and property cost savings. Coordinate site development plans with remediation activity, as appropriate.

SS Credit 4.1: Alternative Transportation—Public Transportation Access

6 Points

Intent

To reduce pollution and land development impacts from automobile use.

Requirements

OPTION 1. Rail Station Proximity

Locate the project within 1/2-mile walking distance (measured from a main building entrance) of an existing or planned and funded commuter rail, light rail or subway station.

OR

OPTION 2. Bus Stop Proximity

Locate the project within 1/4-mile walking distance (measured from a main building entrance) of 1 or more stops for 2 or more public, campus, or private bus lines usable by building occupants.

Potential Technologies & Strategies

Perform a transportation survey of future building occupants to identify transportation needs. Locate the building near mass transit.

SS Credit 4.2: Alternative Transportation—Bicycle Storage and Changing Rooms

1 Point

Intent

To reduce pollution and land development impacts from automobile use.

Requirements

CASE 1. Commercial or Institutional Projects

Provide secure bicycle racks and/or storage within 200 yards of a building entrance for 5% or more of all building users (measured at peak periods)

Provide shower and changing facilities in the building, or within 200 yards of a building entrance, for 0.5% of full-time equivalent (FTE) occupants.

CASE 2. Residential Projects

Provide covered storage facilities for securing bicycles for 15% or more of building occupants.

Potential Technologies & Strategies

Design the building with transportation amenities such as bicycle racks and shower/changing facilities.

SS Credit 4.3: Alternative Transportation—Low-Emitting and Fuel-Efficient Vehicles

3 Points

Intent

To reduce pollution and land development impacts from automobile use.

Requirements

OPTION 1

Provide preferred parking¹ for low-emitting and fuel-efficient vehicles² for 5% of the total vehicle parking capacity of the site. Providing a discounted parking rate is an acceptable substitute for preferred parking for low-emitting/fuel-efficient vehicles. To establish a meaningful incentive in all potential markets, the parking rate must be discounted at least 20%. The discounted rate must be available to all customers (i.e., not limited to the number of customers equal to 5% of the vehicle parking capacity), publicly posted at the entrance of the parking area and available for a minimum of 2 years.

OR

OPTION 2

Install alternative-fuel fueling stations for 3% of the total vehicle parking capacity of the site. Liquid or gaseous fueling facilities must be separately ventilated or located outdoors.

OR

OPTION 3

Provide low-emitting and fuel-efficient vehicles² for 3% of full-time equivalent (FTE) occupants.

Provide preferred parking¹ for these vehicles.

OR

OPTION 4

Provide building occupants access to a low-emitting or fuel-efficient vehicle-sharing program. The following requirements must be met:

- One low-emitting or fuel-efficient vehicle must be provided per 3% of FTE occupants, assuming that 1 shared vehicle can carry 8 persons (i.e., 1 vehicle per 267 FTE occupants). For buildings with fewer than 267 FTE occupants, at least 1 low emitting or fuel-efficient vehicle must be provided.
- A vehicle-sharing contract must be provided that has an agreement of at least 2 years.

1 For the purposes of this credit “preferred parking” refers to the parking spots that are closest to the main entrance of the project (exclusive of spaces designated for handicapped persons) or parking passes provided at a discounted price.

2 For the purposes of this credit, low-emitting and fuel-efficient vehicles are defined as vehicles that are either classified as Zero Emission Vehicles (ZEV) by the California Air Resources Board or have achieved a minimum green score of 40 on the American Council for an Energy Efficient Economy (ACEEE) annual vehicle rating guide.

-
- The estimated number of customers served per vehicle must be supported by documentation.
 - A narrative explaining the vehicle-sharing program and its administration must be submitted.
 - Parking for low-emitting and fuel-efficient vehicles must be located in the nearest available spaces in the nearest available parking area. Provide a site plan or area map clearly highlighting the walking path from the parking area to the project site and noting the distance.

Potential Technologies & Strategies

Provide transportation amenities such as alternative-fuel refueling stations. Consider sharing the costs and benefits of refueling stations with neighbors.

SS Credit 4.4: Alternative Transportation—Parking Capacity

2 Points

Intent

To reduce pollution and land development impacts from automobile use.

Requirements

CASE 1. Non-Residential Projects

OPTION 1

Size parking capacity to meet but not exceed minimum local zoning requirements.

Provide preferred parking for carpools or vanpools for 5% of the total parking spaces.

OR

OPTION 2

For projects that provide parking for less than 5% of full-time equivalent (FTE) building occupants:

Provide preferred parking¹ for carpools or vanpools, marked as such, for 5% of total parking spaces.

Providing a discounted parking rate is an acceptable substitute for preferred parking for carpool or vanpool vehicles. To establish a meaningful incentive in all potential markets, the parking rate must be discounted at least 20%. The discounted rate must be available to all customers (i.e., not limited to the number of customers equal to 5% of the vehicle parking capacity), publicly posted at the entrance of the parking area, and available for a minimum of 2 years.

OR

OPTION 3

Provide no new parking.

OR

OPTION 4

For projects that have no minimum local zoning requirements, provide 25% fewer parking spaces than the applicable standard listed in the 2003 Institute of Transportation Engineers (ITE) “Parking Generation” study at <http://www.ite.org>.

CASE 2. Residential Projects

OPTION 1

Size parking capacity to meet but not exceed minimum local zoning requirements

Provide infrastructure and support programs to facilitate shared vehicle use such as carpool drop-off areas, designated parking for vanpools, car-share services, ride boards and shuttle services to mass transit.

¹ For the purposes of this credit “preferred parking” refers to the parking spots that are closest to the main entrance of the project (exclusive of spaces designated for handicapped persons) or parking passes provided at a discounted price.

OR

OPTION 2

Provide no new parking.

CASE 3. Mixed Use (Residential with Commercial/Retail) Projects

OPTION 1

Mixed-use buildings with less than 10% commercial area must be considered residential and adhere to the residential requirements in Case 2. For mixed-use buildings with more than 10% commercial area, the commercial space must adhere to non-residential requirements in Case 1 and the residential component must adhere to residential requirements in Case 2.

OR

OPTION 2

Provide no new parking.

Potential Technologies & Strategies

Minimize parking lot/garage size. Consider sharing parking facilities with adjacent buildings. Consider alternatives that will limit the use of single occupancy vehicles.

SS Credit 5.1: Site Development—Protect or Restore Habitat

1 Point

Intent

To conserve existing natural areas and restore damaged areas to provide habitat and promote biodiversity.

Requirements

CASE 1. Greenfield Sites¹

Limit all site disturbance to the following parameters:

- 40 feet beyond the building perimeter;
- 10 feet beyond surface walkways, patios, surface parking and utilities less than 12 inches in diameter;
- 15 feet beyond primary roadway curbs and main utility branch trenches;
- 25 feet beyond constructed areas with permeable surfaces (such as pervious paving areas, stormwater detention facilities and playing fields) that require additional staging areas to limit compaction in the constructed area.

CASE 2. Previously Developed² Areas or Graded Sites

Restore or protect a minimum of 50% of the site (excluding the building footprint) or 20% of the total site area (including building footprint), whichever is greater, with native or adapted vegetation³. Projects earning SS Credit 2: Development Density and Community Connectivity may include vegetated roof surface in this calculation if the plants are native or adapted, provide habitat, and promote biodiversity.

Potential Technologies & Strategies

Survey greenfield sites to identify site elements and adopt a master plan for developing the project site. Carefully site the building to minimize disruption to existing ecosystems and design the building to minimize its footprint. Strategies include stacking the building program, tuck-under parking and sharing parking facilities with neighbors. Establish clearly-marked construction boundaries to minimize disturbance of the existing site and restore previously degraded areas to their natural state. For previously developed sites, use local and regional governmental agencies, consultants, educational facilities and native plant societies as resources for the selection of appropriate native or adapted plants. Prohibit plants listed as invasive or noxious weed species. Once established, native/adapted plants require minimal or no irrigation; do not require active maintenance such as mowing or chemical inputs such as fertilizers, pesticides or herbicides; and provide habitat value and promote biodiversity through avoidance of monoculture plantings.

¹ Greenfield sites are those that are not previously developed or graded and remain in a natural state.

² Previously developed areas are those that previously contained buildings, roadways, parking lots or were graded or altered by direct human activities.

³ Native or adapted plants are plants indigenous to a locality or cultivars of native plants that are adapted to the local climate and are not considered invasive species or noxious weeds.

SS Credit 5.2: Site Development—Maximize Open Space

1 Point

Intent

To promote biodiversity by providing a high ratio of open space to development footprint.

Requirements

CASE 1. Sites with Local Zoning Open Space Requirements

Reduce the development footprint¹ and/or provide vegetated open space within the project boundary such that the amount of open space exceeds local zoning requirements by 25%.

CASE 2. Sites with No Local Zoning Requirements (e.g. some university campuses, military bases)

Provide a vegetated open space area adjacent to the building that is equal in area to the building footprint.

CASE 3. Sites with Zoning Ordinances but No Open Space Requirements

Provide vegetated open space equal to 20% of the project site area.

ALL CASES

For projects in urban areas that earn SS Credit 2: Development Density and Community Connectivity, vegetated roof areas can contribute to credit compliance.

For projects in urban areas that earn SS Credit 2: Development Density and Community Connectivity, pedestrian-oriented hardscape areas can contribute to credit compliance. For such projects, a minimum of 25% of the open space counted must be vegetated.

Wetlands or naturally designed ponds may count as open space and the side slope gradients average 1:4 (vertical: horizontal) or less and are vegetated.

Potential Technologies & Strategies

Perform a site survey to identify site elements and adopt a master plan for developing the project site. Select a suitable building location and design the building footprint to minimize site disruption. Strategies include stacking the building program, tuck-under parking and sharing parking facilities with neighbors to maximize the amount of open space on the site.

¹ Development footprint is defined as the total area of the building footprint, hardscape, access roads and parking.

SS Credit 6.1: Stormwater Design—Quantity Control

1 Point

Intent

To limit disruption of natural hydrology by reducing impervious cover, increasing on-site infiltration, reducing or eliminating pollution from stormwater runoff and eliminating contaminants.

Requirements

CASE 1. Sites with Existing Imperviousness 50% or Less

OPTION 1

Implement a stormwater management plan that prevents the postdevelopment peak discharge rate and quantity from exceeding the predevelopment peak discharge rate and quantity for the 1- and 2-year 24-hour design storms.

OR

OPTION 2

Implement a stormwater management plan that protects receiving stream channels from excessive erosion. The stormwater management plan must include stream channel protection and quantity control strategies.

CASE 2. Sites with Existing Imperviousness Greater Than 50%

Implement a stormwater management plan that results in a 25% decrease in the volume of stormwater runoff from the 2-year 24-hour design storm.

Potential Technologies & Strategies

Design the project site to maintain natural stormwater flows by promoting infiltration. Specify vegetated roofs, pervious paving and other measures to minimize impervious surfaces. Reuse stormwater for non-potable uses such as landscape irrigation, toilet and urinal flushing, and custodial uses.

SS Credit 6.2: Stormwater Design—Quality Control

1 Point

Intent

To limit disruption and pollution of natural water flows by managing stormwater runoff.

Requirements

Implement a stormwater management plan that reduces impervious cover, promotes infiltration and captures and treats the stormwater runoff from 90% of the average annual rainfall¹ using acceptable best management practices (BMPs).

BMPs used to treat runoff must be capable of removing 80% of the average annual postdevelopment total suspended solids (TSS) load based on existing monitoring reports. BMPs are considered to meet these criteria if:

- They are designed in accordance with standards and specifications from a state or local program that has adopted these performance standards,

OR

- There exists infield performance monitoring data demonstrating compliance with the criteria. Data must conform to accepted protocol (e.g., Technology Acceptance Reciprocity Partnership [TARP], Washington State Department of Ecology) for BMP monitoring.

Potential Technologies & Strategies

Use alternative surfaces (e.g., vegetated roofs, pervious pavement, grid pavers) and nonstructural techniques (e.g., rain gardens, vegetated swales, disconnection of imperviousness, rainwater recycling) to reduce imperviousness and promote infiltration and thereby reduce pollutant loadings.

Use sustainable design strategies (e.g., low-impact development, environmentally sensitive design) to create integrated natural and mechanical treatment systems such as constructed wetlands, vegetated filters and open channels to treat stormwater runoff.

¹ There are 3 distinct climates in the United States that influence the nature and amount of annual rainfall. Humid watersheds are defined as those that receive at least 40 inches of rainfall each year. Semiarid watersheds receive between 20 and 40 inches of rainfall per year, and arid watersheds receive less than 20 inches of rainfall per year. For this credit, 90% of the average annual rainfall is equivalent to treating the runoff from the following (based on climate):

- Humid Watersheds — 1 inch of rainfall
- Semiarid Watersheds — 0.75 inches of rainfall
- Arid Watersheds — 0.5 inches of rainfall

SS Credit 7.1: Heat Island Effect—Nonroof

1 Point

Intent

To reduce heat islands¹ to minimize impacts on microclimates and human and wildlife habitats.

Requirements

OPTION 1

Use any combination of the following strategies for 50% of the site hardscape (including roads, sidewalks, courtyards and parking lots):

- Provide shade from the existing tree canopy or within 5 years of landscape installation. Landscaping (trees) must be in place at the time of occupancy.
- Provide shade from structures covered by solar panels that produce energy used to offset some nonrenewable resource use.
- Provide shade from architectural devices or structures that have a solar reflectance index² (SRI) of at least 29.
- Use hardscape materials with an SRI of at least 29.
- Use an open-grid pavement system (at least 50% pervious).

OR

OPTION 2

Place a minimum of 50% of parking spaces under cover³. Any roof used to shade or cover parking must have an SRI of at least 29, be a vegetated green roof or be covered by solar panels that produce energy used to offset some nonrenewable resource use.

Potential Technologies & Strategies

Employ strategies, materials and landscaping techniques that reduce the heat absorption of exterior materials. Use shade (calculated on June 21, noon solar time) from native or adapted trees and large shrubs, vegetated trellises or other exterior structures supporting vegetation. Consider using new coatings and integral colorants for asphalt to achieve light-colored surfaces instead of blacktop. Position photovoltaic cells to shade impervious surfaces.

Consider replacing constructed surfaces (e.g., roof, roads, sidewalks, etc.) with vegetated surfaces such as vegetated roofs and open grid paving or specify high-albedo materials, such as concrete, to reduce heat absorption.

¹ Heat islands are defined as thermal gradient differences between developed and undeveloped areas.

² The solar reflectance index (SRI) is a measure of the constructed surface's ability to reflect solar heat, as shown by a small temperature rise. It is defined so that a standard black surface (reflectance 0.05, emittance 0.90) is 0 and a standard white surface (reflectance 0.80, emittance 0.90) is 100. To calculate the SRI for a given material, obtain the reflectance value and emittance value for the material. SRI is calculated according to ASTM E 1980. Reflectance is measured according to ASTM E 903, ASTM E 1918, or ASTM C 1549. Emittance is measured according to ASTM E 408 or ASTM C 1371.

³ For the purposes of this credit, under cover parking is defined as parking underground, under deck, under roof, or under a building.

SS Credit 7.2: Heat Island Effect—Roof

1 Point

Intent

To reduce heat islands¹ to minimize impacts on microclimates and human and wildlife habitats.

Requirements

OPTION 1

Use roofing materials with a solar reflectance index² (SRI) equal to or greater than the values in the table below for a minimum of 75% of the roof surface.

Roofing materials having a lower SRI value than those listed below may be used if the weighted rooftop SRI average meets the following criteria:

$$\frac{\text{Area Roof Meeting Minimum SRI}}{\text{Total Roof Area}} \times \frac{\text{SRI of Installed Roof}}{\text{Required SRI}} \geq 75\%$$

Roof Type	Slope	SRI
Low-sloped roof	≤ 2:12	78
Steep-sloped roof	> 2:12	29

OR

OPTION 2

Install a vegetated roof that covers at least 50% of the roof area.

OR

OPTION 3

Install high-albedo and vegetated roof surfaces that, in combination, meet the following criteria:

$$\frac{\text{Area Roof Meeting Minimum SRI}}{0.75} + \frac{\text{Area of Vegetated Roof}}{0.5} \geq \text{Total Roof Area}$$

Roof Type	Slope	SRI
Low-sloped roof	≤ 2:12	78
Steep-sloped roof	> 2:12	29

¹ Heat islands are defined as thermal gradient differences between developed and undeveloped areas.

² The solar reflectance index (SRI) is a measure of the constructed surface's ability to reflect solar heat, as shown by a small temperature rise. It is defined so that a standard black surface (reflectance 0.05, emittance 0.90) is 0 and a standard white surface (reflectance 0.80, emittance 0.90) is 100. To calculate the SRI for a given material, obtain the reflectance value and emittance value for the material. SRI is calculated according to ASTM E 1980. Reflectance is measured according to ASTM E 903, ASTM E 1918 or ASTM C 1549. Emittance is measured according to ASTM E 408 or ASTM C 1371.

Potential Technologies & Strategies

Consider installing high-albedo and vegetated roofs to reduce heat absorption. Default values will be available in the LEED Reference Guide for Green Building Design and Construction, 2009 Edition. Product information is available from the Cool Roof Rating Council Web site at <http://www.coolroofs.org/> and the ENERGY STAR® Web site at <http://www.energystar.gov/>.

SS Credit 8: Light Pollution Reduction

1 Point

Intent

To minimize light trespass from the building and site, reduce sky-glow to increase night sky access, improve nighttime visibility through glare reduction and reduce development impact from lighting on nocturnal environments.

Requirements

Project teams must comply with 1 of the 2 options for interior lighting AND the requirement for exterior lighting.

For Interior Lighting

OPTION 1

Reduce the input power (by automatic device) of all nonemergency interior luminaires with a direct line of sight to any openings in the envelope (translucent or transparent) by at least 50% between 11 p.m. and 5 a.m. After-hours override may be provided by a manual or occupant-sensing device provided the override lasts no more than 30 minutes.

OR

OPTION 2

All openings in the envelope (translucent or transparent) with a direct line of sight to any nonemergency luminaires must have shielding (controlled/closed by automatic device for a resultant transmittance of less than 10% between 11 p.m. and 5 a.m.).

For Exterior Lighting

Light areas only as required for safety and comfort. Exterior lighting power densities shall not exceed those specified in ANSI/ASHRAE/IESNA Standard 90.1-2007 with Addenda 1 for the documented lighting zone. Justification shall be provided for the selected lighting zone. Lighting controls for all exterior lighting shall comply with section 9.4.1.3 of ANSI/ASHRAE/IESNA Standard 90.1-2007, without amendments¹.

Classify the project under 1 of the following zones, as defined in IESNA RP-33, and follow all the requirements for that zone:

LZ1: Dark (developed areas within national parks, state parks, forest land and rural areas)

Design exterior lighting so that all site and building-mounted luminaires produce a maximum initial illuminance value no greater than 0.01 horizontal and vertical footcandles at the site boundary and beyond. Document that 0% of the total initial designed fixture lumens (sum total of all fixtures on site) are emitted at an angle of 90 degrees or higher from nadir (straight down).

¹ The requirement to use ASHRAE Addenda I is unique to this credit and does not obligate Project teams to use ASHRAE approved addenda for other credits.

LZ2: Low (primarily residential zones, neighborhood business districts, light industrial areas with limited nighttime use and residential mixed-use areas)

Design exterior lighting so that all site and building-mounted luminaires produce a maximum initial illuminance value no greater than 0.10 horizontal and vertical footcandles at the site boundary and no greater than 0.01 horizontal footcandles 10 feet beyond the site boundary. Document that no more than 2% of the total initial designed fixture lumens (sum total of all fixtures on site) are emitted at an angle of 90 degrees or higher from nadir (straight down).

LZ3: Medium (all other areas not included in LZ1, LZ2 or LZ4, such as commercial/ industrial, and high-density residential)

Design exterior lighting so that all site and building-mounted luminaires produce a maximum initial illuminance value no greater than 0.20 horizontal and vertical footcandles at the site boundary and no greater than 0.01 horizontal footcandles 15 feet beyond the site. Document that no more than 5% of the total initial designed fixture lumens (sum total of all fixtures on site) are emitted at an angle of 90 degrees or higher from nadir (straight down).

LZ4: High² (high-activity commercial districts in major metropolitan areas)

Design exterior lighting so that all site and building-mounted luminaires produce a maximum initial illuminance value no greater than 0.60 horizontal and vertical footcandles at the site boundary and no greater than 0.01 horizontal footcandles 15 feet beyond the site. Document that no more than 10% of the total initial designed fixture lumens (sum total of all fixtures on site) are emitted at an angle of 90 degrees or higher from nadir (straight down).

LZ2, LZ3 and LZ4 - For site boundaries that abut public rights-of-way, light trespass requirements may be met relative to the curb line instead of the site boundary.

For All Zones

Illuminance generated from a single luminaire placed at the intersection of a private vehicular driveway and public roadway accessing the site is allowed to use the centerline of the public roadway as the site boundary for a length of 2 times the driveway width centered at the centerline of the driveway.

Potential Technologies & Strategies

Adopt site lighting criteria to maintain safe light levels while avoiding off-site lighting and night sky pollution. Minimize site lighting where possible, and use computer software to model the site lighting. Technologies to reduce light pollution include full cutoff luminaires, low-reflectance surfaces and low-angle spotlights.

² To be LZ4, the area must be so designated by an organization with local jurisdiction, such as the local zoning authority.

WATER EFFICIENCY

WE Prerequisite 1: Water Use Reduction

Required

Intent

To increase water efficiency within buildings to reduce the burden on municipal water supply and wastewater systems.

Requirements

Employ strategies that in aggregate use 20% less water than the water use baseline calculated for the building (not including irrigation).

Calculate the baseline according to the commercial and/or residential baselines outlined below.¹ Calculations are based on estimated occupant usage and must include only the following fixtures and fixture fittings (as applicable to the project scope): water closets, urinals, lavatory faucets, showers, kitchen sink faucets and prerinse spray valves.

Commercial Fixtures, Fittings, and Appliances	Current Baseline
Commercial toilets	1.6 gallons per flush (gpf)* Except blow-out fixtures: 3.5 (gpf)
Commercial urinals	1.0 (gpf)
Commercial lavatory (restroom) faucets	2.2 gallons per minute (gpm) at 60 pounds per square inch (psi), private applications only (hotel or motel guest rooms, hospital patient rooms) 0.5 (gpm) at 60 (psi)** all others except private applications 0.25 gallons per cycle for metering faucets
Commercial prerinse spray valves (for food service applications)	Flow rate ≤ 1.6 (gpm) (no pressure specified; no performance requirement)

Residential Fixtures, Fittings, and Appliances	Current Baseline
Residential toilets	1.6 (gpf)***
Residential lavatory (bathroom) faucets	2.2 (gpm) at 60 psi
Residential kitchen faucet	
Residential showerheads	2.5 (gpm) at 80 (psi) per shower stall****

* EPAAct 1992 standard for toilets applies to both commercial and residential models.

** In addition to EPAAct requirements, the American Society of Mechanical Engineers standard for public lavatory faucets is 0.5 gpm at 60 psi (ASME A112.18.1-2005). This maximum has been incorporated into the national Uniform Plumbing Code and the International Plumbing Code.

*** EPAAct 1992 standard for toilets applies to both commercial and residential models.

**** Residential shower compartment (stall) in dwelling units: The total allowable flow rate from all flowing showerheads at any given time, including rain systems, waterfalls, bodysprays, bodyspas and jets, must be limited to the allowable showerhead flow rate as specified above (2.5 gpm) per shower compartment, where the floor area of the shower compartment is less than 2,500 square inches. For each increment of 2,500 square inches of floor area thereafter or part thereof, an additional showerhead with total allowable flow rate from all flowing devices equal to or less than the allowable flow rate as specified above must be allowed. Exception: Showers that emit recirculated nonpotable water originating from within the shower compartment while operating are allowed to exceed the maximum as long as the total potable water flow does not exceed the flow rate as specified above.

¹ Tables adapted from information developed and summarized by the U.S. Environmental Protection Agency (EPA) Office of Water based on requirements of the Energy Policy Act (EPAAct) of 1992 and subsequent rulings by the Department of Energy, requirements of the EPAAct of 2005, and the plumbing code requirements as stated in the 2006 editions of the Uniform Plumbing Code or International Plumbing Code pertaining to fixture performance.

The following fixtures, fittings and appliances are outside the scope of the water use reduction calculation:

- Commercial Steam Cookers
- Commercial Dishwashers
- Automatic Commercial Ice Makers
- Commercial (family sized) Clothes Washers
- Residential Clothes Washers
- Standard and Compact Residential Dishwashers

Potential Technologies & Strategies

WaterSense-certified fixtures and fixture fittings should be used where available. Use high-efficiency fixtures (e.g., water closets and urinals) and dry fixtures, such as toilets attached to composting systems, to reduce potable water demand. Consider using alternative on-site sources of water (e.g., rainwater, stormwater, and air conditioner condensate) and graywater for nonpotable applications such as custodial uses and toilet and urinal flushing. The quality of any alternative source of water used must be taken into consideration based on its application or use.

WE Credit 1: Water Efficient Landscaping

2–4 Points

Intent

To limit or eliminate the use of potable water or other natural surface or subsurface water resources available on or near the project site for landscape irrigation.

Requirements

OPTION 1. Reduce by 50% (2 points)

Reduce potable water consumption for irrigation by 50% from a calculated midsummer baseline case.

Reductions must be attributed to any combination of the following items:

- Plant species, density and microclimate factor
- Irrigation efficiency
- Use of captured rainwater
- Use of recycled wastewater
- Use of water treated and conveyed by a public agency specifically for nonpotable uses

Groundwater seepage that is pumped away from the immediate vicinity of building slabs and foundations may be used for landscape irrigation to meet the intent of this credit. However, the project team must demonstrate that doing so does not affect site stormwater management systems.

OR

OPTION 2. No Potable Water Use or Irrigation¹ (4 points)

Meet the requirements for Option 1.

AND

PATH 1

Use only captured rainwater, recycled wastewater, recycled graywater or water treated and conveyed by a public agency specifically for nonpotable uses for irrigation.

OR

PATH 2

Install landscaping that does not require permanent irrigation systems. Temporary irrigation systems used for plant establishment are allowed only if removed within a period not to exceed 18 months of installation.

¹ If the percent reduction of potable water is 100% AND the percent reduction of total water is equal to or greater than 50%, both Option 1 and Option 2 are earned.

Potential Technologies & Strategies

Perform a soil/climate analysis to determine appropriate plant material and design the landscape with native or adapted plants to reduce or eliminate irrigation requirements. Where irrigation is required, use high-efficiency equipment and/or climate-based controllers.

WE Credit 2: Innovative Wastewater Technologies

2 Points

Intent

To reduce wastewater generation and potable water demand while increasing the local aquifer recharge.

Requirements

OPTION 1

Reduce potable water use for building sewage conveyance by 50% through the use of water-conserving fixtures (e.g., water closets, urinals) or nonpotable water (e.g., captured rainwater, recycled graywater, on-site or municipally treated wastewater).

OR

OPTION 2

Treat 50% of wastewater on-site to tertiary standards. Treated water must be infiltrated or used on-site.

Potential Technologies & Strategies

Specify high-efficiency fixtures and dry fixtures (e.g., composting toilet systems, nonwater-using urinals) to reduce wastewater volumes. Consider reusing stormwater or graywater for sewage conveyance or on-site mechanical and/or natural wastewater treatment systems. Options for on-site wastewater treatment include packaged biological nutrient removal systems, constructed wetlands and high-efficiency filtration systems.

WE Credit 3: Water Use Reduction

2–4 Points

Intent

To further increase water efficiency within buildings to reduce the burden on municipal water supply and wastewater systems.

Requirements

Employ strategies that in aggregate use less water than the water use baseline calculated for the building (not including irrigation). The minimum water savings percentage for each point threshold is as follows:

Percentage Reduction	Points
30%	2
35%	3
40%	4

Calculate the baseline according to the commercial and/or residential baselines outlined below.¹ Calculations are based on estimated occupant usage and must include only the following fixtures and fixture fittings (as applicable to the project scope): water closets, urinals, lavatory faucets, showers, kitchen sink faucets and pre-rinse spray valves.

Commercial Fixtures, Fittings, and Appliances	Current Baseline
Commercial toilets	1.6 gallons per flush (gpf)* Except blow-out fixtures: 3.5 (gpf)
Commercial urinals	1.0 (gpf)
Commercial lavatory (restroom) faucets	2.2 gallons per minute (gpm) at 60 pounds per square inch (psi), private applications only (hotel or motel guest rooms, hospital patient rooms) 0.5 (gpm) at 60 (psi)** all others except private applications 0.25 gallons per cycle for metering faucets
Commercial prerinse spray valves (for food service applications)	Flow rate ≤ 1.6 (gpm) (no pressure specified; no performance requirement)

Residential Fixtures, Fittings, and Appliances	Current Baseline
Residential toilets	1.6 (gpf)***
Residential lavatory (bathroom) faucets	2.2 (gpm) at 60 psi
Residential kitchen faucet	
Residential showerheads	2.5 (gpm) at 80 (psi) per shower stall****

* EPAAct 1992 standard for toilets applies to both commercial and residential models.

** In addition to EPAAct requirements, the American Society of Mechanical Engineers standard for public lavatory faucets is 0.5 gpm at 60 psi (ASME A112.18.1-2005). This maximum has been incorporated into the national Uniform Plumbing Code and the International Plumbing Code.

*** EPAAct 1992 standard for toilets applies to both commercial and residential models.

**** Residential shower compartment (stall) in dwelling units: The total allowable flow rate from all flowing showerheads at any given time, including rain systems, waterfalls, bodysprays, bodyspas and jets, must be limited to the allowable showerhead flow rate as specified above (2.5 gpm) per shower compartment, where the floor area of the shower compartment is less than 2,500 square inches. For each increment of 2,500 square inches of floor area thereafter or part thereof, an additional showerhead with total allowable flow rate from all flowing devices equal to or less than the allowable flow rate as specified above must be allowed. Exception: Showers that emit recirculated nonpotable water originating from within the shower compartment while operating are allowed to exceed the maximum as long as the total potable water flow does not exceed the flow rate as specified above.

¹ Tables adapted from information developed and summarized by the U.S. Environmental Protection Agency (EPA) Office of Water based on requirements of the Energy Policy Act (EPAAct) of 1992 and subsequent rulings by the Department of Energy, requirements of the EPAAct of 2005, and the plumbing code requirements as stated in the 2006 editions of the Uniform Plumbing Code or International Plumbing Code pertaining to fixture performance.

The following fixtures, fittings and appliances are outside the scope of the water use reduction calculation:

- Commercial Steam Cookers
- Commercial Dishwashers
- Automatic Commercial Ice Makers
- Commercial (family-sized) Clothes Washers
- Residential Clothes Washers
- Standard and Compact Residential Dishwashers

Potential Technologies & Strategies

Use WaterSense-certified fixtures and fixture fittings where available. Use high-efficiency fixtures (e.g., water closets and urinals) and dry fixtures, such as toilets attached to composting systems, to reduce the potable water demand. Consider using alternative on-site sources of water (e.g., rainwater, stormwater, and air conditioner condensate, graywater) for nonpotable applications (e.g., toilet and urinal flushing, custodial uses). The quality of any alternative source of water being used must be taken into consideration based on its application or use.

ENERGY & ATMOSPHERE

EA Prerequisite 1: Fundamental Commissioning of Building Energy Systems

Required

Intent

To verify that the project's energy-related systems are installed, and calibrated to perform according to the owner's project requirements, basis of design and construction documents.

Benefits of commissioning include reduced energy use, lower operating costs, fewer contractor callbacks, better building documentation, improved occupant productivity and verification that the systems perform in accordance with the owner's project requirements.

Requirements

The following commissioning process activities must be completed by the project team:

- Designate an individual as the commissioning authority (CxA) to lead, review and oversee the completion of the commissioning process activities.
 - The CxA must have documented commissioning authority experience in at least 2 building projects.
 - The individual serving as the CxA must be independent of the project design and construction management, though the CxA may be an employee of any firm providing those services. The CxA may be a qualified employee or consultant of the owner.
 - The CxA must report results, findings and recommendations directly to the owner.
 - For projects smaller than 50,000 gross square feet, the CxA may be a qualified person on the design or construction team who has the required experience.
- The owner must document the owner's project requirements. The design team must develop the basis of design. The CxA must review these documents for clarity and completeness. The owner and design team must be responsible for updates to their respective documents.
- Develop and incorporate commissioning requirements into the construction documents.
- Develop and implement a commissioning plan.
- Verify the installation and performance of the systems to be commissioned.
- Complete a summary commissioning report.

Commissioned Systems

Commissioning process activities must be completed for the following energy-related systems, at a minimum:

- Heating, ventilating, air conditioning and refrigeration (HVAC&R) systems (mechanical and passive) and associated controls
- Lighting and daylighting controls
- Domestic hot water systems
- Renewable energy systems (e.g., wind, solar)

Potential Technologies & Strategies

Engage a CxA as early as possible in the design process. Determine the owner's project requirements, develop and maintain a commissioning plan for use during design and construction and incorporate commissioning requirements in bid documents. Assemble the commissioning team, and prior to occupancy verify the performance of energy consuming systems. Complete the commissioning reports with recommendations prior to accepting the commissioned systems.

Owners are encouraged to seek out qualified individuals to lead the commissioning process. Qualified individuals are identified as those who possess a high level of experience in the following areas:

- Energy systems design, installation and operation
- Commissioning planning and process management
- Hands-on field experience with energy systems performance, interaction, start-up, balancing, testing, troubleshooting, operation and maintenance procedures
- Energy systems automation control knowledge

Owners are encouraged to consider including water-using systems, building envelope systems, and other systems in the scope of the commissioning plan as appropriate. The building envelope is an important component of a facility that impacts energy consumption, occupant comfort and indoor air quality. While this prerequisite does not require building envelope commissioning, an owner can achieve significant financial savings and reduce risk of poor indoor air quality by including it in the commissioning process.

The LEED Reference Guide for Green Building Design and Construction, 2009 Edition provides guidance on the rigor expected for this prerequisite for the following:

- Owner's project requirements
- Basis of design
- Commissioning plan
- Commissioning specification
- Performance verification documentation
- Commissioning report

EA Prerequisite 2: Minimum Energy Performance

Required

Intent

To establish the minimum level of energy efficiency for the proposed building and systems to reduce environmental and economic impacts associated with excessive energy use.

Requirements

OPTION 1. Whole Building Energy Simulation

Demonstrate a 10% improvement in the proposed building performance rating for new buildings, or a 5% improvement in the proposed building performance rating for major renovations to existing buildings, compared with the baseline building performance rating.

Calculate the baseline building performance rating according to the building performance rating method in Appendix G of ANSI/ASHRAE/IESNA Standard 90.1-2007 (with errata but without addenda¹) using a computer simulation model for the whole building project.

Appendix G of Standard 90.1-2007 requires that the energy analysis done for the building performance rating method include all energy costs associated with the building project. To achieve points using this credit, the proposed design must meet the following criteria:

- Comply with the mandatory provisions (Sections 5.4, 6.4, 7.4, 8.4, 9.4 and 10.4) in Standard 90.1-2007 (with errata but without addenda¹).
- Include all energy costs associated with the building project.
- Compare against a baseline building that complies with Appendix G of Standard 90.1-2007 (with errata but without addenda¹). The default process energy cost is 25% of the total energy cost for the baseline building. If the building's process energy cost is less than 25% of the baseline building energy cost, the LEED submittal must include documentation substantiating that process energy inputs are appropriate.

For the purpose of this analysis, process energy is considered to include, but is not limited to, office and general miscellaneous equipment, computers, elevators and escalators, kitchen cooking and refrigeration, laundry washing and drying, lighting exempt from the lighting power allowance (e.g., lighting integral to medical equipment) and other (e.g., waterfall pumps).

Regulated (non-process) energy includes lighting (for the interior, parking garage, surface parking, façade, or building grounds, etc. except as noted above), heating, ventilation and air conditioning (HVAC) (for space heating, space cooling, fans, pumps, toilet exhaust, parking garage ventilation, kitchen hood exhaust, etc.), and service water heating for domestic or space heating purposes.

Process loads must be identical for both the baseline building performance rating and the proposed building performance rating. However, project teams may follow the exceptional calculation method (ANSI/ASHRAE/IESNA Standard 90.1-2007 G2.5) to document measures that reduce process loads. Documentation of process

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

load energy savings must include a list of the assumptions made for both the base and the proposed design, and theoretical or empirical information supporting these assumptions.

Projects in California may use Title 24-2005, Part 6 in place of ANSI/ASHRAE/IESNA Standard 90.1-2007 for Option 1.

OR

OPTION 2. Prescriptive Compliance Path: ASHRAE Advanced Energy Design Guide

Comply with the prescriptive measures of the ASHRAE Advanced Energy Design Guide appropriate to the project scope, outlined below. Project teams must comply with all applicable criteria as established in the Advanced Energy Design Guide for the climate zone in which the building is located.

PATH 1. ASHRAE Advanced Energy Design Guide for Small Office Buildings 2004

The building must meet the following requirements:

- Less than 20,000 square feet.
- Office occupancy.

PATH 2. ASHRAE Advanced Energy Design Guide for Small Retail Buildings 2006

The building must meet the following requirements:

- Less than 20,000 square feet.
- Retail occupancy.

PATH 3. ASHRAE Advanced Energy Design Guide for Small Warehouses and Self Storage Buildings 2008

The building must meet the following requirements:

- Less than 50,000 square feet.
- Warehouse or self-storage occupancy.

OR

OPTION 3. Prescriptive Compliance Path: Advanced Buildings™ Core Performance™ Guide

Comply with the prescriptive measures identified in the Advanced Buildings™ Core Performance™ Guide developed by the New Buildings Institute. The building must meet the following requirements:

- Less than 100,000 square feet.
- Comply with Section 1: Design Process Strategies, and Section 2: Core Performance Requirements.
- Office, school, public assembly, and retail projects less than 100,000 square feet must comply with Section 1 and Section 2 of the Core Performance Guide.
- Other project types less than 100,000 square feet implement the basic requirements of the Core Performance Guide.
- Health care, warehouse and laboratory projects are ineligible for this path.

Potential Technologies & Strategies

Design the building envelope and systems to meet baseline requirements. Use a computer simulation model to assess the energy performance and identify the most cost-effective energy efficiency measures. Quantify energy performance compared with a baseline building.

If local code has demonstrated quantitative and textual equivalence following, at a minimum, the U.S. Department of Energy (DOE) standard process for commercial energy code determination, then the results of that analysis may be used to correlate local code performance with ANSI/ASHRAE/IESNA Standard 90.1-2007. Details on the DOE process for commercial energy code determination can be found at http://www.energycodes.gov/implement/determinations_com.stm.

EA Prerequisite 3: Fundamental Refrigerant Management

Required

Intent

To reduce stratospheric ozone depletion.

Requirements

Zero use of chlorofluorocarbon (CFC)-based refrigerants in new base building heating, ventilating, air conditioning and refrigeration (HVAC&R) systems. When reusing existing base building HVAC equipment, complete a comprehensive CFC phase-out conversion prior to project completion. Phase-out plans extending beyond the project completion date will be considered on their merits.

Potential Technologies & Strategies

When reusing existing HVAC systems, conduct an inventory to identify equipment that uses CFC-based refrigerants and provide a replacement schedule for these refrigerants. For new buildings, specify new HVAC equipment in the base building that uses no CFC-based refrigerants.

EA Credit 1: Optimize Energy Performance

1–19 Points

Intent

To achieve increasing levels of energy performance beyond the prerequisite standard to reduce environmental and economic impacts associated with excessive energy use.

Requirements

Select 1 of the 3 compliance path options described below. Project teams documenting achievement using any of the 3 options are assumed to be in compliance with EA Prerequisite 2: Minimum Energy Performance.

OPTION 1. Whole Building Energy Simulation (1–19 points)

Demonstrate a percentage improvement in the proposed building performance rating compared with the baseline building performance rating. Calculate the baseline building performance according to Appendix G of ANSI/ASHRAE/IESNA Standard 90.1-2007 (with errata but without addenda¹) using a computer simulation model for the whole building project. The minimum energy cost savings percentage for each point threshold is as follows:

New Buildings	Existing Building Renovations	Points
12%	8%	1
14%	10%	2
16%	12%	3
18%	14%	4
20%	16%	5
22%	18%	6
24%	20%	7
26%	22%	8
28%	24%	9
30%	26%	10
32%	28%	11
34%	30%	12
36%	32%	13
38%	34%	14
40%	36%	15
42%	38%	16
44%	40%	17
46%	42%	18
48%	44%	19

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

Appendix G of Standard 90.1-2007 requires that the energy analysis done for the building performance rating method include all the energy costs associated with the building project. To achieve points under this credit, the proposed design must meet the following criteria:

- Compliance with the mandatory provisions (Sections 5.4, 6.4, 7.4, 8.4, 9.4 and 10.4) in Standard 90.1-2007 (with errata but without addenda).
- Inclusion of all the energy costs within and associated with the building project.
- Comparison against a baseline building that complies with Appendix G of Standard 90.1-2007 (with errata but without addenda). The default process energy cost is 25% of the total energy cost for the baseline building. If the building's process energy cost is less than 25% of the baseline building energy cost, the LEED submittal must include documentation substantiating that process energy inputs are appropriate.

For the purpose of this analysis, process energy is considered to include, but is not limited to, office and general miscellaneous equipment, computers, elevators and escalators, kitchen cooking and refrigeration, laundry washing and drying, lighting exempt from the lighting power allowance (e.g., lighting integral to medical equipment) and other (e.g., waterfall pumps).

Regulated (non-process) energy includes lighting (e.g., for the interior, parking garage, surface parking, façade, or building grounds, etc. except as noted above), heating, ventilating, and air conditioning (HVAC) (e.g., for space heating, space cooling, fans, pumps, toilet exhaust, parking garage ventilation, kitchen hood exhaust, etc.), and service water heating for domestic or space heating purposes.

For this credit, process loads must be identical for both the baseline building performance rating and the proposed building performance rating. However, project teams may follow the exceptional calculation method (ANSI/ASHRAE/IESNA Standard 90.1-2007 G2.5) to document measures that reduce process loads. Documentation of process load energy savings must include a list of the assumptions made for both the base and proposed design, and theoretical or empirical information supporting these assumptions.

Projects in California may use Title 24-2005, Part 6 in place of ANSI/ASHRAE/IESNA Standard 90.1-2007 for Option 1.

OR

OPTION 2. Prescriptive Compliance Path: ASHRAE Advanced Energy Design Guide (1 point)

Comply with the prescriptive measures of the ASHRAE Advanced Energy Design Guide appropriate to the project scope, outlined below. Project teams must comply with all applicable criteria as established in the Advanced Energy Design Guide for the climate zone in which the building is located.

PATH 1. ASHRAE Advanced Energy Design Guide for Small Office Buildings 2004

The building must meet the following requirements:

- Less than 20,000 square feet.
- Office occupancy.

PATH 2. ASHRAE Advanced Energy Design Guide for Small Retail Buildings 2006

The building must meet the following requirements:

- Less than 20,000 square feet.
- Retail occupancy.

PATH 3. ASHRAE Advanced Energy Design Guide for Small Warehouses and Self Storage Buildings 2008

The building must meet the following requirements:

- Less than 50,000 square feet.
- Warehouse or self-storage occupancy.

OR

OPTION 3. Prescriptive Compliance Path: Advanced Buildings™ Core Performance™ Guide (1–3 points)

Comply with the prescriptive measures identified in the Advanced Buildings™ Core Performance™ Guide developed by the New Buildings Institute. The building must meet the following requirements:

- Less than 100,000 square feet.
- Comply with Section 1: Design Process Strategies, and Section 2: Core Performance Requirements.
- Health care, warehouse or laboratory projects are ineligible for this path.

Points achieved under Option 3 (1 point):

- 1 point is available for all projects (office, school, public assembly, and retail projects) less than 100,000 square feet that comply with Sections 1 and 2 of the Core Performance Guide.
- Up to 2 additional points are available to projects that implement performance strategies listed in Section 3, Enhanced Performance. For every 3 strategies implemented from this section, 1 point is available.
- The following strategies are addressed by other aspects of LEED and are not eligible for additional points under EA Credit 1:
 - 3.1 — Cool Roofs
 - 3.8 — Night Venting
 - 3.13 — Additional Commissioning

Potential Technologies & Strategies

Design the building envelope and systems to maximize energy performance. Use a computer simulation model to assess the energy performance and identify the most cost-effective energy efficiency measures. Quantify energy performance compared with a baseline building.

If local code has demonstrated quantitative and textual equivalence following, at a minimum, the U.S. Department of Energy (DOE) standard process for commercial energy code determination, the results of that analysis may be used to correlate local code performance with ANSI/ASHRAE/IESNA Standard 90.1-2007. Details on the DOE process for commercial energy code determination can be found at http://www.energycodes.gov/implement/determinations_com.stm.

EA Credit 2: On-site Renewable Energy

1–7 Points

Intent

To encourage and recognize increasing levels of on-site renewable energy self-supply to reduce environmental and economic impacts associated with fossil fuel energy use.

Requirements

Use on-site renewable energy systems to offset building energy costs. Calculate project performance by expressing the energy produced by the renewable systems as a percentage of the building's annual energy cost and use the table below to determine the number of points achieved.

Use the building annual energy cost calculated in EA Credit 1: Optimize Energy Performance or the U.S. Department of Energy's Commercial Buildings Energy Consumption Survey database to determine the estimated electricity use.

The minimum renewable energy percentage for each point threshold is as follows:

Percentage Renewable Energy	Points
1%	1
3%	2
5%	3
7%	4
9%	5
11%	6
13%	7

Potential Technologies & Strategies

Assess the project for nonpolluting and renewable energy potential including solar, wind, geothermal, low-impact hydro, biomass and bio-gas strategies. When applying these strategies, take advantage of net metering with the local utility.

EA Credit 3: Enhanced Commissioning

2 Points

Intent

To begin the commissioning process early in the design process and execute additional activities after systems performance verification is completed.

Requirements

Implement, or have a contract in place to implement, the following additional commissioning process activities in addition to the requirements of EA Prerequisite 1: Fundamental Commissioning of Building Energy Systems and in accordance with the LEED Reference Guide for Green Building Design and Construction, 2009 Edition:

- Prior to the start of the construction documents phase, designate an independent commissioning authority (CxA) to lead, review and oversee the completion of all commissioning process activities.
 - The CxA must have documented commissioning authority experience in at least 2 building projects.
 - The individual serving as the CxA:
 - Must be independent of the work of design and construction.
 - Must not be an employee of the design firm, though he or she may be contracted through them.
 - Must not be an employee of, or contracted through, a contractor or construction manager holding construction contracts.
 - May be a qualified employee or consultant of the owner.
 - The CxA must report results, findings and recommendations directly to the owner.
- The CxA must conduct, at a minimum, 1 commissioning design review of the owner's project requirements basis of design, and design documents prior to the mid-construction documents phase and back-check the review comments in the subsequent design submission.
- The CxA must review contractor submittals applicable to systems being commissioned for compliance with the owner's project requirements and basis of design. This review must be concurrent with the review of the architect or engineer of record and submitted to the design team and the owner.
- The CxA or other project team members must develop a systems manual that gives future operating staff the information needed to understand and optimally operate the commissioned systems.
- The CxA or other project team members must verify that the requirements for training operating personnel and building occupants have been completed.
- The CxA must be involved in reviewing the operation of the building with operations and maintenance (O&M) staff and occupants within 10 months after substantial completion. A plan for resolving outstanding commissioning-related issues must be included.

Potential Technologies & Strategies

Although it is preferable that the CxA be contracted by the owner, for the enhanced commissioning credit the CxA may also be contracted through the design firms or construction management firms not holding construction contracts.

The LEED Reference Guide for Green Building Design and Construction, 2009 Edition provides detailed guidance on the rigor expected for the following process activities:

- Commissioning design review
- Commissioning submittal review
- Systems manual.

EA Credit 4: Enhanced Refrigerant Management

2 Points

Intent

To reduce ozone depletion and support early compliance with the Montreal Protocol while minimizing direct contributions to climate change.

Requirements

OPTION 1

Do not use refrigerants.

OR

OPTION 2

Select refrigerants and heating, ventilation, air conditioning and refrigeration (HVAC&R) equipment that minimize or eliminate the emission of compounds that contribute to ozone depletion and climate change. The base building HVAC&R equipment must comply with the following formula, which sets a maximum threshold for the combined contributions to ozone depletion and global warming potential:

$$\text{LCGWP} + \text{LCODP} \times 10^5 \leq 100$$

Calculation definitions for $\text{LCGWP} + \text{LCODP} \times 10^5 \leq 100$

$\text{LCODP} = [\text{ODPr} \times (\text{Lr} \times \text{Life} + \text{Mr}) \times \text{Rc}] / \text{Life}$

$\text{LCGWP} = [\text{GWPr} \times (\text{Lr} \times \text{Life} + \text{Mr}) \times \text{Rc}] / \text{Life}$

LCODP: Lifecycle Ozone Depletion Potential (lb CFC 11/Ton-Year)

LCGWP: Lifecycle Direct Global Warming Potential (lb CO₂/Ton-Year)

GWPr: Global Warming Potential of Refrigerant (0 to 12,000 lb CO₂/lbr)

ODPr: Ozone Depletion Potential of Refrigerant (0 to 0.2 lb CFC 11/lbr)

Lr: Refrigerant Leakage Rate (0.5% to 2.0%; default of 2% unless otherwise demonstrated)

Mr: End-of-life Refrigerant Loss (2% to 10%; default of 10% unless otherwise demonstrated)

Rc: Refrigerant Charge (0.5 to 5.0 lbs of refrigerant per ton of gross ARI rated cooling capacity)

Life: Equipment Life (10 years; default based on equipment type, unless otherwise demonstrated)

For multiple types of equipment, a weighted average of all base building HVAC&R equipment must be calculated using the following formula:

$$\frac{\sum (\text{LCGWP} + \text{LCODP} \times 10^5) \times \text{Qunit}}{\text{Qtotal}} \leq 100$$

Calculation definitions for $[\sum (LCGWP + LCODP \times 10^5) \times Q_{unit}] / Q_{total} \leq 100$

Qunit = Gross ARI rated cooling capacity of an individual HVAC or refrigeration unit (Tons)

Qtotal = Total gross ARI rated cooling capacity of all HVAC or refrigeration
--

Small HVAC units (defined as containing less than 0.5 pounds of refrigerant) and other equipment, such as standard refrigerators, small water coolers and any other cooling equipment that contains less than 0.5 pounds of refrigerant, are not considered part of the base building system and are not subject to the requirements of this credit.

Do not operate or install fire suppression systems that contain ozone-depleting substances such as CFCs, hydrochlorofluorocarbons (HCFCs) or halons.

Potential Technologies & Strategies

Design and operate the facility without mechanical cooling and refrigeration equipment. Where mechanical cooling is used, utilize base building HVAC&R systems for the refrigeration cycle that minimize direct impact on ozone depletion and global climate change. Select HVAC&R equipment with reduced refrigerant charge and increased equipment life. Maintain equipment to prevent leakage of refrigerant to the atmosphere. Use fire suppression systems that do not contain HCFCs or halons.

EA Credit 5: Measurement and Verification

3 Points

Intent

To provide for the ongoing accountability of building energy consumption over time.

Requirements

OPTION 1

Develop and implement a measurement and verification (M&V) plan consistent with Option D: Calibrated Simulation (Savings Estimation Method 2) as specified in the International Performance Measurement & Verification Protocol (IPMVP) Volume III: Concepts and Options for Determining Energy Savings in New Construction, April 2003.

The M&V period must cover at least 1 year of post-construction occupancy.

Provide a process for corrective action if the results of the M&V plan indicate that energy savings are not being achieved.

OR

OPTION 2

Develop and implement a measurement and verification (M&V) plan consistent with Option B: Energy Conservation Measure Isolation, as specified in the International Performance Measurement & Verification Protocol (IPMVP) Volume III: Concepts and Options for Determining Energy Savings in New Construction, April 2003.

The M&V period must cover at least 1 year of post-construction occupancy.

Provide a process for corrective action if the results of the M&V plan indicate that energy savings are not being achieved.

Potential Technologies & Strategies

Develop an M&V plan to evaluate building and/or energy system performance. Characterize the building and/or energy systems through energy simulation or engineering analysis. Install the necessary metering equipment to measure energy use. Track performance by comparing predicted performance to actual performance, broken down by component or system as appropriate. Evaluate energy efficiency by comparing actual performance to baseline performance.

While the IPMVP describes specific actions for verifying savings associated with energy conservation measures (ECMs) and strategies, this LEED credit expands upon typical IPMVP M&V objectives. Measurement & verification activities should not necessarily be confined to energy systems where ECMs or energy conservation strategies have been implemented. The IPMVP provides guidance on M&V strategies and their appropriate applications for various situations. These strategies should be used in conjunction with monitoring and trend logging of significant energy systems to provide for the ongoing accountability of building energy performance.

For the corrective action process, consider installing diagnostics within the control system to alert the staff when equipment is not being optimally operated. Conditions that might warrant alarms to alert staff could include:

- Leaking valves in the cooling and heating coils within air handling units;
- Missed economizer opportunities (e.g., faulty economizer damper controls) ;
- Software and manual overrides allowing equipment to operate 24 hours a day/7 days a week;
- Equipment operation during unusual circumstances (e.g., boiler on when outside air temperature is above 65 °F).

Besides control diagnostics, consider employing retro-commissioning services or dedicating staff to investigate increases in energy usage (such a staff member is usually a resource conservation manager — see <http://www.energy.state.or.us/rcm/rcmhm.htm> for additional information).

EA Credit 6: Green Power

2 Points

Intent

To encourage the development and use of grid-source, renewable energy technologies on a net zero pollution basis.

Requirements

Engage in at least a 2-year renewable energy contract to provide at least 35% of the building's electricity from renewable sources, as defined by the Center for Resource Solutions' Green-e Energy product certification requirements.

All purchases of green power shall be based on the quantity of energy consumed, not the cost.

OPTION 1. Determine Baseline Electricity Use

Use the annual electricity consumption from the results of EA Credit 1: Optimize Energy Performance.

OR

OPTION 2. Estimate Baseline Electricity Use

Use the U.S. Department of Energy's Commercial Buildings Energy Consumption Survey database to determine the estimated electricity use.

Potential Technologies & Strategies

Determine the energy needs of the building and investigate opportunities to engage in a green power contract. Green power is derived from solar, wind, geothermal, biomass or low-impact hydro sources. Visit <http://www.green-e.org/energy> for details about the Green-e Energy program. The green power product purchased to comply with credit requirements need not be Green-e Energy certified. Other sources of green power are eligible if they satisfy the Green-e Energy program's technical requirements. Renewable energy certificates (RECs), tradable renewable certificates (TRCs), green tags and other forms of green power that comply with the technical requirements of the Green-e Energy program may be used to document compliance with this credit.

MATERIALS & RESOURCES

MR Prerequisite 1: Storage and Collection of Recyclables

Required

Intent

To facilitate the reduction of waste generated by building occupants that is hauled to and disposed of in landfills.

Requirements

Provide an easily-accessible dedicated area or areas for the collection and storage of materials for recycling for the entire building. Materials must include, at a minimum: paper, corrugated cardboard, glass, plastics and metals.

Potential Technologies & Strategies

Designate an area for recyclable collection and storage that is appropriately sized and located in a convenient area. Identify local waste handlers and buyers for glass, plastic, metals, office paper, newspaper, cardboard and organic wastes. Instruct occupants on recycling procedures. Consider employing cardboard balers, aluminum can crushers, recycling chutes and other waste management strategies to further enhance the recycling program.

MR Credit 1.1: Building Reuse—Maintain Existing Walls, Floors and Roof

1–3 Points

Intent

To extend the lifecycle of existing building stock, conserve resources, retain cultural resources, reduce waste and reduce environmental impacts of new buildings as they relate to materials manufacturing and transport.

Requirements

Maintain the existing building structure (including structural floor and roof decking) and envelope (the exterior skin and framing, excluding window assemblies and non-structural roofing material). The minimum percentage building reuse for each point threshold is as follows:

Building Reuse	Points
55%	1
75%	2
95%	3

Hazardous materials that are remediated as a part of the project must be excluded from the calculation of the percentage maintained. If the project includes an addition that is more than 2 times the square footage of the existing building, this credit is not applicable.

Potential Technologies & Strategies

Consider reusing existing, previously-occupied building structures, envelopes and elements. Remove elements that pose a contamination risk to building occupants and upgrade components that would improve energy and water efficiency such as windows, mechanical systems and plumbing fixtures.

MR Credit 1.2: Building Reuse—Maintain Interior Nonstructural Elements

1 Point

Intent

To extend the lifecycle of existing building stock, conserve resources, retain cultural resources, reduce waste and reduce environmental impacts of new buildings as they relate to materials manufacturing and transport.

Requirements

Use existing interior nonstructural elements (e.g., interior walls, doors, floor coverings and ceiling systems) in at least 50% (by area) of the completed building, including additions. If the project includes an addition with square footage more than 2 times the square footage of the existing building, this credit is not applicable.

Potential Technologies & Strategies

Consider reusing existing building structures, envelopes and interior nonstructural elements. Remove elements that pose a contamination risk to building occupants, and upgrade components that would improve energy and water efficiency such as mechanical systems and plumbing fixtures. Quantify the extent of building reuse.

MR Credit 2: Construction Waste Management

1–2 Points

Intent

To divert construction and demolition debris from disposal in landfills and incineration facilities. Redirect recyclable recovered resources back to the manufacturing process and reusable materials to appropriate sites.

Requirements

Recycle and/or salvage nonhazardous construction and demolition debris. Develop and implement a construction waste management plan that, at a minimum, identifies the materials to be diverted from disposal and whether the materials will be sorted on-site or comingled. Excavated soil and land-clearing debris do not contribute to this credit. Calculations can be done by weight or volume, but must be consistent throughout. The minimum percentage debris to be recycled or salvaged for each point threshold is as follows:

Recycled or Salvaged	Points
50%	1
75%	2

Potential Technologies & Strategies

Establish goals for diversion from disposal in landfills and incineration facilities and adopt a construction waste management plan to achieve these goals. Consider recycling cardboard, metal, brick, mineral fiber panel, concrete, plastic, clean wood, glass, gypsum wallboard, carpet and insulation. Construction debris processed into a recycled content commodity that has an open market value (e.g., wood derived fuel [WDF], alternative daily cover material, etc.) may be applied to the construction waste calculation. Designate a specific area(s) on the construction site for segregated or comingled collection of recyclable materials, and track recycling efforts throughout the construction process. Identify construction haulers and recyclers to handle the designated materials. Note that diversion may include donation of materials to charitable organizations and salvage of materials on-site.

MR Credit 3: Materials Reuse

1–2 Points

Intent

To reuse building materials and products to reduce demand for virgin materials and reduce waste, thereby lessening impacts associated with the extraction and processing of virgin resources.

Requirements

Use salvaged, refurbished or reused materials, the sum of which constitutes at least 5% or 10%, based on cost, of the total value of materials on the project. The minimum percentage materials reused for each point threshold is as follows:

Reused Materials	Points
5%	1
10%	2

Mechanical, electrical and plumbing components and specialty items such as elevators and equipment cannot be included in this calculation. Include only materials permanently installed in the project. Furniture may be included if it is included consistently in MR Credit 3: Materials Reuse through MR Credit 7: Certified Wood.

Potential Technologies & Strategies

Identify opportunities to incorporate salvaged materials into the building design, and research potential material suppliers. Consider salvaged materials such as beams and posts, flooring, paneling, doors and frames, cabinetry and furniture, brick, and decorative items.

MR Credit 4: Recycled Content

1–2 Points

Intent

To increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of virgin materials.

Requirements

Use materials with recycled content¹ such that the sum of postconsumer² recycled content plus 1/2 of the preconsumer³ content constitutes at least 10% or 20%, based on cost, of the total value of the materials in the project. The minimum percentage materials recycled for each point threshold is as follows:

Recycled Content	Points
10%	1
20%	2

The recycled content value of a material assembly is determined by weight. The recycled fraction of the assembly is then multiplied by the cost of assembly to determine the recycled content value.

Mechanical, electrical and plumbing components and specialty items such as elevators cannot be included in this calculation. Include only materials permanently installed in the project. Furniture may be included if it is included consistently in MR Credit 3: Materials Reuse through MR Credit 7: Certified Wood.

Potential Technologies & Strategies

Establish a project goal for recycled content materials, and identify material suppliers that can achieve this goal. During construction, ensure that the specified recycled content materials are installed. Consider a range of environmental, economic and performance attributes when selecting products and materials.

¹ Recycled content is defined in accordance with the International Organization of Standards document, ISO 14021 — Environmental labels and declarations — Self-declared environmental claims (Type II environmental labeling).

² Postconsumer material is defined as waste material generated by households or by commercial, industrial and institutional facilities in their role as end-users of the product, which can no longer be used for its intended purpose.

³ Preconsumer material is defined as material diverted from the waste stream during the manufacturing process. Reutilization of materials (i.e., rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it) is excluded.

MR Credit 5: Regional Materials

1–2 Points

Intent

To increase demand for building materials and products that are extracted and manufactured within the region, thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.

Requirements

Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site for a minimum of 10% or 20%, based on cost, of the total materials value. If only a fraction of a product or material is extracted, harvested, or recovered and manufactured locally, then only that percentage (by weight) can contribute to the regional value. The minimum percentage regional materials for each point threshold is as follows:

Regional Materials	Points
10%	1
20%	2

Mechanical, electrical and plumbing components and specialty items such as elevators and equipment must not be included in this calculation. Include only materials permanently installed in the project. Furniture may be included if it is included consistently in MR Credit 3: Materials Reuse through MR Credit 7: Certified Wood.

Potential Technologies & Strategies

Establish a project goal for locally sourced materials, and identify materials and material suppliers that can achieve this goal. During construction, ensure that the specified local materials are installed, and quantify the total percentage of local materials installed. Consider a range of environmental, economic and performance attributes when selecting products and materials.

MR Credit 6: Rapidly Renewable Materials

1 Point

Intent

To reduce the use and depletion of finite raw materials and long-cycle renewable materials by replacing them with rapidly renewable materials.

Requirements

Use rapidly renewable building materials and products for 2.5% of the total value of all building materials and products used in the project, based on cost. Rapidly renewable building materials and products are made from plants that are typically harvested within a 10-year or shorter cycle.

Potential Technologies & Strategies

Establish a project goal for rapidly renewable materials, and identify products and suppliers that can support achievement of this goal. Consider materials such as bamboo, wool, cotton insulation, agrifiber, linoleum, wheatboard, strawboard and cork. During construction, ensure that the specified renewable materials are installed.

MR Credit 7: Certified Wood

1 Point

Intent

To encourage environmentally responsible forest management.

Requirements

Use a minimum of 50% (based on cost) of wood-based materials and products that are certified in accordance with the Forest Stewardship Council's principles and criteria, for wood building components. These components include at a minimum, structural framing and general dimensional framing, flooring, sub-flooring, wood doors and finishes.

Include only materials permanently installed in the project. Wood products purchased for temporary use on the project (e.g., formwork, bracing, scaffolding, sidewalk protection, and guard rails) may be included in the calculation at the project team's discretion. If any such materials are included, all such materials must be included in the calculation. If such materials are purchased for use on multiple projects, the applicant may include these materials for only one project, at its discretion. Furniture may be included if it is included consistently in MR Credits 3, Materials Reuse, through MR Credit 7, Certified Wood.

Potential Technologies & Strategies

Establish a project goal for FSC-certified wood products and identify suppliers that can achieve this goal. During construction, ensure that the FSC-certified wood products are installed and quantify the total percentage of FSC-certified wood products installed.

INDOOR ENVIRONMENTAL QUALITY

IEQ Prerequisite 1: Minimum Indoor Air Quality Performance

Required

Intent

To establish minimum indoor air quality (IAQ) performance to enhance indoor air quality in buildings, thus contributing to the comfort and well-being of the occupants.

Requirements

Meet the minimum requirements of Sections 4 through 7 of ASHRAE Standard 62.1-2007, Ventilation for Acceptable Indoor Air Quality (with errata but without addenda¹).

AND

CASE 1. Mechanically Ventilated Spaces

Mechanical ventilation systems must be designed using the ventilation rate procedure or the applicable local code, whichever is more stringent.

CASE 2. Naturally Ventilated Spaces

Naturally ventilated buildings must comply with ASHRAE Standard 62.1-2007, Paragraph 5.1 (with errata but without addenda¹).

Potential Technologies & Strategies

Design ventilation systems to meet or exceed the minimum outdoor air ventilation rates as described in the ASHRAE standard. Balance the impacts of ventilation rates on energy use and indoor air quality to optimize for energy efficiency and occupant comfort. Use the ASHRAE Standard 62.1-2007 Users Manual (with errata but without addenda¹) for detailed guidance on meeting the referenced requirements.

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this prerequisite may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Prerequisite 2: Environmental Tobacco Smoke (ETS) Control

Required

Intent

To prevent or minimize exposure of building occupants, indoor surfaces and ventilation air distribution systems to environmental tobacco smoke (ETS).

Requirements

OPTION 1

Prohibit smoking in the building.

Prohibit on-property smoking within 25 feet of entries, outdoor air intakes and operable windows. Provide signage to allow smoking in designated areas, prohibit smoking in designated areas or prohibit smoking on the entire property.

OR

OPTION 2

CASE 1. Non-Residential Projects

Prohibit smoking in the building except in designated smoking areas.

Prohibit on-property smoking within 25 feet of entries, outdoor air intakes and operable windows. Provide signage to allow smoking in designated areas, prohibit smoking in designated areas or prohibit smoking on the entire property.

Provide designated smoking rooms designed to contain, capture and remove ETS from the building. At a minimum, the smoking room must be directly exhausted to the outdoors, away from air intakes and building entry paths, with no recirculation of ETS-containing air to nonsmoking areas and enclosed with impermeable deck-to-deck partitions. Operate exhaust sufficient to create a negative pressure differential with the surrounding spaces of at least an average of 5 Pascals (Pa) (0.02 inches of water gauge) and a minimum of 1 Pa (0.004 inches of water gauge) when the doors to the smoking rooms are closed.

Verify performance of the smoking rooms' differential air pressures by conducting 15 minutes of measurement, with a minimum of 1 measurement every 10 seconds, of the differential pressure in the smoking room with respect to each adjacent area and in each adjacent vertical chase with the doors to the smoking room closed. Conduct the testing with each space configured for worst-case conditions of transport of air from the smoking rooms (with closed doors) to adjacent spaces.

CASE 2. Residential and Hospitality Projects

Prohibit smoking in all common areas of the building.

Locate any exterior designated smoking areas, including balconies where smoking is permitted, at least 25 feet from entries, outdoor air intakes and operable windows opening to common areas.

Prohibit on-property smoking within 25 feet of entries, outdoor air intakes and operable windows. Provide signage to allow smoking in designated areas, prohibit smoking in designated areas or prohibit smoking on the entire property.

Weather-strip all exterior doors and operable windows in the residential units to minimize leakage from outdoors.

Minimize uncontrolled pathways for ETS transfer between individual residential units by sealing penetrations in walls, ceilings and floors in the residential units and by sealing vertical chases adjacent to the units.

Weather-strip all doors in the residential units leading to common hallways to minimize air leakage into the hallway¹.

Demonstrate acceptable sealing of residential units by a blower door test conducted in accordance with ANSI/ASTM-E779-03, Standard Test Method for Determining Air Leakage Rate By Fan Pressurization.

Use the progressive sampling methodology defined in Chapter 4 (Compliance Through Quality Construction) of the Residential Manual for Compliance with California's 2001 Energy Efficiency Standards. Residential units must demonstrate less than 1.25 square inches leakage area per 100 square feet of enclosure area (i.e., sum of all wall, ceiling and floor areas).

Potential Technologies & Strategies

Prohibit smoking in commercial buildings or effectively control the ventilation air in smoking rooms. For residential buildings, prohibit smoking in common areas and design building envelope and systems to minimize ETS transfer among dwelling units.

¹ If the common hallways are pressurized with respect to the residential units then doors in the residential units leading to the common hallways need not be weather-stripped provided that the positive differential pressure is demonstrated as in Option 2, Case 1 above, considering the residential unit as the smoking room.

IEQ Credit 1: Outdoor Air Delivery Monitoring

1 Point

Intent

To provide capacity for ventilation system monitoring to help promote occupant comfort and well-being.

Requirements

Install permanent monitoring systems to ensure that ventilation systems maintain design minimum requirements. Configure all monitoring equipment to generate an alarm when airflow values or carbon dioxide (CO₂) levels vary by 10% or more from the design values via either a building automation system alarm to the building operator or a visual or audible alert to the building occupants

AND

CASE 1. Mechanically Ventilated Spaces

Monitor CO₂ concentrations within all densely occupied spaces (those with a design occupant density of 25 people or more per 1,000 square feet). CO₂ monitors must be between 3 and 6 feet above the floor.¹

Provide a direct outdoor airflow measurement device capable of measuring the minimum outdoor air intake flow with an accuracy of plus or minus 15% of the design minimum outdoor air rate, as defined by ASHRAE 62.1-2007 (with errata but without addenda²) for mechanical ventilation systems where 20% or more of the design supply airflow serves nondensely occupied spaces.

CASE 2. Naturally Ventilated Spaces

Monitor CO₂ concentrations within all naturally ventilated spaces. CO₂ monitors must be between 3 and 6 feet above the floor. One CO₂ sensor may be used to monitor multiple nondensely occupied spaces if the natural ventilation design uses passive stack(s) or other means to induce airflow through those spaces equally and simultaneously without intervention by building occupants.

Potential Technologies & Strategies

Install CO₂ and airflow measurement equipment and feed the information to the heating, ventilating and air conditioning (HVAC) system and/or building automation system (BAS) to trigger corrective action, if applicable. If such automatic controls are not feasible with the building systems, use the measurement equipment to trigger alarms that inform building operators or occupants of a possible deficiency in outdoor air delivery.

¹ CO₂ monitoring is required in densely occupied spaces, in addition to outdoor air intake flow measurement.

² Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Credit 2: Increased Ventilation

1 Point

Intent

To provide additional outdoor air ventilation to improve indoor air quality (IAQ) and promote occupant comfort, well-being and productivity.

Requirements

CASE 1. Mechanically Ventilated Spaces

Increase breathing zone outdoor air ventilation rates to all occupied spaces by at least 30% above the minimum rates required by ASHRAE Standard 62.1-2007 (with errata but without addenda¹) as determined by IEQ

Prerequisite 1: Minimum Indoor Air Quality Performance.

CASE 2. Naturally Ventilated Spaces

Determine that natural ventilation is an effective strategy for the project by following the flow diagram process shown in Figure 2.8 of the CIBSE Applications Manual 10: 2005, Natural Ventilation in Non-domestic Buildings.

AND

OPTION 1

Show that the natural ventilation systems design meets the recommendations set forth in the CIBSE manuals appropriate to the project space.

PATH 1. CIBSE Applications Manual 10: 2005, Natural Ventilation in Non-domestic Buildings

PATH 2. CIBSE AM 13:2000, Mixed Mode Ventilation

OR

OPTION 2

Use a macroscopic, multizone, analytic model to predict that room-by-room airflows will effectively naturally ventilate, defined as providing the minimum ventilation rates required by ASHRAE 62.1-2007 Chapter 6 (with errata but without addenda¹), for at least 90% of occupied spaces.

Potential Technologies & Strategies

For mechanically ventilated spaces: Use heat recovery, where appropriate, to minimize the additional energy consumption associated with higher ventilation rates.

For naturally ventilated spaces, follow the 8 design steps described in the Carbon Trust Good Practice Guide 237:

- Develop design requirements.
- Plan airflow paths.

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

-
- Identify building uses and features that might require special attention.
 - Determine ventilation requirements.
 - Estimate external driving pressures.
 - Select types of ventilation devices.
 - Size ventilation devices.
 - Analyze the design.

Use public domain software such as NIST's CONTAM, Multizone Modeling Software, along with LoopDA, Natural Ventilation Sizing Tool, to analytically predict room-by-room airflows.

IEQ Credit 3.1: Construction Indoor Air Quality Management Plan—During Construction

1 Point

Intent

To reduce indoor air quality (IAQ) problems resulting from construction or renovation and promote the comfort and well-being of construction workers and building occupants.

Requirements

Develop and implement an IAQ management plan for the construction and preoccupancy phases of the building as follows:

- During construction, meet or exceed the recommended control measures of the Sheet Metal and Air Conditioning National Contractors Association (SMACNA) IAQ Guidelines For Occupied Buildings Under Construction, 2nd Edition 2007, ANSI/SMACNA 008-2008 (Chapter 3).
- Protect stored on-site and installed absorptive materials from moisture damage.
- If permanently installed air handlers are used during construction, filtration media with a minimum efficiency reporting value (MERV) of 8 must be used at each return air grille, as determined by ASHRAE Standard 52.2-1999 (with errata but without addenda¹). Replace all filtration media immediately prior to occupancy.

Potential Technologies & Strategies

Adopt an IAQ management plan to protect the heating, ventilating and air conditioning (HVAC) system during construction, control pollutant sources and interrupt contamination pathways. Sequence the installation of materials to avoid contamination of absorptive materials, such as insulation, carpeting, ceiling tile and gypsum wallboard. Coordinate with IEQ Credit 3.2: Construction IAQ Management Plan — Before Occupancy and IEQ Credit 5: Indoor Chemical & Pollutant Source Control to determine the appropriate specifications and schedules for filtration media.

If possible, avoid using permanently installed air handlers for temporary heating/cooling during construction. Consult the LEED Reference Guide for Green Building Design and Construction, 2009 Edition for more detailed information on how to ensure the well-being of construction workers and building occupants if permanently installed air handlers must be used during construction.

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Credit 3.2: Construction Indoor Air Quality Management Plan—Before Occupancy

1 Point

Intent

To reduce indoor air quality (IAQ) problems resulting from construction or renovation to promote the comfort and well-being of construction workers and building occupants.

Requirements

Develop an IAQ management plan and implement it after all finishes have been installed and the building has been completely cleaned before occupancy.

OPTION 1. Flush-Out¹

PATH 1

After construction ends, prior to occupancy and with all interior finishes installed, install new filtration media and , perform a building flush-out by supplying a total air volume of 14,000 cubic feet of outdoor air per square foot of floor area while maintaining an internal temperature of at least 60° F and relative humidity no higher than 60%.

OR

PATH 2

If occupancy is desired prior to completion of the flush-out, the space may be occupied following delivery of a minimum of 3,500 cubic feet of outdoor air per square foot of floor area. Once the space is occupied, it must be ventilated at a minimum rate of 0.30 cubic feet per minute (cfm) per square foot of outside air or the design minimum outside air rate determined in IEQ Prerequisite 1: Minimum Indoor Air Quality Performance, whichever is greater. During each day of the flush-out period, ventilation must begin a minimum of 3 hours prior to occupancy and continue during occupancy. These conditions must be maintained until a total of 14,000 cubic feet per square foot of outside air has been delivered to the space.

OR

OPTION 2. Air Testing

Conduct baseline IAQ testing after construction ends and prior to occupancy using testing protocols consistent with the EPA Compendium of Methods for the Determination of Air Pollutants in Indoor Air and as additionally detailed in the LEED Reference Guide for Green Building Design and Construction, 2009 Edition.

¹ All finishes must be installed prior to flush-out.

Demonstrate that the contaminant maximum concentration levels listed below are not exceeded:

Contaminant	Maximum Concentration
Formaldehyde	27 parts per billion
Particulates (PM10)	50 micrograms per cubic meter
Total volatile organic compounds (TVOCs)	500 micrograms per cubic meter
4-Phenylcyclohexene (4-PCH)*	6.5 micrograms per cubic meter
Carbon monoxide (CO)	9 part per million and no greater than 2 parts per million above outdoor levels
* This test is only required if carpets and fabrics with styrene butadiene rubber (SBR) latex backing are installed as part of the base building systems.	

For each sampling point where the maximum concentration limits are exceeded, conduct an additional flush-out with outside air and retest the noncompliant concentrations. Repeat until all requirements are met. When retesting noncompliant building areas, take samples from the same locations as in the first test, although it is not required.

Conduct the air sample testing as follows:

- All measurements must be conducted prior to occupancy, but during normal occupied hours with the building ventilation system started at the normal daily start time and operated at the minimum outside air flow rate for the occupied mode throughout the test.
- All interior finishes must be installed, including but not limited to millwork, doors, paint, carpet and acoustic tiles. Movable furnishings such as workstations and partitions should be in place for the testing, although it is not required.
- The number of sampling locations will depend on the size of the building and number of ventilation systems. For each portion of the building served by a separate ventilation system, the number of sampling points must not be less than 1 per 25,000 square feet or for each contiguous floor area, whichever is larger. Include areas with the least ventilation and greatest presumed source strength.
- Air samples must be collected between 3 and 6 feet from the floor to represent the breathing zone of occupants, and over a minimum 4-hour period.

Potential Technologies & Strategies

Prior to occupancy, perform a building flush-out or test the air contaminant levels in the building. The flush-out is often used where occupancy is not required immediately upon substantial completion of construction. IAQ testing can minimize schedule impacts but may be more costly. Coordinate with IEQ Credit 3.1: Construction IAQ Management Plan — During Construction and IEQ Credit 5: Indoor Chemical & Pollutant Source Control to determine the appropriate specifications and schedules for filtration media.

The intent of this credit is to eliminate IAQ problems that occur as a result of construction. Architectural finishes used in tenant build-outs constitute a significant source of air pollutants and must be addressed to qualify for this credit.

IEQ Credit 4.1: Low-Emitting Materials—Adhesives and Sealants

1 Point

Intent

To reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants.

Requirements

All adhesives and sealants used on the interior of the building (i.e., inside of the weatherproofing system and applied on-site) must comply with the following requirements as applicable to the project scope¹:

- Adhesives, Sealants and Sealant Primers must comply with South Coast Air Quality Management District (SCAQMD) Rule #1168. Volatile organic compound (VOC) limits listed in the table below correspond to an effective date of July 1, 2005 and rule amendment date of January 7, 2005.

Architectural Applications	VOC Limit (g/L less water)	Specialty Applications	VOC Limit (g/L less water)
Indoor carpet adhesives	50	PVC welding	510
Carpet pad adhesives	50	CPVC welding	490
Wood flooring adhesives	100	ABS welding	325
Rubber floor adhesives	60	Plastic cement welding	250
Subfloor adhesives	50	Adhesive primer for plastic	550
Ceramic tile adhesives	65	Contact adhesive	80
VCT and asphalt adhesives	50	Special purpose contact adhesive	250
Drywall and panel adhesives	50	Structural wood member adhesive	140
Cove base adhesives	50	Sheet applied rubber lining operations	850
Multipurpose construction adhesives	70	Top and trim adhesive	250
Structural glazing adhesives	100		
Substrate Specific Applications	VOC Limit (g/L less water)	Sealants	VOC Limit (g/L less water)
Metal to metal	30	Architectural	250
Plastic foams	50	Nonmembrane roof	300
Porous material (except wood)	50	Roadway	250
Wood	30	Single-ply roof membrane	450
Fiberglass	80	Other	420
Sealant Primers	VOC Limit (g/L less water)		
Architectural, nonporous	250		
Architectural, porous	775		
Other	750		

¹ The use of a VOC budget is permissible for compliance with this credit.

-
- Aerosol Adhesives must comply with Green Seal Standard for Commercial Adhesives GS-36 requirements in effect on October 19, 2000.

Aerosol Adhesives	VOC Limit
General purpose mist spray	65% VOCs by weight
General purpose web spray	55% VOCs by weight
Special purpose aerosol adhesives (all types)	70% VOCs by weight

Potential Technologies & Strategies

Specify low-VOC materials in construction documents. Ensure that VOC limits are clearly stated in each section of the specifications where adhesives and sealants are addressed. Common products to evaluate include general construction adhesives, flooring adhesives, fire-stopping sealants, caulking, duct sealants, plumbing adhesives and cove base adhesives. Review product cut sheets, material safety data (MSD) sheets, signed attestations or other official literature from the manufacturer clearly identifying the VOC contents or compliance with referenced standards.

IEQ Credit 4.2: Low-Emitting Materials—Paints and Coatings

1 Point

Intent

To reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants.

Requirements

Paints and coatings used on the interior of the building (i.e., inside of the weatherproofing system and applied on-site) must comply with the following criteria as applicable to the project scope¹:

- Architectural paints and coatings applied to interior walls and ceilings must not exceed the volatile organic compound (VOC) content limits established in Green Seal Standard GS-11, Paints, 1st Edition, May 20, 1993.
- Anti-corrosive and anti-rust paints applied to interior ferrous metal substrates must not exceed the VOC content limit of 250 g/L established in Green Seal Standard GC-03, Anti-Corrosive Paints, 2nd Edition, January 7, 1997.
- Clear wood finishes, floor coatings, stains, primers, sealers, and shellacs applied to interior elements must not exceed the VOC content limits established in South Coast Air Quality Management District (SCAQMD) Rule 1113, Architectural Coatings, rules in effect on January 1, 2004.

Potential Technologies & Strategies

Specify low-VOC paints and coatings in construction documents. Ensure that VOC limits are clearly stated in each section of the specifications where paints and coatings are addressed. Track the VOC content of all interior paints and coatings during construction.

¹ The use of a VOC budget is permissible for compliance with this credit.

IEQ Credit 4.3: Low-Emitting Materials—Flooring Systems

1 Point

Intent

To reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants.

Requirements

OPTION 1

All flooring must comply with the following as applicable to the project scope:

- All carpet installed in the building interior must meet the testing and product requirements of the Carpet and Rug Institute Green Label Plus¹ program.
- All carpet cushion installed in the building interior must meet the requirements of the Carpet and Rug Institute Green Label program.
- All carpet adhesive must meet the requirements of IEQ Credit 4.1: Adhesives and Sealants, which includes a volatile organic compound (VOC) limit of 50 g/L.
- All hard surface flooring must meet the requirements of the FloorScore² standard (current as of the date of this rating system, or more stringent version) as shown with testing by an independent third-party. Mineral-based finish flooring products such as tile, masonry, terrazzo, and cut stone without integral organic-based coatings and sealants and unfinished/untreated solid wood flooring qualify for credit without any IAQ testing requirements. However, associated site-applied adhesives, grouts, finishes and sealers must be compliant for a mineral-based or unfinished/untreated solid wood flooring system to qualify for credit.
- Concrete, wood, bamboo and cork floor finishes such as sealer, stain and finish must meet the requirements of South Coast Air Quality Management District (SCAQMD) Rule 1113, Architectural Coatings, rules in effect on January 1, 2004.
- Tile setting adhesives and grout must meet South Coast Air Quality Management District (SCAQMD) Rule 1168. VOC limits correspond to an effective date of July 1, 2005 and rule amendment date of January 7, 2005.

OR

OPTION 2

All flooring elements installed in the building interior must meet the testing and product requirements of the California Department of Health Services Standard Practice for the Testing of Volatile Organic Emissions

- 1 The Green Label Plus program for carpets and its associated VOC emission criteria in micrograms per square meter per hour, along with information on testing method and sample collection developed by the Carpet & Rug Institute (CRI) in coordination with California's Sustainable Building Task Force and the California Department of Public Health, are described in Section 9, Acceptable Emissions Testing for Carpet, DHS Standard Practice CA/DHS/EHLB/R-174, dated 07/15/04. This document is available at http://www.dhs.ca.gov/ps/deodc/ehlb/iaq/VOCS/Section01350_7_15_2004_FINAL_PLUS_ADDENDUM-2004-01.pdf (also published as Section 01350 Section 9 [dated 2004] by the Collaborative for High Performance Schools [<http://www.chps.net>]).
- 2 FloorScore is a voluntary, independent certification program that tests and certifies hard surface flooring and associated products for compliance with criteria adopted in California for indoor air emissions of VOCs with potential health effects. The program uses a small-scale chamber test protocol and incorporates VOC emissions criteria, which are widely known as Section 1350, developed by the California Department of Health Services.

from Various Sources Using Small-Scale Environmental Chambers, including 2004 Addenda. Mineral-based finish flooring products such as tile, masonry, terrazzo, and cut stone without integral organic-based coatings and sealants and unfinished/untreated solid wood flooring qualify for credit without any IAQ testing requirements. However, associated site-applied adhesives, grouts, finishes and sealers must be compliant for a mineral-based or unfinished/untreated solid wood flooring system to qualify for credit.

Potential Technologies & Strategies

Clearly specify requirements for product testing and/or certification in the construction documents. Select products that are either certified under the Green Label Plus program or for which testing has been done by qualified independent laboratories in accordance with the appropriate requirements.

IEQ Credit 4.4: Low-Emitting Materials—Composite Wood and Agrifiber Products

1 Point

Intent

To reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants.

Requirements

Composite wood and agrifiber products used on the interior of the building (i.e., inside the weatherproofing system) must contain no added urea-formaldehyde resins. Laminating adhesives used to fabricate on-site and shop-applied composite wood and agrifiber assemblies must not contain added urea-formaldehyde resins.

Composite wood and agrifiber products are defined as particleboard, medium density fiberboard (MDF), plywood, wheatboard, strawboard, panel substrates and door cores. Materials considered fixtures, furniture and equipment (FF&E) are not considered base building elements and are not included.

Potential Technologies & Strategies

Specify wood and agrifiber products that contain no added urea-formaldehyde resins. Specify laminating adhesives for field and shop-applied assemblies that contain no added urea-formaldehyde resins. Review product cut sheets, material safety data (MSD) sheets, signed attestations or other official literature from the manufacturer.

IEQ Credit 5: Indoor Chemical and Pollutant Source Control

1 Point

Intent

To minimize building occupant exposure to potentially hazardous particulates and chemical pollutants.

Requirements

Design to minimize and control the entry of pollutants into buildings and later cross-contamination of regularly occupied areas through the following strategies:

- Employ permanent entryway systems at least 10 feet long in the primary direction of travel to capture dirt and particulates entering the building at regularly used exterior entrances. Acceptable entryway systems include permanently installed grates, grills and slotted systems that allow for cleaning underneath. Roll-out mats are acceptable only when maintained on a weekly basis by a contracted service organization.
- Sufficiently exhaust each space where hazardous gases or chemicals may be present or used (e.g., garages, housekeeping and laundry areas, copying and printing rooms) to create negative pressure with respect to adjacent spaces when the doors to the room are closed. For each of these spaces, provide self-closing doors and deck-to-deck partitions or a hard-lid ceiling. The exhaust rate must be at least 0.50 cubic feet per minute (cfm) per square foot with no air recirculation. The pressure differential with the surrounding spaces must be at least 5 Pascals (Pa) (0.02 inches of water gauge) on average and 1 Pa (0.004 inches of water) at a minimum when the doors to the rooms are closed.
- In mechanically ventilated buildings, each ventilation system that supplies outdoor air shall comply with the following:
 - Particle filters or air cleaning devices shall be provided to clean the outdoor air at any location prior to its introduction to occupied spaces.
 - These filters or devices shall be rated a minimum efficiency reporting value (MERV) of 13 or higher in accordance with ASHRAE Standard 52.2.
 - Clean air Filtration media shall be installed in all air systems after completion of construction and prior to occupancy.

Potential Technologies & Strategies

Design facility cleaning and maintenance areas with isolated exhaust systems for contaminants. Maintain physical isolation from the rest of the regularly occupied areas of the building. Install permanent architectural entryway systems such as grills or grates to prevent occupant-borne contaminants from entering the building. Install high-level filtration systems in air handling units processing both return air and outside supply air. Ensure that air handling units can accommodate required filter sizes and pressure drops.

IEQ Credit 6.1: Controllability of Systems—Lighting

1 Point

Intent

To provide a high level of lighting system control by individual occupants or groups in multi-occupant spaces (e.g., classrooms and conference areas) and promote their productivity, comfort and well-being.

Requirements

Provide individual lighting controls for 90% (minimum) of the building occupants to enable adjustments to suit individual task needs and preferences

Provide lighting system controls for all shared multi-occupant spaces to enable adjustments that meet group needs and preferences.

Potential Technologies & Strategies

Design the building with occupant controls for lighting. Strategies to consider include lighting controls and task lighting. Integrate lighting systems controllability into the overall lighting design, providing ambient and task lighting while managing the overall energy use of the building.

IEQ Credit 6.2: Controllability of Systems—Thermal Comfort

1 Point

Intent

To provide a high level of thermal comfort system control¹ by individual occupants or groups in multi-occupant spaces (e.g., classrooms or conference areas) and promote their productivity, comfort and well-being.

Requirements

Provide individual comfort controls for 50% (minimum) of the building occupants to enable adjustments to meet individual needs and preferences. Operable windows may be used in lieu of controls for occupants located 20 feet inside and 10 feet to either side of the operable part of a window. The areas of operable window must meet the requirements of ASHRAE Standard 62.1-2007 paragraph 5.1 Natural Ventilation (with errata but without addenda²).

Provide comfort system controls for all shared multi-occupant spaces to enable adjustments that meet group needs and preferences.

Conditions for thermal comfort are described in ASHRAE Standard 55-2004 (with errata but without addenda²) and include the primary factors of air temperature, radiant temperature, air speed and humidity.

Potential Technologies & Strategies

Design the building and systems with comfort controls to allow adjustments to suit individual needs or those of groups in shared spaces. ASHRAE Standard 55-2004 (with errata but without addenda²) identifies the factors of thermal comfort and a process for developing comfort criteria for building spaces that suit the needs of the occupants involved in their daily activities. Control strategies can be developed to expand on the comfort criteria and enable individuals to make adjustments to suit their needs and preferences. These strategies may involve system designs incorporating operable windows, hybrid systems integrating operable windows and mechanical systems, or mechanical systems alone. Individual adjustments may involve individual thermostat controls, local diffusers at floor, desk or overhead levels, control of individual radiant panels or other means integrated into the overall building, thermal comfort systems and energy systems design. Designers should evaluate the closely tied interactions between thermal comfort as required by ASHRAE Standard 55-2004 (with errata but without addenda²) and acceptable indoor air quality as required by ASHRAE Standard 62.1-2007 (with errata but without addenda²), whether natural or mechanical ventilation.

¹ For the purposes of this credit, comfort system control is defined as control over at least 1 of the following primary factors in the occupant's vicinity: air temperature, radiant temperature, air speed and humidity.

² Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Credit 7.1: Thermal Comfort—Design

1 Point

Intent

To provide a comfortable thermal environment that promotes occupant productivity and well-being.

Requirements

Design heating, ventilating and air conditioning (HVAC) systems and the building envelope to meet the requirements of ASHRAE Standard 55-2004, Thermal Comfort Conditions for Human Occupancy (with errata but without addenda¹). Demonstrate design compliance in accordance with the Section 6.1.1 documentation.

Potential Technologies & Strategies

Establish comfort criteria according to ASHRAE 55-2004 (with errata but without addenda) that support the desired quality and occupant satisfaction with building performance. Design the building envelope and systems with the capability to meet the comfort criteria under expected environmental and use conditions. Evaluate air temperature, radiant temperature, air speed and relative humidity in an integrated fashion, and coordinate these criteria with IEQ Prerequisite 1: Minimum IAQ Performance, IEQ Credit 1: Outdoor Air Delivery Monitoring, and IEQ Credit 2: Increased Ventilation.

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Credit 7.2: Thermal Comfort—Verification

1 point in addition to IEQ credit 7.1

Intent

To provide for the assessment of building occupant thermal comfort over time.

Requirements

Achieve IEQ Credit 7.1: Thermal Comfort—Design

Provide a permanent monitoring system to ensure that building performance meets the desired comfort criteria as determined by IEQ Credit 7.1: Thermal Comfort—Design.

Agree to conduct a thermal comfort survey of building occupants within 6 to 18 months after occupancy. This survey should collect anonymous responses about thermal comfort in the building, including an assessment of overall satisfaction with thermal performance and identification of thermal comfort-related problems. Agree to develop a plan for corrective action if the survey results indicate that more than 20% of occupants are dissatisfied with thermal comfort in the building. This plan should include measurement of relevant environmental variables in problem areas in accordance with ASHRAE Standard 55-2004 (with errata but without addenda¹).

Residential projects are not eligible for this credit.

Potential Technologies & Strategies

ASHRAE 55-2004 provides guidance for establishing thermal comfort criteria and documenting and validating building performance to the criteria. While the standard is not intended for purposes of continuous monitoring and maintenance of the thermal environment, the principles expressed in the standard provide a basis for the design of monitoring and corrective action systems.

¹ Project teams wishing to use ASHRAE approved addenda for the purposes of this credit may do so at their discretion. Addenda must be applied consistently across all LEED credits.

IEQ Credit 8.1: Daylight and Views—Daylight

1 Point

Intent

To provide building occupants with a connection between indoor spaces and the outdoors through the introduction of daylight and views into the regularly occupied areas of the building.

Requirements

Through 1 of the 4 options, achieve daylighting in at least the following spaces:

Regularly Occupied Spaces	Points
75%	1

OPTION 1. Simulation

Demonstrate through computer simulations that 75% or more of all regularly occupied spaces areas achieve daylight illuminance levels of a minimum of 25 footcandles (fc) and a maximum of 500 fc in a clear sky condition on September 21 at 9 a.m. and 3 p.m. Areas with illuminance levels below or above the range do not comply. However, designs that incorporate view-preserving automated shades for glare control may demonstrate compliance for only the minimum 25 fc illuminance level.

OR

OPTION 2. Prescriptive


Use a combination of side-lighting and/or top-lighting to achieve a total daylighting zone (the floor area meeting the following requirements) that is at least 75% of all the regularly occupied spaces.

For the Side-lighting Daylight Zone (see diagram on the next page):

- Achieve a value, calculated as the product of the visible light transmittance (VLT) and window-to-floor area ratio (WFR) of daylight zone between 0.150 and 0.180. The window area included in the calculation must be at least 30 inches above the floor.

$$0.150 < \text{VLT} \times \text{WFR} < 0.180$$

- The ceiling must not obstruct a line in section that joins the window-head to a line on the floor that is parallel to the plane of the window; Is twice the height of the window-head above the floor in, distance from the plane of the glass as measured perpendicular to the plane of the glass.
- Provide sunlight redirection and/or glare control devices to ensure daylight effectiveness.



For Top-lighting Daylight Zone (see diagram on the next page):

- The daylight zone under a skylight is the outline of the opening beneath the skylight, plus in each direction the lesser of:
 - 70% of the ceiling height,


OR

 - 1/2 the distance to the edge of the nearest skylight,

OR

 - The distance to any permanent opaque partition (if transparent show VLT) farther than 70% of the distance between the top of the partition and the ceiling.
- Achieve skylight roof coverage between 3% and 6% of the roof area with a minimum 0.5 VLT.
- The distance between the skylights must not be more than 1.4 times the ceiling height.
- A skylight diffuser, if used, must have a measured haze value of greater than 90% when tested according to ASTM D1003. Avoid direct line of sight to the skylight diffuser.

Exceptions for areas where tasks would be hindered by the use of daylight will be considered on their merits.



OR

OPTION 3. Measurement

Demonstrate through records of indoor light measurements that a minimum daylight illumination level of 25 fc has been achieved in at least 75% of all regularly occupied areas. Measurements must be taken on a 10-foot grid for all occupied spaces and recorded on building floor plans.

Only the square footage associated with the portions of rooms or spaces meeting the minimum illumination requirements may be counted in the calculations.

For all projects pursuing this option, provide daylight redirection and/or glare control devices to avoid high-contrast situations that could impede visual tasks. Exceptions for areas where tasks would be hindered by daylight will be considered on their merits.

OR

OPTION 4. Combination

Any of the above calculation methods may be combined to document the minimum daylight illumination in at least 75% of all regularly occupied spaces. The different methods used in each space must be clearly recorded on all building plans.

In all cases, only the square footage associated with the portions of rooms or spaces meeting the requirements may be applied toward the 75% of total area calculation required to qualify for this credit.

In all cases, provide glare control devices to avoid high-contrast situations that could impede visual tasks. Exceptions for areas where tasks would be hindered by the use of daylight will be considered on their merits.

Potential Technologies & Strategies

Design the building to maximize interior daylighting. Strategies to consider include building orientation, shallow floor plates, increased building perimeter, exterior and interior permanent shading devices, high-performance glazing, and high-ceiling reflectance values; ly, additionally, automatic photocell-based controls can help to reduce energy use. Predict daylight factors via manual calculations or model daylighting strategies with a physical or computer model to assess footcandle levels and daylight factors achieved.

IEQ Credit 8.2: Daylight and Views—Views

1 Point

Intent

To provide building occupants a connection to the outdoors through the introduction of daylight and views into the regularly occupied areas of the building.

Requirements

Achieve a direct line of sight to the outdoor environment via vision glazing between 30 inches and 90 inches above the finish floor for building occupants in 90% of all regularly occupied areas. Determine the area with a direct line of sight by totaling the regularly occupied square footage that meets the following criteria:

- In plan view, the area is within sight lines drawn from perimeter vision glazing.
- In section view, a direct sight line can be drawn from the area to perimeter vision glazing.

The line of sight may be drawn through interior glazing. For private offices, the entire square footage of the office may be counted if 75% or more of the area has a direct line of sight to perimeter vision glazing. For multi-occupant spaces, the actual square footage with a direct line of sight to perimeter vision glazing is counted.

Potential Technologies & Strategies

Design the space to maximize daylighting and view opportunities. Strategies to consider include lower partitions, interior shading devices, interior glazing and automatic photocell-based controls.

INNOVATION IN DESIGN

ID Credit 1: Innovation in Design

1–5 Points

Intent

To provide design teams and projects the opportunity to achieve exceptional performance above the requirements set by the LEED Green Building Rating System and/or innovative performance in Green Building categories not specifically addressed by the LEED Green Building Rating System.

Requirements

Credit can be achieved through any combination of the Innovation in Design and Exemplary Performance paths as described below:

PATH 1. Innovation in Design (1-5 points)

Achieve significant, measurable environmental performance using a strategy not addressed in the LEED 2009 for New Construction and Major Renovations Rating System.

One point is awarded for each innovation achieved. No more than 5 points under IDc1 may be earned through PATH 1—Innovation in Design.

Identify the following in writing:

- The intent of the proposed innovation credit.
- The proposed requirement for compliance.
- The proposed submittals to demonstrate compliance.
- The design approach (strategies) used to meet the requirements.

PATH 2. Exemplary Performance (1-3 points)

Achieve exemplary performance in an existing LEED 2009 for New Construction and Major Renovations prerequisite or credit that allows exemplary performance as specified in the LEED Reference Guide for Green Building Design & Construction, 2009 Edition. An exemplary performance point may be earned for achieving double the credit requirements and/or achieving the next incremental percentage threshold of an existing credit in LEED.

One point is awarded for each exemplary performance achieved. No more than 3 points under IDc1 may be earned through PATH 2—Exemplary Performance.

PATH 3. Pilot Credit (1 point)

Attempt a pilot credit available in the Pilot Credit Library at www.usgbc.org/pilotcreditlibrary. Register as a pilot credit participant and complete the required documentation. Projects may pursue more than 1 pilot credit; however, a maximum of 1 point will be awarded.

Potential Technologies & Strategies

Substantially exceed a LEED 2009 for New Construction and Major Renovations performance credit such as energy performance or water efficiency. Apply strategies or measures that demonstrate a comprehensive approach and quantifiable environment and/or health benefits.

ID Credit 2: LEED Accredited Professional

1 Point

Intent

To support and encourage the design integration required by LEED to streamline the application and certification process.

Requirements

At least 1 principal participant of the project team shall be a LEED Accredited Professional (AP).

Potential Technologies & Strategies

Educate the project team members about green building design and construction, the LEED requirements and application process early in the life of the project. Consider assigning integrated design and construction process facilitation to the LEED AP.

REGIONAL PRIORITY

RP Credit 1: Regional Priority

1–4 Points

Intent

To provide an incentive for the achievement of credits that address geographically-specific environmental priorities.

Requirements

Earn 1-4 of the 6 Regional Priority credits identified by the USGBC regional councils and chapters as having environmental importance for a project's region. A database of Regional Priority credits and their geographic applicability is available on the USGBC website, <http://www.usgbc.org>.

One point is awarded for each Regional Priority credit achieved; no more than 4 credits identified as Regional Priority credits may be earned. Projects outside of the U.S. are not eligible for Regional Priority credits.

Potential Technologies & Strategies

Determine and pursue the prioritized credits for the project location.

Appendix B
Air Quality Data

**Parenthetical URBEMIS2007 (Version 9.2.4) Assumptions
For: Lakeport Courthouse
Date: July 2010**

LAND USES

Amount	Land Use Type	Unit Type	Trip Rate
50	Government office building	1,000 square feet	8.06

CONSTRUCTION SOURCES

Year	Duration (months)	Development
2012	8 months	Grading, Trenching, Paving, Building
2013	12 months	Building, Coating
2014	1 month	Building, Coating

Phase 1 - Grading:

Year	Total Acreage Disturbed	Acreage Disturbed Daily	Duration-(days)	Fugitive Dust	Soil Hauling (cubic yards)	Estimated Cut/Fill (cubic yards)
2012	5.74	2	20	Default		

Grading Equipment (URBEMIS2007 Default):

Quantity	Type	Hours of Daily Operation
1	Grader	6
1	Rubber Tired Dozer	6
1	Tractor/Loaders/Backhoe	7
1	Water Trucks	8

Phase 2 - Trenching:

Year	Duration
2012	10 days

Trenching Equipment (URBEMIS2007 Default):

Quantity	Type	Hours of Daily Operation
2	Excavators	8
1	Other General Industrial Equipment	8

Phase 3 - Paving:

Year	Duration (days)	Acres
2012	10	5.74

Equipment (URBEMIS2007 Default):

Quantity	Type	Hours of Daily Operation
4	Cement and Mortar Mixers	6
1	Paver	7
2	Paving Equipment	6
1	Roller	7

Phase 4 – Building Construction

Duration:

20 months

Equipment (URBEMIS2007 Default):

Quantity	Type	Hours of Daily Operation
1	Crane	4
2	Forklifts	6
1	Tractor/Loader/Backhoe	8

Phase 5 – Architectural Coatings:

Duration – 1.5Months

Low VOC coatings (Pursuant to SCAQMD Rule 1113)
(URBEMIS2007 default all phases)

Sub- Phase 5 - Worker Commute

(URBEMIS2007 default all phases)

Construction Mitigation:

Refer to URBEMIS2007 file output.

YEAR 2013 AREA SOURCES

Natural Gas Fuel Combustion:

(URBEMIS2007 default all phases)

Hearth Fuel Combustion:

Off

Landscape Fuel Combustion:

Year of Completion	Summer Days
2013	180

Consumer Products:

(URBEMIS2007 default all phases)

Architectural Coating:

(URBEMIS2007 default all phases)

Area Source Mitigation:

Low VOC coatings (Pursuant to SCAQMD Rule 1113)
Refer to URBEMIS2007 file output.

YEAR 2013 OPERATIONAL SOURCES

Vehicle Fleet %:

(URBEMIS2007 default all phases)

Year:

Year of Completion – 2013

Trip Characteristics:

(URBEMIS2007 Default all phases)

Temperature Data:

40 to 90 degrees Fahrenheit

Variable Starts:

(URBEMIS2007 default all phases)

Road Dust:

Paved – 100%
Unpaved – 0%

Pass By Trips (On/Off):

Off

Double-Counting(On/Off):

Off

Operational Mitigation Measures:

Refer to URBEMIS2007 file output.

7/14/2010 2:43:35 PM

AREA SOURCE EMISSION ESTIMATES

TOTALS (tons/year, unmitigated)	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
	0.06	0.06	0.19	0.00	0.00	0.00	73.25

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

TOTALS (tons/year, unmitigated)	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
	0.50	0.73	5.79	0.01	0.96	0.19	532.80

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

TOTALS (tons/year, unmitigated)	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
	0.56	0.79	5.98	0.01	0.96	0.19	606.05

Construction Unmitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
--	------------	------------	-----------	------------	------------------	---------------------	-------------------	----------------------	--------------	------------

2013	0.32	1.01	0.99	0.00	0.06	0.06	0.00	0.05	0.05	0.05	170.04
Building 07/01/2012-01/31/2014	0.14	1.01	0.99	0.00	0.06	0.06	0.00	0.05	0.05	0.05	169.83
Building Off Road Diesel	0.12	0.95	0.58	0.00	0.06	0.06	0.00	0.05	0.05	0.05	116.59
Building Vendor Trips	0.00	0.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.54
Building Worker Trips	0.01	0.02	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	42.70
Coating 12/15/2013-01/31/2014	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21
Architectural Coating	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Coating Worker Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21
2014	0.35	0.08	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.38
Building 07/01/2012-01/31/2014	0.01	0.08	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.97
Building Off Road Diesel	0.01	0.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.27
Building Vendor Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.93
Building Worker Trips	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.76
Coating 12/15/2013-01/31/2014	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41
Architectural Coating	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Coating Worker Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41

Phase Assumptions

Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

Total Acres Disturbed: 5.74

Maximum Daily Acreage Disturbed: 2

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day

7/14/2010 2:43:35 PM

- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day
- 1 Water Trucks (189 hp) operating at a 0.5 load factor for 8 hours per day

- Phase: Trenching 6/1/2012 - 6/15/2012 - Default Trenching Description
- Off-Road Equipment:
 - 2 Excavators (168 hp) operating at a 0.57 load factor for 8 hours per day
 - 1 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 8 hours per day
 - 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 0 hours per day

- Phase: Paving 6/16/2012 - 6/30/2012 - Default Paving Description
- Acres to be Paved: 5.74
- Off-Road Equipment:
 - 4 Cement and Mortar Mixers (10 hp) operating at a 0.56 load factor for 6 hours per day
 - 1 Pavers (100 hp) operating at a 0.62 load factor for 7 hours per day
 - 2 Paving Equipment (104 hp) operating at a 0.53 load factor for 6 hours per day
 - 1 Rollers (95 hp) operating at a 0.56 load factor for 7 hours per day

- Phase: Building Construction 7/1/2012 - 1/31/2014 - Default Building Construction Description
- Off-Road Equipment:
 - 1 Cranes (399 hp) operating at a 0.43 load factor for 4 hours per day
 - 2 Forklifts (145 hp) operating at a 0.3 load factor for 6 hours per day
 - 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 8 hours per day

- Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description
- Rule: Residential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Residential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250

7/14/2010 2:43:35 PM

2013																			0.05	170.04
Building 07/01/2012-01/31/2014	0.20	1.01	0.99	0.00	0.00	0.06	0.06	0.06	0.00	0.00	0.06	0.06	0.06	0.00	0.00	0.05	0.05	0.05	0.05	169.83
Building Off Road Diesel	0.12	0.95	0.58	0.00	0.00	0.06	0.06	0.06	0.00	0.00	0.06	0.06	0.06	0.00	0.00	0.05	0.05	0.05	0.05	116.59
Building Vendor Trips	0.00	0.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.54
Building Worker Trips	0.01	0.02	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	42.70
Coating 12/15/2013-01/31/2014	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21
Architectural Coating	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Coating Worker Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21
2014	0.21	0.08	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.38
Building 07/01/2012-01/31/2014	0.01	0.08	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.97
Building Off Road Diesel	0.01	0.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.27
Building Vendor Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.93
Building Worker Trips	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.76
Coating 12/15/2013-01/31/2014	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41
Architectural Coating	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Coating Worker Trips	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41

Construction Related Mitigation Measures

The following mitigation measures apply to Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

For Soil Stabilizing Measures, the Water exposed surfaces 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

For Unpaved Roads Measures, the Reduce speed on unpaved roads to less than 15 mph mitigation reduces emissions by:

PM10: 44% PM25: 44%

For Unpaved Roads Measures, the Manage haul road dust 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

The following mitigation measures apply to Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description

7/14/2010 2:43:35 PM

For Residential Architectural Coating Measures, the Residential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Residential Architectural Coating Measures, the Residential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

Area Source Unmitigated Detail Report:

AREA SOURCE EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

Source	ROG	NOx	CO	SO2	PM10	PM2.5	CO2
Natural Gas	0.00	0.06	0.05	0.00	0.00	0.00	73.00
Hearth							
Landscape	0.01	0.00	0.14	0.00	0.00	0.00	0.25
Consumer Products	0.00						
Architectural Coatings	0.05						
TOTALS (tons/year, unmitigated)	0.06	0.06	0.19	0.00	0.00	0.00	73.25

Area_Source_Changes_to_Defaults

7/14/2010 2:43:35 PM

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Annual Tons Per Year, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
Government office building	0.50	0.73	5.79	0.01	0.96	0.19	532.80
TOTALS (tons/year, unmitigated)	0.50	0.73	5.79	0.01	0.96	0.19	532.80

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2012 Season: Annual

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
Government office building	8.06	1000 sq ft	50.00	403.00	3,048.70	3,048.70

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	48.6	0.8	99.0	0.2
Light Truck < 3750 lbs	10.9	1.8	93.6	4.6
Light Truck 3751-5750 lbs	21.8	0.5	99.5	0.0
Med Truck 5751-8500 lbs	9.6	1.0	99.0	0.0
Lite-Heavy Truck 8501-10,000 lbs	1.7	0.0	76.5	23.5
Lite-Heavy Truck 10,001-14,000 lbs	0.7	0.0	42.9	57.1

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Med-Heavy Truck 14,001-33,000 lbs	1.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.9	0.0	0.0	100.0
Other Bus	0.1	0.0	0.0	100.0
Urban Bus	0.1	0.0	0.0	100.0
Motorcycle	3.5	60.0	40.0	0.0
School Bus	0.1	0.0	0.0	100.0
Motor Home	1.0	0.0	90.0	10.0

Travel Conditions

	Residential				Commercial		
	Home-Work	Home-Shop	Home-Other	Commute	Non-Work	Customer	
Urban Trip Length (miles)	10.8	7.3	7.5	9.5	7.4	7.4	7.4
Rural Trip Length (miles)	16.8	7.1	7.9	14.7	6.6	6.6	6.6
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	32.9	18.0	49.1				

% of Trips - Commercial (by land use)

Government office building	10.0	5.0	85.0
----------------------------	------	-----	------

Operational Changes to Defaults

Urbemis 2007 Version 9.2.4

Combined Summer Emissions Reports (Pounds/Day)

File Name: I:\pdata\00000100\10P\WPWIN\EddieT\Programs\Air\URBEMIS\URBEMIS2007\Lakeport Courthouse.urb924

Project Name: Lakeport Courthouse

Project Location: California State-wide

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

7/14/2010 2:42:56 PM

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	ROG	NOX	CO	SO2	PM10 Dust	PM10 Exhaust	PM10	PM2.5 Dust	PM2.5 Exhaust	PM2.5	CO2
2012 TOTALS (lbs/day unmitigated)	3.91	22.00	12.46	0.01	40.00	1.31	41.08	8.36	1.20	9.34	2,349.54
2012 TOTALS (lbs/day mitigated)	3.91	22.00	12.46	0.01	16.34	1.31	17.42	3.41	1.20	4.40	2,349.54
2013 TOTALS (lbs/day unmitigated)	30.83	7.75	7.86	0.00	0.02	0.45	0.47	0.01	0.41	0.42	1,336.86
2013 TOTALS (lbs/day mitigated)	10.74	7.75	7.86	0.00	0.02	0.45	0.47	0.01	0.41	0.42	1,336.86
2014 TOTALS (lbs/day unmitigated)	30.75	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98
2014 TOTALS (lbs/day mitigated)	18.10	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98

AREA SOURCE EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	0.43	0.35	1.83	0.00	0.01	0.01	402.81

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	2.72	3.45	30.72	0.03	5.26	1.02	3,053.05

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	3.15	3.80	32.55	0.03	5.27	1.03	3,455.86

Construction Unmitigated Detail Report:

7/14/2010 2:42:56 PM

CONSTRUCTION EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

	ROG	NOX	CO	SO2	PM10 Dust	PM10 Exhaust	PM10	PM2.5 Dust	PM2.5 Exhaust	PM2.5	CO2
Time Slice 5/1/2012-5/31/2012 Active Days: 23	2.72	22.00	12.46	0.00	40.00	1.07	41.08	8.36	0.99	9.34	2,349.54
Mass Grading 05/01/2012- 05/31/2012	2.72	22.00	12.46	0.00	40.00	1.07	41.08	8.36	0.99	9.34	2,349.54
Mass Grading Dust	0.00	0.00	0.00	0.00	40.00	0.00	40.00	8.35	0.00	8.35	0.00
Mass Grading Off Road Diesel	2.69	21.95	11.51	0.00	0.00	1.07	1.07	0.00	0.99	0.99	2,247.32
Mass Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mass Grading Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/1/2012-6/15/2012 Active Days: 11	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching 06/01/2012-06/15/2012	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching Off Road Diesel	1.80	15.24	8.01	0.00	0.00	0.73	0.73	0.00	0.67	0.67	1,714.64
Trenching Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/18/2012-6/29/2012 Active Days: 10	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Asphalt 06/16/2012-06/30/2012	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Paving Off-Gas	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving Off Road Diesel	2.23	13.48	8.10	0.00	0.00	1.17	1.17	0.00	1.07	1.07	1,131.92
Paving On Road Diesel	0.25	3.62	1.25	0.01	0.02	0.14	0.16	0.01	0.12	0.13	622.80
Paving Worker Trips	0.06	0.10	1.89	0.00	0.01	0.01	0.02	0.00	0.00	0.01	204.45

7/14/2010 2:42:56 PM

Time Slice	1/1/2014-1/31/2014	30.75	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98
Active Days:	23											
Building 07/01/2012-01/31/2014	0.99	7.09	7.24	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,301.46	
Building Off Road Diesel	0.88	6.70	4.39	0.00	0.00	0.37	0.37	0.00	0.34	0.34	893.39	
Building Vendor Trips	0.02	0.26	0.26	0.00	0.00	0.01	0.01	0.00	0.01	0.01	80.74	
Building Worker Trips	0.08	0.13	2.59	0.00	0.02	0.01	0.02	0.01	0.01	0.01	327.33	
Coating 12/15/2013-01/31/2014	29.76	0.01	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.52	
Architectural Coating	29.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Coating Worker Trips	0.01	0.01	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.52	

Phase Assumptions

Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

Total Acres Disturbed: 5.74

Maximum Daily Acreage Disturbed: 2

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

- 1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day
- 1 Water Trucks (189 hp) operating at a 0.5 load factor for 8 hours per day

Phase: Trenching 6/1/2012 - 6/15/2012 - Default Trenching Description

Off-Road Equipment:

- 2 Excavators (168 hp) operating at a 0.57 load factor for 8 hours per day
- 1 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 8 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 0 hours per day

7/14/2010 2:42:56 PM

Phase: Paving 6/16/2012 - 6/30/2012 - Default Paving Description

Acres to be Paved: 5.74

Off-Road Equipment:

- 4 Cement and Mortar Mixers (10 hp) operating at a 0.56 load factor for 6 hours per day
- 1 Pavers (100 hp) operating at a 0.62 load factor for 7 hours per day
- 2 Paving Equipment (104 hp) operating at a 0.53 load factor for 6 hours per day
- 1 Rollers (95 hp) operating at a 0.56 load factor for 7 hours per day

Phase: Building Construction 7/1/2012 - 1/31/2014 - Default Building Construction Description

Off-Road Equipment:

- 1 Cranes (399 hp) operating at a 0.43 load factor for 4 hours per day
- 2 Forklifts (145 hp) operating at a 0.3 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 8 hours per day

Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description

- Rule: Residential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Residential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250

Construction Mitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Summer Pounds Per Day, Mitigated

ROG NOx CO SO2 PM10 Dust PM10 Exhaust PM2.5 Dust PM2.5 Exhaust CO2

7/14/2010 2:42:56 PM

Time Slice 5/1/2012-5/31/2012 Active Days: 23	2.72	22.00	12.46	0.00	<u>16.34</u>	1.07	<u>17.42</u>	<u>3.41</u>	0.99	<u>4.40</u>	2,349.54
Mass Grading 05/01/2012-05/31/2012	2.72	22.00	12.46	0.00	16.34	1.07	17.42	3.41	0.99	4.40	2,349.54
Mass Grading Dust	0.00	0.00	0.00	0.00	16.34	0.00	16.34	3.41	0.00	3.41	0.00
Mass Grading Off Road Diesel	2.69	21.95	11.51	0.00	0.00	1.07	1.07	0.00	0.99	0.99	2,247.32
Mass Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mass Grading Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/1/2012-6/15/2012 Active Days: 11	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching 06/01/2012-06/15/2012	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching Off Road Diesel	1.80	15.24	8.01	0.00	0.00	0.73	0.73	0.00	0.67	0.67	1,714.64
Trenching Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/18/2012-6/29/2012 Active Days: 10	<u>3.91</u>	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Asphalt 06/16/2012-06/30/2012	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Paving Off-Gas	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving Off Road Diesel	2.23	13.48	8.10	0.00	0.00	1.17	1.17	0.00	1.07	1.07	1,131.92
Paving On Road Diesel	0.25	3.62	1.25	0.01	0.02	0.14	0.16	0.01	0.12	0.13	622.80
Paving Worker Trips	0.06	0.10	1.89	0.00	0.01	0.01	0.02	0.00	0.00	0.01	204.45
Time Slice 7/2/2012-12/31/2012 Active Days: 131	1.16	8.37	7.89	0.00	0.02	0.51	0.53	0.01	0.47	0.47	1,301.24
Building 07/01/2012-01/31/2014	1.16	8.37	7.89	0.00	0.02	0.51	0.53	0.01	0.47	0.47	1,301.24
Building Off Road Diesel	1.03	7.87	4.56	0.00	0.00	0.49	0.49	0.00	0.45	0.45	893.39
Building Vendor Trips	0.03	0.34	0.30	0.00	0.00	0.01	0.02	0.00	0.01	0.01	80.73
Building Worker Trips	0.09	0.16	3.02	0.00	0.02	0.01	0.02	0.01	0.01	0.01	327.12

Construction Related Mitigation Measures

The following mitigation measures apply to Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

For Soil Stabilizing Measures, the Water exposed surfaces 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

For Unpaved Roads Measures, the Reduce speed on unpaved roads to less than 15 mph mitigation reduces emissions by:

PM10: 44% PM25: 44%

For Unpaved Roads Measures, the Manage haul road dust 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

The following mitigation measures apply to Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description

For Residential Architectural Coating Measures, the Residential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Residential Architectural Coating Measures, the Residential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

Area Source Unmitigated Detail Report:

AREA SOURCE EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

Source	ROG	NOx	CO	SO2	PM10	PM2.5	CO2
Natural Gas	0.02	0.33	0.28	0.00	0.00	0.00	400.00
Hearth							
Landscape	0.12	0.02	1.55	0.00	0.01	0.01	2.81
Consumer Products	0.00						
Architectural Coatings	0.29						
TOTALS (lbs/day, unmitigated)	0.43	0.35	1.83	0.00	0.01	0.01	402.81

Area Source Changes to Defaults

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
Government office building	2.72	3.45	30.72	0.03	5.26	1.02	3,053.05
TOTALS (lbs/day, unmitigated)	2.72	3.45	30.72	0.03	5.26	1.02	3,053.05

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2012 Temperature (F): 85 Season: Summer

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
Government office building	8.06	1000 sq ft	50.00	403.00	3,048.70	
				403.00	3,048.70	

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	48.6	0.8	99.0	0.2
Light Truck < 3750 lbs	10.9	1.8	93.6	4.6
Light Truck 3751-5750 lbs	21.8	0.5	99.5	0.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Med Truck 5751-8500 lbs	9.6	1.0	99.0	0.0
Lite-Heavy Truck 8501-10,000 lbs	1.7	0.0	76.5	23.5
Lite-Heavy Truck 10,001-14,000 lbs	0.7	0.0	42.9	57.1
Med-Heavy Truck 14,001-33,000 lbs	1.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.9	0.0	0.0	100.0
Other Bus	0.1	0.0	0.0	100.0
Urban Bus	0.1	0.0	0.0	100.0
Motorcycle	3.5	60.0	40.0	0.0
School Bus	0.1	0.0	0.0	100.0
Motor Home	1.0	0.0	90.0	10.0

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commute	Non-Work	Customer
Urban Trip Length (miles)	10.8	7.3	7.5	9.5	7.4	7.4
Rural Trip Length (miles)	16.8	7.1	7.9	14.7	6.6	6.6
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	32.9	18.0	49.1			

% of Trips - Commercial (by land use)

Government office building	10.0	5.0	85.0
----------------------------	------	-----	------

Operational Changes to Defaults

Urbemis 2007 Version 9.2.4

Combined Winter Emissions Reports (Pounds/Day)

File Name: I:\pdata\00000100\10P\WP\WIN\Eddie\TP\Programs\Air\URBEMIS\URBEMIS2007\Lakeport Courthouse.urb924

Project Name: Lakeport Courthouse

Project Location: California State-wide

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

7/14/2010 2:43:27 PM

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	ROG	NOX	CO	SO2	PM10 Dust	PM10 Exhaust	PM10	PM2.5 Dust	PM2.5 Exhaust	PM2.5	CO2
2012 TOTALS (lbs/day unmitigated)	3.91	22.00	12.46	0.01	40.00	1.31	41.08	8.36	1.20	9.34	2,349.54
2012 TOTALS (lbs/day mitigated)	3.91	22.00	12.46	0.01	16.34	1.31	17.42	3.41	1.20	4.40	2,349.54
2013 TOTALS (lbs/day unmitigated)	30.83	7.75	7.86	0.00	0.02	0.45	0.47	0.01	0.41	0.42	1,336.86
2013 TOTALS (lbs/day mitigated)	10.74	7.75	7.86	0.00	0.02	0.45	0.47	0.01	0.41	0.42	1,336.86
2014 TOTALS (lbs/day unmitigated)	30.75	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98
2014 TOTALS (lbs/day mitigated)	18.10	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98

AREA SOURCE EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	0.31	0.33	0.28	0.00	0.00	0.00	400.00

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	2.84	5.02	33.74	0.03	5.26	1.02	2,652.20

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

TOTALS (lbs/day, unmitigated)	ROG	NOX	CO	SO2	PM10	PM2.5	CO2
	3.15	5.35	34.02	0.03	5.26	1.02	3,052.20

Construction Unmitigated Detail Report:

7/14/2010 2:43:27 PM

CONSTRUCTION EMISSION ESTIMATES Winter Pounds Per Day, Unmitigated

	ROG	NOX	CO	SO2	PM10 Dust	PM10 Exhaust	PM10	PM2.5 Dust	PM2.5 Exhaust	PM2.5	CO2
Time Slice 5/1/2012-5/31/2012 Active Days: 23	2.72	22.00	12.46	0.00	40.00	1.07	41.08	8.36	0.99	9.34	2,349.54
Mass Grading 05/01/2012- 05/31/2012	2.72	22.00	12.46	0.00	40.00	1.07	41.08	8.36	0.99	9.34	2,349.54
Mass Grading Dust	0.00	0.00	0.00	0.00	40.00	0.00	40.00	8.35	0.00	8.35	0.00
Mass Grading Off Road Diesel	2.69	21.95	11.51	0.00	0.00	1.07	1.07	0.00	0.99	0.99	2,247.32
Mass Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mass Grading Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/1/2012-6/15/2012 Active Days: 11	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching 06/01/2012-06/15/2012	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching Off Road Diesel	1.80	15.24	8.01	0.00	0.00	0.73	0.73	0.00	0.67	0.67	1,714.64
Trenching Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/18/2012-6/29/2012 Active Days: 10	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Asphalt 06/16/2012-06/30/2012	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Paving Off-Gas	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving Off Road Diesel	2.23	13.48	8.10	0.00	0.00	1.17	1.17	0.00	1.07	1.07	1,131.92
Paving On Road Diesel	0.25	3.62	1.25	0.01	0.02	0.14	0.16	0.01	0.12	0.13	622.80
Paving Worker Trips	0.06	0.10	1.89	0.00	0.01	0.01	0.02	0.00	0.00	0.01	204.45

7/14/2010 2:43:27 PM

Time Slice	1/1/2014-1/31/2014	30.75	7.11	7.52	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,336.98
Active Days:	23											
Building 07/01/2012-01/31/2014	0.99	7.09	7.24	0.00	0.02	0.39	0.41	0.01	0.36	0.36	1,301.46	
Building Off Road Diesel	0.88	6.70	4.39	0.00	0.00	0.37	0.37	0.00	0.34	0.34	893.39	
Building Vendor Trips	0.02	0.26	0.26	0.00	0.00	0.01	0.01	0.00	0.01	0.01	80.74	
Building Worker Trips	0.08	0.13	2.59	0.00	0.02	0.01	0.02	0.01	0.01	0.01	327.33	
Coating 12/15/2013-01/31/2014	29.76	0.01	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.52	
Architectural Coating	29.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Coating Worker Trips	0.01	0.01	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.52	

Phase Assumptions

Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

Total Acres Disturbed: 5.74

Maximum Daily Acreage Disturbed: 2

Fugitive Dust Level of Detail: Default

20 lbs per acre-day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

- 1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day
- 1 Water Trucks (189 hp) operating at a 0.5 load factor for 8 hours per day

Phase: Trenching 6/1/2012 - 6/15/2012 - Default Trenching Description

Off-Road Equipment:

- 2 Excavators (168 hp) operating at a 0.57 load factor for 8 hours per day
- 1 Other General Industrial Equipment (238 hp) operating at a 0.51 load factor for 8 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 0 hours per day

7/14/2010 2:43:27 PM

Phase: Paving 6/16/2012 - 6/30/2012 - Default Paving Description

Acres to be Paved: 5.74

Off-Road Equipment:

- 4 Cement and Mortar Mixers (10 hp) operating at a 0.56 load factor for 6 hours per day
- 1 Pavers (100 hp) operating at a 0.62 load factor for 7 hours per day
- 2 Paving Equipment (104 hp) operating at a 0.53 load factor for 6 hours per day
- 1 Rollers (95 hp) operating at a 0.56 load factor for 7 hours per day

Phase: Building Construction 7/1/2012 - 1/31/2014 - Default Building Construction Description

Off-Road Equipment:

- 1 Cranes (399 hp) operating at a 0.43 load factor for 4 hours per day
- 2 Forklifts (145 hp) operating at a 0.3 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 8 hours per day

Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description

- Rule: Residential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Residential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Interior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250
- Rule: Nonresidential Exterior Coatings begins 1/1/2005 ends 12/31/2040 specifies a VOC of 250

Construction Mitigated Detail Report:

CONSTRUCTION EMISSION ESTIMATES Winter Pounds Per Day, Mitigated

ROG NOx CO SO2 PM10 Dust PM10 Exhaust PM2.5 Dust PM2.5 Exhaust CO2

7/14/2010 2:43:27 PM

Time Slice 5/1/2012-5/31/2012 Active Days: 23	2.72	22.00	12.46	0.00	16.34	1.07	17.42	3.41	0.99	4.40	2,349.54
Mass Grading 05/01/2012-05/31/2012	2.72	22.00	12.46	0.00	16.34	1.07	17.42	3.41	0.99	4.40	2,349.54
Mass Grading Dust	0.00	0.00	0.00	0.00	16.34	0.00	16.34	3.41	0.00	3.41	0.00
Mass Grading Off Road Diesel	2.69	21.95	11.51	0.00	0.00	1.07	1.07	0.00	0.99	0.99	2,247.32
Mass Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mass Grading Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/1/2012-6/15/2012 Active Days: 11	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching 06/01/2012-06/15/2012	1.83	15.29	8.95	0.00	0.00	0.74	0.74	0.00	0.68	0.68	1,816.86
Trenching Off Road Diesel	1.80	15.24	8.01	0.00	0.00	0.73	0.73	0.00	0.67	0.67	1,714.64
Trenching Worker Trips	0.03	0.05	0.94	0.00	0.00	0.00	0.01	0.00	0.00	0.00	102.23
Time Slice 6/18/2012-6/29/2012 Active Days: 10	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Asphalt 06/16/2012-06/30/2012	3.91	17.20	11.24	0.01	0.03	1.31	1.34	0.01	1.20	1.21	1,959.16
Paving Off-Gas	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving Off Road Diesel	2.23	13.48	8.10	0.00	0.00	1.17	1.17	0.00	1.07	1.07	1,131.92
Paving On Road Diesel	0.25	3.62	1.25	0.01	0.02	0.14	0.16	0.01	0.12	0.13	622.80
Paving Worker Trips	0.06	0.10	1.89	0.00	0.01	0.01	0.02	0.00	0.00	0.01	204.45
Time Slice 7/2/2012-12/31/2012 Active Days: 131	1.16	8.37	7.89	0.00	0.02	0.51	0.53	0.01	0.47	0.47	1,301.24
Building 07/01/2012-01/31/2014	1.16	8.37	7.89	0.00	0.02	0.51	0.53	0.01	0.47	0.47	1,301.24
Building Off Road Diesel	1.03	7.87	4.56	0.00	0.00	0.49	0.49	0.00	0.45	0.45	893.39
Building Vendor Trips	0.03	0.34	0.30	0.00	0.00	0.01	0.02	0.00	0.01	0.01	80.73
Building Worker Trips	0.09	0.16	3.02	0.00	0.02	0.01	0.02	0.01	0.01	0.01	327.12

7/14/2010 2:43:27 PM

Construction Related Mitigation Measures

The following mitigation measures apply to Phase: Mass Grading 5/1/2012 - 5/31/2012 - Default Mass Site Grading Description

For Soil Stabilizing Measures, the Water exposed surfaces 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

For Unpaved Roads Measures, the Reduce speed on unpaved roads to less than 15 mph mitigation reduces emissions by:

PM10: 44% PM25: 44%

For Unpaved Roads Measures, the Manage haul road dust 2x daily watering mitigation reduces emissions by:

PM10: 55% PM25: 55%

The following mitigation measures apply to Phase: Architectural Coating 12/15/2013 - 1/31/2014 - Default Architectural Coating Description

For Residential Architectural Coating Measures, the Residential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Residential Architectural Coating Measures, the Residential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Exterior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

For Nonresidential Architectural Coating Measures, the Nonresidential Interior: Use Low VOC Coatings mitigation reduces emissions by:

ROG: 10%

Area Source Unmitigated Detail Report:

AREA SOURCE EMISSION ESTIMATES Winter Pounds Per Day, Unmitigated

Source	ROG	NOx	CO	SO2	PM10	PM2.5	CO2
Natural Gas	0.02	0.33	0.28	0.00	0.00	0.00	400.00
Hearth							
Landscaping - No Winter Emissions							
Consumer Products	0.00						
Architectural Coatings	0.29						
TOTALS (lbs/day, unmitigated)	0.31	0.33	0.28	0.00	0.00	0.00	400.00

Area Source Changes to Defaults

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Winter Pounds Per Day, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
Government office building	2.84	5.02	33.74	0.03	5.26	1.02	2,652.20
TOTALS (lbs/day, unmitigated)	2.84	5.02	33.74	0.03	5.26	1.02	2,652.20

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2012 Temperature (F): 40 Season: Winter

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
Government office building	8.06	1000 sq ft	50.00	403.00	3,048.70	
				403.00	3,048.70	

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	48.6	0.8	99.0	0.2
Light Truck < 3750 lbs	10.9	1.8	93.6	4.6
Light Truck 3751-5750 lbs	21.8	0.5	99.5	0.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Med Truck 5751-8500 lbs	9.6	1.0	99.0	0.0
Lite-Heavy Truck 8501-10,000 lbs	1.7	0.0	76.5	23.5
Lite-Heavy Truck 10,001-14,000 lbs	0.7	0.0	42.9	57.1
Med-Heavy Truck 14,001-33,000 lbs	1.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.9	0.0	0.0	100.0
Other Bus	0.1	0.0	0.0	100.0
Urban Bus	0.1	0.0	0.0	100.0
Motorcycle	3.5	60.0	40.0	0.0
School Bus	0.1	0.0	0.0	100.0
Motor Home	1.0	0.0	90.0	10.0

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commute	Non-Work	Customer
Urban Trip Length (miles)	10.8	7.3	7.5	9.5	7.4	7.4
Rural Trip Length (miles)	16.8	7.1	7.9	14.7	6.6	6.6
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	32.9	18.0	49.1			

% of Trips - Commercial (by land use)

Government office building	10.0	5.0	85.0
----------------------------	------	-----	------

Operational Changes to Defaults

*** SCREEN3 MODEL RUN ***
*** VERSI ON DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View\Constructi onC0

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.281600E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTI ON = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTI ON WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTI ON TO MAX CONCENTRATI ON

BUOY. FLUX = 0.000 M**4/S**3; MOM FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DI STANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING DI STANCES ***

DI ST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	35.00	5	1.0	1.0	10000.0	3.00	45.
100.	53.96	5	1.0	1.0	10000.0	3.00	45.
200.	31.29	5	1.0	1.0	10000.0	3.00	45.
300.	19.29	5	1.0	1.0	10000.0	3.00	45.
400.	13.60	5	1.0	1.0	10000.0	3.00	45.
500.	10.25	5	1.0	1.0	10000.0	3.00	45.
600.	8.064	5	1.0	1.0	10000.0	3.00	45.
700.	6.547	5	1.0	1.0	10000.0	3.00	42.
800.	5.449	5	1.0	1.0	10000.0	3.00	45.
900.	4.627	5	1.0	1.0	10000.0	3.00	45.
1000.	3.995	5	1.0	1.0	10000.0	3.00	45.

MAXI MUM 1-HR CONCENTRATI ON AT OR BEYOND 1. M:
115. 56.05 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATI ON PROCEDURE	MAX CONC (UG/M**3)	DI ST TO MAX (M)	TERRAIN HT (M)
SIMPLE TERRAIN	56.05	115.	0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATI ONS **

07/14/10

15:09:59

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.497210E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	61.79	5	1.0	1.0	10000.0	3.00	45.
100.	95.28	5	1.0	1.0	10000.0	3.00	45.
200.	55.25	5	1.0	1.0	10000.0	3.00	45.
300.	34.06	5	1.0	1.0	10000.0	3.00	45.
400.	24.01	5	1.0	1.0	10000.0	3.00	45.
500.	18.10	5	1.0	1.0	10000.0	3.00	45.
600.	14.24	5	1.0	1.0	10000.0	3.00	45.
700.	11.56	5	1.0	1.0	10000.0	3.00	42.
800.	9.622	5	1.0	1.0	10000.0	3.00	45.
900.	8.170	5	1.0	1.0	10000.0	3.00	45.
1000.	7.053	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 98.96 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 98.96 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:14:17

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.928430E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	115.4	5	1.0	1.0	10000.0	3.00	45.
100.	177.9	5	1.0	1.0	10000.0	3.00	45.
200.	103.2	5	1.0	1.0	10000.0	3.00	45.
300.	63.60	5	1.0	1.0	10000.0	3.00	45.
400.	44.84	5	1.0	1.0	10000.0	3.00	45.
500.	33.79	5	1.0	1.0	10000.0	3.00	45.
600.	26.59	5	1.0	1.0	10000.0	3.00	45.
700.	21.59	5	1.0	1.0	10000.0	3.00	42.
800.	17.97	5	1.0	1.0	10000.0	3.00	45.
900.	15.26	5	1.0	1.0	10000.0	3.00	45.
1000.	13.17	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 184.8 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 184.8 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:16:34

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.211090E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	26.23	5	1.0	1.0	10000.0	3.00	45.
100.	40.45	5	1.0	1.0	10000.0	3.00	45.
200.	23.46	5	1.0	1.0	10000.0	3.00	45.
300.	14.46	5	1.0	1.0	10000.0	3.00	45.
400.	10.20	5	1.0	1.0	10000.0	3.00	45.
500.	7.683	5	1.0	1.0	10000.0	3.00	45.
600.	6.045	5	1.0	1.0	10000.0	3.00	45.
700.	4.908	5	1.0	1.0	10000.0	3.00	42.
800.	4.085	5	1.0	1.0	10000.0	3.00	45.
900.	3.469	5	1.0	1.0	10000.0	3.00	45.
1000.	2.994	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 42.02 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 42.02 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:19:22

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.735650E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	91.42	5	1.0	1.0	10000.0	3.00	45.
100.	141.0	5	1.0	1.0	10000.0	3.00	45.
200.	81.74	5	1.0	1.0	10000.0	3.00	45.
300.	50.40	5	1.0	1.0	10000.0	3.00	45.
400.	35.53	5	1.0	1.0	10000.0	3.00	45.
500.	26.78	5	1.0	1.0	10000.0	3.00	45.
600.	21.07	5	1.0	1.0	10000.0	3.00	45.
700.	17.10	5	1.0	1.0	10000.0	3.00	42.
800.	14.24	5	1.0	1.0	10000.0	3.00	45.
900.	12.09	5	1.0	1.0	10000.0	3.00	45.
1000.	10.44	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 146.4 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 146.4 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:29:13

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.858820E-06
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	10.67	5	1.0	1.0	10000.0	3.00	45.
100.	16.46	5	1.0	1.0	10000.0	3.00	45.
200.	9.543	5	1.0	1.0	10000.0	3.00	45.
300.	5.883	5	1.0	1.0	10000.0	3.00	45.
400.	4.148	5	1.0	1.0	10000.0	3.00	45.
500.	3.126	5	1.0	1.0	10000.0	3.00	45.
600.	2.459	5	1.0	1.0	10000.0	3.00	45.
700.	1.997	5	1.0	1.0	10000.0	3.00	42.
800.	1.662	5	1.0	1.0	10000.0	3.00	45.
900.	1.411	5	1.0	1.0	10000.0	3.00	45.
1000.	1.218	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 17.09 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 17.09 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:31:32

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.119110E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	14.80	5	1.0	1.0	10000.0	3.00	45.
100.	22.82	5	1.0	1.0	10000.0	3.00	45.
200.	13.24	5	1.0	1.0	10000.0	3.00	45.
300.	8.160	5	1.0	1.0	10000.0	3.00	45.
400.	5.753	5	1.0	1.0	10000.0	3.00	45.
500.	4.335	5	1.0	1.0	10000.0	3.00	45.
600.	3.411	5	1.0	1.0	10000.0	3.00	45.
700.	2.769	5	1.0	1.0	10000.0	3.00	42.
800.	2.305	5	1.0	1.0	10000.0	3.00	45.
900.	1.957	5	1.0	1.0	10000.0	3.00	45.
1000.	1.690	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 23.71 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
--------------------------	-----------------------	--------------------	-------------------

SIMPLE TERRAIN 23.71 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

07/14/10

15:33:37

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Documents and Settings\KCHIENE\My Documents\Lakes\Screen View
\ConstructionCO

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.232790E-06
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 1.5000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BUOY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING
DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	2.893	5	1.0	1.0	10000.0	3.00	45.
100.	4.461	5	1.0	1.0	10000.0	3.00	45.
200.	2.587	5	1.0	1.0	10000.0	3.00	45.
300.	1.595	5	1.0	1.0	10000.0	3.00	45.
400.	1.124	5	1.0	1.0	10000.0	3.00	45.
500.	0.8473	5	1.0	1.0	10000.0	3.00	45.
600.	0.6666	5	1.0	1.0	10000.0	3.00	45.
700.	0.5413	5	1.0	1.0	10000.0	3.00	42.
800.	0.4505	5	1.0	1.0	10000.0	3.00	45.
900.	0.3825	5	1.0	1.0	10000.0	3.00	45.
1000.	0.3302	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
115. 4.633 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
-----	-----	-----	-----

SIMPLE TERRAIN 4.633 115. 0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

Emfac.rts

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 1: Running Exhaust Emissions (grams/mile)

Pollutant Name: Reactive Org Gases Temperature: 70F Relative Humidity: 0%

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.408	0.646	0.643	3.992	6.115	4.746	0.721
35	0.073	0.125	0.117	0.481	0.971	1.910	0.141

Pollutant Name: Carbon Monoxide Temperature: 70F Relative Humidity: 0%

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	4.326	8.096	6.273	33.570	36.820	24.989	7.426
35	2.230	3.827	2.542	6.787	7.088	16.281	3.300

Pollutant Name: Oxides of Nitrogen Temperature: 70F Relative Humidity: 0%

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.462	0.967	1.580	12.910	14.236	1.338	1.233
35	0.266	0.548	0.946	6.434	8.101	1.305	0.686

Pollutant Name: Carbon Dioxide Temperature: 70F Relative Humidity: 0%

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	945.556	1161.349	1682.914	2611.395	2453.472	258.659	1167.527
35	308.007	384.654	519.841	1282.188	1660.838	134.622	395.307

Pollutant Name: Sulfur Dioxide Temperature: 70F Relative Humidity: 0%

Emfac. rts

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.009	0.011	0.016	0.025	0.024	0.003	0.011
35	0.003	0.004	0.005	0.012	0.016	0.002	0.004

0% Pollutant Name: PM2.5 Temperature: 70F Relative Humidity:

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.052	0.093	0.096	0.551	0.226	0.029	0.090
35	0.009	0.017	0.018	0.150	0.053	0.013	0.018

0% Pollutant Name: PM2.5 - Tire Wear Temperature: 70F Relative Humidity:

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.002	0.002	0.002	0.005	0.002	0.001	0.002
35	0.002	0.002	0.002	0.005	0.002	0.001	0.002

0% Pollutant Name: PM2.5 - Brake Wear Temperature: 70F Relative Humidity:

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.005	0.005	0.005	0.008	0.005	0.003	0.005
35	0.005	0.005	0.005	0.008	0.005	0.003	0.005

0% Pollutant Name: Gasoline - mi/gal Temperature: 70F Relative Humidity:

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	9.286	7.380	4.903	3.339	3.300	28.296	8.219
35	28.445	22.589	16.900	16.898	16.741	53.231	24.931

0% Pollutant Name: Diesel - mi/gal Temperature: 70F Relative Humidity:

Speed MPH	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	28.298	29.070	19.538	4.688	4.175	0.000	15.502
35	28.298	29.070	19.538	6.114	4.175	0.000	16.105

Emfac.rts

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 2: Starting Emissions (grams/trip)

Pollutant Name: Reactive Org Gases Temperature: 70F Relative Humidity:

ALL

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.070	0.123	0.115	1.057	0.284	0.851	0.164
10	0.124	0.207	0.207	1.329	0.553	0.968	0.249
20	0.225	0.362	0.379	1.848	1.049	1.202	0.409
30	0.316	0.503	0.536	2.335	1.487	1.435	0.555
40	0.397	0.629	0.679	2.789	1.868	1.667	0.687
50	0.469	0.739	0.808	3.211	2.191	1.898	0.805
60	0.529	0.830	0.920	3.523	2.456	2.055	0.901
120	0.669	1.000	1.232	3.673	2.704	2.234	1.086
180	0.664	1.008	1.254	3.924	2.869	2.303	1.106
240	0.703	1.067	1.330	4.170	3.029	2.457	1.172
300	0.741	1.125	1.404	4.410	3.183	2.609	1.237
360	0.778	1.181	1.477	4.646	3.333	2.758	1.301
420	0.814	1.236	1.549	4.876	3.477	2.905	1.363
480	0.850	1.289	1.619	5.101	3.616	3.049	1.423
540	0.884	1.341	1.688	5.320	3.750	3.192	1.482
600	0.917	1.391	1.756	5.535	3.878	3.331	1.540
660	0.950	1.440	1.822	5.744	4.001	3.469	1.596
720	0.982	1.487	1.887	5.948	4.119	3.604	1.651

Pollutant Name: Carbon Monoxide Temperature: 70F Relative Humidity:

ALL

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.716	1.359	1.256	10.818	4.255	3.756	1.651
10	1.304	2.372	2.292	14.218	8.338	4.086	2.629
20	2.419	4.285	4.259	20.667	15.984	4.741	4.484
30	3.451	6.049	6.087	26.647	22.938	5.392	6.200
40	4.401	7.664	7.778	32.159	29.201	6.037	7.779
50	5.268	9.129	9.330	37.204	34.773	6.677	9.220
60	6.052	10.445	10.744	41.781	39.652	7.312	10.524
120	8.420	13.774	14.635	48.918	45.483	10.593	13.810

	Emfac. rts						
180	7. 976	13. 337	14. 422	52. 757	46. 812	10. 954	13. 652
240	8. 433	14. 039	15. 330	56. 370	48. 186	12. 244	14. 468
300	8. 856	14. 697	16. 161	59. 757	49. 603	13. 415	15. 227
360	9. 245	15. 313	16. 913	62. 919	51. 064	14. 468	15. 928
420	9. 599	15. 886	17. 587	65. 854	52. 569	15. 401	16. 572
480	9. 919	16. 417	18. 182	68. 563	54. 118	16. 215	17. 159
540	10. 205	16. 904	18. 700	71. 047	55. 710	16. 911	17. 689
600	10. 456	17. 349	19. 139	73. 304	57. 347	17. 488	18. 161
660	10. 672	17. 751	19. 500	75. 336	59. 027	17. 946	18. 576
720	10. 854	18. 110	19. 782	77. 141	60. 751	18. 285	18. 934

ALL Pollutant Name: Oxides of Nitrogen Temperature: 70F Relative Humidity:

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0. 251	0. 391	1. 005	0. 963	1. 261	0. 175	0. 480
10	0. 288	0. 456	1. 123	1. 412	1. 900	0. 210	0. 565
20	0. 354	0. 572	1. 332	2. 202	3. 022	0. 271	0. 715
30	0. 408	0. 667	1. 506	2. 847	3. 936	0. 322	0. 838
40	0. 451	0. 743	1. 646	3. 346	4. 643	0. 362	0. 936
50	0. 483	0. 798	1. 751	3. 699	5. 142	0. 393	1. 008
60	0. 504	0. 834	1. 821	3. 907	5. 433	0. 413	1. 053
120	0. 529	0. 872	1. 932	3. 936	5. 472	0. 416	1. 099
180	0. 531	0. 874	1. 932	3. 919	5. 452	0. 410	1. 099
240	0. 527	0. 868	1. 918	3. 893	5. 421	0. 402	1. 091
300	0. 522	0. 858	1. 897	3. 858	5. 380	0. 392	1. 080
360	0. 514	0. 846	1. 868	3. 815	5. 328	0. 380	1. 064
420	0. 504	0. 830	1. 831	3. 763	5. 266	0. 366	1. 045
480	0. 493	0. 811	1. 787	3. 703	5. 192	0. 350	1. 022
540	0. 479	0. 790	1. 735	3. 635	5. 109	0. 331	0. 995
600	0. 464	0. 765	1. 675	3. 557	5. 014	0. 311	0. 965
660	0. 446	0. 737	1. 608	3. 472	4. 909	0. 288	0. 930
720	0. 427	0. 706	1. 533	3. 377	4. 793	0. 264	0. 892

ALL Pollutant Name: Carbon Dioxide Temperature: 70F Relative Humidity:

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	11. 158	13. 136	19. 045	17. 345	3. 753	17. 843	13. 809
10	13. 297	16. 067	22. 635	21. 839	7. 485	20. 201	16. 647
20	17. 960	22. 319	30. 485	30. 700	14. 887	24. 816	22. 728
30	23. 135	29. 093	39. 228	39. 394	22. 206	29. 297	29. 348
40	28. 822	36. 387	48. 865	47. 920	29. 442	33. 644	36. 506
50	35. 022	44. 203	59. 394	56. 279	36. 595	37. 857	44. 203
60	41. 734	52. 539	70. 816	64. 470	43. 665	41. 935	52. 438
120	89. 824	108. 706	153. 282	100. 658	74. 266	60. 475	108. 813
180	102. 636	124. 412	175. 141	112. 595	87. 740	63. 818	124. 192
240	115. 241	139. 770	196. 663	123. 830	100. 419	66. 965	139. 259
300	127. 639	154. 779	217. 849	134. 361	112. 302	69. 917	154. 016
360	139. 831	169. 440	238. 698	144. 190	123. 390	72. 674	168. 461
420	151. 816	183. 753	259. 211	153. 315	133. 683	75. 236	182. 595
480	163. 595	197. 717	279. 387	161. 738	143. 180	77. 602	196. 419
540	175. 167	211. 334	299. 227	169. 458	151. 883	79. 772	209. 931
600	186. 532	224. 602	318. 730	176. 475	159. 790	81. 748	223. 132
660	197. 690	237. 522	337. 896	182. 788	166. 901	83. 528	236. 022

Emfac. rts

720 208.642 250.093 356.726 188.399 173.218 85.113 248.601

ALL Pollutant Name: Sulfur Dioxide Temperature: 70F Relative Humidity:

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.000	0.000	0.000	0.000	0.000	0.000	0.000
10	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20	0.000	0.000	0.000	0.001	0.000	0.000	0.000
30	0.000	0.000	0.000	0.001	0.001	0.000	0.000
40	0.000	0.000	0.001	0.001	0.001	0.000	0.000
50	0.000	0.001	0.001	0.001	0.001	0.001	0.001
60	0.001	0.001	0.001	0.001	0.001	0.001	0.001
120	0.001	0.001	0.002	0.002	0.001	0.001	0.001
180	0.001	0.001	0.002	0.002	0.002	0.001	0.001
240	0.001	0.002	0.002	0.002	0.002	0.001	0.002
300	0.001	0.002	0.002	0.002	0.002	0.001	0.002
360	0.002	0.002	0.003	0.002	0.002	0.001	0.002
420	0.002	0.002	0.003	0.003	0.002	0.001	0.002
480	0.002	0.002	0.003	0.003	0.002	0.001	0.002
540	0.002	0.002	0.003	0.003	0.002	0.001	0.002
600	0.002	0.002	0.003	0.003	0.003	0.001	0.002
660	0.002	0.003	0.004	0.003	0.003	0.001	0.003
720	0.002	0.003	0.004	0.003	0.003	0.001	0.003

ALL Pollutant Name: PM2.5 Temperature: 70F Relative Humidity:

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.001	0.001	0.001	0.001	0.001	0.007	0.001
10	0.001	0.002	0.002	0.002	0.001	0.007	0.002
20	0.003	0.005	0.003	0.002	0.002	0.005	0.003
30	0.004	0.007	0.004	0.003	0.003	0.004	0.005
40	0.005	0.009	0.005	0.004	0.004	0.003	0.006
50	0.006	0.010	0.007	0.004	0.005	0.003	0.008
60	0.007	0.012	0.008	0.005	0.005	0.003	0.009
120	0.010	0.018	0.012	0.007	0.007	0.006	0.013
180	0.011	0.019	0.013	0.007	0.007	0.008	0.014
240	0.012	0.021	0.013	0.008	0.007	0.011	0.015
300	0.013	0.022	0.014	0.008	0.008	0.013	0.016
360	0.013	0.023	0.015	0.009	0.008	0.015	0.017
420	0.014	0.024	0.015	0.009	0.008	0.016	0.018
480	0.014	0.025	0.016	0.009	0.008	0.018	0.018
540	0.015	0.026	0.016	0.010	0.009	0.019	0.019
600	0.015	0.026	0.017	0.010	0.009	0.019	0.019
660	0.015	0.027	0.017	0.010	0.009	0.020	0.020
720	0.015	0.027	0.017	0.010	0.009	0.020	0.020

Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 4: Hot Soak Emissions (grams/trip)

Pollutant Name: Reactive Org Gases Temperature: 70F Relative Humidity:

ALL

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
5	0.136	0.183	0.058	0.067	0.088	0.203	0.137
10	0.252	0.340	0.108	0.123	0.163	0.379	0.254
20	0.431	0.582	0.185	0.211	0.278	0.662	0.436
30	0.556	0.753	0.240	0.272	0.359	0.872	0.563
40	0.603	0.818	0.261	0.295	0.389	0.956	0.612

Hot soak results are scaled to reflect zero emissions for trip lengths of less than 5 minutes (about 25% of in-use trips).

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 5a: Partial Day Diurnal Loss Emissions

(grams/hour)

Pollutant Name: Reactive Org Gases Temperature: ALL Relative Humidity:

ALL

Temp degF	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
70	0.218	0.327	0.113	0.029	0.005	0.452	0.260

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 5b: Multi-Day Diurnal Loss Emissions

(grams/hour)

Pollutant Name:	Reactive Org Gases				Temperature: ALL			Relative Humidity:
ALL	LDA	LDT	MDT	HDT	UBUS	MCY	ALL	
Temp degF								
70	0.018	0.025	0.009	0.001	0.002	0.041	0.021	

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 6a: Partial Day Resting Loss Emissions

(grams/hour)

Pollutant Name:	Reactive Org Gases				Temperature: ALL			Relative Humidity:
ALL	LDA	LDT	MDT	HDT	UBUS	MCY	ALL	
Temp degF								
70	0.083	0.129	0.048	0.013	0.002	0.142	0.100	

Emfac.rts

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 6b: Multi-Day Resting Loss Emissions

(grams/hour)

Pollutant Name:	Reactive Org Gases			Temperature: ALL			Relative Humidity:	
ALL	LDA	LDT	MDT	HDT	UBUS	MCY	ALL	
Temp degF								
70	0.007	0.010	0.004	0.001	0.001	0.014	0.008	

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 7: Estimated Travel Fractions

Pollutant Name:				Temperature: ALL			Relative Humidity:	
ALL	LDA	LDT	MDT	HDT	UBUS	MCY	ALL	
%VMT	0.412	0.424	0.116	0.032	0.001	0.015	1.000	
%TRIP	0.363	0.383	0.184	0.053	0.000	0.017	1.000	
%VEH	0.389	0.423	0.095	0.037	0.000	0.056	1.000	

Emfac.rts

Title : Lake County Air Basin Subarea Winter CYr 2015 Default Title
 Version : Emfac2007 V2.3 Nov 1 2006
 Run Date : 2010/07/13 16:15:33
 Scen Year: 2015 -- All model years in the range 1971 to 2015 selected
 Season : Winter
 Area : Lake (LC)

Year: 2015 -- Model Years 1971 to 2015 Inclusive -- Winter
 Emfac2007 Emission Factors: V2.3 Nov 1 2006

Lake (LC) Lake (LC) Lake (LC)

Table 8: Evaporative Running Loss Emissions

(grams/minute)

Pollutant Name: Reactive Org Gases Temperature: 70F Relative Humidity:
 ALL

Time min	LDA	LDT	MDT	HDT	UBUS	MCY	ALL
1	0.030	0.942	0.499	1.233	0.716	0.024	0.510
2	0.031	0.493	0.262	0.655	0.373	0.062	0.275
3	0.034	0.347	0.185	0.464	0.260	0.083	0.199
4	0.038	0.276	0.148	0.369	0.205	0.096	0.163
5	0.041	0.234	0.127	0.313	0.172	0.105	0.143
10	0.050	0.156	0.087	0.203	0.109	0.132	0.106
15	0.056	0.137	0.078	0.170	0.091	0.149	0.098
20	0.061	0.134	0.077	0.156	0.085	0.163	0.099
25	0.066	0.138	0.080	0.150	0.084	0.176	0.102
30	0.069	0.145	0.084	0.156	0.088	0.184	0.107
35	0.071	0.151	0.087	0.161	0.091	0.193	0.111
40	0.073	0.157	0.091	0.167	0.095	0.201	0.116
45	0.075	0.163	0.094	0.172	0.098	0.209	0.120
50	0.077	0.168	0.097	0.177	0.101	0.215	0.123
55	0.078	0.174	0.100	0.182	0.104	0.221	0.126
60	0.079	0.179	0.103	0.187	0.107	0.227	0.130

1

Bevins-Lakeport.1st
CALINE4 - (DATED CALINE4x)

3.0.0 PC (32 BIT) VERSION
(C) COPYRIGHT 2000, TRINITY CONSULTANTS

Run Began on 7/13/2010 at 16:30:35

CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
JUNE 1989 VERSION
PAGE 1

JOB: Bevins-Lakeport
RUN: Hour 1 (WORST CASE ANGLE)
POLLUTANT: Carbon Monoxide

I. SITE VARIABLES

U= 0.5 M/S ZO= 100. CM ALT= 0. (M)
BRG= WORST CASE VD= 0.0 CM/S
CLAS= 6 (F) VS= 0.0 CM/S
MIXH= 1000. M AMB= 3.5 PPM
SIGHTH= 5. DEGREES TEMP= 15.0 DEGREE (C)

II. LINK VARIABLES

LINK DESCRIPTION	*	LINK COORDINATES (M)	*	TYPE	VPH	EF (G/MI)	H (M)	W (M)		
	*	X1	Y1	X2	Y2					
1. Y SB1	*	684	1256	711	1201	AG	262	3.3	0.0	23.3
2. Y SB2	*	711	1201	745	1133	AG	220	7.4	0.0	23.3
3. Y SB3	*	745	1133	800	1025	AG	226	3.3	0.0	23.3
4. Y SB4	*	800	1025	858	906	AG	226	3.3	0.0	23.3
5. Y NB1	*	868	911	813	1024	AG	30	3.3	0.0	23.3
6. Y NB2	*	814	1024	761	1138	AG	13	3.3	0.0	23.3
7. Y NB3	*	761	1138	728	1205	AG	286	3.3	0.0	23.3
8. Y NB4	*	728	1205	700	1263	AG	286	3.3	0.0	23.3
9. Y LT1	*	720	1198	753	1134	AG	42	7.4	0.0	23.3
10. Y LT2	*	753	1134	802	1038	AG	17	7.4	0.0	23.3
11. X EB1	*	596	1103	682	1125	AG	1013	3.3	0.0	24.1
12. X EB2	*	682	1125	750	1141	AG	740	7.4	0.0	24.1
13. X EB3	*	750	1141	826	1158	AG	782	3.3	0.0	24.1
14. X EB4	*	826	1158	923	1182	AG	782	3.3	0.0	24.1
15. X WB1	*	924	1170	832	1147	AG	385	3.3	0.0	24.1
16. X WB2	*	832	1147	757	1128	AG	379	7.4	0.0	24.1
17. X WB3	*	757	1128	687	1111	AG	396	3.3	0.0	24.1
18. X WB4	*	687	1111	599	1090	AG	396	3.3	0.0	24.1
19. X LT1	*	674	1115	753	1134	AG	273	7.4	0.0	24.1
20. X LT2	*	753	1134	841	1157	AG	6	7.4	0.0	24.1

III. RECEPTOR LOCATIONS

RECEPTOR	*	COORDINATES (M)		
	*	X	Y	Z
1. Recpt 1	*	805	1099	1.8
2. Recpt 2	*	691	1157	1.8
3. Recpt 3	*	729	1093	1.8
4. Recpt 4	*	778	1179	1.8

Bevi ns-Lakeport. 1 st

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

RECEPTOR	* * *	BRG (DEG)	* * *	PRED CONC (PPM)	* * *	1	2	3	CONC/LINK (PPM)					8	
1. Recpt	1	*	289.	*	3.8	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2. Recpt	2	*	110.	*	3.9	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3. Recpt	3	*	359.	*	3.9	*	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4. Recpt	4	*	234.	*	4.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

RECEPTOR	* * *	9	10	11	CONC/LINK (PPM)						
1. Recpt	1	*	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
2. Recpt	2	*	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1
3. Recpt	3	*	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
4. Recpt	4	*	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

RECEPTOR	* * *	*CONC/LINK (PPM)				
1. Recpt	1	*	0.0	0.0	0.1	0.0
2. Recpt	2	*	0.0	0.0	0.0	0.0
3. Recpt	3	*	0.0	0.0	0.1	0.0
4. Recpt	4	*	0.0	0.0	0.1	0.0

1

Run Ended on 7/13/2010 at 16: 30: 35

1

Main-Lakeport.1st
CALINE4 - (DATED CALINE4x)

3.0.0 PC (32 BIT) VERSION
(C) COPYRIGHT 2000, TRINITY CONSULTANTS

Run Began on 7/13/2010 at 16:34:29

CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
JUNE 1989 VERSION
PAGE 1

JOB: Main-Lakeport
RUN: Hour 1 (WORST CASE ANGLE)
POLLUTANT: Carbon Monoxide

I. SITE VARIABLES

U= 0.5 M/S ZO= 100. CM ALT= 0. (M)
BRG= WORST CASE VD= 0.0 CM/S
CLAS= 6 (F) VS= 0.0 CM/S
MIXH= 1000. M AMB= 3.5 PPM
SIGHTH= 5. DEGREES TEMP= 15.0 DEGREE (C)

II. LINK VARIABLES

LINK DESCRIPTION	*	LINK COORDINATES (M)	*	TYPE	VPH	EF (G/MI)	H (M)	W (M)
	*	X1 Y1 X2 Y2	*					
1. Y SB1	*	684 1256 711 1201	*	AG	683	3.3	0.0	20.3
2. Y SB2	*	711 1201 745 1133	*	AG	647	7.4	0.0	20.3
3. Y SB3	*	745 1133 800 1025	*	AG	647	3.3	0.0	20.3
4. Y SB4	*	800 1025 858 906	*	AG	647	3.3	0.0	20.3
5. Y NB1	*	868 911 813 1024	*	AG	384	3.3	0.0	20.3
6. Y NB2	*	814 1024 761 1138	*	AG	311	3.3	0.0	20.3
7. Y NB3	*	761 1138 728 1205	*	AG	714	3.3	0.0	20.3
8. Y NB4	*	728 1205 700 1263	*	AG	714	3.3	0.0	20.3
9. Y LT1	*	720 1198 753 1134	*	AG	36	7.4	0.0	20.3
10. Y LT2	*	753 1134 802 1038	*	AG	73	7.4	0.0	20.3
11. X EB1	*	596 1103 682 1125	*	AG	521	3.3	0.0	16.2
12. X EB2	*	682 1125 750 1141	*	AG	118	7.4	0.0	16.2
13. X EB3	*	750 1141 826 1158	*	AG	154	3.3	0.0	16.2
14. X EB4	*	826 1158 923 1182	*	AG	154	3.3	0.0	16.2
15. X WB1	*	924 1170 832 1147	*	AG	3	3.3	0.0	16.2
16. X WB2	*	832 1147 757 1128	*	AG	3	7.4	0.0	16.2
17. X WB3	*	757 1128 687 1111	*	AG	76	3.3	0.0	16.2
18. X WB4	*	687 1111 599 1090	*	AG	76	3.3	0.0	16.2
19. X LT1	*	674 1115 753 1134	*	AG	403	7.4	0.0	16.2
20. X LT2	*	753 1134 841 1157	*	AG	0	7.4	0.0	16.2

III. RECEPTOR LOCATIONS

RECEPTOR	*	COORDINATES (M)
	*	X Y Z
1. Recpt 1	*	805 1099 1.8
2. Recpt 2	*	691 1157 1.8
3. Recpt 3	*	729 1093 1.8
4. Recpt 4	*	778 1179 1.8

Main-Lakeport.1st

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

RECEPTOR	* * *	BRG (DEG)	* * *	PRED CONC (PPM)	* * *	1	2	3	CONC/LINK (PPM)					8	
1. Recpt	1	*	314.	*	3.8	*	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
2. Recpt	2	*	139.	*	3.8	*	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
3. Recpt	3	*	357.	*	3.9	*	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1
4. Recpt	4	*	232.	*	3.9	*	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0

RECEPTOR	* * *	9	10	11	CONC/LINK (PPM)							
1. Recpt	1	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2. Recpt	2	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3. Recpt	3	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4. Recpt	4	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

RECEPTOR	* * *	*CONC/LINK (PPM)				
1. Recpt	1	*	0.0	0.0	0.0	0.0
2. Recpt	2	*	0.0	0.0	0.1	0.0
3. Recpt	3	*	0.0	0.0	0.1	0.0
4. Recpt	4	*	0.0	0.0	0.1	0.0

1

Run Ended on 7/13/2010 at 16:34:29

1 sr29nbramp-lake.1st
CALINE4 - (DATED CALINE4x)

3.0.0 PC (32 BIT) VERSION
(C) COPYRIGHT 2000, TRINITY CONSULTANTS

Run Began on 7/13/2010 at 16:27:29

CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
JUNE 1989 VERSION
PAGE 1

JOB: SR29 NB Ramp-Lakeport Blvd
RUN: Hour 1 (WORST CASE ANGLE)
POLLUTANT: Carbon Monoxide

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
BRG= WORST CASE VD= 0.0 CM/S
CLAS= 6 (F) VS= 0.0 CM/S
MIXH= 1000. M AMB= 3.5 PPM
SIGHT= 5. DEGREES TEMP= 15.0 DEGREE (C)

II. LINK VARIABLES

LINK DESCRIPTION	* X1	* Y1	* X2	* Y2	* TYPE	VPH	EF (G/MI)	H (M)	W (M)
1. Link A	6284	-181	6284	-246	AG	388	3.3	0.0	19.1
2. Link B	6284	-246	6284	-300	AG	388	7.4	0.0	19.1
3. Link C	6284	-300	6279	-453	AG	572	3.3	0.0	19.1
4. Link D	6297	-460	6298	-378	AG	769	3.3	0.0	19.1
5. Link E	6298	-378	6298	-319	AG	769	3.3	0.0	19.1
6. Link F	6298	-319	6297	-176	AG	769	3.3	0.0	19.1
7. Link G	6284	-265	6300	-314	AG	0	7.4	0.0	19.1
8. Link H	6300	-314	6462	-325	AG	0	3.3	0.0	23.7
9. Link I	6523	-313	6380	-311	AG	635	3.3	0.0	23.7
10. Link J	6380	-311	6298	-301	AG	451	7.4	0.0	23.7
11. Link K	6370	-310	6284	-326	AG	184	7.4	0.0	23.7

III. RECEPTOR LOCATIONS

RECEPTOR	* X	* Y	* Z
1. Recpt 1	6325	-280	1.7
2. Recpt 2	6315	-339	1.7
3. Recpt 3	6243	-327	1.7
4. Recpt 4	6246	-277	1.7

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

RECEPTOR	* BRG (DEG)	* PRED CONC (PPM)	1	2	3	CONC/LINK (PPM)	4	5	6	7	8
1. Recpt 1	199.	3.9	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0

sr29nbramp-lake.lst

2.	Recpt	2	*	344.	*	4.0	*	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0
3.	Recpt	3	*	83.	*	3.9	*	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
4.	Recpt	4	*	105.	*	3.9	*	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0

		*CONC/LINK *(PPM)				
RECEPTOR	*	9	10	11	*	

1.	Recpt	1	*	0.0	0.1	0.0
2.	Recpt	2	*	0.0	0.1	0.1
3.	Recpt	3	*	0.1	0.1	0.1
4.	Recpt	4	*	0.0	0.2	0.0

1

Run Ended on 7/13/2010 at 16:27:29

1

sr29sbramp-lake.lst
CALINE4 - (DATED CALINE4x)

3.0.0 PC (32 BIT) VERSION
(C) COPYRIGHT 2000, TRINITY CONSULTANTS

Run Began on 7/13/2010 at 16:25:31

CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
JUNE 1989 VERSION
PAGE 1

JOB: SR29 SB Ramp-Lakeport Blvd
RUN: Hour 1 (WORST CASE ANGLE)
POLLUTANT: Carbon Monoxide

I. SITE VARIABLES

U= 0.5 M/S ZO= 100. CM ALT= 0. (M)
BRG= WORST CASE VD= 0.0 CM/S
CLAS= 6 (F) VS= 0.0 CM/S
MIXH= 1000. M AMB= 3.5 PPM
SIGHTH= 5. DEGREES TEMP= 15.0 DEGREE (C)

II. LINK VARIABLES

LINK DESCRIPTION	* X1	* Y1	* X2	* Y2	* TYPE	VPH	EF (G/MI)	H (M)	W (M)
1. Link A	6284	-181	6284	-246	AG	572	3.3	0.0	17.0
2. Link B	6284	-246	6284	-300	AG	391	7.4	0.0	17.0
3. Link C	6284	-300	6279	-453	AG	391	3.3	0.0	17.0
4. Link D	6297	-460	6298	-378	AG	456	3.3	0.0	17.0
5. Link E	6298	-378	6298	-319	AG	456	3.3	0.0	17.0
6. Link F	6298	-319	6297	-176	AG	456	3.3	0.0	17.0
7. Link G	6284	-265	6300	-314	AG	181	7.4	0.0	17.0
8. Link H	6300	-314	6462	-325	AG	181	3.3	0.0	18.4
9. Link I	6523	-313	6380	-311	AG	0	3.3	0.0	18.4
10. Link J	6380	-311	6298	-301	AG	0	7.4	0.0	18.4
11. Link K	6370	-310	6284	-326	AG	0	7.4	0.0	18.4

III. RECEPTOR LOCATIONS

RECEPTOR	* X	* Y	* Z
1. Recpt 1	6325	-280	1.7
2. Recpt 2	6315	-339	1.7
3. Recpt 3	6243	-327	1.7
4. Recpt 4	6246	-277	1.7

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

RECEPTOR	* BRG (DEG)	* PRED CONC (PPM)	1	2	3	4	5	6	7	8
1. Recpt 1	253.	3.7	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0

sr29sbramp-lake.lst

2. Recpt	2	*	338.	*	3.9	*	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0
3. Recpt	3	*	40.	*	3.7	*	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
4. Recpt	4	*	108.	*	3.7	*	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

		*CONC/LINK			
		*(PPM)			
RECEPTOR	*	9	10	11	

1. Recpt	1	*	0.0	0.0	0.0
2. Recpt	2	*	0.0	0.0	0.0
3. Recpt	3	*	0.0	0.0	0.0
4. Recpt	4	*	0.0	0.0	0.0

1

Run Ended on 7/13/2010 at 16:25:31

Appendix C
Biological Resources Documentation

Biological Study Report

Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA



Prepared for:

RBF Consulting
500-01

July 15, 2010

Prepared by:



ENPLAN

Environmental Scientists and Planners
www.enplan.com

TABLE OF CONTENTS

1. INTRODUCTION	1
2. METHODOLOGY AND STAFF QUALIFICATIONS	2
3. RESULTS	4
Plant Communities/Wildlife Habitats	4
Special-Status Plant Species	7
Special-Status Animal Species	10
Nesting Migratory Birds	11
Resource-Agency Permits	11
4. CONCLUSIONS AND RECOMMENDATIONS	13
5. REFERENCES CITED	15

APPENDICES

Appendix A.	Figures
Appendix B.	Site Photographs
Appendix C.	Wildlife Habitat Relationships Report Summary
Appendix D	Rarefind (CNDDDB) Report Summary
Appendix E.	Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site
Appendix F.	Checklist of Vascular Plant Species Observed
Appendix G.	Checklist of Wildlife Species Observed

1. INTRODUCTION

The purpose of this biological study report is to identify and characterize sensitive natural communities and plant and wildlife resources that are known or expected to occur on a ±5.8-acre project site at 675 Lakeport Boulevard, in the City of Lakeport, Lake County. The site, identified as Lake County Assessor's Parcel Number 025-521-410, is being evaluated for potential construction of a new courthouse. As shown in Figure 1 of Appendix A, the site is located in near the center of Section 25, Township 14 North, Range 10 West, of the U.S. Geological Survey's Lakeport 7.5-minute quadrangle. Photographs of the site are provided in Appendix B.

2. METHODOLOGY AND STAFF QUALIFICATIONS

Prior to conducting fieldwork, a biological records search was completed. This consisted of reviewing the California Department of Fish and Game's California Natural Diversity Data Base (CNDDDB) as well as available local records. The CNDDDB records search covered a 10-mile radius around the site. This entailed review of records for portions of the following quadrangles: Cow Mountain, Upper Lake, Bartlett Mountain, Purdy's Garden, Lakeport, Lucerne, Clearlake Oaks, Hopland, Highland Springs, Kelseyville, and Clearlake Highlands. Available local records consisted of a biological study report and wetland delineation (Northwest Biosurvey, 2006) prepared for a site approximately 0.3 miles to the north of the subject site on Martin Street, and an Initial Study for the same site (City of Lakeport, 2010). The Martin Street site has physical and biological characteristics similar to the subject site, supports several of the same special-status plant species, and was used as a reference site to check the phenology of local special-status plant species.

Upon completion of the pre-field review, a botanical field survey was undertaken in general accordance with *Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities* (DFG, 2009). Because of the potential requirement for frontage improvements on Lakeport Boulevard, lands between the subject parcel and the street were included in the biological study area. The botanical survey was conducted on April 9 and 29, May 17, and June 19, 2010. All of the special-status plant species potentially occurring in the study area would have been evident at the time the fieldwork was conducted. The survey consisted of an intensive and systematic evaluation of the site; the field survey effort included four to six hours of field time during each of the four site visits.

The locations and approximate population numbers/densities of the identified special-status plant populations were determined by gridding each population into a number of small polygons and then estimating the number of plants in each polygon.

The wildlife evaluation was conducted in three phases. The first phase consisted of the records search described above. Under the second phase, the habitats and special habitat elements in the study area were determined through field reconnaissance. A list of wildlife species that could potentially occur in the identified

habitats was then compiled using the DFG's Wildlife Habitat Relationships (WHR) System, Version 8.2 (DFG, 2008). This is a predictive system based on scientific information regarding wildlife species and their known habitat relationships. It is useful as a general pre-field screen and provides a somewhat broader view of special-status species potentially occurring in the study area.

The wildlife survey was conducted on March 17, 2010. Many of the special-status animal species potentially occurring in the study area would have been evident at the time the fieldwork was conducted. The potential presence of species not readily identifiable during the field surveys was determined on the basis of observed habitat characteristics. The initial field effort included approximately three hours of field observations; additional wildlife observations were made during the botanical field survey visits.

The botanical field surveys were conducted by Donald Burk. Mr. Burk has a Bachelor of Arts degree in Biological Sciences and a Master of Science degree in Botany. He has over 25 years of experience in the design and implementation of botanical field studies. He has previously conducted botanical surveys in Lakeport and is familiar with flora of the region as well as state and federal statutes pertaining to special-status species. The wildlife evaluation was conducted by Darrin Doyle. Mr. Doyle has a Bachelor of Science degree in biology, and has 10 years of experience conducting biological surveys in California. He is familiar with wildlife species of the region and their habitat requirements. Mr. Doyle possesses a federal "take" permit for California red-legged frog and vernal pool crustaceans.

3. RESULTS

Plant Communities/Wildlife Habitats

The study site is situated between approximately 1,340 and 1,400 feet above sea level, and is surrounded on three sides by urban development. The site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s; the site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988 (URS, 2009). Soils on the site are identified as Henneke-Montara-rock outcrop complex, 15 to 50 percent slopes, with a negligible amount of Still loam, stratified substratum, in the extreme northeast corner of the site (USDA, NRCS, 2009). The Henneke-Montara complex consists of very deep, moderately well-drained soils formed in alluvium from mixed rock types. However, grading activities dramatically altered the soils and natural contours of the site. Roughly 20 feet of surface material was removed from the upper portion of the site, resulting in two level terraces.

Small rocks of serpentine origin are exposed on the upper terrace and hillsides, which support a serpentine herb community. The lower terrace supports a disturbed annual grassland. These two communities are described in more detail below; locations of the communities are shown on Figure 3 of Appendix A and photographs are provided in Appendix B. Two small, shallow seasonal waters with rock substrates are present on the upper terrace. Most runoff from the site enters constructed ditches that convey flow to the east. Flow enters the City's storm drain system, which discharges into Clear Lake approximately ¼-mile east of the site.

Annual grassland

Annual grasslands are characterized by a sparse to dense cover of annual grasses with inclusions of numerous species of native annual forbs ("wildflowers"). Germination occurs with the onset of the fall rains; growth, flowering, and seed-set occur from winter through spring. With a few exceptions, the plants are dead through the summer-fall dry season, persisting as seeds. On the subject site, the annual grassland community is best represented on the lower terrace of the site, on the eastern edge of the study area. Common species in this community include wild oats, soft

chess, California meadow barley, cream sacs, winter vetch, Spanish lotus, and various clovers. Although several special-status plant species were observed on the fringe of the annual grassland community, the community itself is not considered unique or sensitive.

High-quality annual grasslands are inhabited by a variety of wildlife species. Common mammals include black-tailed jackrabbit, coyote, gophers, moles, and several species of mice and voles. Snakes are often abundant in annual grasslands, feeding on small rodents. Amphibians are relatively uncommon in annual grasslands; however, species such as the western toad and Pacific treefrog may be locally abundant near aquatic habitats. Annual grassland also provides nesting and foraging habitat for certain migratory birds, including western meadowlarks, various sparrows, western kingbirds, and horned larks. The WHR data base predicts that this habitat type may be inhabited by 83 species of wildlife (Appendix C). However, because the onsite grassland is a small, fragmented relic of the grassland that historically was interspersed among the oak woodland, far fewer animal species are expected to be present. Overall, the onsite grassland has low value to wildlife species.

Serpentine herb community

The onsite serpentine herb community generally consists of a sparse, low-growing cover of annual and perennial forbs and grasses on the upper terrace and hillsides. Serpentine soils have unique chemical properties that prohibit the growth of many common plant species. A number of other plant species have evolved mechanisms allowing them to survive on serpentine soils. The flora of serpentine sites is thus unique and often supports plants of limited distribution, including a number of endemic species. Plant species observed on the site include naked buckwheat, wicker buckwheat, reflexed fescue, serpentine phacelia, fringed checkerbloom, bearded jewelflower, Douglas's sandwort, and Gambel's dwarf milkvetch. As discussed below, four serpentine-adapted special-status plant species were also observed in this community.

With the exception of crevices between boulders, the serpentine herb community lacks sufficient cover objects for most animal species. Accordingly, this habitat type

supports relatively few species of wildlife. Ground squirrels, which are present in small numbers on the site, create their own shelter by burrowing into hillsides or under large boulders. A number of birds may forage in this habitat; gulls, ravens, and crows were observed overhead, and may feed on picnic remains from the adjacent visitor's center. While the serpentine herb community does not provide tree-nesting habitat for birds, ground-nesting species such as the killdeer could potentially nest on the site. Overall, this habitat type has low value to wildlife species. No estimate on the number of animals that may potentially utilize the serpentine herb community is available, as there is no corresponding WHR habitat type for this community.

Site grading resulted in the creation of two very shallow depressions on the western edge of the serpentine herb community. These depressions pond water to a depth of two to three inches. Because of the underlying bedrock, the water ponds for long duration. These features appear to be subject to U.S. Army Corps of Engineers jurisdiction as non-wetland "waters of the United States." They drain to the northwest and southwest corners of the upper terrace and overflow enters small constructed ditches that ultimately discharge to the City's storm drain system. These waters are essentially unvegetated and provide minimal wildlife value. However, they do attract some species, such as killdeer. A delineation of wetlands and other waters on the subject site has been completed by ENPLAN and is presented in a separate report (ENPLAN, 2010).

The serpentine herb community is considered to be a sensitive natural community due to its somewhat restricted distribution and the high potential for endemic plant species to be present. The onsite community has been highly disturbed by grading. Although this has reduced the value of the site for some plant species, it has formed a "serpentine barren" that supports a unique suite of species, including four special-status species. Loss of the serpentine herb community as a result of project development is considered a significant adverse impact. Mitigation for this loss is best considered in conjunction with impacts on the four special-status plant species, and is addressed below.

Special-Status Plant Species

Review of CNDDDB records showed that two special-status plant species, green jewel-flower and mayacamas popcorn-flower, have been broadly mapped to include the study area. Twenty-six other special-status plant species are known to occur within a 10-mile radius: Anthony's Peak lupine, beaked tracyina, bent-flowered fiddleneck, Boggs Lake hedge-hyssop, Bolander's horkelia, Brandegees' eriastrum, bristly sedge, Burke's goldfields, Colusa layia, dimorphic snapdragon, eel-grass pondweed, glandular western flax, Koch's cord moss, Konocti manzanita, Napa bluecurls, Norris' beard moss, oval-leaved viburnum, Raiche's manzanita, Rincon Ridge ceanothus, robust monardella, serpentine cryptantha, small-flowered calycadenia, small groundcone, Sonoma canescent manzanita, two-carpellate western flax, and woolly meadowfoam (Appendix D). The potential for each special-status plant species to utilize the study area is evaluated in Appendix E.

The botanical survey confirmed the presence of four special-status plant species on the project site: Colusa layia, bent-flowered fiddleneck, serpentine cryptantha, and Tracy's clarkia (a special-status species not reported in the CNDDDB records search). The locations of the plant populations are shown in Figure 3 of Appendix A. A checklist of vascular plant species observed during the botanical field surveys is provided in Appendix F. Data forms documenting the special-status plant occurrences have been submitted to the California Natural Diversity Data Base.

Colusa layia (*Layia septentrionalis*)

Colusa layia is an annual herb that occurs in oak woodlands, chaparral, valley and foothill grasslands, and in sandy serpentinite. The species is not state or federally listed, but is on CNPS List 1B.2 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Fairly Threatened in California). The species occurs between 300 and 3,600 feet in elevation. A total of 44 populations are reported in CNDDDB records. These populations occur in the North Coast Range and Sutter Buttes (Colusa, Glenn, Lake, Mendocino, Napa, Sonoma, Sutter, Tehama, and Yolo counties). Reported population sizes (available for only about 25 percent of the records) range mostly from 100 to 200 plants, with the largest reported population having about 2,000 plants. With

roughly 20,000 to 25,000 plants observed on the subject site, the onsite *Colusa layia* population is by far the largest of those for which data is available. On the subject site, the species is most abundant on hillsides within the serpentine herb community, with a small number of plants present on the upper and lower terraces.

Bent-flowered fiddleneck (*Amsinckia lunaris*)

Bent-flowered fiddleneck occurs in cismontane woodlands, and valley and foothill grassland. The species is not state or federally listed, but is on CNPS List 1B.2 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Fairly Threatened in California). The species is reported between 50 and 1,500 feet in elevation. A total of 50 populations are reported in CNDDDB records. Populations are known to occur in Lake, Marin, Napa, Colusa, Contra Costa, Alameda, San Benito, Santa Clara, Santa Cruz, Yolo, and San Mateo counties. Reported population sizes (available for only about 35 percent of the records) range mostly from 10 to 300 plants. The largest quantified population size estimate is 3,650 plants, although the plants are noted to be “common” at other sites. Approximately 500 bent-flowered fiddleneck plants were observed on the subject site, primarily growing on hillsides within the serpentine herb community.

Serpentine cryptantha (*Cryptantha clevelandii* ssp. *dissita*)

Serpentine cryptantha generally occurs on serpentine rock outcrops in chaparral communities. The species is reported between 1,100 and 2,400 feet in elevation. The species is not state or federally listed, but is on CNPS List 1B.1 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Seriously Threatened in California). A total of 10 populations are reported in CNDDDB records. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. Six of the ten populations were observed between 1902 and 1967, the remaining four populations were observed between 1999 and 2003. No population size data is available. Approximately 10,000 serpentine cryptantha plants were observed on the subject site. Most of the plants occur within the serpentine herb community, on the upper terrace and on the hillside just below the upper terrace.

Tracy's clarkia (*Clarkia gracilis* ssp. *tracyi*)

Tracy's clarkia generally occurs on serpentine soils in chaparral communities. The species is reported from 200 to 2,200 feet above sea level. The species is not state or federally listed, but is on CNPS List 4.2 (Plants of Limited Distribution (A Watch List); Fairly Threatened in California). Populations are known to occur in Colusa, Humboldt, Lake, Mendocino, Napa, Trinity, and Tehama counties. Because of the lower CNPS status, the CNDDDB does not offer online data regarding the number of recorded populations or population sizes. Nearly 10,000 Tracy's clarkia plants were observed on the site. All of these plants were growing on the periphery of the site, on both undisturbed and highly disturbed soils.

As noted above, Colusa layia, serpentine cryptantha, and bent-flowered fiddleneck are on the California Native Plant Society's List 1B. Although not state or federally listed, plants with this CNPS listing status are generally considered to qualify as "endangered, rare, or threatened" under Section 15380(d) of the California Environmental Quality Act (CEQA) Guidelines and thus require consideration during CEQA review. Tracy's clarkia is on CNPS List 4; plants of this status rarely qualify for state listing, but may be locally significant. As such, potential impacts to this species should also be evaluated during the CEQA process.

Because detailed site development plans have not yet been prepared, the extent of impacts to the serpentine herb community and the four onsite special-status plant species cannot be quantified. However, in general terms, site development has a high potential to adversely affect these resources. It appears that Tracy's clarkia, which is the least sensitive of the plants, would be least affected because it primarily occurs on the periphery of the site. Serpentine cryptantha, which is the most sensitive of the four species on the site, is the most centrally located and would be the most difficult to avoid during site development. Because all four of the special-status plant species have an affinity for serpentine soils, mitigation for the loss of the plants would also provide at least some mitigation for the loss of the serpentine herb community.

Department of Fish and Game staff were contacted following discovery of the special-status plant populations. However, the DFG has not conducted a field review of

the site or provided guidance as to potential mitigation strategies. Because full avoidance of the special-status plant populations and serpentine herb community does not appear to be possible, we recommend that the project proponent prepare a mitigation plan acceptable to DFG prior to project construction. Mitigation would likely include avoidance of at least some of the onsite serpentine herb community and associated special-status plant populations. Detailed mapping of the extent and densities of the special-status plant communities prepared as part of the botanical study (Figure 3 of Appendix A) will assist in preparing a site design that minimizes impacts to the populations. We recommend that the mitigation plan be prepared as early as possible, in conjunction with preparation of site design and development plans. Other options for mitigation include preservation of other local populations of these special-status plants, restoration of degraded populations on other sites in the area, and/or creation of new populations.

Special-Status Animal Species

Review of CNDDDB records showed that one special-status animal species, American badger, has been broadly mapped as occurring within the study area. In addition, eight other special-status animal species are known to occur within a 10-mile radius: Clear Lake hitch, foothill yellow-legged frog, grasshopper sparrow, Pacific fisher, Sacramento perch, Townsend's big-eared bat, tricolored blackbird, and western pond turtle (Appendix D). The CNDDDB records search also identified seven non-status animal species within the search radius: *Calasellus californicus*, Bell's sage sparrow, blennosperma vernal pool andrenid bee, double-crested cormorant, great blue heron, osprey, and silver-haired bat.

The potential for each special-status animal species to utilize the study area is evaluated in Appendix E. No special-status animal species were observed in the study area during the wildlife evaluation. However, as documented in Appendix E, two special-status animal species, grasshopper sparrow and Townsend's big-eared bat, as well as the non-status silver-haired bat could potentially utilize the site at some point during their life cycles. A checklist of wildlife species observed at the site is presented in Appendix G.

The grasshopper sparrow, a migratory bird, has a low potential to nest in the onsite annual grassland community. Potential adverse effects on nesting grasshopper sparrows can be avoided through proper timing of vegetation removal (see Nesting Migratory Birds below).

Townsend's big-eared bat and silver-haired bat could potentially forage on the site. However, they are very unlikely to roost on the site, given the lack of suitable roosting sites. Because suitable roosting habitat is much more available on other local sites and similar or higher quality foraging habitat is widely available, site development would have a negligible effect on these bat species; no mitigation is warranted.

Nesting Migratory Birds

Although no bird nests were observed in the study area during the field inspections, it is possible that migratory birds, particularly ground-nesting species, could nest on the study area in future years. The federal Migratory Bird Treaty Act requires that nesting migratory birds not be adversely affected by human activities. To ensure compliance with the Act, vegetation should be removed from the project area outside of the nesting season. In the local area, most birds nest between March 1 and July 31. Accordingly, the potential for adversely affecting nesting birds can be greatly minimized by removing vegetation before March 1 or after July 31. If this is not possible, a nesting survey should be conducted within two weeks prior to vegetation removal. If active nests are present, work within 500 feet of the nest(s) should be postponed until the young have fledged, unless a smaller nest buffer zone is authorized by the DFG.

Resource-Agency Permit Requirements

If the Corps of Engineers confirms that the small depressions and constructed ditches are waters subject to federal jurisdiction, a Department of the Army permit would be required prior to fill of the features. As a condition of the Department of the Army permit, issuance of a Water Quality Certification by the Regional Water Quality Control Board would also be required. It is unlikely that a Streambed or Lakebed Alteration Agreement would be required by the Department of Fish and Game; however, we recommend this be confirmed through consultation with Department staff. As for any

project involving more than one acre of surface disturbance, a General Construction Activity Storm Water Permit must be obtained from the State Water Resources Control Board; this requires preparation and implementation of a Storm Water Pollution Prevention Plan. Project implementation would also necessitate obtaining other permits (e.g., encroachment permits, air quality permits), but these involve issues beyond the scope of this document.

4. CONCLUSIONS AND RECOMENDATIONS

In summary, we find that the study area supports non-wetland “waters of the United States,” a unique serpentine herb community, and four special-status plant species: Colusa layia, serpentine cryptantha, bent-flowered fiddleneck, and Tracy’s clarkia. In addition, two special-status animal species (grasshopper sparrow and Townsend’s big-eared bat), the non-status silver-haired bat, and nesting migratory birds could potentially utilize the site at some point during their life cycle.

Mitigation is not warranted for the bat species because they are unlikely to roost on the site and foraging habitat is widely available. Mitigation is not warranted for Tracy’s clarkia given its relative abundance and low listing status; however, mitigation for the serpentine herb community and other three special-status plants is expected to offset the loss of Tracy’s clarkia. Implementation of the following measures would reduce the remaining biological impacts to a level below that of significance.

1. Obtain Required Resource-Agency Permits. The project proponent shall obtain all necessary resource-agency permits prior to initiating any grading or construction activities within “waters of the United States.” The required permits may include a Department of the Army Nationwide Permit from the U.S. Army Corps of Engineers, Water Quality Certification from the Regional Water Quality Control Board, and possibly a Streambed Alteration Agreement from the California Department of Fish and Game.
2. Avoid/Minimize/Offset the Loss of the Serpentine Herb Community and Associated Special-Status Plants. The project proponent shall prepare a mitigation plan identifying specific impacts of the proposed courthouse project on the serpentine herb community, Colusa layia, serpentine cryptantha, and bent-flowered fiddleneck. The plan shall include measures to avoid and minimize impacts to these resources through careful site design and establishment of onsite avoidance areas. To the extent feasible, Tracy’s clarkia shall also be avoided/protected. If avoidance is not possible or does not provide sufficient mitigation, other mitigation measures shall be designated in the plan, including preservation of offsite serpentine habitats and special-status plant populations, restoration of degraded habitats on other local sites capable of supporting the sensitive resources, and/or creation of new habitats capable of supporting the sensitive resources. The mitigation plan shall be submitted to the California Department of Fish and Game for review, and must be approved in writing by DFG prior to initiation of site construction activities.

3. Avoid Disturbance of Nesting Migratory Birds, Including Grasshopper Sparrow. If feasible, vegetation removal shall be conducted between August 1 and February 28. If vegetation removal must be conducted between March 1 and July 31, a nesting bird survey shall be conducted within two weeks prior to initiation of work; if active nests are present, work within 500 feet of the nest(s) shall be postponed until the young have fledged, unless a smaller nest buffer zone is authorized by the DFG.

5. REFERENCES CITED

California Department of Fish and Game. 2010. California Natural Diversity Data Base, RareFind Printout, March 2010 Data.

_____. 2009. Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities.
<<http://nrm.dfg.ca.gov/documents/docviewer.aspx>>

_____. 2008. California Interagency Wildlife Task Group. California Wildlife Habitat Relationships Systems, Version 8.2, personal computer version. Sacramento, California.

City of Lakeport. 2010. Mitigated Negative Declaration and Initial Environmental Study, Lakeport Pacific Associates. AR 10-03 / ARC 10-02 / ER 10-02.

ENPLAN. 2010. Pre-jurisdictional Delineation Report: Lake County Courthouse Site, 675 Lakeport Boulevard, Lakeport, California. Unpublished report on file with ENLAN.


Northwest Biosurvey. June 30, 2006. Biological Assessment with Botanical Survey and Wetland Delineation for the Scott Johnson Property, APN 025-431-35.
<<http://www.cityoflakeport.com/departments/docs.aspx>>

URS Corporation. December 2009. Final Draft Phase I Environmental Site Assessment Report: Proposed New Lakeport Courthouse – 675 Lakeport Boulevard Site. 675 Lakeport Boulevard, Lakeport CA 95453. Unpublished document on file with the Judicial Council of California, Administrative Office of the Courts.

U.S. Department of Agriculture, Natural Resources Conservation Service. 2009. Web Soil Survey, August 31, 2009 Map Data. <<http://websoilsurvey.nrcs.usda.gov/app/>>

Appendix A

Figures



S:\01-jobs Active\600-01 RBF Consulting - Lake County Courthouse\3-Project GIS\3-Map Documents\675 Lakeport Blvd. Fig. 1 Vicinity 03-16-10

Feature and boundary locations depicted are approximate only. 03.16.10



Figure 1
Project Vicinity Map





Feature and boundary locations depicted are approximate only. 07.12.10



Figure 2
Project APE and Area Surveyed






F:\E:\WORKSPACE\PROJECTS\2018\180401\180401_SpecialStatusPlantLocations_1.mxd, 07/15/2018

Figure 3

Feature and boundary locations depicted are approximate only. 07.15.10



Special-Status Plant Population Locations and Density Representation



Appendix B

Site Photographs

Site Photographs



Annual Grassland (front) and Serpentine Herb (back) Communities 3/17/10



Annual Grassland Community 6/17/10



Serpentine Herb Community on Upper Terrace 3/17/10



Serpentine Herb Community on Undisturbed Slope 6/17/10



Ponded Water on Upper Terrace 2/8/10



Constructed Drainage Ditch 4/29/10



Bent-flowered Fiddleneck 4/9/10



Colusa Layia 5/19/10



Serpentine Cryptantha 6/17/10



Serpentine Cryptantha on Hillside 6/17/10



Tracy's Clarkia 6/17/10



Tracy's Clarkia Habitat 6/17/10

Appendix C

Wildlife Habitat Relationships Report Summary

WHR SPECIES SUMMARY REPORT (VERSION 8.2)

Lake County Courthouse

675 Lakeport Boulevard, Lakeport, CA

ID	SPECIES NAME	STATUS													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
A007	California newt						7								
A043	Foothill yellow-legged frog						7				11	12			
A046	Bullfrog													14	
A071	California red-legged frog		2				7								
R004	Western pond turtle						7				11	12			
R036	Western skink						7				11				
R048	Ringneck snake											12			
R057	Gopher snake						7								
R059	California mountain kingsnake						7					12			
R061	Common garter snake	1		3		5	7								
B051	Great blue heron												13		
B052	Great egret												13		
B071	Snow goose													14	
B075	Canada goose													14	
B077	Green-winged teal													14	
B079	Mallard													14	
B080	Northern pintail													14	
B083	Cinnamon teal													14	
B084	Northern shoverler													14	
B085	Gadwall													14	
B086	Eurasian wigeon													14	
B087	American widgeon													14	
B094	Lesser scaup													14	
B110	Osprey												13		
B111	White-tailed kite				5										
B113	Bald eagle		3		5								13		
B114	Northern harrier						7								
B124	Ferruginous hawk									11					
B126	Golden eagle				5					11		13			
B129	Peregrine falcon		3		5						12	13			
B133	Ring-necked pheasant													14	
B134	Sooty grouse						7							14	
B138	Wild turkey													14	
B140	California quail						7							14	
B141	Mountain quail													14	
B149	American coot													14	
B255	Mourning dove													14	
B269	Burrowing owl						7			11					
B272	Long-eared owl						7								
B273	Short-eared owl						7								
B338	Purple martin						7								
B342	Bank swallow			4											
B353	American crow													14	
B410	Loggerhead shrike	1					7								
B461	Common yellowthroat						7								
B487	Rufous-crowned sparrow						7								
B499	Savannah sparrow		3				7								
B501	Grasshopper sparrow						7								
B505	Song sparrow						7								

ID	SPECIES NAME
B519	Red-winged blackbird
B520	Tricolored blackbird
B522	Yellow-headed blackbird
M001	Virginia opossum
M006	Ornate shrew
M018	Broad-footed mole
M023	Yuma myotis
M026	Fringed myotis
M033	Western red bat
M037	Townsend's big-eared bat
M038	Pallid bat
M045	Brush rabbit
M047	Desert cottontail
M051	Black-tailed jackrabbit
M087	San Joaquin pocket mouse
M105	California kangaroo rat
M112	American beaver
M117	Deer mouse
M134	California vole
M146	Coyote
M147	Red fox
M149	Gray fox
M151	Black bear
M152	Ringtail
M153	Raccoon
M157	Long-tailed weasel
M160	American badger
M161	Western spotted skunk
M162	Striped skunk
M165	Mountain lion
M166	Bobcat
M176	Wild pig
M177	Elk
M181	Mule deer

STATUS									
						7			
						7			
						7			
									14
1						7			
						7			
								11	
								11	
						7			12
						7		11	12
						7		11	12
1	3								14
									14
						7			14
						7		11	
						7		11	
									14
						7			
1	3					7		11	
									14
		4							12
									14
									14
			5						
									14
									14
						7			14
						7			14
									14
						7			
									14
									14
									14
									14
									14

Total Number of Species: 83

Habitats Selected:

Annual grassland

STATUS KEY:

- 1 = Federal Endangered
- 2 = Federal Threatened
- 3 = California Endangered
- 4 = California Threatened
- 5 = California Fully Protected
- 6 = California Protected
- 7 = California Species of Special Concern
- 8 = Federally - Proposed Endangered
- 9 = Federally - Proposed Threatened
- 10 = Federal Candidate
- 11 = BLM Sensitive
- 12 = USFS Sensitive
- 13 = CDF Sensitive
- 14 = Harvest

Appendix D

Rarefind (CNDDDB) Report Summary

Rarefind (CNDDDB) Report Summary (March 2010 Data)
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA

Listed Element	Quadrangle ¹											Status ²
	CM	UL	BM	PG	LA	LU	CO	HO	HS	KE	CH	
Animals												
American badger					•							SSC
<i>Calasellus californicus</i>										•		None
Bell's sage sparrow									•			None
Blennosperma vernal pool andrenid bee					•							None
Clear Lake hitch		•			•	•	•		•		•	SSC
Double-crested cormorant					•							None
Foothill yellow-legged frog				•					•	•		SSC
Grasshopper sparrow				•				•				SSC
Great blue heron					•							None
Osprey			•	•	•	•	•			•		None
Pacific fisher				•								FC, SSC
Sacramento perch					•	•	•				•	SSC
Silver-haired bat			•			•						None
Townsend's big-eared bat				•								SSC
Tricolored blackbird		•			•							SSC
Western pond turtle		•						•	•	•		SSC
Plants												
Anthony's Peak lupine			•									1B.3
Beaked tracyina				•	•			•				1B.2
Bent-flowered fiddleneck					•	•			•			1B.2
Boggs Lake hedge-hyssop										•		SE, 1B.2
Bolander's horkelia				•					•			1B.2
Brandegee's eriastrum										•		1B.2
Bristly sedge	•							•				2.1
Burke's goldfields										•		FE, SE, 1B.1
Colusa layia					•	•	•	•	•	•		1B.2
Dimorphic snapdragon									•			4.3
Eel-grass pondweed						•	•			•	•	2.2
Glandular western flax			•		•	•			•	•		1B.2
Green jewel-flower					•							1B.2
Koch's cord moss				•				•				1B.3
Konocti manzanita						•			•	•		1B.3
Mayacamas popcorn-flower					•							1A
Napa bluecurls										•		1B.2
Norris' beard moss			•		•	•			•			2.2
Oval-leaved viburnum								•				2.3
Raiche's manzanita				•								1B.1
Rincon Ridge ceanothus				•								1B.1
Robust monardella										•		1B.2
Serpentine cryptantha					•				•			1B.1
Small-flowered calycadenia									•			1B.2
Small groundcone				•				•				2.3
Sonoma canescent				•								1B.2

Rarefind (CNDDDB) Report Summary (March 2010 Data)
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA

Listed Element	Quadrangle ¹											Status ²
	CM	UL	BM	PG	LA	LU	CO	HO	HS	KE	CH	
manzanita												
Two-carpellate western flax			•			•						1B.2
Woolly meadowfoam										•		4.2
Natural Communities												
Clear Lake Drainage Cyprinid /Catostomid Stream						•				•		None
Clear Lake Drainage Resident Trout Stream										•		None
Clear Lake Drainage Seasonal Lakefish Spawning Stream						•				•		None
Coastal and Valley Freshwater Marsh		•				•	•					None
Northern Interior Cypress Forest				•								None
Serpentine Bunchgrass				•								None

Highlighting denotes the quadrangle in which the project site is located.

¹Quadrangle Code

CM = Cow Mountain
 UL = Upper Lake
 BM = Bartlet Mtn.
 PG = Purdy's Garden

LA = Lakeport
 LU = Lucerne
 CO = Clearlake Oaks
 HO = Hopland

HS = Highland Springs
 KE = Kelseville
 CH = Clearlake Highlands

²Status Codes

Federal/State

FE = Federally Listed – Endangered
 FT = Federally Listed – Threatened
 FC = Federal Candidate Species

FD = Federally Delisted
 SE = State Listed – Endangered
 ST = State Listed – Threatened

SSC = State Species of Concern

California Native Plant Society

List 1A = Plants Presumed Extinct in California
 List 1B = Plants Rare, Threatened, or Endangered in California and Elsewhere
 List 2 = Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
 List 3 = Plants About Which We Need More Information – A Review List
 List 4 = Plants of Limited Distribution – A Watch List

Threat Ranks

0.1 = Seriously Threatened in California
 0.2 = Fairly Threatened in California
 0.3 = Not Very Threatened in California

Appendix E

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur at the Project Site

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

Wildlife	Habitat Requirements	Potential to Occur
<p>American badger <i>Taxidea taxus</i></p>	<p>Badgers are most commonly found in dry, open areas in shrub, forest, and herbaceous habitats, with friable soils. Badgers dig burrows in dry, sandy soil, usually in areas with sparse overstory.</p>	<p>Review of CNDDDB records found that the American badger has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. Field inspection found no badgers or badger dens. The American badger is thus not expected to be present or affected by project implementation.</p>
<p><i>Calasellus californicus</i></p>	<p><i>Calasellus californicus</i>, a freshwater isopod, is found in association with springs and seeps. The species is known to occur in Lake, Santa Clara, and Napa counties.</p>	<p>Springs and seeps do not occur on the project site. <i>Calasellus californicus</i> would thus not be present or affected by project implementation.</p>
<p>Bell's sage sparrow <i>Amphispiza belli belli</i></p>	<p>Bell's sage sparrow nest in chaparral dominated by dense stands of chamise.</p>	<p>The project area does not support chaparral or dense stands of chamise. Bell's sage sparrow would thus not be present.</p>
<p>Blennosperma vernal pool andrenid bee <i>Andrena blennospermatidis</i></p>	<p>The blennosperma vernal pool andrenid bee is a solitary, ground-nesting bee that inhabits upland areas around vernal pools. This bee has a patchy distribution in California's Sacramento Valley and foothills.</p>	<p>Vernal pools do not occur on or adjacent to the project site. The blennosperma vernal pool andrenid bee would thus not be present or affected by project implementation.</p>
<p>Clear Lake hitch <i>Lavinia exilicauda chi</i></p>	<p>Clear Lake hitch are endemic to Clear Lake (Lake County) and its associated tributaries. Hitch are also found in nearby Thurston Lake and Lampson Pond. Adults spawn in seasonal tributary streams to Clear Lake, such as Kelsey, Seigler Canyon, Adobe, Middle, Scotts, Cole, and Manning creeks. Spawning occurs in gravelly areas in the lower reaches of these streams.</p>	<p>The project area lacks lakes and streams. Clear Lake hitch would thus not be present or affected by project implementation.</p>
<p>Double-crested cormorant <i>Phalacrocorax auritus</i></p>	<p>Double-crested cormorant is a year-long resident along the coast and inland lakes and rivers, and feeds primarily on fish. Double-crested cormorants are colonial nesters, and nest from April through August. Nesting/roosting habitat includes off-shore rocks, islands, cliffs, wharfs, jetties, or overhanging tree branches along lakes and rivers.</p>	<p>The project area lacks suitable nesting and foraging habitat for the double-crested cormorant. The double-crested cormorant would thus not be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Foothill yellow-legged frog <i>Rana boylei</i></p>	<p>Foothill yellow-legged frogs are typically found in partly-shaded, shallow streams and riffles with a rocky substrate in a variety of aquatic habitats. This frog needs at least some cobble-sized substrate for egg-laying. Foothill yellow-legged frogs generally prefer low to moderate gradient streams, especially for breeding and egg-laying, although juvenile and adult frogs may utilize moderate- to steep-gradient streams during summer and early fall.</p>	<p>The project area lacks suitable habitat for the foothill yellow-legged frog. The foothill yellow-legged frog was not observed during the wildlife survey and is not expected to be present or affected by project implementation.</p>
<p>Grasshopper sparrow <i>Ammodramus savannarum</i></p>	<p>Grasshopper sparrows frequent dry or well-drained native grasslands. Nesting occurs from early April through mid-July in these grasslands. Nests are constructed of grasses or forbs in slight depressions on the ground, usually at the base of an overhanging clump of grass or forbs.</p>	<p>Although not observed during the wildlife survey, the grassland on the project site has a low potential to provide nesting habitat for the grasshopper sparrow.</p>
<p>Great blue heron <i>Ardea herodias</i></p>	<p>Great blue herons nest in colonies along marshes, lake margins, tideflats, wet meadows, rivers, and streams. Nests are generally in the tops of tall trees and snags. Uncommon nest sites include rock ledges, sea cliffs, and tule mats.</p>	<p>The project site lacks suitable nesting habitat for the great blue heron. Great blue herons were not observed during the wildlife survey and are not expected to nest on the site.</p>
<p>Osprey <i>Pandion haliaetus</i></p>	<p>Ospreys require large bodies of permanent water and suitable nest sites. Nesting occurs on large decadent trees or structures such as powerline towers, buildings, and bridges. Ospreys are primarily associated with pine and mixed-conifer habitats, although urban or suburban nests are not unusual.</p>	<p>The project site lacks suitable nesting habitat for the osprey. Ospreys were not observed during the wildlife survey and are not expected to nest on the site. Review of CNDDB records found that the nearest reported osprey nest is approximately ¼-mile southeast of the project site, along the shore of Clear Lake.</p>
<p>Pacific fisher <i>Martes pennanti pacificus</i></p>	<p>Pacific fishers primarily inhabit mixed conifer forests dominated by Douglas-fir, although they also are encountered frequently in higher elevation fir and pine forests, and mixed evergreen/broadleaf forests. Suitable habitat for Pacific fishers consists of large areas of mature, dense forest stands with snags and greater than 50 percent canopy closure.</p>	<p>No forest habitat occurs on the project site. Field inspection found no fishers or fisher dens on the site. The Pacific fisher would thus not den on the site or be affected by project implementation.</p>
<p>Sacramento perch <i>Archoplites interruptus</i></p>	<p>The Sacramento perch is a warm-water fish that historically occurred in Clear Lake (Lake County), as well as the Sacramento, San Joaquin, Pajaro, and Salinas river systems. The species is presently restricted to Clear Lake and several small reservoirs and farm ponds where they have been introduced. Adults and juveniles associate with beds of aquatic vegetation in shallow water.</p>	<p>Lakes and streams do not occur on the project site. The Sacramento perch would thus not be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

		Habitat Requirements	Potential to Occur
Silver-haired bat <i>Lasionycteris noctivagans</i>		Silver-haired bats occur in coastal and montane forests. Silver-haired bats roost in hollow trees, snags, rock crevices, caves, and under bark.	The project site provides suitable foraging habitat for the silver-haired bat, but does not provide roosting habitat.
Townsend's big-eared bat <i>Corynorhinus townsendii pallascens</i>		Townsend's big-eared bat is found throughout California except in subalpine and alpine habitats, and may be found at any season throughout its range. The species is most abundant in mesic habitats. The bat requires caves, mines, tunnels, buildings, or other human-made structures for roosting.	The project site provides suitable foraging habitat for Townsend's big-eared bat, but does not provide roosting habitat.
Tricolored blackbird <i>Agelaius tricolor</i>		Tricolored blackbirds require open water, usually nesting in dense cattails or tules although they can also nest in thickets of willow, blackberry, wild rose and tall herbs. Tricolored blackbirds are colonial nesters. Nesting areas must be large enough to support a minimum colony of about 50 pairs.	The project site lacks suitable nesting habitat for the tricolored blackbird. Tricolored blackbirds were not observed during the wildlife survey and are not expected to nest on the site.
Western pond turtle <i>Actinemys marmorata</i>		The western pond turtle associates with permanent or nearly permanent water in a variety of habitats. This turtle is typically found in quiet water environments. Pond turtles require basking sites such as partially submerged logs, rocks, or open mud banks, and suitable (sandy banks or grassy open fields) upland habitat for egg-laying. In cold weather, pond turtles hibernate underwater in bottom mud.	The project site lacks suitable habitat for the western pond turtle. The western pond turtle was not observed during the wildlife survey and is not expected to be present or affected by project implementation.
PLANTS			
Anthony's Peak lupine <i>Lupinus antoninus</i>		Anthony's Peak lupine occurs on rocky outcrops and dry talus and shaley slopes on mountaintops above timberline (4,000 to 7,500 feet above sea level). The species is known to occur in Mendocino, Trinity, and Lake counties. The flowering period is May through July.	The project site is well below the elevational range of Anthony's Peak lupine. The species was not observed during the botanical survey and is not expected to be present or affected by project implementation.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Beaked tracyina <i>Tracyina rostrata</i></p>	<p>Beaked tracyina is an annual herb that usually occurs on dry, grassy slopes in coastal prairie. The species is reported between 400 and 1,000 feet in elevation. Most populations are reported in Humboldt and Mendocino counties, although several populations are found in Lake and Sonoma counties. The flowering period is May through June.</p>	<p>The disturbed grassland on the project site has a low potential to support beaked tracyina. However, beaked tracyina was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bent-flowered fiddleneck <i>Amsinckia lunaris</i></p>	<p>Bent-flowered fiddleneck occurs in cismontane woodland, and valley and foothill grassland. The species is reported between 50 and 1,500 feet in elevation. Populations are known to occur in Lake, Marin, Napa, Colusa, Contra Costa, Alameda, San Benito, Santa Clara, Santa Cruz, Yolo, and San Mateo counties. The flowering period is March through June.</p>	<p>The project site provides suitable habitat for bent-flowered fiddleneck, and the species was observed during the botanical survey.</p>
<p>Boggs Lake hedge-hyssop <i>Gratiola heterosepala</i></p>	<p>Boggs Lake hedge-hyssop occurs in marshes, swamps, and vernal pools. The species is reported from sea level to 7,800 feet in elevation. The flowering period is April through August.</p>	<p>The project site lacks marshes, swamps, and vernal pools. Boggs Lake hedge-hyssop was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bolander's horkelia <i>Horkelia bolanderi</i></p>	<p>Bolander's horkelia occurs along grassy margins of vernal pools. The species is reported between 1,500 and 3,000 feet in elevation. Populations are known to occur in Colusa, Lake, and Mendocino counties. The flowering period is June through August.</p>	<p>Vernal pools do not occur on the project site. Bolander's horkelia was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Brandegee's eriastrum <i>Eriastrum brandegeae</i></p>	<p>Brandegee's eriastrum occurs on dry gravelly to loamy soils on flats and benches in chaparral or closed-cone pine forests. The species is reported between 1,000 and 3,400 feet in elevation in the northern Coast Range. Populations are known to occur in Colusa, Glenn, Lake, Shasta (extreme southwestern portion), Trinity, Santa Clara, and San Mateo counties. The flowering period is April through August.</p>	<p>Chaparral or closed-cone pine forests do not occur on the project site. Brandegee's eriastrum was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bristly sedge <i>Carex comosa</i></p>	<p>Bristly sedge occurs in marshes, and swamps, or along lake margins. This species is reported from sea level to 2,100 feet in elevation. The flowering period is May through September.</p>	<p>Marshes, swamps, or lake margins do not occur on the project site. Bristly sedge was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
Burke's goldfields <i>Lasthenia burkei</i>	Burke's goldfields occurs in vernal pools, meadows, and seeps. The species is reported between 50 and 2,000 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is April through June.	Vernal pools, meadows, and seeps do not occur on the project site. Burke's goldfields was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Colusa layia <i>Layia septentrionalis</i>	Colusa layia is an annual herb that occurs in oak woodland, chaparral, valley and foothill grasslands, and in sandy serpentine. The species is reported between 300 and 3,600 feet in elevation. Populations are known to occur in the Coast Range and Sutter Buttes (Colusa, Glenn, Lake, Mendocino, Napa, Sonoma, Sutter, Tehama, and Yolo counties). The flowering period is April through May.	The project site provides suitable habitat for Colusa layia, and the species was observed on the northern portion of the upper terrace and on the slope below the terrace.
Dimorphic snapdragon <i>Antirrhinum subcordatum</i>	Dimorphic snapdragon occurs on serpentine or shale soils in foothill woodland or chaparral on south or west-facing slopes, between 600 and 2,500 feet above sea level. The flowering period is April through July.	Serpentine rocks cover most of the project site. However, dimorphic snapdragon was not observed during the botanical survey and is not expected to be present.
Eel grass pondweed <i>Potamogeton zosteriformis</i>	Eel grass pondweed occurs in ponds, lakes, streams, marshes, and swamps up to 6,000 feet in elevation. This aquatic plant has been reported in Lassen, Shasta, Modoc, Contra Costa, and Lake counties.	Suitable habitat for eel grass pondweed does not occur on the project site. Eel grass pondweed was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Glandular western flax <i>Hesperolinon adenophyllum</i>	Glandular western flax generally occurs on serpentine soils in chaparral. The species is reported between 1,400 and 4,300 feet in elevation. Populations are known to occur in Lake and Mendocino counties. The flowering period is May through August.	Serpentine rocks cover most of the project site. However, glandular western flax was not observed during the botanical survey and is not expected to be present.
Green jewel-flower <i>Streptanthus breweri</i> var. <i>hesperidis</i>	Green jewel-flower occurs in openings in chaparral and cismontane woodland, or on serpentine or rocky sites. The species is reported between 400 and 2,500 feet in elevation. Populations are known to occur in Glenn, Lake, Napa, and Sonoma counties. The flowering period is May through July.	Review of CNDDB records found that the green jewel-flower has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. Serpentine rocks cover most of the project site. However, green jewel-flower was not observed during the botanical survey and is not expected to be present or affected by project implementation.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
Koch's cord moss <i>Entosthodon kochii</i>	Koch's cord moss occurs on moist soils in cismontane woodland. The species is reported between 1,600 and 3,300 feet in elevation. Populations are known to occur in San Luis Obispo, Mariposa, Marin, and Mendocino counties.	The project site lacks cismontane woodland and is slightly below the reported elevation range for Koch's cord moss. Koch's cord moss is not expected to be present or affected by project implementation.
Konocti manzanita <i>Arcostaphylos manzanita</i> ssp. <i>elegans</i>	Konocti manzanita occurs on volcanic soils in chaparral, cismontane woodland, and lower montane coniferous forest. The species is reported between 1,300 and 4,600 feet in elevation. Populations are known to occur in Colusa, Glenn, Tehama, Lake, Napa, and Sonoma counties. The flowering period is March through May.	The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Konocti manzanita. Konocti manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Mayacamas popcorn-flower <i>Plagiobothrys lithocaryus</i>	Mayacamas popcorn-flower occurs on moist sites in cismontane woodland, and valley and foothill grasslands. The species is reported between 900 and 1,500 feet in elevation. Populations are known to occur in Mendocino and Lake counties. The flowering period is April through May.	Review of CNDDB records found that the Mayacamas popcorn-flower has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. The onsite grassland provides marginally suitable habitat for Mayacamas popcorn-flower. The species was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Napa bluecurls <i>Trichostema ruygtii</i>	Napa bluecurls occurs in vernal pools in valley and foothill grasslands, and in openings in chaparral, cismontane woodland, and lower montane coniferous forest. The species is reported between 100 and 2,000 feet in elevation. Populations are known to occur in Napa and Solano counties. The flowering period is June through October.	The project site lacks vernal pools, chaparral, and cismontane woodland. Napa bluecurls was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Norris' beard moss <i>Didymodon norrisii</i>	Norris' beard moss occurs on rocks in cismontane woodland and lower montane coniferous forest. The species is reported to occur between 2,000 and 6,500 feet in elevation.	The project site is well below the elevational range of Norris' beard moss. The species would thus not be present.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Oval-leaved viburnum <i>Viburnum ellipticum</i></p>	<p>Oval-leaved viburnum inhabits chaparral, cismontane woodland, and lower montane coniferous forests. The species often occurs on north-facing slopes covered by dense brush. Oval-leaved viburnum is found between 700 and 4,600 feet in elevation. The flowering period is May through June.</p>	<p>The project site lacks chaparral, cismontane woodland, and montane coniferous forest. Oval-leaved viburnum was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Raiche's manzanita <i>Arcostaphylos stanfordiana</i> ssp. <i>raichei</i></p>	<p>Raiche's manzanita occurs on serpentine soils in chaparral and lower montane coniferous forest. The species is reported between 1,500 and 3,300 feet in elevation. Populations are known to occur in Mendocino County. The flowering period is February through April.</p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Raiche's manzanita. Raiche's manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Rincon Ridge ceanothus <i>Ceanothus confusus</i></p>	<p>Rincon Ridge ceanothus occurs on dry, serpentine or volcanic soils in chaparral, cismontane woodland, and lower montane coniferous forests. The species is reported between 250 and 3,500 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is February through June.</p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Rincon Ridge ceanothus. Rincon Ridge ceanothus was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Robust monardella <i>Monardella villosa</i> ssp. <i>globosa</i></p>	<p>Robust monardella occurs in openings in chaparral and oak woodlands. The species is reported from sea level to 4,300 feet in elevation. Populations are known to occur in Alameda, Contra Costa, Humboldt, Lake, Mendocino, Napa, Santa Clara, Santa Cruz, San Mateo, and Sonoma counties. The flowering period is June through July.</p>	<p>The project site is nearly barren of trees and shrubs. Robust monardella was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Serpentine cryptantha <i>Cryptantha clevelandii</i> var. <i>dissita</i></p>	<p>Serpentine cryptantha occurs on serpentine rock outcrops in chaparral. The species is reported between 1,100 and 2,400 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is April through June.</p>	<p>Serpentine cryptantha was observed on the project site.</p>
<p>Small-flowered calycadenia <i>Calycadenia micrantha</i></p>	<p>Small-flowered calycadenia generally occurs on rocky talus or in sparsely vegetated areas, but is occasionally found on serpentine soils and roadsides. The species is reported from sea level to 5,000 feet in elevation. Populations are known to occur in Monterey, Trinity, Lake, Napa, and Colusa counties. The flowering period is June through September.</p>	<p>The project site has a moderate potential to support small-flowered calycadenia. However, small-flowered calycadenia was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Small groundcone <i>Boschniakia hookeri</i></p>	<p>Small groundcone occurs in North Coast coniferous forests, and is often found in association with salal. The species is reported between 300 and 2,900 feet in elevation. Populations are known to occur in Del Norte, Humboldt, Mendocino, Marin, and Trinity counties. The flowering period is April through August.</p>	<p>The project site is nearly devoid of trees and shrubs, and does not have suitable habitat for small groundcone. Small groundcone was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Sonoma canescent manzanita <i>Arcostaphylos canescens</i> ssp. <i>sonomensis</i></p>	<p>Sonoma canescent manzanita generally occurs in openings in chaparral. The species is most often found on dry, rocky ridges and slopes of serpentine origin. In the southern portion of its range, the species is found on volcanic soils. Sonoma canescent manzanita is reported between 650 and 4,900 feet in elevation. Populations are known to occur in Humboldt, Trinity, Mendocino, Lake, Colusa, Tehama, and Sonoma counties. The flowering period is January through June.</p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Sonoma canescent manzanita. Sonoma canescent manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Two-carpellate western flax <i>Hesperolinon bicarpellatum</i></p>	<p>Two-carpellate western flax occurs in serpentine barrens at the edge of chaparral. The species is reported between 500 and 2,700 feet in elevation. Populations are known to occur in Lake, Napa, and Sonoma counties. The flowering period is May through July.</p>	<p>Serpentine rocks cover most of the project site. However, two-carpellate western flax was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Woolly meadowfoam <i>Limnanthes floccosa</i> ssp. <i>floccosa</i></p>	<p>Woolly meadowfoam generally occurs in vernal pools, ditches, and ponds in valley foothill and grasslands, cismontane woodland, and chaparral. The species is reported between 200 and 3,600 feet in elevation. The flowering period is March through June.</p>	<p>A ditch in the southeast portion of the project site has marginally suitable habitat for woolly meadowfoam. However, woolly meadowfoam was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Appendix F

Checklist of Vascular Plant Species Observed

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED

Lake County Courthouse Site

April 9 and 29, May 17, and June 19, 2010

Amaranthaceae

Amaranthus albus

Apiaceae

Lomatium macrocarpum

Perideridia sp.

Torilis arvensis

Asteraceae

Achyrachaena mollis

Agoseris grandiflora

Agoseris heterophylla

Ancistrocarphus filagineus

Anthemis cotula

Baccharis pilularis

Calycadenia pauciflora

Carduus pycnocephalus

Centaurea solstitialis

Chamomilla suaveolens

Cirsium cymosum

Filago gallica

Hemizonia congesta ssp. *clevelandii*

Hypochaeris glabra

Lactuca sp.

Lagophylla ramosissima var. *ramosissima*

Lasthenia californica

Layia septentrionalis

Micropus californicus var. *californicus*

Microseris douglasii ssp. *douglasii*

Psilocarphus tenellus var. *tenellus*

Rigiopappus leptocladus

Senecio vulgaris

Sonchus asper ssp. *asper*

Uropappus lindleyi

Boraginaceae

Amsinckia lunaris

Amsinckia menziesii var. *menziesii*

Cryptantha clevelandii var. *dissita*

Plagiobothrys nothofulvus

Brassicaceae

Athysanus pusillus

Brassica rapa

Capsella bursa-pastoris

Lepidium sp.

Lepidium nitidum var. *nitidum*

Streptanthus barbiger

Thysanocarpus curvipes

Amaranth Family

Tumbleweed

Carrot Family

Large-fruited lomatium

Yampah

Field hedge-parsley

Sunflower Family

Blow-wives

Large-flowered agoseris

Annual agoseris

Wooly fishhooks/false neststraw

Stinking chamomile

Coyote-brush

Smallflower western rosinweed

Italian thistle

Yellow star thistle

Pineapple weed

Peregrine thistle

Narrow-leaved filago

Hayfield tarweed

Smooth cat's ear

Prickly lettuce

Common hareleaf

California goldfields

Colusa tidytops

Slender cottonweed

Douglas' silverpuffs

Slender woolly marbles

Rigiopappus

Old-man-in-the-Spring

Prickly sow thistle

Silverpuffs

Borage Family

Bent-flowered fiddleneck

Menzies' fiddleneck

Cleveland's cryptantha

Rusty popcorn-flower

Mustard Family

Petty athysanus

Field-mustard

Shepherd's purse

Peppergrass

Shining peppergrass

Bearded jewelflower

Lace pod

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Campanulaceae

Githopsis specularioides

Caryophyllaceae

Cerastium glomeratum

Minuartia douglasii

Petrorhagia dubia

Scleranthus annuus ssp. *annuus*

Spergularia rubra

Convolvulaceae

Convolvulus arvensis

Crassulaceae

Crassula tillaea

Cucurbitaceae

Marah sp.

Cuscutaceae

Cuscuta californica

Euphorbiaceae

Eremocarpus setigerus

Fabaceae

Astragalus gambelianus

Lotus sp.

Lotus denticulatus

Lotus humistratus

Lotus purshianus

Lupinus bicolor

Medicago minima

Medicago polymorpha

Medicago praecox

Trifolium albopurpureum var. *dichotomum*

Trifolium bifidum var. *decipiens*

Trifolium dubium

Trifolium hirtum

Trifolium willdenovii

Vicia sativa ssp. *nigra*

Vicia villosa ssp. *villosa*

Fagaceae

Quercus lobata

Gentianaceae

Centaurium muehlenbergii

Bluebell Family

Common bluecup

Pink Family

Mouse-eared chickweed

Douglas' sandwort

Grass pink

German knotgrass

Ruby sand spurry

Morning Glory Family

Bindweed

Stonecrop Family

Moss pygmy weed

Gourd Family

Man-root

Dodder Family

Chaparral dodder

Spurge Family

Dove weed

Legume Family

Gambel's dwarf milkvetch

Lotus

Riverbar birds-foot trefoil

Hairy lotus

Spanish lotus

Bicolored lupine

Hairy bur-clover

California bur-clover

Mediterranean bur-clover

Branched Indian clover

Deceptive clover

Little hop clover

Rose clover

Tomcat clover

Garden vetch

Winter vetch

Oak Family

Valley oak (seedling)

Gentian Family

Muhlenberg's centaury

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Geraniaceae

Erodium botrys
Erodium brachycarpum
Erodium cicutarium

Geranium Family

Long-beaked filaree
Short-fruited storksbill
Red-stemmed filaree

Hydrophyllaceae

Phacelia corymbosa

Waterleaf Family

Serpentine phacelia

Iridaceae

Sisyrinchium bellum

Iris Family

Blue-eyed grass

Juncaceae

Juncus bufonius

Rush Family

Toad rush

Liliaceae

Allium falcifolium
Brodiaea californica var. *californica*
Calochortus vestae
Chlorogalum sp.
Dichelostemma capitatum ssp. *capitatum*

Lily Family

Scytheleaf onion
California brodiaea
Coast Range mariposa lily
Soap plant
Blue dicks

Malvaceae

Sidalcea diploscypha

Mallow Family

Fringed checkerbloom

Onagraceae

Camissonia graciliflora
Clarkia gracilis ssp. *gracilis*
Clarkia gracilis ssp. *tracyi*
Clarkia purpurea ssp. *quadrivulnera*
Epilobium minutum

Evening-Primrose Family

Hill suncup
Slender clarkia
Tracy's clarkia
Winecup clarkia
Chaparral willowherb

Orobanchaceae

Orobanche fasciculata

Broom-rape Family

Clustered broom-rape

Papaveraceae

Eschscholzia californica
Platystemon californicus

Poppy Family

California poppy
Creamcups

Plantaginaceae

Plantago sp.
Plantago erecta

Plantain Family

Plantain
Hooker's plantain

Poaceae

Aegilops triuncialis
Aira caryophyllea
Avena barbata
Avena fatua
Bromus carinatus var. *carinatus*
Bromus diandrus
Bromus hordeaceus
Bromus madritensis ssp. *rubens*
Deschampsia danthonioides

Grass Family

Barbed goatgrass
Silver hairgrass
Slender wild oats
Wild oats
California brome
Ripgut grass
Soft chess
Red brome
Annual hairgrass

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED

Lake County Courthouse Site

<i>Elymus multisetus</i>	Big squirreltail
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	California barley
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Mediterranean barley
<i>Hordeum murinum</i>	Foxtail barley
<i>Lolium multiflorum</i>	Annual ryegrass
<i>Melica californica</i>	California melic
<i>Nasella pulchra</i>	Purple needlegrass
<i>Poa annua</i>	Annual bluegrass
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided bluegrass
<i>Scribneria bolanderi</i>	Scribner grass
<i>Secale cereale</i>	Rye
<i>Taeniatherum caput-medusae</i>	Medusa head
<i>Vulpia microstachys</i> var. <i>ciliata</i>	Fringed fescue
<i>Vulpia microstachys</i> var. <i>microstachys</i>	Small fescue
<i>Vulpia microstachys</i> var. <i>pauciflora</i>	Few-flowered fescue
<i>Vulpia myuros</i> var. <i>myuros</i>	Rattail fescue

Polemoniaceae

Gilia capitata ssp. *capita*
Gilia tricolor
Leptosiphon bolanderi
Linanthus bicolor

Polygonaceae

Eriogonum nudum
Eriogonum vimineum
Rumex crispus

Portulacaceae

Calandrinia ciliata
Claytonia exigua ssp. *exigua*
Claytonia perfoliata

Primulaceae

Anagallis arvensis

Pteridaceae

Pentagramma triangularis ssp. *triangularis*

Ranunculaceae

Delphinium hansenii ssp. *hansenii*
Ranunculus sp.

Rosaceae

Crataegus sp.

Rubiaceae

Galium aparine
Galium parisiense

Phlox Family

Globe gilia
Bird's eyes
Bolander's linanthus
Bicolored linanthus

Buckwheat Family

Naked buckwheat
Wicker buckwheat
Curly dock

Purslane Family

Red maids
Little miner's-lettuce
Common miner's lettuce

Primrose Family

Scarlet pimpernel

Brake Family

Goldback fern

Buttercup Family

Eldorado larkspur
Buttercup

Rose Family

Hawthorn (horticultural)

Madder Family

Cleavers
Wall bedstraw

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Scrophulariaceae

Castilleja attenuata
Castilleja exserta ssp. *exserta*
Castilleja rubicundala ssp. *lithospermoides*
Collinsia sparsiflora var. *sparsiflora*
Mimulus guttatus
Triphysaria eriantha
Verbascum blattaria

Taxodiaceae

Sequoia sempervirens

Valerianaceae

Plectritis macrocera

Snapdragon Family

Valley tassels
Exserted Indian paintbrush
Cream sacs
Spinster's blue eyed Mary
Common monkey-flower
Johnny tuck
Moth mullein

Bald Cypress Family

Redwood (horticultural)

Valerian Family

White plectritis

Appendix G

Checklist of Wildlife Species Observed

**Checklist of Wildlife Species Observed
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA**

Common Name	Scientific Name	Status
BIRDS		
American crow	<i>Corvus brachyrhynchos</i>	None
Black-tailed jackrabbit	<i>Lepus californicus</i>	None
California gull	<i>Larus californicus</i>	None
Common raven	<i>Corvus corax</i>	None
Killdeer	<i>Charadrius vociferus</i>	None
Red-tailed hawk	<i>Buteo jamaicensis</i>	None
Western scrub-jay	<i>Aphelocoma californica</i>	None
MAMMALS		
California ground squirrel	<i>Otospermophilus beecheyi</i>	None
Gopher	<i>Thomomys</i> sp.	None
REPTILES		
Western fence lizard	<i>Sceloporus occidentalis</i>	None

An aerial photograph of a commercial area. A red outline highlights a specific site in the center-right of the image. The site is a large, mostly empty lot with some light-colored ground. To the left of the site is a large, multi-lane highway interchange. To the right and above the site are various commercial buildings, parking lots, and parking structures. The overall scene is a typical commercial development.

Pre-jurisdictional Delineation Report

**Lake County Courthouse Site
675 Lakeport Boulevard
Lake County, California**

Prepared for:

Administrative Office of the Courts

July 16, 2010

500-01



Lake County Courthouse Site

Pre-jurisdictional Delineation Report

Applicant/Land Owner:

Administrative Office of the Courts
2860 Gateway Oaks Drive, Suite 400
Sacramento, CA 95833
Attention: Laura Sainz

Access:


From Lakeport, take Highway 29 to the Lakeport Boulevard exit. Travel east on Lakeport Boulevard approximately 1000 feet. The site is on the south side of Lakeport Boulevard and can be accessed from the road margin.

I. INTRODUCTION

The ±6.4-acre study site is located east of the intersection of Lakeport Boulevard and Highway 29 in the City of Lakeport, Lake County. The study site encompasses the subject ±5.8-acre parcel as well as the southern fill slope along Lakeport Boulevard to the north. As shown in Figure 1, the site is situated near the center of Section 25, Township 14 North, Range 10 West (Lakeport, CA, 7.5-minute quadrangle). The site is identified as Lake County Assessor's Parcel Number 025-521-410 and is being evaluated for potential construction of a new Lake County courthouse.

The site elevation ranges between 1,340 and 1,400 feet above sea level. The site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s; the site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988 (URS, 2009). Grading dramatically altered the natural contours of the site. Roughly 20 feet of surface material was removed from the upper portion of the site, resulting in two level terraces.

Small rocks of serpentine origin are exposed on the upper terrace and hillsides, which support a serpentine herb community. The serpentine herb community generally consists of a sparse, low-growing cover of annual and perennial forbs and grasses including naked buckwheat, wicker buckwheat, reflexed fescue, serpentine phacelia, fringed checkerbloom, bearded jewelflower, Douglas's sandwort, and Gambel's dwarf milkvetch. The lower terrace, on the eastern edge of the study area, supports an annual grassland community. Common species in this community include wild oats, soft chess, California meadow barley, cream sacs, winter vetch, Spanish lotus, and various clovers. All of the above species have an indicator status of FACU or drier.



USGS Lakeport 7.5-minute Quadrangle
 Section 25, Township 14 North, Range 10 West
 Centroid: Lat: 39° 2' 1.56" Long: -122° 55' 14.54"

Feature and boundary locations depicted are approximate only. 05.19.10



Figure 1
Project Vicinity Map



FILE: \\server\AID\CompanyFiles\01 - Jobs Active\500-01 - RBF Consulting - Lake County Courthouse\3 - Project GIS\3 - Map Documents\Fig_1 Lakeport Delin Vicinity Map 7-14-10.mxd

According to the U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS, 2010), two soil units are present on the study site. Henneke-Montara-rock outcrop complex, 15-30 percent slopes, covers nearly the entirety of the study site. A very small amount of Still loam, stratified substratum, is mapped as occurring in the extreme northeast corner of the site. The Henneke-Montara-rock outcrop complex is not considered hydric, while the Still soil unit is partly hydric, i.e., it may contain inclusions of hydric soils. It should be noted that past grading activities on the site have resulted in removal and/or redistribution of most of the on-site soils.

The climate of the project vicinity is of the Mediterranean type, with cool, moist winters and hot, dry summers. Annual precipitation averages ± 28.4 inches in the community of Lakeport, which reasonably approximates conditions on the subject site (Western Regional Climate Center, 2010).

II. METHODOLOGY

Prior to undertaking the field studies, National Wetlands Inventory maps (U.S. Fish and Wildlife Service, n.d.) were reviewed to determine if any jurisdictional waters had been previously reported on or within one-half mile of the project site. Such data is not available for the Lakeport quadrangle.

The primary field investigation was conducted on April 29 and 30, 2010. During the field investigation, field conditions were relatively wet. Average April rainfall for the City of Lakeport measures 2.19 inches; actual rainfall totals for April 2010 measured 6.89 inches (NOAA, 2010).

The wetland investigation was conducted in accordance with technical methods outlined in the Corps of Engineers Wetlands Delineation Manual (U.S. Department of the Army, Corps of Engineers, 1987) and under the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (U.S. Department of the Army, Corps of Engineers, 2008), which is referred to as the "Arid West Supplement" in this report. Wetland Determination Data Forms are presented in Appendix A of this report.

Although no wetlands were identified, several non-wetland waters of the United States are present. The limit of the Corps of Engineers' jurisdiction over these features is represented by the ordinary high water mark. As described in the Code of Federal Regulations Title 33: Navigation and Navigable Waters-Sec. 328.3(e), the ordinary high water mark is defined as the line on the shore established by fluctuations of water indicated by physical characteristics. These may include a clear/natural line on the bank, shelving, changes in soil, destruction of terrestrial vegetation, presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas. The limits of on-site ditches and seasonal waters were identified in the field using these indicators.

Scientific nomenclature for plants cited in this report is in accordance with the taxonomic treatments presented in *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland* (Kartesz, 1994). The wetland indicator status of the plants was determined using the *National List of Plant Species That Occur in Wetlands: California (Region 0)* (U.S. Department of the Interior, Fish and Wildlife Service, 1988). Soil colors were identified using *Munsell Soil Color Charts* (Kollmorgen Instruments Corporation, 2000).

Coordinates along the perimeters of non-linear waters were obtained using a global positioning system (GPS) unit capable of sub-meter accuracy. Coordinates for the centerlines of ditches were also recorded with the GPS unit; the aerial extent of the ditches was calculated based on cross-sectional measurements taken at roughly 25-foot intervals. The GPS coordinates were downloaded into ArcMap for mapping and acreage calculations.

III. RESULTS

During the field investigation, ENPLAN mapped eight non-wetland waters of the United States within two categories: seasonal waters and constructed ditches. These features are characterized below. The results of the field delineation effort are summarized in Tables 1 and 2 and shown in Figure 2. Representative photos are presented in Appendix B.

Seasonal Waters: Two seasonal waters, on the western edge of the upper terrace, were created when the site was graded and bedrock was exposed. Water now ponds to a depth of two to three inches in these shallow depressions underlain by bedrock. Representative plant species include scribner grass (*Scribneria bolanderi*, UPL), annual hairgrass (*Deschampsia danthonioides*, FACW), and rigiopappus (*Rigiopappus leptocladus*, UPL), but vegetative cover is less than five percent. As described in the Arid West Supplement, features with an ordinary high water mark and less than five percent vegetative cover are non-wetland waters. The extent of ponding was documented through site inspections on February 8 and April 9, 29 and 30, 2010, as well as by the presence of water-stained rock, sediment deposits, and a biotic crust.

Constructed Ditches: Constructed ditches are excavated features that may be located in either wetlands or uplands, and may convey water collected from sheet flow or diverted from other water bodies. The jurisdictional status of constructed ditches depends in part on these characteristics. The on-site ditches are constructed in uplands, and receive sheet-flow runoff and discharge from the two non-wetland waters on the upper terrace. Most of the ditches have only ephemeral flow. However, 3:CD and 8:CD do not drain well and support wetland plant species in their lower ends; species present include annual ryegrass (*Lolium multiflorum* = *L. perenne*, FAC*), *Hordeum marinum* ssp. *gussoneanum* = *H. hystrix*, FAC), and common monkey-flower (*Mimulus guttatus*, OBL).

**Table 1
Summary of Waters by Type**

Type	Area	
	sq. ft.	acres
Constructed Ditches	2,108	0.048
Seasonal Waters	3,793	0.087
Total Waters	5,901	0.135

**Table 2
Waters by Map ID**

Map ID	Type	Average Width	Length	Area	
				sq. ft.	acres
1	Constructed Ditch	1.7	350	595	0.014
2	Constructed Ditch	0.5	20	10	0.000
3	Constructed Ditch	4.6	206	948	0.022
4	Seasonal Water	—	—	2,599	0.060
5	Seasonal Water	—	—	1,194	0.027
6	Constructed Ditch	1.6	178	285	0.007
7	Constructed Ditch	1.5	10	15	0.000
8	Constructed Ditch	2.3	111	255	0.006
Total Waters				5,901	0.135

FILE: \\laserat\Server\AID\CompanyFiles\01-Jobs Active\500-01-RBF-Consulting - Lake County Courthouse\3-Project GIS\3-Map Documents\Fig 2 - Lakeport Delin Z-16-10.mxd



Lakeport Boulevard

DP2
DP1

1:CD

2:CD

1:CD

3:CD

DP3

4:SW

5:SW

6:CD

7:CD

8:CD

Figure 2
Potential Waters of the U.S. and/or State
Project: Lake County Courthouse Site
Delineator: Don Burk
Date: February 8 & April 9, 29, & 30, 2010
Date Revised:

- Study Area Boundary
- Parcel Boundary
- Seasonal Water
- Constructed Ditch
- Culvert
- Flow Direction
- Storm Drain Inlet
- Data Point

Potential Waters by Map ID					
Map ID	Type	Average Width (feet)	Length (feet)	Area	
				sq. ft.	acres
1:CD	Constructed Ditch	1.7	350	595	0.014
2:CD	Constructed Ditch	0.5	20	10	0.000
3:CD	Constructed Ditch	4.6	206	948	0.022
4:RW	Seasonal Water	—	—	2,599	0.060
5:RW	Seasonal Water	—	—	1,194	0.027
6:CD	Constructed Ditch	1.6	178	285	0.007
7:CD	Constructed Ditch	1.5	10	15	0.000
8:CD	Constructed Ditch	2.3	111	255	0.006
Total Waters				5,901	0.135



Feature and boundary locations depicted are approximate only. 07.16.10



IV. JURISDICTIONAL DETERMINATION

As described in Regulatory Guidance Letter 08-02, the applicant concurs with the Army Corps of Engineers that waters regulated under the Clean Water Act may be present on the site. As such, these waters will be treated as jurisdictional for the purpose of calculating fill and satisfying future mitigation requirements. The applicant understands that they can later request and obtain an approved JD if that later becomes necessary or appropriate during the permit process or during the administrative appeal process.

V. REFERENCES

- Kartesz, J.T. 1994. *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland*. 2nd edition. Volume 1 — Checklist, Volume 2 — Thesaurus. Timber Press, Inc., Portland, Oregon.
- Kollmorgen Instruments Corporation. 2000. *Munsell Soil Color Charts*.
- URS Corporation. December 2009. Final Draft Phase I Environmental Site Assessment Report: Proposed New Lakeport Courthouse – 675 Lakeport Boulevard Site. 675 Lakeport Boulevard, Lakeport CA 95453. Unpublished document on file with the Judicial Council of California, Administrative Office of the Courts.
- U.S. Department of Agriculture, Natural Resources Conservation Service. 2009. Web Soil Survey, August 31, 2009 Map Data. <<http://websoilsurvey.nrcs.usda.gov/app/>>
- U.S. Department of the Army, Corps of Engineers. 1987. *Corps of Engineers Wetlands Delineation Manual*. Technical Report Y-87-1. National Technical Information Service, Springfield Virginia.
- _____. 2008. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)*, eds. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-08-28. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- U.S. Department of the Interior, Fish and Wildlife Service. 1988. *National List of Plant Species That Occur in Wetlands: California (Region 0)*. Biological Report 88 (26.10).
- _____. n.d. National Wetlands Inventory. www.wetlandsfws.er.usgs.gov.
- U.S. Geological Survey. 1958. Lakeport, California, 7.5-minute quadrangle sheet. Photo-revised 1978.
- Western Regional Climate Center (WRCC). 2010. Lakeport, CA. www.wrcc.dri.edu/climsum.html.

APPENDIX A

Wetland Determination Forms

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	Dominance Test worksheet:
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>2</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
4. _____	_____	_____	_____	
Total Cover: _____				
<u>Sapling/Shrub Stratum</u>				Prevalence Index worksheet:
1. _____	_____	_____	_____	Total % Cover of: _____ Multiply by: _____
2. _____	_____	_____	_____	OBL species _____ x 1 = _____
3. _____	_____	_____	_____	FACW species _____ x 2 = _____
4. _____	_____	_____	_____	FAC species _____ x 3 = _____
5. _____	_____	_____	_____	FACU species _____ x 4 = _____
Total Cover: _____				
<u>Herb Stratum</u>				UPL species _____ x 5 = _____
1. <u>Lolium multiflorum ssp. perenne</u>	<u>30</u>	<u>Yes</u>	<u>FAC*</u>	Column Totals: _____ (A) _____ (B)
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>	Prevalence Index = B/A = _____
3. <u>Vulpia microstachys var. pauciflora</u>	<u>8</u>	<u>No</u>	<u>NL</u>	
4. <u>Achyrachaena mollis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	Hydrophytic Vegetation Indicators:
6. _____	_____	_____	_____	<input checked="" type="checkbox"/> Dominance Test is >50%
7. _____	_____	_____	_____	<input type="checkbox"/> Prevalence Index is ≤3.0 ¹
8. _____	_____	_____	_____	<input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				<input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain)
1. _____	_____	_____	_____	¹ Indicators of hydric soil and wetland hydrology must be present.
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Biotic Crust _____			
				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

Remarks:

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Stratified Layers (A5) (LRR C) <input type="checkbox"/> 1 cm Muck (A9) (LRR D) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input checked="" type="checkbox"/> Redox Depressions (F8) <input type="checkbox"/> Vernal Pools (F9)	Indicators for Problematic Hydric Soils³: <input type="checkbox"/> 1 cm Muck (A9) (LRR C) <input type="checkbox"/> 2 cm Muck (A10) (LRR B) <input type="checkbox"/> Reduced Vertic (F18) <input type="checkbox"/> Red Parent Material (TF2) <input type="checkbox"/> Other (Explain in Remarks)
--	--	--

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No _____
--	--

Remarks:

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (any one indicator is sufficient)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) (Nonriverine) <input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine) <input type="checkbox"/> Drift Deposits (B3) (Nonriverine) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Biotic Crust (B12) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6) <input type="checkbox"/> Other (Explain in Remarks)	<u>Secondary Indicators (2 or more required)</u> <input type="checkbox"/> Water Marks (B1) (Riverine) <input type="checkbox"/> Sediment Deposits (B2) (Riverine) <input type="checkbox"/> Drift Deposits (B3) (Riverine) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)
--	---	--

Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No _____
--	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
Total Cover: _____				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____
<u>Sapling/Shrub Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present.
Total Cover: _____				
<u>Herb Stratum</u>				
1. <u>Lolium multiflorum ssp. perenne</u>	<u>30</u>	<u>Yes</u>	<u>FAC*</u>	
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>Vulpia microstachys var. pauciflora</u>	<u>8</u>	<u>No</u>	<u>NL</u>	
4. <u>Achyrachaena mollis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u> % Cover of Biotic Crust _____				
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

Remarks:

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Stratified Layers (A5) (LRR C) <input type="checkbox"/> 1 cm Muck (A9) (LRR D) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	Indicators for Problematic Hydric Soils³: <input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input checked="" type="checkbox"/> Redox Depressions (F8) <input type="checkbox"/> Vernal Pools (F9) <input type="checkbox"/> 1 cm Muck (A9) (LRR C) <input type="checkbox"/> 2 cm Muck (A10) (LRR B) <input type="checkbox"/> Reduced Vertic (F18) <input type="checkbox"/> Red Parent Material (TF2) <input type="checkbox"/> Other (Explain in Remarks)
--	--

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Remarks:

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (any one indicator is sufficient)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) (Nonriverine) <input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine) <input type="checkbox"/> Drift Deposits (B3) (Nonriverine) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Biotic Crust (B12) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6) <input type="checkbox"/> Other (Explain in Remarks)	<u>Secondary Indicators (2 or more required)</u> <input type="checkbox"/> Water Marks (B1) (Riverine) <input type="checkbox"/> Sediment Deposits (B2) (Riverine) <input type="checkbox"/> Drift Deposits (B3) (Riverine) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)
---	--

Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
Total Cover: _____				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____
<u>Sapling/Shrub Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present.
Total Cover: _____				
<u>Herb Stratum</u>				
1. <u>Lolium multiflorum ssp. perenne</u>	<u>30</u>	<u>Yes</u>	<u>FAC*</u>	
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>Vulpia microstachys var. pauciflora</u>	<u>8</u>	<u>No</u>	<u>NL</u>	
4. <u>Achyrachaena mollis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u> % Cover of Biotic Crust _____				
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

Remarks:

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 1 cm Muck (A9) (LRR C)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> 2 cm Muck (A10) (LRR B)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1)	<input type="checkbox"/> Reduced Vertic (F18)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Stratified Layers (A5) (LRR C)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> 1 cm Muck (A9) (LRR D)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Vernal Pools (F9)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
 Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes No

Remarks: _____

HYDROLOGY

Wetland Hydrology Indicators:

<u>Primary Indicators (any one indicator is sufficient)</u>	<u>Secondary Indicators (2 or more required)</u>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water Marks (B1) (Riverine)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Sediment Deposits (B2) (Riverine)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Drift Deposits (B3) (Riverine)
<input type="checkbox"/> Water Marks (B1) (Nonriverine)	<input checked="" type="checkbox"/> Drainage Patterns (B10)
<input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Drift Deposits (B3) (Nonriverine)	<input type="checkbox"/> Thin Muck Surface (C7)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Biotic Crust (B12)	
<input type="checkbox"/> Aquatic Invertebrates (B13)	
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)	
<input type="checkbox"/> Other (Explain in Remarks)	

Field Observations:

Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: _____

APPENDIX B

Representative Photos

Representative Photos of On-site Waters



4:SW looking southeast 2/8/10



5:SW looking southeast 2/8/10



Biotic crust in 5:SW 4/29/10



1:CD looking west 4/29/10



Lower terminus of 1:CD and 2:CD, with discharge to uplands 4/29/10



3:CD looking north 4/29/10



6:CD (foreground) looking northeast 4/29/10



8:CD looking west toward culvert 3/17/10



Storm drain inlet at terminus of 8:CD 4/29/10



Non-jurisdictional drainage near 7:CD with no evidence of OHWM 4/29/10

Appendix C
Biological Resources Documentation

Biological Study Report

Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA



Prepared for:

RBF Consulting
500-01

July 15, 2010

Prepared by:



ENPLAN

Environmental Scientists and Planners
www.enplan.com

TABLE OF CONTENTS

1. INTRODUCTION	1
2. METHODOLOGY AND STAFF QUALIFICATIONS	2
3. RESULTS	4
Plant Communities/Wildlife Habitats	4
Special-Status Plant Species	7
Special-Status Animal Species	10
Nesting Migratory Birds	11
Resource-Agency Permits	11
4. CONCLUSIONS AND RECOMMENDATIONS	13
5. REFERENCES CITED	15

APPENDICES

Appendix A.	Figures
Appendix B.	Site Photographs
Appendix C.	Wildlife Habitat Relationships Report Summary
Appendix D	Rarefind (CNDDDB) Report Summary
Appendix E.	Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site
Appendix F.	Checklist of Vascular Plant Species Observed
Appendix G.	Checklist of Wildlife Species Observed

1. INTRODUCTION

The purpose of this biological study report is to identify and characterize sensitive natural communities and plant and wildlife resources that are known or expected to occur on a ±5.8-acre project site at 675 Lakeport Boulevard, in the City of Lakeport, Lake County. The site, identified as Lake County Assessor's Parcel Number 025-521-410, is being evaluated for potential construction of a new courthouse. As shown in Figure 1 of Appendix A, the site is located in near the center of Section 25, Township 14 North, Range 10 West, of the U.S. Geological Survey's Lakeport 7.5-minute quadrangle. Photographs of the site are provided in Appendix B.

2. METHODOLOGY AND STAFF QUALIFICATIONS

Prior to conducting fieldwork, a biological records search was completed. This consisted of reviewing the California Department of Fish and Game's California Natural Diversity Data Base (CNDDDB) as well as available local records. The CNDDDB records search covered a 10-mile radius around the site. This entailed review of records for portions of the following quadrangles: Cow Mountain, Upper Lake, Bartlett Mountain, Purdy's Garden, Lakeport, Lucerne, Clearlake Oaks, Hopland, Highland Springs, Kelseyville, and Clearlake Highlands. Available local records consisted of a biological study report and wetland delineation (Northwest Biosurvey, 2006) prepared for a site approximately 0.3 miles to the north of the subject site on Martin Street, and an Initial Study for the same site (City of Lakeport, 2010). The Martin Street site has physical and biological characteristics similar to the subject site, supports several of the same special-status plant species, and was used as a reference site to check the phenology of local special-status plant species.

Upon completion of the pre-field review, a botanical field survey was undertaken in general accordance with *Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities* (DFG, 2009). Because of the potential requirement for frontage improvements on Lakeport Boulevard, lands between the subject parcel and the street were included in the biological study area. The botanical survey was conducted on April 9 and 29, May 17, and June 19, 2010. All of the special-status plant species potentially occurring in the study area would have been evident at the time the fieldwork was conducted. The survey consisted of an intensive and systematic evaluation of the site; the field survey effort included four to six hours of field time during each of the four site visits.

The locations and approximate population numbers/densities of the identified special-status plant populations were determined by gridding each population into a number of small polygons and then estimating the number of plants in each polygon.

The wildlife evaluation was conducted in three phases. The first phase consisted of the records search described above. Under the second phase, the habitats and special habitat elements in the study area were determined through field reconnaissance. A list of wildlife species that could potentially occur in the identified

habitats was then compiled using the DFG's Wildlife Habitat Relationships (WHR) System, Version 8.2 (DFG, 2008). This is a predictive system based on scientific information regarding wildlife species and their known habitat relationships. It is useful as a general pre-field screen and provides a somewhat broader view of special-status species potentially occurring in the study area.

The wildlife survey was conducted on March 17, 2010. Many of the special-status animal species potentially occurring in the study area would have been evident at the time the fieldwork was conducted. The potential presence of species not readily identifiable during the field surveys was determined on the basis of observed habitat characteristics. The initial field effort included approximately three hours of field observations; additional wildlife observations were made during the botanical field survey visits.

The botanical field surveys were conducted by Donald Burk. Mr. Burk has a Bachelor of Arts degree in Biological Sciences and a Master of Science degree in Botany. He has over 25 years of experience in the design and implementation of botanical field studies. He has previously conducted botanical surveys in Lakeport and is familiar with flora of the region as well as state and federal statutes pertaining to special-status species. The wildlife evaluation was conducted by Darrin Doyle. Mr. Doyle has a Bachelor of Science degree in biology, and has 10 years of experience conducting biological surveys in California. He is familiar with wildlife species of the region and their habitat requirements. Mr. Doyle possesses a federal "take" permit for California red-legged frog and vernal pool crustaceans.

3. RESULTS

Plant Communities/Wildlife Habitats

The study site is situated between approximately 1,340 and 1,400 feet above sea level, and is surrounded on three sides by urban development. The site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s; the site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988 (URS, 2009). Soils on the site are identified as Henneke-Montara-rock outcrop complex, 15 to 50 percent slopes, with a negligible amount of Still loam, stratified substratum, in the extreme northeast corner of the site (USDA, NRCS, 2009). The Henneke-Montara complex consists of very deep, moderately well-drained soils formed in alluvium from mixed rock types. However, grading activities dramatically altered the soils and natural contours of the site. Roughly 20 feet of surface material was removed from the upper portion of the site, resulting in two level terraces.

Small rocks of serpentine origin are exposed on the upper terrace and hillsides, which support a serpentine herb community. The lower terrace supports a disturbed annual grassland. These two communities are described in more detail below; locations of the communities are shown on Figure 3 of Appendix A and photographs are provided in Appendix B. Two small, shallow seasonal waters with rock substrates are present on the upper terrace. Most runoff from the site enters constructed ditches that convey flow to the east. Flow enters the City's storm drain system, which discharges into Clear Lake approximately ¼-mile east of the site.

Annual grassland

Annual grasslands are characterized by a sparse to dense cover of annual grasses with inclusions of numerous species of native annual forbs ("wildflowers"). Germination occurs with the onset of the fall rains; growth, flowering, and seed-set occur from winter through spring. With a few exceptions, the plants are dead through the summer-fall dry season, persisting as seeds. On the subject site, the annual grassland community is best represented on the lower terrace of the site, on the eastern edge of the study area. Common species in this community include wild oats, soft

chess, California meadow barley, cream sacs, winter vetch, Spanish lotus, and various clovers. Although several special-status plant species were observed on the fringe of the annual grassland community, the community itself is not considered unique or sensitive.

High-quality annual grasslands are inhabited by a variety of wildlife species. Common mammals include black-tailed jackrabbit, coyote, gophers, moles, and several species of mice and voles. Snakes are often abundant in annual grasslands, feeding on small rodents. Amphibians are relatively uncommon in annual grasslands; however, species such as the western toad and Pacific treefrog may be locally abundant near aquatic habitats. Annual grassland also provides nesting and foraging habitat for certain migratory birds, including western meadowlarks, various sparrows, western kingbirds, and horned larks. The WHR data base predicts that this habitat type may be inhabited by 83 species of wildlife (Appendix C). However, because the onsite grassland is a small, fragmented relic of the grassland that historically was interspersed among the oak woodland, far fewer animal species are expected to be present. Overall, the onsite grassland has low value to wildlife species.

Serpentine herb community

The onsite serpentine herb community generally consists of a sparse, low-growing cover of annual and perennial forbs and grasses on the upper terrace and hillsides. Serpentine soils have unique chemical properties that prohibit the growth of many common plant species. A number of other plant species have evolved mechanisms allowing them to survive on serpentine soils. The flora of serpentine sites is thus unique and often supports plants of limited distribution, including a number of endemic species. Plant species observed on the site include naked buckwheat, wicker buckwheat, reflexed fescue, serpentine phacelia, fringed checkerbloom, bearded jewelflower, Douglas's sandwort, and Gambel's dwarf milkvetch. As discussed below, four serpentine-adapted special-status plant species were also observed in this community.

With the exception of crevices between boulders, the serpentine herb community lacks sufficient cover objects for most animal species. Accordingly, this habitat type

supports relatively few species of wildlife. Ground squirrels, which are present in small numbers on the site, create their own shelter by burrowing into hillsides or under large boulders. A number of birds may forage in this habitat; gulls, ravens, and crows were observed overhead, and may feed on picnic remains from the adjacent visitor's center. While the serpentine herb community does not provide tree-nesting habitat for birds, ground-nesting species such as the killdeer could potentially nest on the site. Overall, this habitat type has low value to wildlife species. No estimate on the number of animals that may potentially utilize the serpentine herb community is available, as there is no corresponding WHR habitat type for this community.

Site grading resulted in the creation of two very shallow depressions on the western edge of the serpentine herb community. These depressions pond water to a depth of two to three inches. Because of the underlying bedrock, the water ponds for long duration. These features appear to be subject to U.S. Army Corps of Engineers jurisdiction as non-wetland "waters of the United States." They drain to the northwest and southwest corners of the upper terrace and overflow enters small constructed ditches that ultimately discharge to the City's storm drain system. These waters are essentially unvegetated and provide minimal wildlife value. However, they do attract some species, such as killdeer. A delineation of wetlands and other waters on the subject site has been completed by ENPLAN and is presented in a separate report (ENPLAN, 2010).

The serpentine herb community is considered to be a sensitive natural community due to its somewhat restricted distribution and the high potential for endemic plant species to be present. The onsite community has been highly disturbed by grading. Although this has reduced the value of the site for some plant species, it has formed a "serpentine barren" that supports a unique suite of species, including four special-status species. Loss of the serpentine herb community as a result of project development is considered a significant adverse impact. Mitigation for this loss is best considered in conjunction with impacts on the four special-status plant species, and is addressed below.

Special-Status Plant Species

Review of CNDDDB records showed that two special-status plant species, green jewel-flower and mayacamas popcorn-flower, have been broadly mapped to include the study area. Twenty-six other special-status plant species are known to occur within a 10-mile radius: Anthony's Peak lupine, beaked tracyina, bent-flowered fiddleneck, Boggs Lake hedge-hyssop, Bolander's horkelia, Brandegees' eriastrum, bristly sedge, Burke's goldfields, Colusa layia, dimorphic snapdragon, eel-grass pondweed, glandular western flax, Koch's cord moss, Konocti manzanita, Napa bluecurls, Norris' beard moss, oval-leaved viburnum, Raiche's manzanita, Rincon Ridge ceanothus, robust monardella, serpentine cryptantha, small-flowered calycadenia, small groundcone, Sonoma canescent manzanita, two-carpellate western flax, and woolly meadowfoam (Appendix D). The potential for each special-status plant species to utilize the study area is evaluated in Appendix E.

The botanical survey confirmed the presence of four special-status plant species on the project site: Colusa layia, bent-flowered fiddleneck, serpentine cryptantha, and Tracy's clarkia (a special-status species not reported in the CNDDDB records search). The locations of the plant populations are shown in Figure 3 of Appendix A. A checklist of vascular plant species observed during the botanical field surveys is provided in Appendix F. Data forms documenting the special-status plant occurrences have been submitted to the California Natural Diversity Data Base.

Colusa layia (*Layia septentrionalis*)

Colusa layia is an annual herb that occurs in oak woodlands, chaparral, valley and foothill grasslands, and in sandy serpentinite. The species is not state or federally listed, but is on CNPS List 1B.2 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Fairly Threatened in California). The species occurs between 300 and 3,600 feet in elevation. A total of 44 populations are reported in CNDDDB records. These populations occur in the North Coast Range and Sutter Buttes (Colusa, Glenn, Lake, Mendocino, Napa, Sonoma, Sutter, Tehama, and Yolo counties). Reported population sizes (available for only about 25 percent of the records) range mostly from 100 to 200 plants, with the largest reported population having about 2,000 plants. With

roughly 20,000 to 25,000 plants observed on the subject site, the onsite *Colusa layia* population is by far the largest of those for which data is available. On the subject site, the species is most abundant on hillsides within the serpentine herb community, with a small number of plants present on the upper and lower terraces.

Bent-flowered fiddleneck (*Amsinckia lunaris*)

Bent-flowered fiddleneck occurs in cismontane woodlands, and valley and foothill grassland. The species is not state or federally listed, but is on CNPS List 1B.2 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Fairly Threatened in California). The species is reported between 50 and 1,500 feet in elevation. A total of 50 populations are reported in CNDDDB records. Populations are known to occur in Lake, Marin, Napa, Colusa, Contra Costa, Alameda, San Benito, Santa Clara, Santa Cruz, Yolo, and San Mateo counties. Reported population sizes (available for only about 35 percent of the records) range mostly from 10 to 300 plants. The largest quantified population size estimate is 3,650 plants, although the plants are noted to be “common” at other sites. Approximately 500 bent-flowered fiddleneck plants were observed on the subject site, primarily growing on hillsides within the serpentine herb community.

Serpentine cryptantha (*Cryptantha clevelandii* ssp. *dissita*)

Serpentine cryptantha generally occurs on serpentine rock outcrops in chaparral communities. The species is reported between 1,100 and 2,400 feet in elevation. The species is not state or federally listed, but is on CNPS List 1B.1 (Plants Rare, Threatened, or Endangered in California and Elsewhere; Seriously Threatened in California). A total of 10 populations are reported in CNDDDB records. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. Six of the ten populations were observed between 1902 and 1967, the remaining four populations were observed between 1999 and 2003. No population size data is available. Approximately 10,000 serpentine cryptantha plants were observed on the subject site. Most of the plants occur within the serpentine herb community, on the upper terrace and on the hillside just below the upper terrace.

Tracy's clarkia (*Clarkia gracilis* ssp. *tracyi*)

Tracy's clarkia generally occurs on serpentine soils in chaparral communities. The species is reported from 200 to 2,200 feet above sea level. The species is not state or federally listed, but is on CNPS List 4.2 (Plants of Limited Distribution (A Watch List); Fairly Threatened in California). Populations are known to occur in Colusa, Humboldt, Lake, Mendocino, Napa, Trinity, and Tehama counties. Because of the lower CNPS status, the CNDDDB does not offer online data regarding the number of recorded populations or population sizes. Nearly 10,000 Tracy's clarkia plants were observed on the site. All of these plants were growing on the periphery of the site, on both undisturbed and highly disturbed soils.

As noted above, Colusa layia, serpentine cryptantha, and bent-flowered fiddleneck are on the California Native Plant Society's List 1B. Although not state or federally listed, plants with this CNPS listing status are generally considered to qualify as "endangered, rare, or threatened" under Section 15380(d) of the California Environmental Quality Act (CEQA) Guidelines and thus require consideration during CEQA review. Tracy's clarkia is on CNPS List 4; plants of this status rarely qualify for state listing, but may be locally significant. As such, potential impacts to this species should also be evaluated during the CEQA process.

Because detailed site development plans have not yet been prepared, the extent of impacts to the serpentine herb community and the four onsite special-status plant species cannot be quantified. However, in general terms, site development has a high potential to adversely affect these resources. It appears that Tracy's clarkia, which is the least sensitive of the plants, would be least affected because it primarily occurs on the periphery of the site. Serpentine cryptantha, which is the most sensitive of the four species on the site, is the most centrally located and would be the most difficult to avoid during site development. Because all four of the special-status plant species have an affinity for serpentine soils, mitigation for the loss of the plants would also provide at least some mitigation for the loss of the serpentine herb community.

Department of Fish and Game staff were contacted following discovery of the special-status plant populations. However, the DFG has not conducted a field review of

the site or provided guidance as to potential mitigation strategies. Because full avoidance of the special-status plant populations and serpentine herb community does not appear to be possible, we recommend that the project proponent prepare a mitigation plan acceptable to DFG prior to project construction. Mitigation would likely include avoidance of at least some of the onsite serpentine herb community and associated special-status plant populations. Detailed mapping of the extent and densities of the special-status plant communities prepared as part of the botanical study (Figure 3 of Appendix A) will assist in preparing a site design that minimizes impacts to the populations. We recommend that the mitigation plan be prepared as early as possible, in conjunction with preparation of site design and development plans. Other options for mitigation include preservation of other local populations of these special-status plants, restoration of degraded populations on other sites in the area, and/or creation of new populations.

Special-Status Animal Species

Review of CNDDDB records showed that one special-status animal species, American badger, has been broadly mapped as occurring within the study area. In addition, eight other special-status animal species are known to occur within a 10-mile radius: Clear Lake hitch, foothill yellow-legged frog, grasshopper sparrow, Pacific fisher, Sacramento perch, Townsend's big-eared bat, tricolored blackbird, and western pond turtle (Appendix D). The CNDDDB records search also identified seven non-status animal species within the search radius: *Calasellus californicus*, Bell's sage sparrow, blennosperma vernal pool andrenid bee, double-crested cormorant, great blue heron, osprey, and silver-haired bat.

The potential for each special-status animal species to utilize the study area is evaluated in Appendix E. No special-status animal species were observed in the study area during the wildlife evaluation. However, as documented in Appendix E, two special-status animal species, grasshopper sparrow and Townsend's big-eared bat, as well as the non-status silver-haired bat could potentially utilize the site at some point during their life cycles. A checklist of wildlife species observed at the site is presented in Appendix G.

The grasshopper sparrow, a migratory bird, has a low potential to nest in the onsite annual grassland community. Potential adverse effects on nesting grasshopper sparrows can be avoided through proper timing of vegetation removal (see Nesting Migratory Birds below).

Townsend's big-eared bat and silver-haired bat could potentially forage on the site. However, they are very unlikely to roost on the site, given the lack of suitable roosting sites. Because suitable roosting habitat is much more available on other local sites and similar or higher quality foraging habitat is widely available, site development would have a negligible effect on these bat species; no mitigation is warranted.

Nesting Migratory Birds

Although no bird nests were observed in the study area during the field inspections, it is possible that migratory birds, particularly ground-nesting species, could nest on the study area in future years. The federal Migratory Bird Treaty Act requires that nesting migratory birds not be adversely affected by human activities. To ensure compliance with the Act, vegetation should be removed from the project area outside of the nesting season. In the local area, most birds nest between March 1 and July 31. Accordingly, the potential for adversely affecting nesting birds can be greatly minimized by removing vegetation before March 1 or after July 31. If this is not possible, a nesting survey should be conducted within two weeks prior to vegetation removal. If active nests are present, work within 500 feet of the nest(s) should be postponed until the young have fledged, unless a smaller nest buffer zone is authorized by the DFG.

Resource-Agency Permit Requirements

If the Corps of Engineers confirms that the small depressions and constructed ditches are waters subject to federal jurisdiction, a Department of the Army permit would be required prior to fill of the features. As a condition of the Department of the Army permit, issuance of a Water Quality Certification by the Regional Water Quality Control Board would also be required. It is unlikely that a Streambed or Lakebed Alteration Agreement would be required by the Department of Fish and Game; however, we recommend this be confirmed through consultation with Department staff. As for any

project involving more than one acre of surface disturbance, a General Construction Activity Storm Water Permit must be obtained from the State Water Resources Control Board; this requires preparation and implementation of a Storm Water Pollution Prevention Plan. Project implementation would also necessitate obtaining other permits (e.g., encroachment permits, air quality permits), but these involve issues beyond the scope of this document.

4. CONCLUSIONS AND RECOMENDATIONS

In summary, we find that the study area supports non-wetland “waters of the United States,” a unique serpentine herb community, and four special-status plant species: Colusa layia, serpentine cryptantha, bent-flowered fiddleneck, and Tracy’s clarkia. In addition, two special-status animal species (grasshopper sparrow and Townsend’s big-eared bat), the non-status silver-haired bat, and nesting migratory birds could potentially utilize the site at some point during their life cycle.

Mitigation is not warranted for the bat species because they are unlikely to roost on the site and foraging habitat is widely available. Mitigation is not warranted for Tracy’s clarkia given its relative abundance and low listing status; however, mitigation for the serpentine herb community and other three special-status plants is expected to offset the loss of Tracy’s clarkia. Implementation of the following measures would reduce the remaining biological impacts to a level below that of significance.

1. Obtain Required Resource-Agency Permits. The project proponent shall obtain all necessary resource-agency permits prior to initiating any grading or construction activities within “waters of the United States.” The required permits may include a Department of the Army Nationwide Permit from the U.S. Army Corps of Engineers, Water Quality Certification from the Regional Water Quality Control Board, and possibly a Streambed Alteration Agreement from the California Department of Fish and Game.
2. Avoid/Minimize/Offset the Loss of the Serpentine Herb Community and Associated Special-Status Plants. The project proponent shall prepare a mitigation plan identifying specific impacts of the proposed courthouse project on the serpentine herb community, Colusa layia, serpentine cryptantha, and bent-flowered fiddleneck. The plan shall include measures to avoid and minimize impacts to these resources through careful site design and establishment of onsite avoidance areas. To the extent feasible, Tracy’s clarkia shall also be avoided/protected. If avoidance is not possible or does not provide sufficient mitigation, other mitigation measures shall be designated in the plan, including preservation of offsite serpentine habitats and special-status plant populations, restoration of degraded habitats on other local sites capable of supporting the sensitive resources, and/or creation of new habitats capable of supporting the sensitive resources. The mitigation plan shall be submitted to the California Department of Fish and Game for review, and must be approved in writing by DFG prior to initiation of site construction activities.

3. Avoid Disturbance of Nesting Migratory Birds, Including Grasshopper Sparrow. If feasible, vegetation removal shall be conducted between August 1 and February 28. If vegetation removal must be conducted between March 1 and July 31, a nesting bird survey shall be conducted within two weeks prior to initiation of work; if active nests are present, work within 500 feet of the nest(s) shall be postponed until the young have fledged, unless a smaller nest buffer zone is authorized by the DFG.

5. REFERENCES CITED

California Department of Fish and Game. 2010. California Natural Diversity Data Base, RareFind Printout, March 2010 Data.

_____. 2009. Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities.
<<http://nrm.dfg.ca.gov/documents/docviewer.aspx>>

_____. 2008. California Interagency Wildlife Task Group. California Wildlife Habitat Relationships Systems, Version 8.2, personal computer version. Sacramento, California.

City of Lakeport. 2010. Mitigated Negative Declaration and Initial Environmental Study, Lakeport Pacific Associates. AR 10-03 / ARC 10-02 / ER 10-02.

ENPLAN. 2010. Pre-jurisdictional Delineation Report: Lake County Courthouse Site, 675 Lakeport Boulevard, Lakeport, California. Unpublished report on file with ENLAN.


Northwest Biosurvey. June 30, 2006. Biological Assessment with Botanical Survey and Wetland Delineation for the Scott Johnson Property, APN 025-431-35.
<<http://www.cityoflakeport.com/departments/docs.aspx>>

URS Corporation. December 2009. Final Draft Phase I Environmental Site Assessment Report: Proposed New Lakeport Courthouse – 675 Lakeport Boulevard Site. 675 Lakeport Boulevard, Lakeport CA 95453. Unpublished document on file with the Judicial Council of California, Administrative Office of the Courts.

U.S. Department of Agriculture, Natural Resources Conservation Service. 2009. Web Soil Survey, August 31, 2009 Map Data. <<http://websoilsurvey.nrcs.usda.gov/app/>>

Appendix A

Figures



S:\01-Jobs Active\600-01 RBF Consulting - Lake County Courthouse\3-Project GIS\3-Map Documents\675 Lakeport Blvd. Fig. 1 Vicinity 03-16-10

Feature and boundary locations depicted are approximate only. 03.16.10



Figure 1
Project Vicinity Map





Feature and boundary locations depicted are approximate only. 07.12.10




Figure 2
Project APE and Area Surveyed





Special-Status Plant Population Locations and Density Representation

Appendix B

Site Photographs

Site Photographs



Annual Grassland (front) and Serpentine Herb (back) Communities 3/17/10



Annual Grassland Community 6/17/10



Serpentine Herb Community on Upper Terrace 3/17/10



Serpentine Herb Community on Undisturbed Slope 6/17/10



Ponded Water on Upper Terrace 2/8/10



Constructed Drainage Ditch 4/29/10



Bent-flowered Fiddleneck 4/9/10



Colusa Layia 5/19/10



Serpentine Cryptantha 6/17/10



Serpentine Cryptantha on Hillside 6/17/10



Tracy's Clarkia 6/17/10



Tracy's Clarkia Habitat 6/17/10

Appendix C

Wildlife Habitat Relationships Report Summary

WHR SPECIES SUMMARY REPORT (VERSION 8.2)
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA

ID	SPECIES NAME	STATUS													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
A007	California newt						7								
A043	Foothill yellow-legged frog						7				11	12			
A046	Bullfrog													14	
A071	California red-legged frog		2				7								
R004	Western pond turtle						7				11	12			
R036	Western skink						7				11				
R048	Ringneck snake											12			
R057	Gopher snake						7								
R059	California mountain kingsnake						7					12			
R061	Common garter snake	1		3		5	7								
B051	Great blue heron												13		
B052	Great egret												13		
B071	Snow goose													14	
B075	Canada goose													14	
B077	Green-winged teal													14	
B079	Mallard													14	
B080	Northern pintail													14	
B083	Cinnamon teal													14	
B084	Northern shoverler													14	
B085	Gadwall													14	
B086	Eurasian wigeon													14	
B087	American widgeon													14	
B094	Lesser scaup													14	
B110	Osprey												13		
B111	White-tailed kite				5										
B113	Bald eagle		3		5								13		
B114	Northern harrier						7								
B124	Ferruginous hawk									11					
B126	Golden eagle				5					11		13			
B129	Peregrine falcon		3		5						12	13			
B133	Ring-necked pheasant													14	
B134	Sooty grouse						7							14	
B138	Wild turkey													14	
B140	California quail						7							14	
B141	Mountain quail													14	
B149	American coot													14	
B255	Mourning dove													14	
B269	Burrowing owl						7			11					
B272	Long-eared owl						7								
B273	Short-eared owl						7								
B338	Purple martin						7								
B342	Bank swallow			4											
B353	American crow													14	
B410	Loggerhead shrike	1					7								
B461	Common yellowthroat						7								
B487	Rufous-crowned sparrow						7								
B499	Savannah sparrow			3			7								
B501	Grasshopper sparrow						7								
B505	Song sparrow						7								

<u>ID</u>	<u>SPECIES NAME</u>
B519	Red-winged blackbird
B520	Tricolored blackbird
B522	Yellow-headed blackbird
M001	Virginia opossum
M006	Ornate shrew
M018	Broad-footed mole
M023	Yuma myotis
M026	Fringed myotis
M033	Western red bat
M037	Townsend's big-eared bat
M038	Pallid bat
M045	Brush rabbit
M047	Desert cottontail
M051	Black-tailed jackrabbit
M087	San Joaquin pocket mouse
M105	California kangaroo rat
M112	American beaver
M117	Deer mouse
M134	California vole
M146	Coyote
M147	Red fox
M149	Gray fox
M151	Black bear
M152	Ringtail
M153	Raccoon
M157	Long-tailed weasel
M160	American badger
M161	Western spotted skunk
M162	Striped skunk
M165	Mountain lion
M166	Bobcat
M176	Wild pig
M177	Elk
M181	Mule deer

<u>STATUS</u>										
						7				
						7				
						7				
										14
1						7				
						7				
								11		
								11		
						7			12	
						7		11	12	
						7		11	12	
1	3									14
										14
						7				14
						7		11		
						7		11		
										14
						7				
1	3					7		11		
										14
									12	14
										14
										14
										14
										14
										14
										14
						7				14
						7				14
										14
						7				
										14
										14
										14
										14
										14
										14
										14
										14
										14

Total Number of Species: 83

Habitats Selected:
Annual grassland

STATUS KEY:

- 1 = Federal Endangered
- 2 = Federal Threatened
- 3 = California Endangered
- 4 = California Threatened
- 5 = California Fully Protected
- 6 = California Protected
- 7 = California Species of Special Concern
- 8 = Federally - Proposed Endangered
- 9 = Federally - Proposed Threatened
- 10 = Federal Candidate
- 11 = BLM Sensitive
- 12 = USFS Sensitive
- 13 = CDF Sensitive
- 14 = Harvest

Appendix D

Rarefind (CNDDDB) Report Summary

Rarefind (CNDDDB) Report Summary (March 2010 Data)
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA

Listed Element	Quadrangle ¹											Status ²
	CM	UL	BM	PG	LA	LU	CO	HO	HS	KE	CH	
Animals												
American badger					•							SSC
<i>Calasellus californicus</i>										•		None
Bell's sage sparrow									•			None
Blennosperma vernal pool andrenid bee					•							None
Clear Lake hitch		•			•	•	•		•		•	SSC
Double-crested cormorant					•							None
Foothill yellow-legged frog				•					•	•		SSC
Grasshopper sparrow				•				•				SSC
Great blue heron					•							None
Osprey			•	•	•	•	•			•		None
Pacific fisher				•								FC, SSC
Sacramento perch					•	•	•				•	SSC
Silver-haired bat			•			•						None
Townsend's big-eared bat				•								SSC
Tricolored blackbird		•			•							SSC
Western pond turtle		•						•	•	•		SSC
Plants												
Anthony's Peak lupine			•									1B.3
Beaked tracyina				•	•			•				1B.2
Bent-flowered fiddleneck					•	•			•			1B.2
Boggs Lake hedge-hyssop										•		SE, 1B.2
Bolander's horkelia				•					•			1B.2
Brandegees' eriastrum										•		1B.2
Bristly sedge	•							•				2.1
Burke's goldfields										•		FE, SE, 1B.1
Colusa layia					•	•	•	•	•	•		1B.2
Dimorphic snapdragon									•			4.3
Eel-grass pondweed						•	•			•	•	2.2
Glandular western flax			•		•	•			•	•		1B.2
Green jewel-flower					•							1B.2
Koch's cord moss				•				•				1B.3
Konocti manzanita						•			•	•		1B.3
Mayacamas popcorn-flower					•							1A
Napa bluecurls										•		1B.2
Norris' beard moss			•		•	•			•			2.2
Oval-leaved viburnum								•				2.3
Raiche's manzanita				•								1B.1
Rincon Ridge ceanothus				•								1B.1
Robust monardella										•		1B.2
Serpentine cryptantha					•				•			1B.1
Small-flowered calycadenia									•			1B.2
Small groundcone				•				•				2.3
Sonoma canescent				•								1B.2

Rarefind (CNDDDB) Report Summary (March 2010 Data)
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA

Listed Element	Quadrangle ¹											Status ²
	CM	UL	BM	PG	LA	LU	CO	HO	HS	KE	CH	
manzanita												
Two-carpellate western flax			•			•						1B.2
Woolly meadowfoam										•		4.2
Natural Communities												
Clear Lake Drainage Cyprinid /Catostomid Stream						•				•		None
Clear Lake Drainage Resident Trout Stream										•		None
Clear Lake Drainage Seasonal Lakefish Spawning Stream						•				•		None
Coastal and Valley Freshwater Marsh		•				•	•					None
Northern Interior Cypress Forest				•								None
Serpentine Bunchgrass				•								None

Highlighting denotes the quadrangle in which the project site is located.

¹Quadrangle Code

CM = Cow Mountain
 UL = Upper Lake
 BM = Bartlet Mtn.
 PG = Purdy's Garden

LA = Lakeport
 LU = Lucerne
 CO = Clearlake Oaks
 HO = Hopland

HS = Highland Springs
 KE = Kelseville
 CH = Clearlake Highlands

²Status Codes

Federal/State

FE = Federally Listed – Endangered
 FT = Federally Listed – Threatened
 FC = Federal Candidate Species

FD = Federally Delisted
 SE = State Listed – Endangered
 ST = State Listed – Threatened

SSC = State Species of Concern

California Native Plant Society

List 1A = Plants Presumed Extinct in California
 List 1B = Plants Rare, Threatened, or Endangered in California and Elsewhere
 List 2 = Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
 List 3 = Plants About Which We Need More Information – A Review List
 List 4 = Plants of Limited Distribution – A Watch List

Threat Ranks

0.1 = Seriously Threatened in California
 0.2 = Fairly Threatened in California
 0.3 = Not Very Threatened in California

Appendix E

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur at the Project Site

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

Wildlife	Habitat Requirements	Potential to Occur
<p>American badger <i>Taxidea taxus</i></p>	<p>Badgers are most commonly found in dry, open areas in shrub, forest, and herbaceous habitats, with friable soils. Badgers dig burrows in dry, sandy soil, usually in areas with sparse overstory.</p>	<p>Review of CNDDDB records found that the American badger has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. Field inspection found no badgers or badger dens. The American badger is thus not expected to be present or affected by project implementation.</p>
<p><i>Calasellus californicus</i></p>	<p><i>Calasellus californicus</i>, a freshwater isopod, is found in association with springs and seeps. The species is known to occur in Lake, Santa Clara, and Napa counties.</p>	<p>Springs and seeps do not occur on the project site. <i>Calasellus californicus</i> would thus not be present or affected by project implementation.</p>
<p>Bell's sage sparrow <i>Amphispiza belli belli</i></p>	<p>Bell's sage sparrow nest in chaparral dominated by dense stands of chamise.</p>	<p>The project area does not support chaparral or dense stands of chamise. Bell's sage sparrow would thus not be present.</p>
<p>Blennosperma vernal pool andrenid bee <i>Andrena blennospermatidis</i></p>	<p>The blennosperma vernal pool andrenid bee is a solitary, ground-nesting bee that inhabits upland areas around vernal pools. This bee has a patchy distribution in California's Sacramento Valley and foothills.</p>	<p>Vernal pools do not occur on or adjacent to the project site. The blennosperma vernal pool andrenid bee would thus not be present or affected by project implementation.</p>
<p>Clear Lake hitch <i>Lavinia exilicauda chi</i></p>	<p>Clear Lake hitch are endemic to Clear Lake (Lake County) and its associated tributaries. Hitch are also found in nearby Thurston Lake and Lampson Pond. Adults spawn in seasonal tributary streams to Clear Lake, such as Kelsey, Seigler Canyon, Adobe, Middle, Scotts, Cole, and Manning creeks. Spawning occurs in gravelly areas in the lower reaches of these streams.</p>	<p>The project area lacks lakes and streams. Clear Lake hitch would thus not be present or affected by project implementation.</p>
<p>Double-crested cormorant <i>Phalacrocorax auritus</i></p>	<p>Double-crested cormorant is a year-long resident along the coast and inland lakes and rivers, and feeds primarily on fish. Double-crested cormorants are colonial nesters, and nest from April through August. Nesting/roosting habitat includes off-shore rocks, islands, cliffs, wharfs, jetties, or overhanging tree branches along lakes and rivers.</p>	<p>The project area lacks suitable nesting and foraging habitat for the double-crested cormorant. The double-crested cormorant would thus not be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Foothill yellow-legged frog <i>Rana boylei</i></p>	<p>Foothill yellow-legged frogs are typically found in partly-shaded, shallow streams and riffles with a rocky substrate in a variety of aquatic habitats. This frog needs at least some cobble-sized substrate for egg-laying. Foothill yellow-legged frogs generally prefer low to moderate gradient streams, especially for breeding and egg-laying, although juvenile and adult frogs may utilize moderate- to steep-gradient streams during summer and early fall.</p>	<p>The project area lacks suitable habitat for the foothill yellow-legged frog. The foothill yellow-legged frog was not observed during the wildlife survey and is not expected to be present or affected by project implementation.</p>
<p>Grasshopper sparrow <i>Ammodramus savannarum</i></p>	<p>Grasshopper sparrows frequent dry or well-drained native grasslands. Nesting occurs from early April through mid-July in these grasslands. Nests are constructed of grasses or forbs in slight depressions on the ground, usually at the base of an overhanging clump of grass or forbs.</p>	<p>Although not observed during the wildlife survey, the grassland on the project site has a low potential to provide nesting habitat for the grasshopper sparrow.</p>
<p>Great blue heron <i>Ardea herodias</i></p>	<p>Great blue herons nest in colonies along marshes, lake margins, tideflats, wet meadows, rivers, and streams. Nests are generally in the tops of tall trees and snags. Uncommon nest sites include rock ledges, sea cliffs, and tule mats.</p>	<p>The project site lacks suitable nesting habitat for the great blue heron. Great blue herons were not observed during the wildlife survey and are not expected to nest on the site.</p>
<p>Osprey <i>Pandion haliaetus</i></p>	<p>Ospreys require large bodies of permanent water and suitable nest sites. Nesting occurs on large decadent trees or structures such as powerline towers, buildings, and bridges. Ospreys are primarily associated with pine and mixed-conifer habitats, although urban or suburban nests are not unusual.</p>	<p>The project site lacks suitable nesting habitat for the osprey. Ospreys were not observed during the wildlife survey and are not expected to nest on the site. Review of CNDDB records found that the nearest reported osprey nest is approximately ¼-mile southeast of the project site, along the shore of Clear Lake.</p>
<p>Pacific fisher <i>Martes pennanti pacificus</i></p>	<p>Pacific fishers primarily inhabit mixed conifer forests dominated by Douglas-fir, although they also are encountered frequently in higher elevation fir and pine forests, and mixed evergreen/broadleaf forests. Suitable habitat for Pacific fishers consists of large areas of mature, dense forest stands with snags and greater than 50 percent canopy closure.</p>	<p>No forest habitat occurs on the project site. Field inspection found no fishers or fisher dens on the site. The Pacific fisher would thus not den on the site or be affected by project implementation.</p>
<p>Sacramento perch <i>Archoplites interruptus</i></p>	<p>The Sacramento perch is a warm-water fish that historically occurred in Clear Lake (Lake County), as well as the Sacramento, San Joaquin, Pajaro, and Salinas river systems. The species is presently restricted to Clear Lake and several small reservoirs and farm ponds where they have been introduced. Adults and juveniles associate with beds of aquatic vegetation in shallow water.</p>	<p>Lakes and streams do not occur on the project site. The Sacramento perch would thus not be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

		Habitat Requirements	Potential to Occur
Silver-haired bat <i>Lasionycteris noctivagans</i>		Silver-haired bats occur in coastal and montane forests. Silver-haired bats roost in hollow trees, snags, rock crevices, caves, and under bark.	The project site provides suitable foraging habitat for the silver-haired bat, but does not provide roosting habitat.
Townsend's big-eared bat <i>Corynorhinus townsendii pallascens</i>		Townsend's big-eared bat is found throughout California except in subalpine and alpine habitats, and may be found at any season throughout its range. The species is most abundant in mesic habitats. The bat requires caves, mines, tunnels, buildings, or other human-made structures for roosting.	The project site provides suitable foraging habitat for Townsend's big-eared bat, but does not provide roosting habitat.
Tricolored blackbird <i>Agelaius tricolor</i>		Tricolored blackbirds require open water, usually nesting in dense cattails or tules although they can also nest in thickets of willow, blackberry, wild rose and tall herbs. Tricolored blackbirds are colonial nesters. Nesting areas must be large enough to support a minimum colony of about 50 pairs.	The project site lacks suitable nesting habitat for the tricolored blackbird. Tricolored blackbirds were not observed during the wildlife survey and are not expected to nest on the site.
Western pond turtle <i>Actinemys marmorata</i>		The western pond turtle associates with permanent or nearly permanent water in a variety of habitats. This turtle is typically found in quiet water environments. Pond turtles require basking sites such as partially submerged logs, rocks, or open mud banks, and suitable (sandy banks or grassy open fields) upland habitat for egg-laying. In cold weather, pond turtles hibernate underwater in bottom mud.	The project site lacks suitable habitat for the western pond turtle. The western pond turtle was not observed during the wildlife survey and is not expected to be present or affected by project implementation.
PLANTS			
Anthony's Peak lupine <i>Lupinus antoninus</i>		Anthony's Peak lupine occurs on rocky outcrops and dry talus and shaley slopes on mountaintops above timberline (4,000 to 7,500 feet above sea level). The species is known to occur in Mendocino, Trinity, and Lake counties. The flowering period is May through July.	The project site is well below the elevational range of Anthony's Peak lupine. The species was not observed during the botanical survey and is not expected to be present or affected by project implementation.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Beaked tracyina <i>Tracyina rostrata</i></p>	<p>Beaked tracyina is an annual herb that usually occurs on dry, grassy slopes in coastal prairie. The species is reported between 400 and 1,000 feet in elevation. Most populations are reported in Humboldt and Mendocino counties, although several populations are found in Lake and Sonoma counties. The flowering period is May through June.</p>	<p>The disturbed grassland on the project site has a low potential to support beaked tracyina. However, beaked tracyina was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bent-flowered fiddleneck <i>Amsinckia lunaris</i></p>	<p>Bent-flowered fiddleneck occurs in cismontane woodland, and valley and foothill grassland. The species is reported between 50 and 1,500 feet in elevation. Populations are known to occur in Lake, Marin, Napa, Colusa, Contra Costa, Alameda, San Benito, Santa Clara, Santa Cruz, Yolo, and San Mateo counties. The flowering period is March through June.</p>	<p>The project site provides suitable habitat for bent-flowered fiddleneck, and the species was observed during the botanical survey.</p>
<p>Boggs Lake hedge-hyssop <i>Gratiola heterosepala</i></p>	<p>Boggs Lake hedge-hyssop occurs in marshes, swamps, and vernal pools. The species is reported from sea level to 7,800 feet in elevation. The flowering period is April through August.</p>	<p>The project site lacks marshes, swamps, and vernal pools. Boggs Lake hedge-hyssop was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bolander's horkelia <i>Horkelia bolanderi</i></p>	<p>Bolander's horkelia occurs along grassy margins of vernal pools. The species is reported between 1,500 and 3,000 feet in elevation. Populations are known to occur in Colusa, Lake, and Mendocino counties. The flowering period is June through August.</p>	<p>Vernal pools do not occur on the project site. Bolander's horkelia was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Brandegee's eriastrum <i>Eriastrum brandegeae</i></p>	<p>Brandegee's eriastrum occurs on dry gravelly to loamy soils on flats and benches in chaparral or closed-cone pine forests. The species is reported between 1,000 and 3,400 feet in elevation in the northern Coast Range. Populations are known to occur in Colusa, Glenn, Lake, Shasta (extreme southwestern portion), Trinity, Santa Clara, and San Mateo counties. The flowering period is April through August.</p>	<p>Chaparral or closed-cone pine forests do not occur on the project site. Brandegee's eriastrum was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Bristly sedge <i>Carex comosa</i></p>	<p>Bristly sedge occurs in marshes, and swamps, or along lake margins. This species is reported from sea level to 2,100 feet in elevation. The flowering period is May through September.</p>	<p>Marshes, swamps, or lake margins do not occur on the project site. Bristly sedge was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
Burke's goldfields <i>Lasthenia burkei</i>	Burke's goldfields occurs in vernal pools, meadows, and seeps. The species is reported between 50 and 2,000 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is April through June.	Vernal pools, meadows, and seeps do not occur on the project site. Burke's goldfields was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Colusa layia <i>Layia septentrionalis</i>	Colusa layia is an annual herb that occurs in oak woodland, chaparral, valley and foothill grasslands, and in sandy serpentine. The species is reported between 300 and 3,600 feet in elevation. Populations are known to occur in the Coast Range and Sutter Buttes (Colusa, Glenn, Lake, Mendocino, Napa, Sonoma, Sutter, Tehama, and Yolo counties). The flowering period is April through May.	The project site provides suitable habitat for Colusa layia, and the species was observed on the northern portion of the upper terrace and on the slope below the terrace.
Dimorphic snapdragon <i>Antirrhinum subcordatum</i>	Dimorphic snapdragon occurs on serpentine or shale soils in foothill woodland or chaparral on south or west-facing slopes, between 600 and 2,500 feet above sea level. The flowering period is April through July.	Serpentine rocks cover most of the project site. However, dimorphic snapdragon was not observed during the botanical survey and is not expected to be present.
Eel grass pondweed <i>Potamogeton zosteriformis</i>	Eel grass pondweed occurs in ponds, lakes, streams, marshes, and swamps up to 6,000 feet in elevation. This aquatic plant has been reported in Lassen, Shasta, Modoc, Contra Costa, and Lake counties.	Suitable habitat for eel grass pondweed does not occur on the project site. Eel grass pondweed was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Glandular western flax <i>Hesperolinon adenophyllum</i>	Glandular western flax generally occurs on serpentine soils in chaparral. The species is reported between 1,400 and 4,300 feet in elevation. Populations are known to occur in Lake and Mendocino counties. The flowering period is May through August.	Serpentine rocks cover most of the project site. However, glandular western flax was not observed during the botanical survey and is not expected to be present.
Green jewel-flower <i>Streptanthus breweri</i> var. <i>hesperidis</i>	Green jewel-flower occurs in openings in chaparral and cismontane woodland, or on serpentine or rocky sites. The species is reported between 400 and 2,500 feet in elevation. Populations are known to occur in Glenn, Lake, Napa, and Sonoma counties. The flowering period is May through July.	Review of CNDDB records found that the green jewel-flower has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. Serpentine rocks cover most of the project site. However, green jewel-flower was not observed during the botanical survey and is not expected to be present or affected by project implementation.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
Koch's cord moss <i>Entosthodon kochii</i>	Koch's cord moss occurs on moist soils in cismontane woodland. The species is reported between 1,600 and 3,300 feet in elevation. Populations are known to occur in San Luis Obispo, Mariposa, Marin, and Mendocino counties.	The project site lacks cismontane woodland and is slightly below the reported elevation range for Koch's cord moss. Koch's cord moss is not expected to be present or affected by project implementation.
Konocti manzanita <i>Arcostaphylos manzanita</i> ssp. <i>elegans</i>	Konocti manzanita occurs on volcanic soils in chaparral, cismontane woodland, and lower montane coniferous forest. The species is reported between 1,300 and 4,600 feet in elevation. Populations are known to occur in Colusa, Glenn, Tehama, Lake, Napa, and Sonoma counties. The flowering period is March through May.	The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Konocti manzanita. Konocti manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Mayacamas popcorn-flower <i>Plagiobothrys lithocaryus</i>	Mayacamas popcorn-flower occurs on moist sites in cismontane woodland, and valley and foothill grasslands. The species is reported between 900 and 1,500 feet in elevation. Populations are known to occur in Mendocino and Lake counties. The flowering period is April through May.	Review of CNDDB records found that the Mayacamas popcorn-flower has been broadly mapped to include the project site. The exact location of this occurrence is uncertain, but has been mapped to include most of the community of Lakeport. The onsite grassland provides marginally suitable habitat for Mayacamas popcorn-flower. The species was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Napa bluecurls <i>Trichostema ruygtii</i>	Napa bluecurls occurs in vernal pools in valley and foothill grasslands, and in openings in chaparral, cismontane woodland, and lower montane coniferous forest. The species is reported between 100 and 2,000 feet in elevation. Populations are known to occur in Napa and Solano counties. The flowering period is June through October.	The project site lacks vernal pools, chaparral, and cismontane woodland. Napa bluecurls was not observed during the botanical survey and is not expected to be present or affected by project implementation.
Norris' beard moss <i>Didymodon norrisii</i>	Norris' beard moss occurs on rocks in cismontane woodland and lower montane coniferous forest. The species is reported to occur between 2,000 and 6,500 feet in elevation.	The project site is well below the elevational range of Norris' beard moss. The species would thus not be present.

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDDB to Occur on the Site

	Habitat Requirements	Potential to Occur
<p>Oval-leaved viburnum <i>Viburnum ellipticum</i></p>	<p>Oval-leaved viburnum inhabits chaparral, cismontane woodland, and lower montane coniferous forests. The species often occurs on north-facing slopes covered by dense brush. Oval-leaved viburnum is found between 700 and 4,600 feet in elevation. The flowering period is May through June.</p>	<p>The project site lacks chaparral, cismontane woodland, and montane coniferous forest. Oval-leaved viburnum was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Raiche's manzanita <i>Arcostaphylos stanfordiana</i> ssp. <i>raichei</i></p>	<p>Raiche's manzanita occurs on serpentine soils in chaparral and lower montane coniferous forest. The species is reported between 1,500 and 3,300 feet in elevation. Populations are known to occur in Mendocino County. The flowering period is February through April.</p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Raiche's manzanita. Raiche's manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Rincon Ridge ceanothus <i>Ceanothus confusus</i></p>	<p>Rincon Ridge ceanothus occurs on dry, serpentine or volcanic soils in chaparral, cismontane woodland, and lower montane coniferous forests. The species is reported between 250 and 3,500 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is February through June.</p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Rincon Ridge ceanothus. Rincon Ridge ceanothus was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Robust monardella <i>Monardella villosa</i> ssp. <i>globosa</i></p>	<p>Robust monardella occurs in openings in chaparral and oak woodlands. The species is reported from sea level to 4,300 feet in elevation. Populations are known to occur in Alameda, Contra Costa, Humboldt, Lake, Mendocino, Napa, Santa Clara, Santa Cruz, San Mateo, and Sonoma counties. The flowering period is June through July.</p>	<p>The project site is nearly barren of trees and shrubs. Robust monardella was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Serpentine cryptantha <i>Cryptantha clevelandii</i> var. <i>dissita</i></p>	<p>Serpentine cryptantha occurs on serpentine rock outcrops in chaparral. The species is reported between 1,100 and 2,400 feet in elevation. Populations are known to occur in Lake, Mendocino, Napa, and Sonoma counties. The flowering period is April through June.</p>	<p>Serpentine cryptantha was observed on the project site.</p>
<p>Small-flowered calycadenia <i>Calycadenia micrantha</i></p>	<p>Small-flowered calycadenia generally occurs on rocky talus or in sparsely vegetated areas, but is occasionally found on serpentine soils and roadsides. The species is reported from sea level to 5,000 feet in elevation. Populations are known to occur in Monterey, Trinity, Lake, Napa, and Colusa counties. The flowering period is June through September.</p>	<p>The project site has a moderate potential to support small-flowered calycadenia. However, small-flowered calycadenia was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Evaluation of the Potential for Special-Status Species or Other Species Identified by the CNDDB to Occur on the Site

Habitat Requirements	Potential to Occur
<p>Small groundcone <i>Boschniakia hookeri</i></p>	<p>The project site is nearly devoid of trees and shrubs, and does not have suitable habitat for small groundcone. Small groundcone was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Sonoma canescent manzanita <i>Arcostaphylos canescens</i> ssp. <i>sonomensis</i></p>	<p>The project site is nearly devoid of trees and shrubs, and lacks suitable habitat for Sonoma canescent manzanita. Sonoma canescent manzanita was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Two-carpellate western flax <i>Hesperolinon bicarpellatum</i></p>	<p>Serpentine rocks cover most of the project site. However, two-carpellate western flax was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>
<p>Woolly meadowfoam <i>Limnanthes floccosa</i> ssp. <i>floccosa</i></p>	<p>A ditch in the southeast portion of the project site has marginally suitable habitat for woolly meadowfoam. However, woolly meadowfoam was not observed during the botanical survey and is not expected to be present or affected by project implementation.</p>

Appendix F

Checklist of Vascular Plant Species Observed

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED

Lake County Courthouse Site
April 9 and 29, May 17, and June 19, 2010

Amaranthaceae

Amaranthus albus

Apiaceae

Lomatium macrocarpum

Perideridia sp.

Torilis arvensis

Asteraceae

Achyrachaena mollis

Agoseris grandiflora

Agoseris heterophylla

Ancistrocarphus filagineus

Anthemis cotula

Baccharis pilularis

Calycadenia pauciflora

Carduus pycnocephalus

Centaurea solstitialis

Chamomilla suaveolens

Cirsium cymosum

Filago gallica

Hemizonia congesta ssp. *clevelandii*

Hypochaeris glabra

Lactuca sp.

Lagophylla ramosissima var. *ramosissima*

Lasthenia californica

Layia septentrionalis

Micropus californicus var. *californicus*

Microseris douglasii ssp. *douglasii*

Psilocarphus tenellus var. *tenellus*

Rigiopappus leptocladus

Senecio vulgaris

Sonchus asper ssp. *asper*

Uropappus lindleyi

Boraginaceae

Amsinckia lunaris

Amsinckia menziesii var. *menziesii*

Cryptantha clevelandii var. *dissita*

Plagiobothrys nothofulvus

Brassicaceae

Athysanus pusillus

Brassica rapa

Capsella bursa-pastoris

Lepidium sp.

Lepidium nitidum var. *nitidum*

Streptanthus barbiger

Thysanocarpus curvipes

Amaranth Family

Tumbleweed

Carrot Family

Large-fruited lomatium

Yampah

Field hedge-parsley

Sunflower Family

Blow-wives

Large-flowered agoseris

Annual agoseris

Wooly fishhooks/false neststraw

Stinking chamomile

Coyote-brush

Smallflower western rosinweed

Italian thistle

Yellow star thistle

Pineapple weed

Peregrine thistle

Narrow-leaved filago

Hayfield tarweed

Smooth cat's ear

Prickly lettuce

Common hareleaf

California goldfields

Colusa tidytops

Slender cottonweed

Douglas' silverpuffs

Slender woolly marbles

Rigiopappus

Old-man-in-the-Spring

Prickly sow thistle

Silverpuffs

Borage Family

Bent-flowered fiddleneck

Menzies' fiddleneck

Cleveland's cryptantha

Rusty popcorn-flower

Mustard Family

Petty athysanus

Field-mustard

Shepherd's purse

Peppergrass

Shining peppergrass

Bearded jewelflower

Lace pod

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Campanulaceae

Githopsis specularioides

Caryophyllaceae

Cerastium glomeratum

Minuartia douglasii

Petrorhagia dubia

Scleranthus annuus ssp. *annuus*

Spergularia rubra

Convolvulaceae

Convolvulus arvensis

Crassulaceae

Crassula tillaea

Cucurbitaceae

Marah sp.

Cuscutaceae

Cuscuta californica

Euphorbiaceae

Eremocarpus setigerus

Fabaceae

Astragalus gambelianus

Lotus sp.

Lotus denticulatus

Lotus humistratus

Lotus purshianus

Lupinus bicolor

Medicago minima

Medicago polymorpha

Medicago praecox

Trifolium albopurpureum var. *dichotomum*

Trifolium bifidum var. *decipiens*

Trifolium dubium

Trifolium hirtum

Trifolium willdenovii

Vicia sativa ssp. *nigra*

Vicia villosa ssp. *villosa*

Fagaceae

Quercus lobata

Gentianaceae

Centaurium muehlenbergii

Bluebell Family

Common bluecup

Pink Family

Mouse-eared chickweed

Douglas' sandwort

Grass pink

German knotgrass

Ruby sand spurry

Morning Glory Family

Bindweed

Stonecrop Family

Moss pygmy weed

Gourd Family

Man-root

Dodder Family

Chaparral dodder

Spurge Family

Dove weed

Legume Family

Gambel's dwarf milkvetch

Lotus

Riverbar birds-foot trefoil

Hairy lotus

Spanish lotus

Bicolored lupine

Hairy bur-clover

California bur-clover

Mediterranean bur-clover

Branched Indian clover

Deceptive clover

Little hop clover

Rose clover

Tomcat clover

Garden vetch

Winter vetch

Oak Family

Valley oak (seedling)

Gentian Family

Muhlenberg's centaury

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Geraniaceae

Erodium botrys
Erodium brachycarpum
Erodium cicutarium

Geranium Family

Long-beaked filaree
Short-fruited storksbill
Red-stemmed filaree

Hydrophyllaceae

Phacelia corymbosa

Waterleaf Family

Serpentine phacelia

Iridaceae

Sisyrinchium bellum

Iris Family

Blue-eyed grass

Juncaceae

Juncus bufonius

Rush Family

Toad rush

Liliaceae

Allium falcifolium
Brodiaea californica var. *californica*
Calochortus vestae
Chlorogalum sp.
Dichelostemma capitatum ssp. *capitatum*

Lily Family

Scytheleaf onion
California brodiaea
Coast Range mariposa lily
Soap plant
Blue dicks

Malvaceae

Sidalcea diploscypha

Mallow Family

Fringed checkerbloom

Onagraceae

Camissonia graciliflora
Clarkia gracilis ssp. *gracilis*
Clarkia gracilis ssp. *tracyi*
Clarkia purpurea ssp. *quadrivulnera*
Epilobium minutum

Evening-Primrose Family

Hill suncup
Slender clarkia
Tracy's clarkia
Winecup clarkia
Chaparral willowherb

Orobanchaceae

Orobanche fasciculata

Broom-rape Family

Clustered broom-rape

Papaveraceae

Eschscholzia californica
Platystemon californicus

Poppy Family

California poppy
Creamcups

Plantaginaceae

Plantago sp.
Plantago erecta

Plantain Family

Plantain
Hooker's plantain

Poaceae

Aegilops triuncialis
Aira caryophyllea
Avena barbata
Avena fatua
Bromus carinatus var. *carinatus*
Bromus diandrus
Bromus hordeaceus
Bromus madritensis ssp. *rubens*
Deschampsia danthonioides

Grass Family

Barbed goatgrass
Silver hairgrass
Slender wild oats
Wild oats
California brome
Ripgut grass
Soft chess
Red brome
Annual hairgrass

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED

Lake County Courthouse Site

<i>Elymus multisetus</i>	Big squirreltail
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	California barley
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Mediterranean barley
<i>Hordeum murinum</i>	Foxtail barley
<i>Lolium multiflorum</i>	Annual ryegrass
<i>Melica californica</i>	California melic
<i>Nasella pulchra</i>	Purple needlegrass
<i>Poa annua</i>	Annual bluegrass
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided bluegrass
<i>Scribneria bolanderi</i>	Scribner grass
<i>Secale cereale</i>	Rye
<i>Taeniatherum caput-medusae</i>	Medusa head
<i>Vulpia microstachys</i> var. <i>ciliata</i>	Fringed fescue
<i>Vulpia microstachys</i> var. <i>microstachys</i>	Small fescue
<i>Vulpia microstachys</i> var. <i>pauciflora</i>	Few-flowered fescue
<i>Vulpia myuros</i> var. <i>myuros</i>	Rattail fescue

Polemoniaceae

Gilia capitata ssp. *capita*
Gilia tricolor
Leptosiphon bolanderi
Linanthus bicolor

Polygonaceae

Eriogonum nudum
Eriogonum vimineum
Rumex crispus

Portulacaceae

Calandrinia ciliata
Claytonia exigua ssp. *exigua*
Claytonia perfoliata

Primulaceae

Anagallis arvensis

Pteridaceae

Pentagramma triangularis ssp. *triangularis*

Ranunculaceae

Delphinium hansenii ssp. *hansenii*
Ranunculus sp.

Rosaceae

Crataegus sp.

Rubiaceae

Galium aparine
Galium parisiense

Phlox Family

Globe gilia
Bird's eyes
Bolander's linanthus
Bicolored linanthus

Buckwheat Family

Naked buckwheat
Wicker buckwheat
Curly dock

Purslane Family

Red maids
Little miner's-lettuce
Common miner's lettuce

Primrose Family

Scarlet pimpernel

Brake Family

Goldback fern

Buttercup Family

Eldorado larkspur
Buttercup

Rose Family

Hawthorn (horticultural)

Madder Family

Cleavers
Wall bedstraw

CHECKLIST OF VASCULAR PLANT SPECIES OBSERVED
Lake County Courthouse Site

Scrophulariaceae

Castilleja attenuata
Castilleja exserta ssp. *exserta*
Castilleja rubicundala ssp. *lithospermoides*
Collinsia sparsiflora var. *sparsiflora*
Mimulus guttatus
Triphysaria eriantha
Verbascum blattaria

Taxodiaceae

Sequoia sempervirens

Valerianaceae

Plectritis macrocera

Snapdragon Family

Valley tassels
Exserted Indian paintbrush
Cream sacs
Spinster's blue eyed Mary
Common monkey-flower
Johnny tuck
Moth mullein

Bald Cypress Family

Redwood (horticultural)

Valerian Family

White plectritis

Appendix G

Checklist of Wildlife Species Observed

**Checklist of Wildlife Species Observed
Lake County Courthouse
675 Lakeport Boulevard, Lakeport, CA**

Common Name	Scientific Name	Status
BIRDS		
American crow	<i>Corvus brachyrhynchos</i>	None
Black-tailed jackrabbit	<i>Lepus californicus</i>	None
California gull	<i>Larus californicus</i>	None
Common raven	<i>Corvus corax</i>	None
Killdeer	<i>Charadrius vociferus</i>	None
Red-tailed hawk	<i>Buteo jamaicensis</i>	None
Western scrub-jay	<i>Aphelocoma californica</i>	None
MAMMALS		
California ground squirrel	<i>Otospermophilus beecheyi</i>	None
Gopher	<i>Thomomys</i> sp.	None
REPTILES		
Western fence lizard	<i>Sceloporus occidentalis</i>	None

An aerial photograph of a commercial area. A red outline highlights a specific site, which appears to be a large, mostly empty lot or parking area. The surrounding area includes various commercial buildings, parking lots, and roads. The text is overlaid on the top half of the image.

Pre-jurisdictional Delineation Report

**Lake County Courthouse Site
675 Lakeport Boulevard
Lake County, California**

Prepared for:

Administrative Office of the Courts

July 16, 2010

500-01



Lake County Courthouse Site

Pre-jurisdictional Delineation Report

Applicant/Land Owner:

Administrative Office of the Courts
2860 Gateway Oaks Drive, Suite 400
Sacramento, CA 95833
Attention: Laura Sainz

Access:


From Lakeport, take Highway 29 to the Lakeport Boulevard exit. Travel east on Lakeport Boulevard approximately 1000 feet. The site is on the south side of Lakeport Boulevard and can be accessed from the road margin.

I. INTRODUCTION

The ±6.4-acre study site is located east of the intersection of Lakeport Boulevard and Highway 29 in the City of Lakeport, Lake County. The study site encompasses the subject ±5.8-acre parcel as well as the southern fill slope along Lakeport Boulevard to the north. As shown in Figure 1, the site is situated near the center of Section 25, Township 14 North, Range 10 West (Lakeport, CA, 7.5-minute quadrangle). The site is identified as Lake County Assessor's Parcel Number 025-521-410 and is being evaluated for potential construction of a new Lake County courthouse.

The site elevation ranges between 1,340 and 1,400 feet above sea level. The site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s; the site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988 (URS, 2009). Grading dramatically altered the natural contours of the site. Roughly 20 feet of surface material was removed from the upper portion of the site, resulting in two level terraces.

Small rocks of serpentine origin are exposed on the upper terrace and hillsides, which support a serpentine herb community. The serpentine herb community generally consists of a sparse, low-growing cover of annual and perennial forbs and grasses including naked buckwheat, wicker buckwheat, reflexed fescue, serpentine phacelia, fringed checkerbloom, bearded jewelflower, Douglas's sandwort, and Gambel's dwarf milkvetch. The lower terrace, on the eastern edge of the study area, supports an annual grassland community. Common species in this community include wild oats, soft chess, California meadow barley, cream sacs, winter vetch, Spanish lotus, and various clovers. All of the above species have an indicator status of FACU or drier.



USGS Lakeport 7.5-minute Quadrangle
 Section 25, Township 14 North, Range 10 West
 Centroid: Lat: 39° 2' 1.56" Long: -122° 55' 14.54"

Feature and boundary locations depicted are approximate only. 05.19.10



Figure 1
Project Vicinity Map



FILE: \\Merritt\Server\AID\CompanyFiles\01 - Jobs Active\500-01 - RBF Consulting - Lake County Courthouse\3 - Project GIS\3 - Map Documents\Fig_1 Lakeport Delin Vicinity Map 7-14-10.mxd

According to the U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS, 2010), two soil units are present on the study site. Henneke-Montara-rock outcrop complex, 15-30 percent slopes, covers nearly the entirety of the study site. A very small amount of Still loam, stratified substratum, is mapped as occurring in the extreme northeast corner of the site. The Henneke-Montara-rock outcrop complex is not considered hydric, while the Still soil unit is partly hydric, i.e., it may contain inclusions of hydric soils. It should be noted that past grading activities on the site have resulted in removal and/or redistribution of most of the on-site soils.

The climate of the project vicinity is of the Mediterranean type, with cool, moist winters and hot, dry summers. Annual precipitation averages ± 28.4 inches in the community of Lakeport, which reasonably approximates conditions on the subject site (Western Regional Climate Center, 2010).

II. METHODOLOGY

Prior to undertaking the field studies, National Wetlands Inventory maps (U.S. Fish and Wildlife Service, n.d.) were reviewed to determine if any jurisdictional waters had been previously reported on or within one-half mile of the project site. Such data is not available for the Lakeport quadrangle.

The primary field investigation was conducted on April 29 and 30, 2010. During the field investigation, field conditions were relatively wet. Average April rainfall for the City of Lakeport measures 2.19 inches; actual rainfall totals for April 2010 measured 6.89 inches (NOAA, 2010).

The wetland investigation was conducted in accordance with technical methods outlined in the Corps of Engineers Wetlands Delineation Manual (U.S. Department of the Army, Corps of Engineers, 1987) and under the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (U.S. Department of the Army, Corps of Engineers, 2008), which is referred to as the "Arid West Supplement" in this report. Wetland Determination Data Forms are presented in Appendix A of this report.

Although no wetlands were identified, several non-wetland waters of the United States are present. The limit of the Corps of Engineers' jurisdiction over these features is represented by the ordinary high water mark. As described in the Code of Federal Regulations Title 33: Navigation and Navigable Waters-Sec. 328.3(e), the ordinary high water mark is defined as the line on the shore established by fluctuations of water indicated by physical characteristics. These may include a clear/natural line on the bank, shelving, changes in soil, destruction of terrestrial vegetation, presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas. The limits of on-site ditches and seasonal waters were identified in the field using these indicators.

Scientific nomenclature for plants cited in this report is in accordance with the taxonomic treatments presented in *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland* (Kartesz, 1994). The wetland indicator status of the plants was determined using the *National List of Plant Species That Occur in Wetlands: California (Region 0)* (U.S. Department of the Interior, Fish and Wildlife Service, 1988). Soil colors were identified using *Munsell Soil Color Charts* (Kollmorgen Instruments Corporation, 2000).

Coordinates along the perimeters of non-linear waters were obtained using a global positioning system (GPS) unit capable of sub-meter accuracy. Coordinates for the centerlines of ditches were also recorded with the GPS unit; the aerial extent of the ditches was calculated based on cross-sectional measurements taken at roughly 25-foot intervals. The GPS coordinates were downloaded into ArcMap for mapping and acreage calculations.

III. RESULTS

During the field investigation, ENPLAN mapped eight non-wetland waters of the United States within two categories: seasonal waters and constructed ditches. These features are characterized below. The results of the field delineation effort are summarized in Tables 1 and 2 and shown in Figure 2. Representative photos are presented in Appendix B.

Seasonal Waters: Two seasonal waters, on the western edge of the upper terrace, were created when the site was graded and bedrock was exposed. Water now ponds to a depth of two to three inches in these shallow depressions underlain by bedrock. Representative plant species include scribner grass (*Scribneria bolanderi*, UPL), annual hairgrass (*Deschampsia danthonioides*, FACW), and rigiopappus (*Rigiopappus leptocladus*, UPL), but vegetative cover is less than five percent. As described in the Arid West Supplement, features with an ordinary high water mark and less than five percent vegetative cover are non-wetland waters. The extent of ponding was documented through site inspections on February 8 and April 9, 29 and 30, 2010, as well as by the presence of water-stained rock, sediment deposits, and a biotic crust.

Constructed Ditches: Constructed ditches are excavated features that may be located in either wetlands or uplands, and may convey water collected from sheet flow or diverted from other water bodies. The jurisdictional status of constructed ditches depends in part on these characteristics. The on-site ditches are constructed in uplands, and receive sheet-flow runoff and discharge from the two non-wetland waters on the upper terrace. Most of the ditches have only ephemeral flow. However, 3:CD and 8:CD do not drain well and support wetland plant species in their lower ends; species present include annual ryegrass (*Lolium multiflorum* = *L. perenne*, FAC*), *Hordeum marinum* ssp. *gussoneanum* = *H. hystrix*, FAC), and common monkey-flower (*Mimulus guttatus*, OBL).

**Table 1
Summary of Waters by Type**

Type	Area	
	sq. ft.	acres
Constructed Ditches	2,108	0.048
Seasonal Waters	3,793	0.087
Total Waters	5,901	0.135

**Table 2
Waters by Map ID**

Map ID	Type	Average Width	Length	Area	
				sq. ft.	acres
1	Constructed Ditch	1.7	350	595	0.014
2	Constructed Ditch	0.5	20	10	0.000
3	Constructed Ditch	4.6	206	948	0.022
4	Seasonal Water	—	—	2,599	0.060
5	Seasonal Water	—	—	1,194	0.027
6	Constructed Ditch	1.6	178	285	0.007
7	Constructed Ditch	1.5	10	15	0.000
8	Constructed Ditch	2.3	111	255	0.006
Total Waters				5,901	0.135

FILE: \\laseratx\Server\AID\CompanyFiles\01-Jobs Active\500-01-RBF-Consulting - Lake County Courthouse\3-Project GIS\3-Map Documents\Fig 2 - Lakeport Delin Z-16-10.mxd



Figure 2
 Potential Waters of the U.S. and/or State
 Project: Lake County Courthouse Site
 Delineator: Don Burk
 Date: February 8 & April 9, 29, & 30, 2010
 Date Revised:

- Study Area Boundary
- Parcel Boundary
- Seasonal Water
- Constructed Ditch
- Culvert
- Flow Direction
- X Storm Drain Inlet
- Data Point

Potential Waters by Map ID					
Map ID	Type	Average Width (feet)	Length (feet)	Area	
				sq. ft.	acres
1:CD	Constructed Ditch	1.7	350	595	0.014
2:CD	Constructed Ditch	0.5	20	10	0.000
3:CD	Constructed Ditch	4.6	206	948	0.022
4:RW	Seasonal Water	—	—	2,599	0.060
5:RW	Seasonal Water	—	—	1,194	0.027
6:CD	Constructed Ditch	1.6	178	285	0.007
7:CD	Constructed Ditch	1.5	10	15	0.000
8:CD	Constructed Ditch	2.3	111	255	0.006
Total Waters				5,901	0.135

Feature and boundary locations depicted are approximate only. 07.16.10



IV. JURISDICTIONAL DETERMINATION

As described in Regulatory Guidance Letter 08-02, the applicant concurs with the Army Corps of Engineers that waters regulated under the Clean Water Act may be present on the site. As such, these waters will be treated as jurisdictional for the purpose of calculating fill and satisfying future mitigation requirements. The applicant understands that they can later request and obtain an approved JD if that later becomes necessary or appropriate during the permit process or during the administrative appeal process.

V. REFERENCES

- Kartesz, J.T. 1994. *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland*. 2nd edition. Volume 1 — Checklist, Volume 2 — Thesaurus. Timber Press, Inc., Portland, Oregon.
- Kollmorgen Instruments Corporation. 2000. *Munsell Soil Color Charts*.
- URS Corporation. December 2009. Final Draft Phase I Environmental Site Assessment Report: Proposed New Lakeport Courthouse – 675 Lakeport Boulevard Site. 675 Lakeport Boulevard, Lakeport CA 95453. Unpublished document on file with the Judicial Council of California, Administrative Office of the Courts.
- U.S. Department of Agriculture, Natural Resources Conservation Service. 2009. Web Soil Survey, August 31, 2009 Map Data. <<http://websoilsurvey.nrcs.usda.gov/app/>>
- U.S. Department of the Army, Corps of Engineers. 1987. *Corps of Engineers Wetlands Delineation Manual*. Technical Report Y-87-1. National Technical Information Service, Springfield Virginia.
- _____. 2008. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)*, eds. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-08-28. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- U.S. Department of the Interior, Fish and Wildlife Service. 1988. *National List of Plant Species That Occur in Wetlands: California (Region 0)*. Biological Report 88 (26.10).
- _____. n.d. National Wetlands Inventory. www.wetlandsfws.er.usgs.gov.
- U.S. Geological Survey. 1958. Lakeport, California, 7.5-minute quadrangle sheet. Photo-revised 1978.
- Western Regional Climate Center (WRCC). 2010. Lakeport, CA. www.wrcc.dri.edu/climsum.html.

APPENDIX A

Wetland Determination Forms

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
Total Cover: _____				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____
<u>Sapling/Shrub Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
Total Cover: _____				
<u>Herb Stratum</u>				Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present.
1. <u>Lolium multiflorum ssp. perenne</u>	<u>30</u>	<u>Yes</u>	<u>FAC*</u>	
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>Vulpia microstachys var. pauciflora</u>	<u>8</u>	<u>No</u>	<u>NL</u>	
4. <u>Achyrachaena mollis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u> % Cover of Biotic Crust _____				

Remarks:

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Stratified Layers (A5) (LRR C) <input type="checkbox"/> 1 cm Muck (A9) (LRR D) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	Indicators for Problematic Hydric Soils³: <input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input checked="" type="checkbox"/> Redox Depressions (F8) <input type="checkbox"/> Vernal Pools (F9) <input type="checkbox"/> 1 cm Muck (A9) (LRR C) <input type="checkbox"/> 2 cm Muck (A10) (LRR B) <input type="checkbox"/> Reduced Vertic (F18) <input type="checkbox"/> Red Parent Material (TF2) <input type="checkbox"/> Other (Explain in Remarks)
--	--

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Remarks:

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (any one indicator is sufficient)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) (Nonriverine) <input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine) <input type="checkbox"/> Drift Deposits (B3) (Nonriverine) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Biotic Crust (B12) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6) <input type="checkbox"/> Other (Explain in Remarks)	<u>Secondary Indicators (2 or more required)</u> <input type="checkbox"/> Water Marks (B1) (Riverine) <input type="checkbox"/> Sediment Deposits (B2) (Riverine) <input type="checkbox"/> Drift Deposits (B3) (Riverine) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)
---	--

Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
Total Cover: _____				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____
<u>Sapling/Shrub Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present.
Total Cover: _____				
<u>Herb Stratum</u>				
1. <u>Lolium multiflorum ssp. perenne</u>	30	Yes	FAC*	
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	60	Yes	FAC	
3. <u>Vulpia microstachys var. pauciflora</u>	8	No	NL	
4. <u>Achyrachaena mollis</u>	2	No	FAC	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u>	% Cover of Biotic Crust _____			
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Remarks:				

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Stratified Layers (A5) (LRR C) <input type="checkbox"/> 1 cm Muck (A9) (LRR D) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	Indicators for Problematic Hydric Soils³: <input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Stripped Matrix (S6) <input type="checkbox"/> Loamy Mucky Mineral (F1) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input checked="" type="checkbox"/> Redox Depressions (F8) <input type="checkbox"/> Vernal Pools (F9) <input type="checkbox"/> 1 cm Muck (A9) (LRR C) <input type="checkbox"/> 2 cm Muck (A10) (LRR B) <input type="checkbox"/> Reduced Vertic (F18) <input type="checkbox"/> Red Parent Material (TF2) <input type="checkbox"/> Other (Explain in Remarks)
--	--

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Remarks:

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (any one indicator is sufficient)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) (Nonriverine) <input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine) <input type="checkbox"/> Drift Deposits (B3) (Nonriverine) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Salt Crust (B11) <input type="checkbox"/> Biotic Crust (B12) <input type="checkbox"/> Aquatic Invertebrates (B13) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6) <input type="checkbox"/> Other (Explain in Remarks)	<u>Secondary Indicators (2 or more required)</u> <input type="checkbox"/> Water Marks (B1) (Riverine) <input type="checkbox"/> Sediment Deposits (B2) (Riverine) <input type="checkbox"/> Drift Deposits (B3) (Riverine) <input checked="" type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)
---	--

Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Lake County Courthouse Site City/County: Lake County Sampling Date: 4-30-10
 Applicant/Owner: Administrative Office of the Courts State: CA Sampling Point: DP1
 Investigator(s): Don Burk Section, Township, Range: Section 25, Township 14 North, Range 10 West
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 1
 Subregion (LRR): C Lat: 39° 2' 3.89" Long: 122° 55' 12.06" Datum: NAD83
 Soil Map Unit Name: Henneke-Montara-Rock Outcrop Complex, 15-30 percent slopes NWI classification: N.A.

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
 Are Vegetation , Soil , or Hydrology significantly disturbed? No Are "Normal Circumstances" present? Yes No
 Are Vegetation , Soil , or Hydrology naturally problematic? No (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: Although wetland characteristics are evident, the sample site is at the lower end of a constructed drainage ditch, and is best defined as a non-wetland water of the United States.	

VEGETATION

<u>Tree Stratum</u> (Use scientific names.)	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
Total Cover: _____				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____
<u>Sapling/Shrub Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> Dominance Test is >50% <input type="checkbox"/> Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present.
Total Cover: _____				
<u>Herb Stratum</u>				
1. <u>Lolium multiflorum ssp. perenne</u>	<u>30</u>	<u>Yes</u>	<u>FAC*</u>	
2. <u>Hordeum marinum ssp. gussoneaum (=H. hystrix)</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>Vulpia microstachys var. pauciflora</u>	<u>8</u>	<u>No</u>	<u>NL</u>	
4. <u>Achyrachaena mollis</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
Total Cover: <u>100</u>				
<u>Woody Vine Stratum</u>				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
Total Cover: _____				
% Bare Ground in Herb Stratum <u>0</u> % Cover of Biotic Crust _____				
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

Remarks:

SOIL

Sampling Point: DP1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0-2	7.5YR 2.5/2	100					loam	
2-4	5YR 3/1	100						
4-14	7.5YR 3/2	100						

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> 1 cm Muck (A9) (LRR C)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Stripped Matrix (S6)	<input type="checkbox"/> 2 cm Muck (A10) (LRR B)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Mucky Mineral (F1)	<input type="checkbox"/> Reduced Vertic (F18)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (TF2)
<input type="checkbox"/> Stratified Layers (A5) (LRR C)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> 1 cm Muck (A9) (LRR D)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input checked="" type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Mucky Mineral (S1)	<input type="checkbox"/> Vernal Pools (F9)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

³Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
--	---

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:	Secondary Indicators (2 or more required)
<u>Primary Indicators (any one indicator is sufficient)</u>	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water Marks (B1) (Riverine)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Sediment Deposits (B2) (Riverine)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Drift Deposits (B3) (Riverine)
<input type="checkbox"/> Water Marks (B1) (Nonriverine)	<input checked="" type="checkbox"/> Drainage Patterns (B10)
<input checked="" type="checkbox"/> Sediment Deposits (B2) (Nonriverine)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Drift Deposits (B3) (Nonriverine)	<input type="checkbox"/> Thin Muck Surface (C7)
<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input checked="" type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Salt Crust (B11)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Biotic Crust (B12)	
<input type="checkbox"/> Aquatic Invertebrates (B13)	
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)	
<input type="checkbox"/> Other (Explain in Remarks)	

Field Observations: Surface Water Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes _____ No <input checked="" type="checkbox"/> Depth (inches): _____ <small>(includes capillary fringe)</small>	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

APPENDIX B

Representative Photos

Representative Photos of On-site Waters



4:SW looking southeast 2/8/10



5:SW looking southeast 2/8/10



Biotic crust in 5:SW 4/29/10



1:CD looking west 4/29/10



Lower terminus of 1:CD and 2:CD, with discharge to uplands 4/29/10



3:CD looking north 4/29/10



6:CD (foreground) looking northeast 4/29/10



8:CD looking west toward culvert 3/17/10



Storm drain inlet at terminus of 8:CD 4/29/10



Non-jurisdictional drainage near 7:CD with no evidence of OHWM 4/29/10

Appendix D
Cultural Resources Inventory

*Cultural Resources Inventory
for the Proposed Lake County Courthouse Site,
in the City of Lakeport, Lake County, California*



Prepared for:

RBF Consulting
500-01

July 2010

Prepared by:



ENPLAN
Environmental Scientists and Planners
www.enplan.com

TABLE OF CONTENTS

	<u>Page No.</u>
I. INTRODUCTION	1
II. PROJECT DESCRIPTION	1
III. AREA OF POTENTIAL EFFECTS (APE)	2
IV. SOURCES CONSULTED	2
V. BACKGROUND	3
A. Environmental	3
B. Ethnographic	4
C. Archaeological	4
D. Historic	5
E. Sensitivity	5
VII. FIELD METHODS	5
VIII. SURVEY RESULTS	6
IX. CONCLUSIONS AND RECOMMENDATIONS	6
X. REFERENCES	7

APPENDICES

Appendix A. Figures

- Figure 1. Project Vicinity Map
- Figure 2. Project APE and Area Surveyed

Appendix B. Correspondence

- Request for Sacred Lands Search letter sent to NAHC 3/16/10
- NAHC response received dated 3/25/10
- Request for Comment letters sent 4/2/10 to the Lake County Historical Society and appropriate individuals on distribution list provided by NAHC
- Response from the Scott Valley Band of the Pomo Indians received 4/15/10
- Records Search Request to NW/CHRIS sent 5/25/10
- Response from NW/CHRIS dated 6/28/10

INTRODUCTION

ENPLAN was contracted by the RBF Consulting to conduct a cultural resources inventory for construction of a new courthouse in Lake County, California, by the State of California Administrative Office of the Courts, Office of Court Construction and Management. The project site located on Lakeport Boulevard, in the City of Lakeport. The proposed project consists of the construction of a four-room courthouse for the Superior Court of California. As shown in Figure 1, the site is located in Township 14 North, Range 10 West, Section 25 (U.S.G.S. Lakeport California 7.5-minute quadrangle).

This project has the potential to adversely affect cultural resources that may be located within the project area. A good faith effort was therefore made to identify any cultural resources within and immediately adjacent to the Area of Potential Effects (APE). All work associated with the project was conducted in compliance with the California Environmental Quality Act (CEQA) and its implementing regulations. Additionally, this project may affect “waters of the United States,” as such, this project would be considered by the U.S. Army Corps of Engineers (ACOE) as a federal “undertaking” and thus must meet the requirements of Section 404 of the Clean Water Act. Because the State of California Administrative Office of the Courts, Office of Court Construction and Management, may need a permit from the ACOE, Sacramento District, the cultural resources study was conducted in compliance with Section 106 of the National Historic Preservation Act (NHPA) and its implementing regulations (36 CFR Part 800).

An archaeological survey of the project area was conducted by ENPLAN on April 29, 2010. ENPLAN is an environmental consulting firm with over 30 years of experience with projects throughout northern California. ENPLAN’s cultural resources studies are conducted in accordance with the Secretary of Interior’s Standards and in compliance with all applicable state and federal codes, acts, regulations, and orders relating to cultural resources, where applicable.

The survey was conducted and survey report prepared by Wayne Wiant, Senior Archaeologist, ENPLAN. Mr. Wiant holds an M.A. in Anthropology and has over 40 years of experience in California and Great Basin Archaeology.

PROJECT DESCRIPTION

The proposed project consists of the construction of a four-room courthouse for the Superior Court of California at 675 Lakeport Boulevard, adjacent to the Lakeport Visitors Center. The courthouse will be two stories high and will include space for associated support and records storage. Approximately 120 parking spaces will be associated with the new courthouse. The project site is a 5.74-acre vacant lot, and is large enough to accommodate the proposed facility. The project area is shown in Figure 2.

AREA OF POTENTIAL EFFECTS (APE)

The APE for both CEQA and the National Historic Preservation Act and its implementing regulations (36 CFR Part 800) has both a horizontal and vertical component. The APE consists of all areas needed for the construction of the courthouse including access, equipment storage, utility placement, and any other activity necessary for the project's completion. The horizontal component encompasses all surface area required to construct the new facility. For the purposes of this project, the horizontal APE would encompass the entire proposed project site. The vertical component of the APE is based on the depth of excavation associated with the project. Although the scope of these excavations is unknown at this time, there is little chance of the project affecting subsurface cultural deposits since the majority of the project site has been previously leveled with up to 20 feet of the original hilltop having been removed. Little original ground remains within the parcel's boundaries. The project's Area of Potential Effects (APE) is shown on Figure 2.

SOURCES CONSULTED

The following sources were consulted to obtain information concerning known archaeological sites, historic properties, and historic activities within and/or adjacent to the study area: the Northwestern Center of the California Historical Resources Information System at California State University, Sonoma (NW/CHRIS); the Native American Heritage Commission (NAHC); the Lakeport Historical Society; and members of the local Native American community.

A request for a records search was sent to the NW/CHRIS by ENPLAN on May 26, 2010, and covered an approximate one-half-mile radius around the APE for previously recorded archaeological sites and for previous surveys. The size and scope of the search area was determined to be sufficient based on the results. Results of the records search were received on June 29, 2010. Research included reviewing maps and records for archaeological surveys, sites, and other cultural resources in this portion of Lake County and the following documents: National Register of Historic Places (1979-2002 and supplements); the California Register of Historical Resources (1992 and supplemental information to date); California Inventory of Historic Resources (1976); California Historical Landmarks (1996 and supplemental information to date); California Points of Historical Interest (1992 and supplemental information to date); Office of Historic Preservation Directory of Properties in the Historic Property Data File (2010) for Lakeport; and Historic Spots in California (Hoover et al. 1990). General Land Office Maps from 1868 and 1876 were also reviewed. Results of this research are outlined below.

Records indicated that there are no recorded historic or archaeological sites within the project's APE. The NW/CHRIS's records indicate that eighteen previous surveys have been conducted within a half-mile radius of the project site. No sites were found during these surveys. The records, however, do show that three prehistoric sites have been recorded within one-half mile of the project. One, P-17-000492—known as Prayer Hill—is located 1,000 feet southeast of the proposed courthouse site. There is no site record for this feature, but an article published by the Lake County Chamber of

Commerce (Geoble ND), suggests that it was used by the local Native Americans for ceremonies prior to the historic period. This feature has been substantially altered by a road cut and quarrying, with much of the hills top removed.

Historic features were also noted by the NW/CHRIS. According to their records, there are numerous historic structures documented throughout Lakeport, although none are within or adjacent to the project area.

A letter was sent to the NAHC requesting a sacred lands search on March 16, 2010. The commission responded on March 25, 2010, and indicated that their files did not show the presence of any Native American cultural resources within the project area. They enclosed a list of other Native American organizations and individuals that might have additional information. Letters were sent to these organizations and to the Lakeport Historical Society on April 2, 2010. An email response was received from Mr. Shannon Ford of the Scotts Valley Band of the Pomo Indians on April 15, 2010. Mr. Ford requested that a member of his tribe monitor the area during ground disturbing activities. The Lakeport Historical Society contacted ENPLAN by phone on April 20, 2010. The society indicated that they had no concerns with the project. (Copies of project correspondence are attached in Appendix B.)

BACKGROUND

Environmental

The project area lies in a relatively low part of the Northern Coast Ranges that is surrounded by mountains. The elevation for Lakeport is 1,343 feet above mean sea level. Clear Lake, the largest natural lake in the Coast Ranges, lies just to the east of the project site (Figure 1). Lake County is characterized by warm, dry summers and cool, wet winters. The mean annual precipitation is about 20 to 40 inches. Most of the precipitation is rain, but some is snow. Mean annual temperature is about 50° to 56° F (Western Regional Climate Center 2009)

The site is surrounded by urban development. The site was historically an oak woodland, and was used for agriculture and grazing beginning in the late 1930s. The site was cleared of trees and shrubs in the early 1970s, and was graded prior to 1988. Grading activities dramatically altered the natural contours of the site, resulting in two level terraces (Figure 2). Small, weathered rocks of serpentine origin are exposed on the upper terrace and hillsides. The lower terrace supports a disturbed grassland while the upper terrace and hillsides support a serpentine herb community. Two small, shallow seasonal wetlands with rock substrates are present on the upper terrace. Soils on the site are identified as Henneke-Montara-rock outcrop complex. The complex consists of very deep, moderately well-drained soils, formed in alluvium from mixed rock types. Most runoff from the site enters constructed ditches that convey flow east. Flow enters the City's storm drain system, which discharges into Clear Lake (approximately ¼-mile east of the site). The nearest named stream is Forbes Creek, a seasonal stream approximately 500 feet north of the site (ENPLAN 2010).

Ethnographic

The project area was inhabited by the Eastern Pomo at the time of Euro-American contact. Ethnographic sources for the Eastern Pomo include Loeb (1926), Kroeber (1925), Gifford (1923, 1926) and McLendon and Lowy (1978). The following summary is taken from the latter source. The Pomo, identified as part of the Hokan language family, consisted of twelve groups who spoke seven separate, distinct dialects.

The Eastern Pomo followed a seasonal round that was based upon the environment of the Clear Lake area. Heavy winter rains led to rushing streams in the spring and a full lake at the beginning of summer. Dry summers led to a lower lake level and access to lakeside marshlands. Subsistence activities were tied to this weather pattern. Fish, which were dried for year-round use, were caught in streams in the spring while waterfowl were obtained in the fall. Acorns, a dietary staple, were gathered during the autumn. Roots were dug and tules were harvested in early summer; lake fishing and clam collection took place in early summer as well.

Villages were along the lake or permanent streams. They were occupied for much of the year; however, many of the inhabitants left the village at certain times of the year in order to obtain specific resources (e.g., acorns).

Tules were a key raw material used by the Eastern Pomo for housing, boats, and clothing, as well as household items and food. Clam shell beads were used as the medium of exchange for the Eastern Pomo. The shells were brought back from the coast, broken, shaped and drilled into beads. Although bartering sometimes took place, beads were principally used to trade for salt, obsidian blades, and a number of other items.

Archaeological

The first archaeological work in the Clear Lake region was that of Harrington (1948) at the Borax Lake site (CA-LAK-36). The site was estimated to date to 10000 B.P., a date that was later validated through obsidian hydration. Although no further large scale archaeological investigations took place in the area until work was conducted at Anderson Flat (White and Frederickson 1992, White et al. 1995, 2002), several broad chronological schemes were developed to interpret the prehistory of the area. White and Frederickson (1992) present a more specific framework for the Clear Lake Basin based upon six sites. The earliest human activity in the area is identified at the Borax Lake site. This pattern (10000-7500 B.P.) is associated with large points, crescents, scrapers, and choppers and assumed to be related to big game hunting. However, the location of the site near the lake may indicate lacustrine use. The sequence continues through the Houx Aspect of the Berkeley Pattern (7500-1200 B.P.), with a drier climate, a shift away from hunting to a more diversified subsistence strategy and increasing populations. The chronology ends with the late prehistoric to early historic Clear Lake Aspect (1200 B.P. – historic contact). Interestingly, two distinct populations are identified occupying the area simultaneously between 4000- 1200 B.P. The intrusive Mendocino Pattern people exhibit similarities to cultures associated with

the surrounding mountains while the pre-existing Houx Aspect peoples had ties to Clear Lake.

Historic

The area now known as Lake County may have first been visited by Euro-Americans in 1821 when Captain Luis Arguello led a military expedition north from San Francisco. Fur trappers, explorers and settlers soon followed. Miners travelling to and from the gold fields traversed the area beginning in the 1840s and many returned after the gold rush to settle here.

Lake County was formed from a part of Napa County. Lakeport was originally named Forbestown after an early settler. Forbes donated land to the local government in exchange for making the town the County Seat in 1861. At the same time, a decision was made to change the name of the town to Lakeport to advertise its natural port.

Important industries in Lake County have included mining, agriculture, and ranching. Today, the economy is boosted by tourism, wineries, and agricultural products including nuts, fruit, and grapes (<http://www.cityoflakeport.com/visitors/history.aspx>).

Sensitivity

The results of archival research, comment solicitation, previous surveys adjacent to the study area, and the environmental context all contribute to an assessment of the sensitivity level for a given project area. Three prehistoric sites were noted near the project area, and Clear Lake, a-half mile to the east, was a very important resource to the Pomo. Therefore, there is a likelihood of finding prehistoric sites near the project area. The site's proximity to central Lakeport also suggests a moderate to high chance of historic use. However, the extensive amount of ground disturbance evident within the project's APE greatly reduces the likelihood of finding intact evidence of prehistoric or historic cultural resources within or adjacent to the APE (Figure 2).

FIELD METHODS

Wayne Wiant, ENPLAN Staff Archaeologist, conducted the pedestrian survey of the entire project APE on April 29, 2010. The survey focused on the exposed soil in road cuts, cleared areas, and animal burrows. To address the possibility of buried cultural soils, the exposed cutbank on the parcel's north end and existing road cuts on the parcel were examined. The northern bank was visible to a depth of approximately 20+ feet. Ground visibility varied from good (approximately 80% exposed ground on top of the hill) to fair (20% – 30% visibility near the base) for the survey area. This survey is considered to have been adequate in locating any cultural resources present within the project's APE.

SURVEY RESULTS

No historic or prehistoric sites were noted during the cultural resources survey, however, it should be noted that the entire top 20 feet of the project area was previously removed to create a building pad. This action would have destroyed any cultural resources which might have been present.

CONCLUSIONS AND RECOMMENDATIONS

No historic resources were identified during the cultural resource survey of the Lake County Courthouse Project. Therefore, the proposed project will not affect any sites or structures eligible for inclusion on the California Register of Historical Resources or the National Register of Historic Places.

This report satisfies the requirements for CEQA, and, if the ACOE forwards this determination of "No Historic Properties Affected" to the SHPO, and if the SHPO concurs with this determination, then the ACOE will be in compliance with 36 CFR 800 regulations. ENPLAN recommends, however, that strict adherence to California Health and Safety Codes Section 7050.5 and 5097.98 (as amended by AB 2641) of the Public Resources Code be followed in the event that human remains are encountered as a result of project developments. We also recommend that the following stipulations be included as a condition of project approval by State of California Administrative Office of the Courts, and the ACOE, and that these stipulations be included on all project construction/design plans:

- A. *If any human remains are encountered during any phase of construction, all earth-disturbing work shall stop within 50 feet of the find until a qualified archaeologist can make an assessment of the discovery and recommend/implement mitigation measures as necessary.*
- B. *If any previously unevaluated cultural resources (i.e., burnt animal bone, midden soils, projectile points or other humanly-modified lithics, historic artifacts, etc.) are encountered, all earth-disturbing work shall stop within 50 feet of the find until a qualified archaeologist can make an assessment of the discovery and recommend/implement mitigation measures as necessary. This stipulation does not apply to those cultural resources evaluated and determined not Historical Resources/Historic Properties in this report.*
- C. *In the event that project plans change to include areas not surveyed, additional archaeological reconnaissance may be required.*

REFERENCES

City of Lakeport

2009 Lakeport's History. <http://www.cityoflakeport.com/visitors/history.aspx>

ENPLAN

2010 Biological Study Report, Lake County Courthouse 675 Lakeport Boulevard, Lakeport, CA. Report on File ENPLAN, Redding, CA

Geoble, Merion

ND The Old Indian Prayer Hill. Lake County Chamber of Commerce, Lakeport CA.

Gifford, E.

1923 Pomo Lands on Clear Lake. University of California Publications in American Archaeology and Ethnology 20(5) 77-92. Berkeley.

1926 Clear Lake Pomo Society. University of California Publications in American Archaeology and Ethnology 18(2):287-390. Berkeley.

Harrington, J.P.

1948 An Ancient Site at Borax Lake, California. Southwest Museum Papers 16, Los Angeles.

Kroeber, Alfred L.

1925 Handbook of the Indians of California. Dover Publications, New York (1976 printing).

Loeb, E.

1926 Pomo Folkways. University of California Publications in American Archaeology and Ethnology 19(2) 149-405. Berkeley.

McLendon, S. and M. Lowy

1978 Eastern Pomo and Southeastern Pomo. Handbook of North American Indians, Vol. 8, California. pp 306-323. Robert Heizer, ed. Smithsonian Institution, Washington.

White, G., and D.A. Fredrickson


1992 A Research Design for the Anderson Flat Project, Archaeological Data Recovery Investigation at Sites CA-Lak-72, 509, 501, 536, 542, and 1375, Lake County, California. Prepared for California Department of Transportation, District 1, Eureka.

- White, G., D.A. Fredrickson, D.G. Bieling, J. Haney, J. Meyer, S. Psota, N. French, N. Thomas, W. Dworkin, C. Whatford, M. Love, and S. Searle
- 1995 Draft Final Report of the Anderson Flat Project, Lower Lake, Lake County, California. Volume I. Prepared for California State Department of Transportation, District 1, Eureka.
- 2002 Culture History and Culture Change in Prehistoric Clear Lake Basin: Final Report of the Anderson Flat Project. In Center for Archaeological Research at Davis, Publication No. 13, University of California, Davis.
- Western Regional Climate Center
2009. <<http://www.wrcc.dri.edu/>>

APPENDIX A. Figures

Figure 1. Project Vicinity Map

Figure 2. Project APE and Area Surveyed



USGS Quad - Lakeport 7.5-minute Quadrangle
 Section 25 - Township 14 N, Range 10 W
 Centroid: Lat: 39° 2' 20.86" N; Long: -122° 55' 25.36" W



Figure 1
Vicinity Map

Feature and boundary locations depicted are approximate only. 07.12.10



S:\01-Jobs Active\200-01-RBF Consulting - Lake County Courthouse\3-Project GIS\Map Documents\Archival\Fig_1_VicinityMap_CRM.mxd



Feature and boundary locations depicted are approximate only. 07.12.10



Figure 2
Project APE and Area Surveyed



APPENDIX B. Correspondence

- Request for Sacred Lands Search letter sent to NAHC 3/16/10
- NAHC response received dated 3/25/10
- Request for Comment letters sent 4/2/10 to the Lake County Historical Society and appropriate individuals on distribution list provided by NAHC
- Response from the Scott Valley Band of the Pomo Indians received 4/15/10
- Records Search Request to NW/CHRIS sent 5/25/10
- Response from NW/CHRIS dated 6/28/10



500-01
March 16, 2010

REQUEST FOR SACRED LANDS SEARCH

TO: Native American Heritage Commission
FROM: Wayne Wiant, Archaeologist (530) 221-0440 Ext. 105
EMAIL: wwiant@enplan.com

PROPOSED PROJECT: Lakeport Courthouse, Lake County, CA

SITE LOCATION: T14N, R10W, Section 25, USGS Lakeport 7.5-minute quadrangle

SITE SIZE: ±5 acres

ENPLAN is conducting the necessary records search and comment solicitation pursuant to Section 106 of the National Historic Preservation Act and the California Environmental Quality Act (CEQA).

The proposed project is to construct a new courthouse on a city lot within the City of Lakeport, Lake County, California.

We would appreciate any information you could provide regarding cultural resources in the area or Native American groups that we might contact for more information. You may respond by phone, letter, fax, or e-mail.

Thank you for your assistance.

Enclosure

STATE OF CALIFORNIA

Arnold Schwarzenegger Governor

16
(916)



March 25, 2010

Mr. [Name]
[Address]
[City, State, Zip]

Sent by [Name]
[Phone Number]

Re: Project I Lakeport Courthouse; Lake County.

Dear Mr. [Name]:

The records search of the recorded lands file has been completed to indicate the presence of Native American cultural resources in the immediate project area. The absence of specific site information in the recorded lands file does not indicate the absence of cultural resources in any project area. Other sources of cultural resources should also be contacted for information regarding known and recorded sites.

Enclosed is a list of Native Americans individuals/organizations who may have knowledge of cultural resources in the project area. The Commission makes no recommendation or preference of a single individual, or group over another. This list should provide a starting place in locating areas of potential adverse impact within the proposed project area. I suggest you contact all of those indicated, if they cannot supply information, they might recommend others with specific knowledge. If a response has not been received within two weeks of notification, the Commission requests that you follow-up with a telephone call to ensure that the project information has been received.

If you receive notification of change of addresses and phone numbers from any of these individuals or groups, please notify me. With your assistance, we will be able to assure that our lists contain current information. If you have any questions or need additional information, please contact me at (916) 657-4040.

Sincerely,
Katy Sanchez
Katy Sanchez
Program Analyst



500-01
April 2, 2010

REQUEST FOR COMMENT

TO: Native American Heritage Commission
Valentino Jack, Chairperson, Big Valley Rancheria of Pomo Indians
Sara Ryan, EPA Director, Big Valley Rancheria of Pomo Indians
Donald Arnold, Chairperson, Scott Valley Band of Pomo
Shannon Ford, Cultural Resources/Environment, Scott Valley Band
of Pomo
Nelson Hopper
Lake County Historical Society

FROM: Wayne Wiant Archaeologist ((530) 221-0440 x105)

EMAIL: wwiant@enplan.com

PROPOSED PROJECT: Lakeport Courthouse, Lake County, CA

SITE LOCATION: In the town of Lakeport, Township 14 North, Range 10 West, Section 25, USGS Lakeport 7.5-minute quadrangle

SITE SIZE: ± 5 acres

ENPLAN is conducting the necessary records search and comment solicitation pursuant to Section 106 of the National Historic Preservation Act and the California Environmental Quality Act (CEQA).

The proposed project is to construct a new courthouse on a city lot within the City of Lakeport, Lake County, California.

We would appreciate any information you could provide regarding known cultural resources in the project vicinity. You may respond by phone, letter, fax, or e-mail. We will attempt to reach you by phone to confirm your receipt of this letter. If we have not received a response within 30 days from the date of this letter, we will assume you have no concerns or relevant information to provide.

Thank you for your assistance.

Enclosure



Scotts Valley Band
of Pomo Indians
610000 11th Street

Archaeologist: Wayne Wiant
3179 Bechelli Lane, suite 100
Redding, Ca. 96002

Re: Lakeport, Courthouse, Lake County, Ca.

Site location: Township 14 North, range 10 West, Section 25, USGS Lakeport 7.5-minute quadrangle

Date: April 15, 2010

Dear Mr. Wiant,

On behalf of Scotts Valley Band of Pomo Indians we would like to have monitors on any ground disturbance. Lake County is rich in culturally sensitive areas. Scotts Valley would like to protect these areas. Other than the sensitive areas in the ground, that have not been found, Scotts Valley has no other concerns.

Senior Planner
Mr. Shannon "Bear" Ford

3179 Bechelli Lane, Redding, CA 96002
Tel: 530-241-1111 Fax: 530-241-1111



500-01
May 25, 2010

RECORDS SEARCH REQUEST

TO: NW/CHRIS
FROM: Wayne Wiant, Archaeologist ((530) 221-0440 x105)
EMAIL: wwiant@enplan.com

PROPOSED PROJECT: Lakeport Courthouse, Lake County, CA

SITE LOCATION: T14N, R10W, Section 25, USGS Lakeport 7.5-minute quadrangle
(See attached Map)

SITE SIZE: ±5 acres

SEARCH RADIUS: 0.5 miles

PLEASE PROVIDE:

- Your standard informational abstract, without ethnographic information, unless related to specific villages in the locale.
- All site recordation forms for all sites/features located in the half-mile records search area.
- Report covers, results, and maps for all surveys within the half-mile records search area.
- Full reports of any surveys conducted within or immediately adjacent to the project area.

Please feel free to call with any questions.

Thank you for your assistance.

Enclosure

CALIFORNIA
 HISTORICAL
 DOCUMENTS
 INFORMATION
 SYSTEM



ALAMEDA MARIN SAN MATEO
 COLUSA MENDOCINO SANTA CLARA
 CONTRA COSTA MONTEREY SANTA CRUZ
 LAKE NAPA SOLANO
 SAN BENITO SONOMA
 SAN FRANCISCO YOLO

Northwest Information Center
 Sonoma State University
 1303 Maurice Avenue
 Rohnert Park, California 94928-3609
 Tel: 707.664.0880 • Fax: 707.664.0880
 Email: leigh.jordan@sonoma.edu
 http://www.sonoma.edu/nwic

To: Wayne Wilson, 3179 Redwood Lane, Ukiah, CA 96301
 From: Leigh Jordan, Coordinator
 Re: Lake County Courthouse

Background and Location

- Sites in: None
- Sites within .5-mile: P-17-000316, -000492, -000797 (see disk for PDF version location Map 1; copies of records on disk)
- Studies in: None
- Studies within .5-mile: S-7179, S-7871, S-8195, S-9106, S-11689, S-12787, S-13519, S-22514, S-25901, S-25921, S-30951, S-31281, S-31293, S-34445, S-35818 (see disk for PDF version of Report Database and hard-copy location Map 2)
- OHP HPD: Several listings in vicinity see Lakeport Old Iron Mine on disk
- OHP ADOE: None on above resource on list of evaluated resources
- California Inventory: Several listings in vicinity, see hard-copy enclosed
- Historical Literature: Historic Sites in California (Hoover et al. 1990:139), hard-copy enclosed for City of Lakeport
- Local Inventory: None
- GLO: 1868 & 1876 T14N / R10W City of Lakeport and vicinity (easy to copy so included at no cost) – see disk

Appendix E
Greenhouse Gas Data

Construction Emissions

Year 2012

Building

Duration (days): 120

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Forklifts	54.4	0.0062	0.0014	6	2	108.8	0.0124	0.0028	39.1680	0.0045	0.0010
Cranes	128.7	0.0144	0.0033	4	1	128.7	0.0144	0.0033	30.8880	0.0035	0.0008
Tractors/Loaders/Backhoes	66.8	0.0092	0.0017	8	1	66.8	0.0092	0.0017	32.0640	0.0044	0.0008
Total Emissions									102.1200	0.0123	0.0026

Trenching

Duration (days): 10

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Excavators	119.6	0.0134	0.0031	8	2	239.2	0.0268	0.0062	9.5680	0.0011	0.0002
Other General Industrial Equipment	152.2	0.0166	0.004	8	1	152.2	0.0166	0.0040	6.0880	0.0007	0.0002
Total Emissions									15.6560	0.0017	0.0004

Paving

Duration (days): 10

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Cement and Mortar Mixers	7.2	0.0009	0.0002	6	4	28.8	0.0036	0.0008	0.8640	0.0001	0.0000
Pavers	77.9	0.016	0.002	7	1	77.9	0.0160	0.0020	2.7265	0.0006	0.0001
Paving Equipment	68.9	0.012	0.0018	6	2	137.8	0.0240	0.0036	4.1340	0.0007	0.0001
Rollers	67.1	0.0106	0.0018	7	1	67.1	0.0106	0.0018	2.3485	0.0004	0.0001
Total Emissions									10.0730	0.0018	0.0003

Grading

Duration (days): 20

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Graders	132.7	0.0155	0.0035	6	1	132.7	0.0155	0.0035	7.9620	0.0009	0.0002
Rubber Tired Dozers	239.1	0.0305	0.0062	6	1	239.1	0.0305	0.0062	14.3460	0.0018	0.0004
Off-Highway Trucks	280.1	0.0224	0.0067	8	1	280.1	0.0224	0.0067	20.8080	0.0018	0.0005
Tractors/Loaders/Backhoes	66.8	0.0092	0.0017	7	1	66.8	0.0092	0.0017	4.6760	0.0006	0.0001
Total Emissions									47.7920	0.0052	0.0012

Total Construction Emissions - Year 2012

tons/year	175.64	0.02	0.00
metric tons/year	159.34	0.02	0.00
metric tons CO ₂ eq/year	159.34	5.91	0.09

165.34

Year 2013

Building

Duration (days): 240

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Forklifts	54.4	0.0062	0.0014	6	2	108.8	0.0124	0.0028	78.3360	0.0089	0.0020
Cranes	128.7	0.0144	0.0033	4	1	128.7	0.0144	0.0033	61.7760	0.0069	0.0016
Tractors/Loaders/Backhoes	66.8	0.0092	0.0017	8	1	66.8	0.0092	0.0017	64.1280	0.0088	0.0016
Total Emissions									204.2400	0.0157	0.0032

Total Construction Emissions - Year 2013

tons/year	204.24	0.02	0.00
metric tons/year	185.28	0.01	0.00
metric tons CO ₂ eq/year	185.28	4.43	0.06

189.77

Year 2014

Building

Duration (days): 20

Equipment	Emission Factors			Hours/day	Quantity	Emissions (pounds/hour)			Emissions (tons/year)		
	CO ₂	CH ₄	N ₂ O			CO ₂	CH ₄	N ₂ O	CO ₂	CH ₄	N ₂ O
Forklifts	54.4	0.0062	0.0014	6	2	108.8	0.0124	0.0028	6.5280	0.0007	0.0002
Cranes	128.7	0.0144	0.0033	4	1	128.7	0.0144	0.0033	61.7760	0.0006	0.0001
Tractors/Loaders/Backhoes	66.8	0.0092	0.0017	8	1	66.8	0.0092	0.0017	64.1280	0.0007	0.0001
Total Emissions									132.4320	0.0013	0.0003

Total Construction Emissions - Year 2014

tons/year	132.43	0.00	0.00
metric tons/year	120.14	0.00	0.00
metric tons CO ₂ eq/year	120.14	0.37	0.01

120.51

ANNUALIZED (30 years)

tons/year	512.31	0.04	0.01
metric tons/year	464.76	0.03	0.01
metric tons CO ₂ eq/year	15.49	0.36	0.01

464.80

15.85

Notes:

Construction Equipment Emission Factor Source: Provided by SCAQMD.

Refer to the URBEMIS 2007 assumptions and model output for construction equipment assumptions

Emissions From Natural Gas Consumed By Land Uses

Land Use	Amount	Cubic feet per unit/square feet/customer per month	CO 2.00E+01	ROG 5.30E+00	NO _x Residential 8.00E+01	NO _x Non-Residential 1.20E+02	SO _x negligible	PM ₁₀ 2.00E-01	CO ₂ 0.12	N ₂ O 2.20E-06	CH ₄ 2.30E-06
Residential											
Single Family Units		6,665	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
Multi-Family Units		4,011.5	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
NonResidential											
Industrial		25	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
Hotel/Motel		4.8	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
Retail/Shopping Center		2.9	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
Office	50,000	2.9	0.10	0.03	0.39	0.58	--	0.00	572.37	0.01	0.01
Blank		35.0	0.00	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
TOTAL - pounds per day	--	--	9.67E-02	2.56E-02	3.87E-01	5.80E-01	--	9.67E-04	572.37	0.01	0.01
TOTAL - tons per year	--	--	1.76E-02	4.68E-03	7.06E-02	1.06E-01	--	1.76E-04	104.4572	0.0019	0.0020
TOTAL - metric tons per year	--	--	1.60E-02	4.24E-03	6.40E-02	9.60E-02	--	1.60E-04	9.48E+01	1.74E-03	1.82E-03

	CO ₂	N ₂ O	CH ₄
metric tons per year	94.76	0.00	0.00
metric tons CO₂eq per year	94.76	0.54	0.04

95.34

Notes:

1. Usage rate, average for SCE and LADWP.

Source:

South Coast Air Quality Management District, CEQA Air Quality Handbook, November 1993, Table A9-12.

Emissions From Electricity Consumed By Land Uses

Land Use	Amount	kilowatt-hours per year ¹	CO	ROG	NO _x	SO _x	PM ₁₀	CO ₂	N ₂ O	CH ₄
			2.00E-04	1.00E-05	1.15E-03	1.20E-04	4.00E-05	0.772	6.59E-06	4.04E-05
Residential (Dwelling Units)		5626.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Food Store (SF)		53.3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Restaurant (SF)		47.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospitals (SF)		21.7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Retail (SF)		13.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
College/University (SF)		11.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
High School (SF)		10.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Elementary School (SF)		5.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Office (SF)	50,000	12.95	0.35	0.02	2.04	0.21	0.07	1,369.51	0.01	0.07
Hotel/Motel (SF)		9.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Warehouse (SF)		4.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Miscellaneous (SF)		10.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Blank			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL - pounds per day	--	--	3.55E-04	1.77E-02	2.04E+00	2.13E-01	7.10E-02	1,369.51	0.01	0.07
TOTAL - tons per year	--	--	6.48E-05	3.24E-03	3.72E-01	3.89E-02	1.30E-02	249.94	0.00	0.01
TOTAL - metric tons per year	--	--	5.87E-05	2.94E-03	3.38E-01	3.52E-02	1.17E-02	226.74	0.00	0.01

	CO ₂	N ₂ O	CH ₄
metric tons per year	226.74	0.00	0.01
metric tons CO₂eq per year	226.74	0.60	0.25

227.59

Notes:

1. Usage rate; average for SCE and LADWP.

Source:

South Coast Air Quality Management District, CEQA Air Quality Handbook, November 1993, Table A9-11.

Source for greenhouse gas emissions rates:

U.S. Energy Information Administration, Domestic Electricity Emissions Factors 1999-2002, October 2007. <http://www.eia.doe.gov/oi/af/1605/techassist.html>

Water Consumption Indirect Emissions

Acre Feet per year	Electricity Usage kWh/year	Units	CO	ROG	NO _x	SO _x	PM ₁₀	CO ₂	N ₂ O	CH ₄
28	1,226	pounds/yr	2.00E-04	1.00E-05	1.15E-03	1.20E-04	4.00E-05	0.772	6.59E-06	4.04E-05
		tons/yr	2.45E-01	1.23E-02	1.41E+00	1.47E-01	4.91E-02	9.47E+02	8.08E-03	4.95E-02
		mt/yr	1.23E-04	6.13E-06	7.05E-04	7.36E-05	2.45E-05	4.73E-01	4.04E-06	2.48E-05
			1.11E-04	5.56E-06	6.40E-04	6.68E-05	2.23E-05	4.29E-01	3.67E-06	2.25E-05

MTCO₂EQ 0.43 0.00 0.00

Energy Factor 44 kWh/acre-foot

Based on energy usage factors for water conveyance from the California Energy Commission, Water Energy Use in California, Accessed May 2009. <http://www.energy.ca.gov/research/law/industry/water.html>

Mobile Source Emissions Calculations

	Total VMT	Breakdown		Emission Factor		Total Emiss Passenger		Total Emiss Delivery		Passnger		Delivery		Total Emissions	
		Passnger	Delivery	Passnger	Delivery	pounds/day	Delivery	tons/year	tons/year	tons/year	tons/year	metric tons/year	metric tons/year		
CO	3,049	2896.55	152.45	0.00709228	0.01407778	20.54	2.15	3.75	0.39	4.14	3.76				
NO _x	3,049	2896.55	152.45	0.00071158	0.01577311	2.06	2.40	0.38	0.44	0.81	0.74				
N ₂ O ¹	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.04	0.04			
ROG	3,049	2896.55	152.45	0.00074567	0.00206295	2.16	0.31	0.39	0.06	0.45	0.41				
SO _x	3,049	2896.55	152.45	0.00001072	0.00002682	0.03	0.00	0.01	0.00	0.01	0.01				
PM ₁₀	3,049	2896.55	152.45	0.00009067	0.00059956	0.26	0.09	0.05	0.02	0.06	0.06				
PM _{2.5}	3,049	2896.55	152.45	0.00005834	0.00050174	0.17	0.08	0.03	0.01	0.04	0.04				
CH ₄	3,049	2896.55	152.45	0.00006707	0.00009703	0.19	0.01	0.04	0.00	0.04	0.03				
CO ₂	3,049	2896.55	152.45	1.10087435	2.78163459	3188.74	424.06	581.94	77.39	659.34	598.14				

	CO ₂	N ₂ O	CH ₄
metric tons per year	598.14	0.04	0.03
metric tons CO ₂ eq per year	598.14	11.17	0.73

- Notes:
1. VMT based upon URBEMIS 2007 model output.
 2. Emission Factor based upon EMFAC 2007 (version 2.3), Highest (Most Conservative) Emission Factors for On-Road Passenger Vehicles and Delivery Trucks .
 3. Breakdown of Passenger and Delivery Trucks assumes 95% auto and 5% truck
 4. Emission Factor for N₂O based upon a conversion ratio of 0.04873 from NO_x to N₂O. Based upon California Air Resources Board: Estimates of Nitrous Oxide

Appendix F
Phase I Environmental
Site Assessment Report



FINAL DRAFT

**Phase I Environmental Site Assessment Report
Proposed New Lakeport Courthouse - 675 Lakeport Boulevard Site
675 Lakeport Boulevard
Lakeport, CA 95453**

Prepared for:

**Judicial Council of California – Administrative Office of the Courts
2255 North Ontario Street, Suite 200
Burbank, California 91504**

Prepared by:

**URS Corporation
2870 Gateway Oaks Drive, Suite 150
Sacramento, California 95833
(916) 679-2000**

**URS Corporation Job No.
17326303**

December, 2009

Executive Summary

URS Corporation (URS) conducted a Phase I Environmental Site Assessment (Phase I ESA) of an approximately 5.74-acre parcel of vacant land located at 675 Lakeport Boulevard, Lakeport, Lake County, California (subject property).

Based on review of historical documents, the subject property appears to have been located in an area of agriculture and grazing land back to at least 1938. The first development of the subject property occurred in about 1972 when grading took place for the adjacent Lake County Visitor's Information Center and the subject property was concurrently partially graded. It is not clear when the subject property grading was completed. However, based on aerial photographs, it appears to have been prior to 1987.

This assessment has revealed no recognized environmental conditions (RECs) or historical recognized environmental conditions (HRECs) in connection with the subject property. No significant data gaps were encountered.

This assessment identified no items of concern in connection with the subject property except the following:

- The subject property is located within an area of Lake County known to have naturally occurring asbestos in soils weathered from serpentine bedrock materials that underlie the subject property and surrounding area. In the event that site work performed on the subject property includes excavation, grading, or other ground surface disturbances, mitigation measures should be enacted to control dust and be protective of human health and the environment.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION.....	1
1.1. Purpose.....	1
1.2. Detailed Scope of Services.....	1
1.3. Significant Assumptions	2
1.4. Limitations and Exceptions.....	2
1.5. Special Terms and Conditions.....	2
1.6. User Reliance	2
2.0 SITE DESCRIPTION	3
2.1 Site Location and Legal Description.....	3
2.2 Site and Vicinity General Characteristics	3
2.3 Current Use of the Site.....	3
2.4 Description of Structures, Roads, and Other Improvements.....	3
2.5 Current Use of Adjoining Properties.....	3
3.0 USER-PROVIDED INFORMATION	4
3.1 Title Records	4
3.2 Environmental Liens or Activity Use Limitations	4
3.3 Specialized Knowledge.....	4
3.4 Commonly Known or Reasonably Ascertainable Information	4
3.5 Valuation Reduction for Environmental Issues	4
3.6 Owner, Property Manager, and Occupant Information.....	4
3.7 Reason for Performing this Phase I ESA	4
4.0 RECORDS REVIEW.....	6
4.1 Standard Environmental Records Sources	6
4.2 Historical Use Information on Subject Properties and Adjoining Properties	8
4.3 Physical Setting Sources	9
5.0 SITE RECONNAISSANCE	11
5.1 Methodology and Limiting Conditions.....	11
5.2 General Site Setting.....	11
5.3 Solid Waste	11
5.4 Hazardous Materials Handling and Storage.....	11
5.5 Aboveground Storage Tanks.....	11
5.6 Underground Storage Tanks.....	11
5.7 Potential PCB-Containing Exterior Electrical Transformers	11
5.8 Other Potential PCB-Containing Interior or Exterior Equipment.....	12
5.9 Suspect Asbestos-Containing Materials.....	12
5.10 Lead-Based Paint.....	12
5.11 Air Quality and Odors	12
5.12 Stains	12
5.13 Radon	12
5.14 Railroad Rights-of-Way	12
5.15 Surface Water	12
5.16 Potable Water Supply and Wells.....	12
5.17 Wastewater and Sewer System	13
5.18 Mold or Mold-like Substances	13
6.0 INTERVIEWS	14

6.1 Interview with Owner 14

6.2 Interview with Site Manager 14

6.3 Interviews with Occupants 14

6.4 Interview with Local Government Officials 14

6.5 Interviews with Others 14

7.0 FINDINGS 15

7.1 Data Gaps 15

7.2 Items of Concern 15

7.3 Recognized Environmental Conditions 15

7.4 Historical RECs 15

7.5 De Minimis Conditions 15

8.0 OPINION 16

8.1 Data Gaps 16

8.2 Items of Concern 16

8.3 Recognized Environmental Conditions 16

8.4 Historical RECs 16

8.5 De Minimis Conditions 16

9.0 CONCLUSIONS 17

10.0 DEVIATIONS 18

11.0 ADDITIONAL SERVICES 19

12.0 REFERENCES 20

13.0 SIGNATURE(S) OF ENVIRONMENTAL PROFESSIONAL(S) 21

13.1 Statement of Quality Assurance 22

14.0 QUALIFICATION(S) OF ENVIRONMENTAL PROFESSIONAL(S) 23

Figures

- 1 Site Location Map
- 2 Site Plan

Appendices

- A Site Photographs
- B EDR Environmental LienSearch™ Report
- C EDR Environmental Database Search
- D Historical Aerial Photographs
- E Historical Topographic Maps
- F Sanborn Fire Insurance Maps
- G City Directory Abstract
- H Resume(s) of Environmental Professional(s)

1.0 INTRODUCTION

1.1. Purpose

This report documents the methods and findings of a Phase I Environmental Site Assessment (ESA) conducted by URS Corporation (URS) for the State of California, Judicial Council of California, Administrative Office of the Courts (AOC, Client). The purpose of the Phase I was to evaluate environmental conditions associated with the subject property and neighboring properties and assess whether any recognized environmental conditions (RECs) exist at the subject property.

1.2. Detailed Scope of Services

The scope of services consisted of visual observation of site conditions during a site visit; review of practically reviewable and reasonably ascertainable information on historical site usage, and surface and subsurface conditions; and review of information provided by individuals, public agencies, and others. The services provided by URS were performed under a written contract with the State of California, Judicial Council of California, Administrative Office of the Courts (AOC), dated May 28, 2008. Authorization for this Phase I ESA was received on July 11, 2008 from Mr. Pradip Desai, representing AOC.

The following specific tasks were performed by URS:

- Reviewed pertinent, available documents and maps regarding local physiographic and hydrogeologic conditions in the vicinity of the subject property.
- Reviewed and interpreted available historical sources (e.g., topographic maps, Sanborn Fire Insurance maps, aerial photographs, city directories) of the subject property and immediate vicinity from readily available sources.
- Reviewed available documents regarding past and/or current site development (e.g., previous environmental and geotechnical investigations, site maps, environmental permits, records of hazardous materials generation, use, storage and/or disposal).
- Reviewed a database report of available federal, state, and local agency lists including, but not limited to: (a) known or potential hazardous waste sites or landfills; (b) sites currently under investigation for environmental violations; (c) sites which manufacture, generate, use, store, and/or dispose of hazardous materials or hazardous waste; (d) sites which have underground storage tanks (USTs); and (e) sites with recorded violations of regulations concerning USTs and hazardous materials/hazardous wastes. This task was intended to identify whether the subject property is listed or whether facilities in the area may have impacted environmental conditions at the subject property.
- Performed a reconnaissance survey of the subject property to make visual observations of existing conditions and activities, and performed a drive-by survey of the area within an approximate one-half-mile radius of the subject property to observe general land uses within the search area.
- Conducted interviews with the subject property owner, occupant, manager, and/or others knowledgeable, as appropriate, regarding history and operations at the subject property.
- Conducted inquiries with applicable federal, state, and municipal regulatory agencies for information regarding building or environmental permits, environmental violations or incidents, and/or status of enforcement actions at the site.
- Prepared this Phase I Environmental Site Assessment (ESA) report describing the investigation performed and presenting URS' findings, professional opinions, and

recommendations regarding the potential for environmental contamination at the subject property.

Additional work scope elements included:

- A limited visual review of suspect asbestos containing materials (ACM) in on-site buildings, if present. Information regarding suspect friable ACM in on-site buildings is included in this Phase I ESA.
- A visual review of wetlands was made during the site reconnaissance, including looking for saturated soils, wetland-type vegetation, or fill areas. In addition, Federal Emergency Management Agency (FEMA) Flood Maps and zoning records were reviewed and findings are included in this report.
- An evaluation of the potential for elevated indoor radon levels based upon review of the National Radon Database developed by the U.S. Environmental Protection Agency (USEPA) and readily available published materials.
- A limited review for Lead-Based Paint (LBP) was conducted during the site reconnaissance. Information regarding chipped and peeling paint is included in this Phase I ESA report.

1.3 Significant Assumptions

No significant assumptions were made as part of this Phase I ESA.

1.4 Limitations and Exceptions

URS conducted this Phase I ESA in general accordance with the ASTM Standard Practice for Environmental Site Assessments: Phase I Site Assessment Process (E 1527-05) and the USEPA's Standards and Practices for All Appropriate Inquiries: 40 CFR Part 312 (AAI). However, uncertainty is not wholly eliminated when conducting Phase I ESAs, and the investigations are not exhaustive. The environmental professionals involved used reasonable limits of time and cost when performing the work.

Deviations from the standard scope of services that occurred during the performance of this Phase I ESA are discussed in detail in Section 10.0.

1.5 Special Terms and Conditions

This Phase I ESA was not subject to any special terms or conditions.

1.6 User Reliance

This Phase I ESA report is intended solely for the use of AOC for the purpose indicated in Section 1.1.

2.0 SITE DESCRIPTION

2.1 Site Location and Legal Description

The subject property consists of an approximately 5.74-acre parcel of vacant land located at 675 Lakeport Boulevard, Lakeport, Lake County, California (subject property). The County Assessor's parcel number is 025-521-41. A Site Location Map is presented as Figure 1.

2.2 Site and Vicinity General Characteristics

Based on review of historical documents, the subject property appears to have been located in an area of agriculture and grazing land back to at least 1938. The first development of the subject property occurred in about 1972 when grading took place for the adjacent Lake County Visitor's Information Center and the subject property was concurrently partially graded. It is not clear when the subject property grading was completed. However, based on aerial photographs, it appears to have been prior to 1987.

The site is located in an area currently zoned C-2 (Major Retail). Based on the neighborhood reconnaissance, the area is characterized by mixed uses, including predominantly retail and commercial development with the Lake County Visitor's Information Center located north of the site. Photographs of the site are provided in Appendix A.

2.3 Current Use of the Site

The site is currently vacant. A Site Map is presented as Figure 2.

2.4 Description of Structures, Roads, and Other Improvements

The subject property parcel is bare land that has been graded and includes two terraces. The lower terrace is located on the east side of the subject property and is accessed from Lakeport Boulevard on the north. The upper terrace has two approaches from the east side lower terrace, one on the north end and one on the south end. There are no structures on the subject property.

2.5 Current Use of Adjoining Properties

URS observed the following features of neighboring properties at the time of the site visit. Our evaluation of these properties was limited to conditions visible from the site and from public rights-of-way.

- North: Lakeport Boulevard; beyond Lakeport Boulevard, to the northeast is a small strip-mall shopping center; north is vacant City-owned property; and northwest is the Vista Point Shopping Center.
- East: AT&T Telephone building; a large retail shopping center; and southeast is a storage facility.
- South: Vacant land; southwest is the Lake County Agriculture Center
- West: Lake County Visitor's Information Center; State Route Highway 29.

3.0 USER-PROVIDED INFORMATION

3.1 Title Records

No information related to property title records was provided to URS.

3.2 Environmental Liens or Activity Use Limitations

URS obtained information related to environmental liens and activity use limitations (AULs) from EDR. According to the information provided, the subject property is not subject to any liens or AULs. A copy of the EDR Environmental LienSearch™ Report is included as Appendix B.

3.3 Specialized Knowledge

URS submitted a User Questionnaire per AAI standards to Mr. Pradip Desai, representing AOC, regarding specialized user knowledge of the subject property. Mr. Desai stated that, to the best of his knowledge, there are no known environmental concerns associated with the subject property, and that there are no environmental liens or activity or use limitations associated with the subject property.

Mr. Mark A. Doughty, attorney for the subject property trust, and representative of the owner, indicated that, to the best of his knowledge, there are no known environmental concerns associated with the subject property, and that there are no environmental liens or activity or use limitations associated with the subject property.

3.4 Commonly Known or Reasonably Ascertainable Information

URS requested whether AOC was aware of any commonly known or reasonably ascertainable information within the local community about the subject property that might result in the finding of a REC in connection with the subject property. Mr. Desai was not aware of any such information.

Mr. Doughty indicated that, to the best of his knowledge, there is no information available within the local community about the subject property that might result in the finding of a REC in connection with the subject property.

3.5 Valuation Reduction for Environmental Issues

URS requested whether AOC is aware of any reduction in value of the subject property that might be associated with the finding of a REC in connection with the subject property. Mr. Desai was not aware of any such reduction in value.

3.6 Owner, Property Manager, and Occupant Information

AOC provided the following contact information to assist URS in conducting the Phase I ESA:

- Site Contact: Mr. James P. Sartain, Senior Real Estate Advisor with Keegan & Coppin Company, Inc.; Mr. Sartain provided URS with the property owner contact information.
- Site Owner contact: Mr. Mark A. Doughty, attorney for the Mary P. Seregow Trust, and representative of the owner.

3.7 Reason for Performing this Phase I ESA

The Phase I ESA was conducted as part of the shift of governance of California's Superior Court buildings from County governments to the State of California per the Trial Court Facilities Act of



Final Draft Phase I ESA – 675 Lakeport Boulevard Site, Lakeport, CA

2002 (Senate Bill 1732, Escutia). The AOC wants an assessment of whether RECs are present on the subject property.

4.0 RECORDS REVIEW

URS contracted with Environmental Data Resources, Inc. (EDR) to conduct a review of applicable regulatory agency lists of known and potential hazardous waste sites, properties or facilities currently under investigation for potential environmental violations, and those sites storing or using hazardous materials. URS utilized the ASTM Standard with respect to list search radii for Phase I ESAs (ASTM E 1527-05). Documents and lists were reviewed to identify properties or facilities located within the site vicinity that may have the potential to adversely impact environmental conditions at the site. The complete list of reviewed databases is provided in the EDR report, included in Appendix C, and is summarized in the following table.

4.1 Standard Environmental Records Sources

The following table presents the EDR database report results for the standard environmental records.

Agency Database	Survey Distance	Number of Sites Identified
Federal National Priority List	1 mile	1
Federal CERCLIS List	0.5 mile	1
U.S. EPA RCRA Registered Small Quantity Generators of Hazardous Waste	0.25 mile	2
State EnviroStor Database (ENVIROSTOR) List	1 mile	4
State Solid Waste Disposal Site List	0.5 mile	1
State Leaking Underground Storage Tank (LUST) List	0.5 mile	10
State Underground Storage Tanks (UST) Lists	0.25 mile	5 (total)
Statewide Recycler Database (SWRCY) List	0.5 mile	1
USEPA ROD	1 mile	1
Hist Cortese	0.5 mile	7

The subject property was not identified in the databases reviewed.

The regional groundwater is expected to flow east (see section 4.3). Therefore, sites west of the subject property are considered to be upgradient with respect to groundwater flow direction.

The following sites, including those in the Orphan Summary, were identified within the ASTM-specified search distance for each of the public databases reviewed:

Federal National Priority List

One NPL site was identified within one mile of the subject property: the Sulphur Bank Mercury site. The mine is over 13 miles away from the subject property, on the southeast side of Clear Lake. The mine was once the largest producer of mercury in California. Elevated concentrations of mercury in the waters of Clear Lake have been attributed to erosion of waste rock and tailings from the mine into the Lake. The subject property is approximately 0.5 mile from the western edge of the Lake. Any development at the subject property would be supplied with potable water from the City of Lakeport municipal water supply and not from onsite wells that could potentially draft from Clear Lake. Based on this information, this site is not expected to have a significant negative environmental impact on the subject property, and therefore is not a REC at the subject site.

Federal CERCLIS List

One CERCLIS site was identified within one mile of the subject property. This site is discussed in the NPL section above. Based on this information, this site is not expected to have a significant

negative environmental impact on the subject property and, therefore, is not a REC at the subject site.

RCRA-SQG List

Two RCRA-SQG sites were identified within ¼ mile of the subject property. Although the former Pacific bell site (currently AT&T) is adjacent to the subject property on the east, both of these sites are located down or cross gradient from the subject property with no violations reported. Based on this information, these sites are not expected to have a significant negative environmental impact on the subject property, and therefore are not RECs at the subject site.

State ENVIROSTOR List

Four ENVIROSTOR sites were identified within 1 mile of the subject property. Two of the sites have different names for the same location. The active sites are located over 0.4 mile northeast (cross gradient) of the subject property with no violations or investigations listed. Based on this information, these sites are not expected to have a significant negative environmental impact on the subject property, and therefore is not a REC at the subject site.

The other site is located further than ½ mile northwest (cross gradient) from the subject property. The case has been closed since 2007 and no further action is necessary. Since closed sites do not require additional environmental action, this site is not expected to have a significant negative environmental impact on the subject property, and therefore is not a REC at the subject site.

State Solid Waste Disposal Site List

One solid waste disposal site was identified within ½ mile of the subject property. The Lakeport Transfer Station is located approximately 550 feet north (cross gradient) from the subject property. The Transfer Station does not accept or handle toxic or hazardous waste material. Based on its distance, cross gradient position, lack of potential for hazardous materials, and no recorded violations, this site is not expected to have a significant negative environmental impact on the subject property, and therefore is not a REC at the subject site.

State LUST List

Ten LUST sites were identified within ½ mile of the subject property. One site, AT&T, is listed twice, and is located adjacent to the subject property on the east, however the site is downgradient of the subject property and the case has closed status. Eight sites are located over ¼ mile down or cross gradient from the subject site. Seven of these sites have a closed status. One site located over ¼ mile west/northwest (upgradient) of the subject property has case closed status. Closed sites do not require additional environmental action. Based on distance, down or cross gradient position, or closed status these sites are not expected to have a significant negative environmental impact on the subject property, and therefore are not a REC at the subject property.

State UST Lists (CA FID UST, UST, HIST UST, SWEEPS UST)

Five UST sites were identified within ¼ mile of the subject property. Those sites with reported leaks are listed in the LUST section above. Three of these sites are the same location, Pacific Bell (currently AT&T Telephone) located adjacent east of the subject property, and downgradient. One site is located over 1,200 feet downgradient from the subject site with no violations reported. One site, Lake County Department of Agriculture, is located adjacent to the subject property on the southwest side and upgradient, however with no violations reported. Based on this information, these sites are not expected to have a significant negative environmental impact on the subject property and, therefore, are not RECs at the subject site.

SWRCY List

One SWRCY site was identified within ½ mile of the subject property: the Tomira Pacific Inc. site, located approximately 2,200 feet southeast (downgradient) from the subject property. The site does not accept or handle toxic or hazardous waste material. Based on the distance, downgradient position, and lack of potential for hazardous materials, this site is not expected to have a significant negative environmental impact on the subject property, and therefore is not a REC at the subject site.

USEPA ROD

One USEPA Record of Decision for a site within 1 mile of the subject property was identified. This site is discussed in the NPL section above. Based on this information, this site is not expected to have a significant negative environmental impact on the subject property and, therefore, is not a REC at the subject site.

Hist Cortese List

Seven Historic Cortese sites were identified within ½ mile of the subject property. Six of these sites have a closed status and are cross-referenced in the LUST list summary above. Based on this information, these sites are not expected to have a significant negative environmental impact on the subject property and, therefore, are not RECs at the subject site.

The remaining site is located further than ¼ mile downgradient from the subject property. Based on this information, these sites are not expected to have a significant negative environmental impact on the subject property and, therefore, are not RECs at the subject site.

4.2 Historical Use Information on Subject Properties and Adjoining Properties

URS requested EDR to search four different types of historical records for the subject property and surrounding properties:

- Historical Aerial Photographs
- Historical Topographic Maps
- Sanborn Fire Insurance Maps
- City Directories

The results of these record searches for the subject property and the surrounding area are summarized below.

Historical Aerial Photographs

URS examined historic aerial photographs of the subject property for the years 1952, 1972, 1987, 1993, 1998, and 2005 obtained from EDR. A description of these aerial photographs is presented in the table below. No RECs were identified through this review. A copy of the Historical Aerial Photographs is provided in Appendix D.

Summary of Aerial Photograph Review	
Year of Photo	Finding
1952	Subject Property: Undeveloped. Surrounding Properties: Developed with agriculture (orchards) west and northeast. A few rural residences are visible. Rural roadways transect the area. Some urbanization further north.

1972	Subject Property: Undeveloped except for partial grading. Surrounding Properties: Present day State Route Highway 29, Lakeport Boulevard, and several other local roadways are present. The Lake County Visitor’s Information Center appears to the west of the subject property and the AT&T Telephone building appears to the east. Other parcels in the vicinity north and east of the subject property appear to be graded or under construction. Urbanization is expanding from the north.
1987 1993 1998 2005	Subject Property: Undeveloped except for grading. Surrounding Properties: Adjacent properties appear developed similar to current appearance.

Historical Topographic Maps

URS reviewed historic topographic maps dated 1933, 1958, and 1978 that were provided by EDR for the subject property and surrounding area. A description of these maps is presented in the table below. No RECs were identified through this review. A copy of the Historical Topographic maps is provided in Appendix E.

Table 2. Summary of Topographic Map Photograph Review	
Year of Map	Finding
1938	Subject Property: Undeveloped. Surrounding Properties: Few roadways transect area. Area appears undeveloped.
1958	Subject Property: Undeveloped. Surrounding Properties: Area appears to be developing as agricultural land; urbanization appears north and east of the subject property.
1978	Subject Property: Increased urbanization in the vicinity of the subject property, however, the subject property remains undeveloped. Surrounding Properties: Present day State Route Highway 29, Lakeport Boulevard, and several other local roadways are present. Structures interpreted to be the present day Lake County Visitor’s Information Center, the Lake County Agriculture Center, and the AT&T Telephone building are present.

Sanborn Fire Insurance Maps

URS also contacted EDR to obtain Sanborn fire insurance maps for the subject property and surrounding area. EDR reported no coverage of the vicinity. A copy of the Sanborn Fire Insurance Map search results is provided in Appendix F.

City Directories

URS requested historical City Directories information from EDR for the subject site and surrounding area. Neither the site address, 675 Lakeport Boulevard, nor adjacent properties are listed in any City Directory databases searched by EDR.

A copy of the City Directory Abstract is provided in Appendix G.

4.3 Physical Setting Sources

Geology

The Clear lake area is characterized by late Pliocene and Quaternary volcanism and sedimentation within a basement of the Jura-Cretaceous Franciscan Complex. Locally there are thick outliers of Great Valley sequence strata, as well as limited exposure of early Tertiary rocks (Berkland, 1972).

Magmatic activity is still present in the area, as evidenced by numerous fumaroles at the Geysers and by thermal mineral springs, which are abundant in the region surrounding Clear Lake, however no Recent volcanism has occurred in the California Coast Ranges north of the latitude of the central part of Clear Lake. Adjacent to Clear Lake, great thicknesses of Plio-Pleistocene fluvial and

lacustrine sediments have accumulated in subsiding basins and locally covered with overlying Clear Lake volcanics of Pleistocene-Holocene age. The volcanics range in lithology from olivine basalt to rhyolitic obsidian (Brice, 1953).

The town of Lakeport is considered to be a highly active earthquake area. Active faults exist within seven miles of the project site; additionally, the Healdsburg and San Andreas faults are located 15 and 30 miles west of the site, respectively. Soils around the project site can potentially liquefy during an earthquake.

Soils

The Lakeport area is located on a sediment-filled valley adjacent to Clear Lake. Exposed materials within the area are limited to serpentine and quaternary sediments. These sediments are poorly consolidated to unconsolidated mixtures of sand, silt, clay, and gravel derived from older rock in the adjacent mountains. Because of the low strength of the quaternary sediments, they are subject to rapid erosion and shallow slumping.

The subject property is located within an area of Lake County known to have naturally occurring asbestos in soils weathered from serpentine bedrock materials that underlie the subject property and surrounding area.

According to the University of California Davis, California Soil Resource Lab, soils beneath the site have been identified in the Henneke-Montara-Rock Outcrop Complex. The Complex consists of very deep, moderately well drained soils; medium runoff; very slow permeability formed in alluvium from mixed rock sources. These soils are on alluvial terraces and have slopes of 15 to 50 percent. Reaction is medium acid to neutral.

Topography

The site is located in Section 25, Township 14 North, Range 10 West. Topographic map coverage of the site is provided by the U. S. Geological Survey, Lakeport, California, 7.5 minute quadrangle, 1:24000 series, dated 1958, photo revised 1978. The elevation of the upper terrace of the site is approximately 1380 feet above mean sea level with a decrease in topographic relief to the east. The lower terrace is approximately 1365 feet above mean sea level. The closest body of water is the seasonal Forbes Creek, located approximately 500 feet north of the subject property.

Hydrogeology/Hydrology

The site is located within the Scotts Valley Groundwater Basin. The Scotts Valley Basin lies adjacent to the west side of Clear Lake and extends northwesterly along Scotts Creek north to Hidden Lake. The valley is bordered to the east by the shoreline of Clear Lake and bounded on the west and the north by the Jurassic-Cretaceous Franciscan complex of metamorphic and sedimentary rocks which constitute the basement rock in the basin. The basin shares a boundary with the Big Valley Basin to the south and may be hydrologically contiguous (DWR, 2003).

No site-specific groundwater data were available for the subject property; however information available from the California Department of Water Resources (DWR) for wells in the general vicinity of the subject property indicates that the depth to groundwater is approximately 25 feet below ground surface. Based on topographic relief at the site, the groundwater flow direction is inferred to be to the east, downgradient toward Clear Lake. According to the EDR report, the subject property does not lie within a FEMA mapped 500-year flood zone.

No standing water or indicator species of flora and fauna typically associated with wetlands were identified on the subject property during the site reconnaissance. The EDR report did not identify any wetlands within approximately 0.5 mile of the subject site.

5.0 SITE RECONNAISSANCE

Mr. Frank Gegunde of URS conducted a site reconnaissance at the subject property on October 28, 2009. Mr. James P. Sartain, Senior Real Estate Advisor with Keegan & Coppin Company, Inc. escorted URS personnel around the subject property and answered questions relating to the operations.

5.1 Methodology and Limiting Conditions

URS' methodology is provided in Section 1.2. The purpose of the site reconnaissance was to make visual observations that enable the development of conclusions relating to the likelihood of RECs in connections with the subject property. All accessible and unobstructed exterior areas of the subject property and all interior areas or representative interior areas were visually and/or physically observed as part of this Phase I ESA. For larger properties, URS staff conducting the exterior site reconnaissance traversed the periphery of the property and other areas with storage of materials or equipment.

No limitations such as physical obstructions or access restrictions were encountered during the site visit.

5.2 General Site Setting

The subject property is located in a portion of Lake County typically characterized by rolling, hilly terrain in a section of the city of Lakeport that is predominantly retail and commercial development. At the time of the site reconnaissance, the subject property consisted of approximately 5.74 acres of bare land that has been graded and includes two terraces. The lower terrace is located on the east side of the subject property and is accessed from Lakeport Boulevard on the north. The upper terrace has two approaches from the east side lower terrace, one on the north end and one on the south end. There are no structures on the subject property.

Photographs taken during the site reconnaissance are included in Appendix A.

5.3 Solid Waste

No waste-generating activities are currently conducted onsite.

5.4 Hazardous Materials Handling and Storage

No hazardous wastes appeared to be generated or stored on the subject property at the time of the site visit.

5.5 Aboveground Storage Tanks

URS did not observe evidence of ASTs on the subject property at the time of the site visit.

5.6 Underground Storage Tanks

At the time of URS' site visit, evidence of USTs (e.g., fill ports, piping, or vent pipes) was not observed on the subject property.

5.7 Potential PCB-Containing Exterior Electrical Transformers

At the time of the site visit, no suspect PCB-containing items, such as transformers, were observed on the subject property.

5.8 Other Potential PCB-Containing Interior or Exterior Equipment

At the time of the site visit, no other suspect PCB-containing items were observed on the subject property.

5.9 Suspect Asbestos-Containing Materials

An asbestos survey was not conducted as part of this Phase I ESA. There are no structures located on-site.

The subject property is located within an area of Lake County known to have naturally occurring asbestos in soils weathered from serpentine bedrock materials that underlie the subject property and surrounding area.

5.10 Lead-Based Paint

A lead-based paint survey was not conducted as part of this Phase I ESA. There are no structures located onsite.

5.11 Air Quality and Odors

During the site visit, URS observed no activities requiring an air emission permit on the subject property.

No strong, pungent, or noxious odors were noted during the site reconnaissance.

5.12 Stains

URS did not observe evidence of stained soil or stressed vegetation on the subject property during the site visit.

5.13 Radon

The subject site is located in Zone 3 on the California EPA Map of Radon Zones developed by the U.S. EPA and the U.S. Geological Survey. Buildings in Zone 3 have a predicted average indoor radon screening level less than 2 picoCuries per liter (pCi/L). Frequent exposure to radon levels above 4 pCi/L is considered a potential health risk. There are no structures, and therefore no basements or unventilated areas below ground surface that could become a reservoir for radon gas on the site.

5.14 Railroad Rights-of-Way

No railroad rights-of-way are located on or adjacent to the subject property.

5.15 Surface Water

URS observed no surface water bodies on the subject property at the time of the site visit. The closest body of water is Forbes Creek, located approximately 500 feet north of the subject property.

At the time of the site visit, no retention basins were observed on the subject property. Storm water appears to leave the property via percolation or sheet runoff to the east.

URS did not observe evidence of pits, ponds, or lagoons on the subject property during the site visit.

5.16 Potable Water Supply and Wells

Municipal water supply is provided to the properties in the area.

URS did not observe evidence of dry wells, irrigation wells, injection wells, abandoned wells, or supply wells on the subject property during the site visit.

5.17 Wastewater and Sewer System

No wastewater is generated on the subject property. Municipal sanitary sewer service is provided to the properties in the area.

5.18 Mold or Mold-like Substances

No buildings were present on the site at the time of URS' visit. URS did not observe any visual mold or mold-like substances at the time of the site visit.

6.0 INTERVIEWS

Mr. Frank Gegunde of URS conducted interviews with appropriate representatives of the subject property using the ASTM Checklist as a guide. Information obtained through these interviews is presented below. Mr. Mark A. Doughty is the Attorney for the Mary P. Seregow Trust, and the *Key Site Manager*. The surviving property owner, Mrs. Seregow, lives in a rest home and was unavailable for an interview. Mr. Doughty was interviewed by telephone before and after the site reconnaissance.

6.1 Interview with Owner

Person interviewed: Mr. Mark A. Doughty

Relationship to Subject Property: Attorney for the Mary P. Seregow Trust, and representative of the owner.

Mr. Doughty provided URS with information regarding past and present uses of the subject property dating back over 20 years. He was not aware of the use of the site prior to the present grading. To the best of his knowledge, there have never been any structures on the subject property. He was not aware of any environmental concerns associated with the property. Mr. Doughty appeared to be forthcoming during the interview.

6.2 Interview with Site Manager

Person interviewed: Mr. Mark A. Doughty

Relationship to Subject Property: Attorney for the Mary P. Seregow Trust, and representative of the owner.

Refer to Section 6.1 above.

6.3 Interviews with Occupants

The subject property was not occupied at the time of URS's site visit.

6.4 Interview with Local Government Officials

URS contacted Mr. Ken Williams, REHS, Hazardous Material Specialist, of the Lake County Health Services Department (LCHSD) regarding any files or information pertaining to hazardous materials use, handling, or storage at the subject property. Mr. Williams indicated that they had no files for the subject property address or assessor's parcel number.

URS contacted Mr. Richard Knoll, Redevelopment Director, the City of Lakeport Community Development Department, Planning Services, regarding any files or information pertaining to any development, past or present, at the subject property. According to City staff, they had no files for the subject property address or assessor's parcel number beyond routine tax assessment information, which indicated that no development has ever occurred at the subject property. No grading permit was on file for the grading that was apparent at the subject property during the site reconnaissance.

6.5 Interviews with Others

No other interviews were conducted as part of this Phase I ESA.

7.0 FINDINGS

URS has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-05 of an approximately 5.74-acre parcel of vacant land located at 675 Lakeport Boulevard, Lakeport, Lake County, California. Any exceptions to, or deletions from, this practice are described in Section 1.4 of this report. The findings are presented below.

Based on review of historical documents, the subject property appears to have been located in an area of agriculture and grazing land back to at least 1938. The first development of the subject property occurred in about 1972 when grading take place for the adjacent Lake County Visitor's Information Center and the subject property was concurrently partially graded. It is not clear when the subject property grading was completed. However, based on aerial photographs, it appears to have been prior to 1987.

7.1 Data Gaps

ASTM E 1527-05 or AAI data gaps are summarized as follows:

- No previous owner/user was interviewed because no representative was identified;
- No reasonably accessible historical use information could be located prior to 1938, when the subject property appears to have been vacant land within an area of agriculture and grazing land.

7.2 Items of Concern

This assessment identified no items of concern in connection with the subject property except the following:

- The subject property is located within an area of Lake County known to have naturally occurring asbestos in soils weathered from serpentine bedrock materials that underlie the subject property and surrounding area.

7.3 Recognized Environmental Conditions

This assessment identified no RECs in connection with the subject property.

7.4 Historical RECs

This assessment identified no historical RECs in connection with the subject property.

7.5 De Minimis Conditions

No *de minimis* conditions were observed on the subject property at the time of URS' site visit.

8.0 OPINION

8.1 Data Gaps

The data gaps discovered during this Phase I ESA are discussed above in Section 7.1. No previous owner/user was interviewed and no standard historical source was readily available discussing site use prior to 1938, when the subject property appears to have been undeveloped grazing land. Based on the absence of development of the subject property, it is URS' opinion that these data gaps are not significant enough to warrant further investigation.

8.2 Items of Concern

Naturally occurring asbestos occurs in soils weathered from serpentine bedrock materials that underlie the subject property and surrounding area. In the event that site work performed on the subject property includes excavation, grading, or other ground surface disturbances, mitigation measures should be enacted to control dust and be protective of human health and the environment.

8.3 Recognized Environmental Conditions

No RECs were identified.

8.4 Historical RECs

No historical RECs were identified.

8.5 De Minimis Conditions

No *de minimis* conditions were observed.

9.0 CONCLUSIONS

URS Corporation (URS) conducted a Phase I Environmental Site Assessment (Phase I ESA) in conformance with the scope and limitations of ASTM Practice E 1527 of an approximately 5.74-acre parcel of vacant land located at 675 Lakeport Boulevard, Lakeport, Lake County, California (subject property). Any exceptions to, or deletions from, this practice are described in Section 1.4 of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the subject property.

This Phase I ESA was accomplished by, and limited to, a reconnaissance of the site, a drive-by survey of the site vicinity, and review of agency databases and other records regarding past and current land use for indications of the manufacture, generation, use, storage and/or disposal of hazardous substances at the site.

The services provided by URS are performed under a contract with the State of California, Judicial Council of California, Administrative Office of the Courts (AOC), dated May 28, 2008. Authorization for this Phase I ESA was received on July 11, 2008 from Mr. Pradip Desai, representing AOC.

10.0 DEVIATIONS

No deviations from the scope of services occurred during the performance of this Phase I ESA.



11.0 ADDITIONAL SERVICES

No additional services were included in URS' contract with AOC.

12.0 REFERENCES

- American Society of Testing and Materials (ASTM) *Standard Practice for Environmental Site Assessments* (Standard E 1527-05).
- Berkland, J.O., 1972, Clear Lake Basin, A Deformed Quaternary Caldera?, in *Geologic Guide to the Northern Coast Ranges, Lake, Sonoma, and Mendocino Counties, California*. Annual field trip guidebook of the Geologic Society of Sacramento, 1972. p. 6-26.
- Brice, J.C., 1953, *Geology of the Lower Lake quadrangle, California*: California Division of Mines Bulletin 166, 72 p.
- California Department of Water Resources (DWR) (2003). *California's Groundwater – Bulletin 118, 2003 Update*. Sacramento River Hydrologic Region - Scotts Valley Groundwater Basin.
- California Department of Water Resources (DWR) State Groundwater Level Data, Water Data Library: <http://www.sjd.water.ca.gov/groundwater/leveldata/index.cfm>
- Environmental Data Resources, Inc. (EDR), The EDR Radius Map Report, Inquiry Number: 2622183.9s, October 23, 2009.
- Environmental Data Resources, Inc. (EDR), The EDR Aerial Photo Decade Package, Inquiry Number: 2622183.5, October 27, 2009.
- Environmental Data Resources, Inc. (EDR), The EDR Historical Topographic Map Report, Inquiry Number: 2622183.4, October 26, 2009.
- Environmental Data Resources, Inc. (EDR), Certified Sanborn Map Report, Inquiry Number: 2622183.3, October 23, 2009.
- Environmental Data Resources, Inc. (EDR), The EDR City Directory Abstract, Inquiry Number: 2622183.6, November 3, 2009.
- Environmental Data Resources, Inc. (EDR), The EDR Environmental Lien Search Report, Inquiry Number: 2622183.10, October 27, 2009.
- Personal Interviews: Mr. Mark A. Doughty, Attorney for the Mary P. Seregow Trust, and representative of the owner; Mr. James P. Sartain, Senior Real Estate Advisor with Keegan & Coppin Company, Inc.; Mr. Ken Williams, REHS, Hazardous Material Specialist, of the Lake County Health Services Department (LCHSD); and Mr. Richard Knoll, Redevelopment Director, the City of Lakeport Community Development Department, Planning Services.
- University of California Davis, California Soil Resource Lab website online at: <http://casoilresource.lawr.ucdavis.edu/drupal/node/27>
- URS' General Agreement with State of California, Administrative Office of the Courts, May 28, 2008.
- USEPA Federal Register, Vol. 70, No. 210. 2005. Standards and Practices for All Appropriate Inquiries; Final Rule (40 CFR Part 312). November.
- USEPA California Map of Radon Zones <http://www.epa.gov/iaq/radon/zonemap.html>.
- USGS 7.5 Minute Topographic Map, Lakeport, California, 1958, photo revised 1978.

13.0 SIGNATURE(S) OF ENVIRONMENTAL PROFESSIONAL(S)

The conclusions presented in this report are professional opinions based solely upon URS’ visual observations of the site and the immediate site vicinity, and upon URS’ interpretations of the readily available historical information, conversations with personnel identified by the client to be knowledgeable about the site, and other readily available information, as identified in this report. The conclusions are intended exclusively for the purpose stated herein, at the site indicated, and for the project indicated.

This report is intended for the sole use of AOC. The scope of services performed during this investigation may not be appropriate for other users, and any use or re-use of this document or of the findings, conclusions, or recommendations presented herein is at the sole risk of said user.

This study was not intended to be an exhaustive investigation of any potential contamination that could exist at the subject property. Given that the scope of services for this investigation was limited, and given that no exploratory soils borings, soil, or groundwater sampling, or laboratory analyses were performed, currently unrecognized contamination may exist on the site, and level of this potential contamination may vary across the site.

A limited visual inspection of suspect ACM was conducted. This inspection was not intended to substitute for an Asbestos Hazard Emergency Response Act-type survey, nor was it intended to determine the extent or limits of asbestos-containing materials that may be present. A limited visual inspection for damaged paint that has the potential to be lead-based paint was also performed; however, this visual inspection does not identify whether lead-based paint is present on the subject property.

This report is intended to be used in its entirety. No excerpts may be taken to be representative of the findings of this assessment.

Opinions and recommendations presented in this report apply to site conditions and features as they existed at the time of URS’ site visit and those reasonably foreseeable. They cannot necessarily apply to conditions and features of which URS is unaware and has not had an opportunity to evaluate.

The environmental professionals listed below indicate the following by signing this document:

“I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312.”


“I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.”

This report was prepared by

This report was reviewed by:

Frank L. Gegunde, PG, REA
Senior Geologist

Casper van Keppel, EIT
Project Engineer



13.1 Statement of Quality Assurance

This project was conducted in accordance with URS' Quality Assurance/Quality Control (QA/QC) manual. The main QA/QC procedures (with a summary of their applicability to this project) are provided below:

- Central Files – both hard copy and electronic central files are established and file plans created to ensure all documents are maintained in an orderly fashion.
- Program Management Plan (PMP) and Task Order Instructions – A PMP that provides information related to the overall contract is prepared and provided to the program team. Once tasks are awarded under the contract, Task Order Instructions that provide deadlines, budgets, and scope of work are prepared by the Task Manager and then distributed to the team.
- Independent Technical Review (ITR) – Each report is reviewed by an experienced, qualified staff member to ensure the contract requirements are met, the standards are followed, and the conclusions are sound.
- Periodic internal audits are performed to ensure all the QA/QC requirements are met for this contract.

14.0 QUALIFICATION(S) OF ENVIRONMENTAL PROFESSIONAL(S)

Utilizing the combined resources of more than 55,000 employees in a network of offices in more than 300 cities worldwide, URS serves a variety of public sector clients at the local, municipal, state, and federal level. We work closely with private sector clients in the oil, petrochemical, natural gas, chemical, forest products, mining, power, communications, and general manufacturing industries.


URS offers a variety of environmental site assessment services designed to provide our clients with the information they require to assess the risks associated with hazardous materials, including polychlorinated biphenyls (PCBs) and asbestos; regulatory requirements; soil and foundation conditions; seismic vulnerability; wetlands; and sensitive biological resources.

URS Corporation has more than 100 offices located in the United States including Alaska and Hawaii. URS has over 2,000 personnel in California including: air quality specialists, archeologists, architects, biologists (aquatic and wildlife), construction managers/inspectors, drafters, engineers (including chemical, civil, environmental, electrical, geotechnical, industrial, mechanical, sanitary, structural, and wastewater), estimators, geologists, hydrogeologists, hydrologists, industrial hygienists, interior designers, landscape architects, permitting specialists, planners, regulatory specialists, soil scientists, surveyors, and technical writers. This combination of staff and offices make it possible for URS to provide multidiscipline services in a cost-effective manner with personnel who are experienced in local conditions and are readily available.

URS staff members have successfully completed thousands of environmental site assessments in the United States including Alaska and Hawaii. We have worked for a wide variety of clients and have participated with their legal counsel in evaluating potential environmental liability and associated costs.

The resumes of the Environmental Professionals involved in this Phase I ESA are included in Appendix H.

FIGURES




Mapquest.com, Inc., November, 2009



SITE LOCATION MAP

Phase I Environmental Site Assessment
 Vacant Parcel
 November, 2009
 17326303.01001
 675 Lakeport Blvd.
 Lakeport, California

FIGURE 1



Not to Scale



URS

SITE MAP

Phase I Environmental Site Assessment
 Vacant Parcel
 675 Lakeport Blvd
 Lakeport, California

November, 2009
 17326303.01001

FIGURE 2

APPENDICES

APPENDIX A
SITE PHOTOGRAPHS



PHOTOGRAPHIC LOG

Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.
1

Direction Photo Taken:

Looking southwest

Description:

Entrance to the Subject Property from Lakeport Boulevard at the northeast corner of the parcel.



Photo No.
2

Direction Photo Taken:

Looking west

Description:

North side of the Subject Property along Lakeport Boulevard.





PHOTOGRAPHIC LOG

Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.
3

Direction Photo Taken:

Looking east

Description:

Northern approach to the upper terrace of the Subject Property. Lakeport Boulevard is on the left of the frame. Note the AT&T Telecommunications structure beyond the northeastern boundary of the Subject Property.



Photo No.
4

Direction Photo Taken:

Looking southwest

Description:

View of the upper terrace of the Subject Property from the northeast corner.





PHOTOGRAPHIC LOG

Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.

5

Direction Photo Taken:

Looking south

Description:

View of the upper terrace from the top of the northern approach in the northwest corner of the upper terrace. The hill in the background is beyond the south boundary of Subject Property.



Photo No.

6

Direction Photo Taken:

Looking southwest

Description:

View from the northeast corner of the upper terrace of the Subject Property. Structure on the next terrace is the Lakeport Visitor's Center located on the parcel adjacent to the west of the Subject Property.





PHOTOGRAPHIC LOG

Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.

7

Direction Photo Taken:

Looking northwest

Description:

View from the southeast corner of the upper terrace. The Lakeport Visitor's Center is on the adjacent parcel.



Photo No.

8

Direction Photo Taken:

Looking east

Description:

Southern approach to the upper terrace. A shopping center and storage facility are located beyond the southeastern boundary of the Subject Property. Clear Lake is visible in the distance.





PHOTOGRAPHIC LOG

Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.
9

Direction Photo Taken:

Looking south

Description:

View of the eastern side of the Subject Property and the lower terrace. A storage facility is located beyond the southeastern corner of the Subject Property.



Photo No.
10

Direction Photo Taken:

Looking southeast

Description:

Another view of the lower terrace on the southern side of the Subject Property.



Administrative Office
of the Court

Phase I ESA – Vacant Parcel
675 Lakeport Boulevard
Lakeport, California 95453

URS Project No.
17326303.01001
Date: 10/28/09

Photo No.
11

Direction Photo
Taken:

Looking north

Description:

View if the southern boundary and northeast corner of the Subject Property from the lower terrace. A Lakeport Boulevard and a strip mall are beyond the tall trees in the frame. An AT&T Telecommunications structure is located east of the northeast corner of the Subject Property.



Photo No.
12

Direction Photo
Taken:

Looking northeast

Description:

View of the AT&T Telecommunications Structure west side, adjacent to the Subject Property. Note the above ground diesel storage tank (AST). Reportedly there was also a leaking underground storage tank (LUST) removed from the AT&T parcel and the LUST case has received regulatory agency closure.



APPENDIX B
EDR ENVIRONMENTAL LienSearch™ REPORT

The EDR Environmental LienSearch™ Report

**675 LAKEPORT BOULEVARD SITE
LAKE COUNTY
LAKEPORT, CA 95453**

Project Number 02622183.10

October 27, 2009



The Standard in Environmental Risk Information

440 Wheelers Farm Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report includes results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers follows established procedures to:

- search for parcel information, legal description, and ownership based on client supplied address information;
- research indexes and title repositories;
- obtain a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument (title, parties involved, and description); and
- provide a copy of the deed.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc., and NCO Financial Services, Inc. exclusively. This report is neither a guarantee of title, a commitment to insure, nor a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.** Environmental Data Resources, Inc. (EDR) and NCO Financial Services, Inc. specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

675 LAKEPORT BOULEVARD SITE
675 LAKEPORT BOULEVARD SITE
LAKEPORT, CA 95453

RESEARCH SOURCE

Sources: Lake County

DEED INFORMATION

Type of Deed: WD QCD Other DEED

Title is vested in: Mary Paveloff Seregow, as Successor Trustee, of the John W. Seregow Trust dated September 24, 1984 and Amended April 22, 1991, an undivided 40% interest; The General Council of the Assemblies of God, a Missouri corporation, an undivided 60% interest

Title received from: Mary Paveloff Seregow, as Successor Trustee, of the John W. Seregow Trust dated September 24, 1984 and Amended April 22, 1991

Deed Dated: September 29, 1998
Deed Recorded: September 30, 1998
Document No.: 98-017143

LEGAL DESCRIPTION

Description: Legal attached as Exhibit "A."

Assessor's Parcel Number: 025-521-41

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If yes:

1st Party:

2nd Party:

Dated:
Recorded:
Book:
Page:
Comments:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

Other AUL's: Found Not Found

EDR Environmental LienSearch™ Report

EXHIBIT A

RECORDING REQUESTED BY:

When Recorded Mail Document and Tax Statement To:

Mary Paveloff Serogow
102 Lupoyoma Heights
Lakeport, CA 95453

Escrow No.
Title Order No. 16743

DOCUMENT NUMBER
98-017143

R	5
M	3
ST	2
GC	3
LN	
CO	✓

RECORDED AT RECORDER'S

FREEDOMATIONAL
TITLECOMPANY

98 SEP 30 PM 2:56

L.A.S. ...
ASSESSOR-RECORDER
DAN L. IRWIN

SPACE ABOVE THIS LINE FOR RECORDER'S USE

APN:

GRANT DEED

The undersigned grantor(s) declare(s)
Documentary transfer tax is \$ 0.00 City tax \$ 0.00 No consideration
| | computed on full value of property conveyed, or
| | computed on full value less value of liens or encumbrances remaining in time of sale.
| | Unincorporated Area City of _____

FOR A VALUABLE CONSIDERATION, receipt of which is hereby acknowledged,
Mary Paveloff Serogow, as Successor Trustee, of the John W. Serogow Trust dated
September 24, 1984 and Amended April 22, 1991
hereby GRANT(S) to Mary Paveloff Serogow, as Successor Trustee, of the John W. Serogow
Trust dated September 24, 1984 and Amended April 22, 1991, an undivided 40% interest;
The General Council of the Assemblies of God, a Missouri corporation, an undivided 60% interest
the following described real property in the City of Lakeport
County of Lake State of California:


See Exhibit A Attached

DATED: Sept. 29, 1998

STATE OF CALIFORNIA
COUNTY OF Lake
ON September 29, 1998 before me,
Sharon Salvador personally appeared
Mary Paveloff Serogow

Mary Paveloff Serogow, Trustee
Mary Paveloff Serogow, as Successor Trustee
of the John W. Serogow Trust, dated September
24, 1984 and Amended April 22, 1991

personally known to me (or proved to me on the
basis of satisfactory evidence) to be the person(s)
whose name(s) (s) are subscribed to the within
instrument and acknowledged to me that he^(s) they
executed the same in his^(s) their authorized
capacity^(ies), and that by his^(s) their signature^(s) on
the instrument the person(s), or the entity upon
behalf of which the person(s) acted, executed the
instrument.



Witness my hand and official seal.

Signature Sharon Salvador

MAIL TAX STATEMENT AS DIRECTED ABOVE

0

ORDER NO: 16743

EXHIBIT ~~XXXXXX~~ "A"

THE LAND REFERRED TO IN THIS REPORT IS SITUATED IN THE CITY OF LAKEPORT, COUNTY OF LAKE, STATE OF CALIFORNIA, AND IS DESCRIBED AS FOLLOWS:

TRACT ONE:

PARCEL B, as shown on that certain Parcel Map filed in the Office of the County Recorder of said Lake County on July 18, 1973 in Book 6 of Parcel Maps, at Page 37, Lake County Records.

APN: 025-521-41 and 42

TRACT TWO:

PARCEL C, as shown on that certain Parcel Map filed in the Office of the County Recorder of said Lake County on July 18, 1973 in Book 6 of Parcel Maps, at Page 37, Lake County Records.

Excepting therefrom, a portion of Parcel "C" as said Parcel "C" is shown and so designated on that certain Parcel Map filed July 18, 1973 in Book 6 of Parcel Maps, at Page 37, Lake County Records, more particularly described as follows:

Beginning at a point on the Southerly line of said Parcel "C" that is South 89° 22' 00" West, 128.08 feet from the Southeast corner thereof, said point being located between two existing buildings; thence North 01° 17' 42" West, 3.07 feet to the North end of said existing buildings; thence continuing North 01° 17' 42" West, 14.00 feet to the North line of the existing concrete sidewalk and directly under the building roof overhang; thence North 89° 43' 46" East, 55.63 feet along said sidewalk overhang to the Northeast corner thereof; thence South 00° 32' 30" East, 16.71 feet to the Southerly line of said Parcel "C"; thence South 89° 22' 00" West, 14.02 feet along said Southerly line to the East line of an existing building; thence continuing 89° 22' 00" West, 41.39 feet along said Southerly line to the point of beginning.

APN: 025-521-44-00

TRACT THREE:

PARCEL ONE:

A PORTION of the Northeast quarter of Section 25, Township 14 North, Range 10 West, Mount Diablo Meridian, more particularly described as follows:

BEGINNING at a 1/2" rebar on the quarter section line running East and West through Section 25, Township 14 North, Range 10 West, Mount Diablo Meridian, from which a 1 1/4" iron pipe marking the Southwest corner of Lot 7 in Block 2 of West Lupoyoma Park Subdivision, bears North 89° 22' East, 19.50 feet distant; thence from said true point of beginning South 89° 22' West, 251.31 feet along above said quarter

CONTINUED ON NEXT PAGE...

TRACT THREE, PARCEL ONE CONTINUED:

section line to a 1/2" rebar tagged L.S. 2920; thence, continuing South 89° 22' West, 199.04 feet along said quarter section line to a point; thence North 00° 39' West, 125.00 feet; thence North 89° 22' East, 199.04 feet to a 1/2" rebar; thence continuing North 89° 22' East, 231.31 feet to a spike and nail in existing black top; thence South 00° 38' East, 14.00 feet to a 1/2" rebar; thence, continuing South 00° 38' East, 125.00 feet to the point of beginning.

PARCEL TWO:

A portion of the Northeast quarter of Section 25, Township 14 North, Range 10 West, Mount Diablo Base and Meridian, described as follows:

COMMENCING at the Southeast corner of Lot 7, Block 2 of "WEST LUPOYOMA PARK SUBDIVISION NO. 1", filed March 9, 1925 in Book 4 of Town Maps, at Page 41 and running thence South 89° 22' 10" West, 125.15 feet along the quarter section line running East and West through said Section 25 to the Southeast corner of Parcel "A" as shown and so designated on that certain Parcel Map filed July 18, 1973 in Book 6 of Parcel Maps, at Page 37, Lake County Records and the true point of beginning of the following described tract of land:

Thence from said true point of beginning North 00° 38' 00" West, 125.00 feet along the East line of said Parcel "A" to a point; thence North 89° 22' 00" East, 8.36 feet to a point between two existing buildings; thence South 01° 17' 42" East, 125.01 feet to the above said quarter section line; thence South 89° 22' 00" West, 9.81 feet to the point of beginning.

APN: 025-521-46-00

END OF DOC 3


APPENDIX C
EDR ENVIRONMENTAL DATABASE SEARCH

675 Lakeport Boulevard Site

675 Lakeport Boulevard
Lakeport, CA 95453

Inquiry Number: 2622183.9s
October 23, 2009

The EDR Radius Map™ Report



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	41
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

GeoCheck - Not Requested

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

675 LAKEPORT BOULEVARD
LAKEPORT, CA 95453

COORDINATES

Latitude (North): 39.034300 - 39° 2' 3.5"
Longitude (West): 122.921500 - 122° 55' 17.4"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 506794.3
UTM Y (Meters): 4320378.0
Elevation: 1388 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 39122-A8 LAKEPORT, CA
Most Recent Revision: 1994

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

EXECUTIVE SUMMARY

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Transporters, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators

RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List

US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent NPL

RESPONSE..... State Response Sites

State and tribal leaking storage tank lists

SLIC..... Statewide SLIC Cases

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

AST..... Aboveground Petroleum Storage Tank Facilities

INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

VCP..... Voluntary Cleanup Program Properties

INDIAN VCP..... Voluntary Cleanup Priority Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

ODI..... Open Dump Inventory

WMUDS/SWAT..... Waste Management Unit Database

HAULERS..... Registered Waste Tire Haulers Listing

EXECUTIVE SUMMARY

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
HIST Cal-Sites..... Historical Calsites Database
SCH..... School Property Evaluation Program
Toxic Pits..... Toxic Pits Cleanup Act Sites
CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

CA FID UST..... Facility Inventory Database

Local Land Records

LIENS 2..... CERCLA Lien Information
LUCIS..... Land Use Control Information System
LIENS..... Environmental Liens Listing
DEED..... Deed Restriction Listing

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
CHMIRS..... California Hazardous Material Incident Report System
LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing

Other Ascertainable Records

RCRA-NonGen..... RCRA - Non Generators
DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
UMTRA..... Uranium Mill Tailings Sites
MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
CA BOND EXP. PLAN..... Bond Expenditure Plan
CA WDS..... Waste Discharge System
NPDES..... NPDES Permits Listing
Cortese..... "Cortese" Hazardous Waste & Substances Sites List
Notify 65..... Proposition 65 Records

EXECUTIVE SUMMARY

DRYCLEANERS.....Cleaner Facilities
WIP.....Well Investigation Program Case List
HAZNET.....Facility and Manifest Data
EML.....Emissions Inventory Data
INDIAN RESERV.....Indian Reservations
SCRD DRYCLEANERS.....State Coalition for Remediation of Drycleaners Listing
PCB TRANSFORMER.....PCB Transformer Registration Database

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants.....EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 06/29/2009 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>SULPHUR BANK MERCURY MINE</i>	<i>SULPHUR BANK ROAD</i>	<i>E 1/4 - 1/2 (0.449 mi.)</i>	<i>0</i>	<i>7</i>

Federal CERCLIS list

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive

EXECUTIVE SUMMARY

Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 06/30/2009 has revealed that there is 1 CERCLIS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SULPHUR BANK MERCURY MINE	SULPHUR BANK ROAD	E 1/4 - 1/2 (0.449 mi.)	0	7

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 11/12/2008 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PACIFIC BELL	555 LAKEPORT BOULEVARD	NE 0 - 1/8 (0.051 mi.)	A4	13
BRUNO FOODS	355 LAKEPORT BLVD	E 1/8 - 1/4 (0.165 mi.)	7	23

State- and tribal - equivalent CERCLIS

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 08/27/2009 has revealed that there are 4 ENVIROSTOR sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PARKSIDE SUBDIVISION Status: No Further Action	1453 MARTIN STREET	NW 1/2 - 1 (0.551 mi.)	21	38

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TIME OIL CO/JACKPOT FOOD MART Status: Refer: RWQCB	202 S MAIN ST	NE 1/4 - 1/2 (0.429 mi.)	D16	32
AN-LEE Status: Refer: RWQCB	201 S MAIN ST	NE 1/4 - 1/2 (0.429 mi.)	D18	35

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JACKPOT STATION Status: Refer: RWQCB	202 S MAIN	NE 1/4 - 1/2 (0.429 mi.)	D20	37

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the Integrated Waste Management Board's Solid Waste Information System (SWIS) database.

A review of the SWF/LF list, as provided by EDR, and dated 09/02/2009 has revealed that there is 1 SWF/LF site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LAKEPORT TRANSFER STATION	910 BEVINS STREET	W 0 - 1/8 (0.063 mi.)	B6	22

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 09/05/2009 has revealed that there are 10 LUST sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AT&T	555 LAKEPORT BOULEVARD	NE 0 - 1/8 (0.051 mi.)	A2	13
AT&T Status: Completed - Case Closed	555 LAKEPORT BOULEVARD	NE 0 - 1/8 (0.051 mi.)	A3	13
TESORO 67075 Status: Open - Remediation	975 MAIN ST	SE 1/4 - 1/2 (0.332 mi.)	9	26
UNITED PARCEL SER CALAK Status: Completed - Case Closed	924 PARALLEL DR	WNW 1/4 - 1/2 (0.342 mi.)	10	27
CHEVRON #1802 Status: Completed - Case Closed	1050 MAIN ST S	SE 1/4 - 1/2 (0.363 mi.)	11	29
LAKEPORT SHELL Status: Open - Verification Monitoring	301 MAIN ST S	NE 1/4 - 1/2 (0.378 mi.)	C12	30
SOPER-REESE COMMUNITY THEATER Status: Completed - Case Closed	275 SOUTH MAIN STREET	NE 1/4 - 1/2 (0.389 mi.)	C13	31
LANGE BROTHERS CONSTRUCTION CO Status: Completed - Case Closed	301 INDUSTRIAL AVE	SSE 1/4 - 1/2 (0.398 mi.)	14	31
JACKPOT FOOD MART Status: Completed - Case Closed	202 MAIN ST S	NE 1/4 - 1/2 (0.429 mi.)	D17	34
EXXON Status: Completed - Case Closed	201 MAIN ST S	NE 1/4 - 1/2 (0.429 mi.)	D19	36

EXECUTIVE SUMMARY

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 09/05/2009 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PACIFIC BELL TD-255/LKPTCA022	555 LAKEPORT BLVD	NE 0 - 1/8 (0.051 mi.)	A1	12

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling facilities in California.

A review of the SWRCY list, as provided by EDR, and dated 09/25/2009 has revealed that there is 1 SWRCY site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TOMRA PACIFIC INC	1155 S MAIN ST	SE 1/4 - 1/2 (0.417 mi.)	15	32

Local Lists of Registered Storage Tanks

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 3 HIST UST sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PACIFIC BELL	555 LAKEPORT BOULEVARD	NE 0 - 1/8 (0.051 mi.)	A4	13
LAKE COUNTY DEPARTMENT OF AGRI	883 LAKEPORT BLVD	W 0 - 1/8 (0.060 mi.)	B5	19
CLEAR LAKE MARINA	1400 SO MAIN ST LAKEPOR	ESE 1/8 - 1/4 (0.224 mi.)	8	25

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there is 1 SWEEPS UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PACIFIC BELL	555 LAKEPORT BOULEVARD	NE 0 - 1/8 (0.051 mi.)	A4	13

EXECUTIVE SUMMARY

Other Ascertainable Records

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 09/01/2009 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>SULPHUR BANK MERCURY MINE</i>	<i>SULPHUR BANK ROAD</i>	<i>E 1/4 - 1/2 (0.449 mi.)</i>	<i>0</i>	<i>7</i>

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTES].

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 7 HIST CORTESE sites within approximately 0.5 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>TESORO 67075</i>	<i>975 MAIN ST</i>	<i>SE 1/4 - 1/2 (0.332 mi.)</i>	<i>9</i>	<i>26</i>
<i>UNITED PARCEL SER CALAK</i>	<i>924 PARALLEL DR</i>	<i>WNW 1/4 - 1/2 (0.342 mi.)</i>	<i>10</i>	<i>27</i>
<i>CHEVRON #1802</i>	<i>1050 MAIN ST S</i>	<i>SE 1/4 - 1/2 (0.363 mi.)</i>	<i>11</i>	<i>29</i>
<i>LAKEPORT SHELL</i>	<i>301 MAIN ST S</i>	<i>NE 1/4 - 1/2 (0.378 mi.)</i>	<i>C12</i>	<i>30</i>
<i>LANGE BROTHERS CONSTRUCTION CO</i>	<i>301 INDUSTRIAL AVE</i>	<i>SSE 1/4 - 1/2 (0.398 mi.)</i>	<i>14</i>	<i>31</i>
<i>JACKPOT FOOD MART</i>	<i>202 MAIN ST S</i>	<i>NE 1/4 - 1/2 (0.429 mi.)</i>	<i>D17</i>	<i>34</i>
<i>EXXON</i>	<i>201 MAIN ST S</i>	<i>NE 1/4 - 1/2 (0.429 mi.)</i>	<i>D19</i>	<i>36</i>

EXECUTIVE SUMMARY


Due to poor or inadequate address information, the following sites were not mapped:


<u>Site Name</u>	<u>Database(s)</u>
TRANSFER STATION	LUST, HIST CORTESE
LAKEPORT MS4 PHASE II	NPDES
PETES AUTOMOTIVE	LUST
PETES AUTOMOTIVE	LUST
LAKEPORT CHEVRON	UST
GRANITE HWY. 175 QUARRY	AST
LAKEPORT LAGOONS MARINA **	ERNS
WELL SITE NAME	ERNS
CITY OF LAKEPORT WWTP	FINDS
LAKEPORT WASTEWTR TREATMNT FAC	FINDS
LAKE COUNTY CSA 21 - NORTH LAKEPOR	FINDS
COBB MOUNTAIN DUMP SITE	FINDS
WILLIAMS TANK LINES HIGHWAY 29 ACC	SLIC

OVERVIEW MAP - 2622183.9s



 Target Property

 Sites at elevations higher than or equal to the target property

 Sites at elevations lower than the target property

 Manufactured Gas Plants

 National Priority List Sites

 Dept. Defense Sites


 Indian Reservations BIA

 Power transmission lines

 Oil & Gas pipelines

 100-year flood zone

 500-year flood zone

 Areas of Concern


0 1/4 1/2 1 Miles















SITE NAME: 675 Lakeport Boulevard Site
 ADDRESS: 675 Lakeport Boulevard
 Lakeport CA 95453
 LAT/LONG: 39.0343 / 122.9215

CLIENT: URS Corporation
 CONTACT: Frank Gegunde
 INQUIRY #: 2622183.9s
 DATE: October 23, 2009 4:35 pm

DETAIL MAP - 2622183.9s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Oil & Gas pipelines
-  100-year flood zone
-  500-year flood zone
-  Areas of Concern

<p>SITE NAME: 675 Lakeport Boulevard Site ADDRESS: 675 Lakeport Boulevard Lakeport CA 95453 LAT/LONG: 39.0343 / 122.9215</p>	<p>CLIENT: URS Corporation CONTACT: Frank Gegunde INQUIRY #: 2622183.9s DATE: October 23, 2009 4:35 pm</p>
--	---

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL		1.000	0	0	1	0	NR	1
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS		0.500	0	0	1	NR	NR	1
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP		0.500	0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS		1.000	0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG		0.250	0	0	NR	NR	NR	0
RCRA-SQG		0.250	1	1	NR	NR	NR	2
RCRA-CESQG		0.250	0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS		TP	NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent NPL</i>								
RESPONSE		1.000	0	0	0	0	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
ENVIROSTOR		1.000	0	0	3	1	NR	4
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF		0.500	1	0	0	NR	NR	1
<i>State and tribal leaking storage tank lists</i>								
LUST		0.500	2	0	8	NR	NR	10
SLIC		0.500	0	0	0	NR	NR	0
INDIAN LUST		0.500	0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
State and tribal registered storage tank lists								
UST		0.250	1	0	NR	NR	NR	1
AST		0.250	0	0	NR	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP		0.500	0	0	0	NR	NR	0
INDIAN VCP		0.500	0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
WMUDS/SWAT		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	1	NR	NR	1
HAULERS		TP	NR	NR	NR	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL		TP	NR	NR	NR	NR	NR	0
HIST Cal-Sites		1.000	0	0	0	0	NR	0
SCH		0.250	0	0	NR	NR	NR	0
Toxic Pits		1.000	0	0	0	0	NR	0
CDL		TP	NR	NR	NR	NR	NR	0
US HIST CDL		TP	NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
CA FID UST		0.250	0	0	NR	NR	NR	0
HIST UST		0.250	2	1	NR	NR	NR	3
SWEEPS UST		0.250	1	0	NR	NR	NR	1
Local Land Records								
LIENS 2		TP	NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
LIENS		TP	NR	NR	NR	NR	NR	0
DEED		0.500	0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS		TP	NR	NR	NR	NR	NR	0
CHMIRS		TP	NR	NR	NR	NR	NR	0
LDS		TP	NR	NR	NR	NR	NR	0
MCS		TP	NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA-NonGen		0.250	0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	1	0	NR	1
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
CA BOND EXP. PLAN		1.000	0	0	0	0	NR	0
CA WDS		TP	NR	NR	NR	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
Cortese		0.500	0	0	0	NR	NR	0
HIST CORTESE		0.500	0	0	7	NR	NR	7
Notify 65		1.000	0	0	0	0	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
WIP		0.250	0	0	NR	NR	NR	0
HAZNET		TP	NR	NR	NR	NR	NR	0
EMI		TP	NR	NR	NR	NR	NR	0
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants	1.000	0	0	0	0	NR	0
-------------------------	-------	---	---	---	---	----	---

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

**NPL
Region
East
1/4-1/2
2370 ft.**

**SULPHUR BANK MERCURY MINE
SULPHUR BANK ROAD
CLEARLAKE OAKS, CA 95422**

**CERCLIS 1000707971
FINDS CAD980893275
NPL
ROD**

CERCLIS:

Site ID: 0902228
Federal Facility: Not a Federal Facility
NPL Status: Currently on the Final NPL
Non NPL Status: Not reported

CERCLIS Site Contact Name(s):

Contact Name: Not reported
Contact Tel: Not reported
Contact Title: 92711

Contact Name: Not reported
Contact Tel: Not reported
Contact Title: 13002

Contact Name: Not reported
Contact Tel: Not reported
Contact Title: 92700

Contact Name: Not reported
Contact Tel: Not reported
Contact Title: 92704

Contact Name: Not reported
Contact Tel: Not reported
Contact Title: 92700

Site Description: INACTIVE SULPHUR +MERCURY MINE ON CLEAR LAKE IN NORTHERN CALIFORNIA

CERCLIS Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 4/1/1985 0:00:00
Priority Level: Not reported

Action: HRS PACKAGE
Date Started: Not reported
Date Completed: 6/1/1987 0:00:00
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT
Date Started: Not reported
Date Completed: 6/1/1987 0:00:00
Priority Level: Higher priority for further assessment

Action: SITE INSPECTION
Date Started: Not reported
Date Completed: 6/1/1987 0:00:00
Priority Level: Low priority for further assessment

Action: PROPOSAL TO NPL
Date Started: Not reported
Date Completed: 6/24/1988 0:00:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SULPHUR BANK MERCURY MINE (Continued)

1000707971

Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	8/23/1989 0:00:00
Date Completed:	8/23/1989 0:00:00
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	7/20/1990 0:00:00
Date Completed:	7/20/1990 0:00:00
Priority Level:	Not reported
Action:	FINAL LISTING ON NPL
Date Started:	Not reported
Date Completed:	8/30/1990 0:00:00
Priority Level:	Not reported
Action:	Notice Letters Issued
Date Started:	Not reported
Date Completed:	11/29/1990 0:00:00
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	1/31/1991 0:00:00
Date Completed:	1/31/1991 0:00:00
Priority Level:	Not reported
Action:	NPL RP SEARCH
Date Started:	8/17/1989 0:00:00
Date Completed:	4/26/1991 0:00:00
Priority Level:	Not reported
Action:	Notice Letters Issued
Date Started:	Not reported
Date Completed:	3/30/1992 0:00:00
Priority Level:	Not reported
Action:	ADMINISTRATIVE RECORDS
Date Started:	5/27/1992 0:00:00
Date Completed:	5/27/1992 0:00:00
Priority Level:	Admin Record Compiled for a Removal Event
Action:	REMOVAL COMMUNITY RELATIONS
Date Started:	5/14/1992 0:00:00
Date Completed:	12/29/1992 0:00:00
Priority Level:	Not reported
Action:	REMOVAL
Date Started:	5/14/1992 0:00:00
Date Completed:	6/21/1993 0:00:00
Priority Level:	Stabilized
Action:	REMOVAL
Date Started:	8/30/1993 0:00:00
Date Completed:	10/30/1993 0:00:00
Priority Level:	Partially Cleaned up

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SULPHUR BANK MERCURY MINE (Continued)

1000707971

Action:	REMOVAL
Date Started:	1/14/1995 0:00:00
Date Completed:	6/23/1998 0:00:00
Priority Level:	Cleaned up
Action:	REMOVAL
Date Started:	2/16/1998 0:00:00
Date Completed:	6/23/1998 0:00:00
Priority Level:	Stabilized
Action:	ENGINEERING EVAL/COST ANALYSIS
Date Started:	Not reported
Date Completed:	9/21/1999 0:00:00
Priority Level:	Not reported
Action:	REMOVAL
Date Started:	9/29/1999 0:00:00
Date Completed:	1/14/2000 0:00:00
Priority Level:	Stabilized
Action:	REMOVAL
Date Started:	9/11/2000 0:00:00
Date Completed:	1/18/2001 0:00:00
Priority Level:	Stabilized
Action:	ADMIN ORDER ON CONSENT
Date Started:	Not reported
Date Completed:	12/8/2004 0:00:00
Priority Level:	Not reported
Action:	NPL RP SEARCH
Date Started:	3/6/1992 0:00:00
Date Completed:	4/12/2005 0:00:00
Priority Level:	Not reported
Action:	ENGINEERING EVAL/COST ANALYSIS
Date Started:	7/21/2005 0:00:00
Date Completed:	4/6/2006 0:00:00
Priority Level:	Not reported
Action:	REMOVAL
Date Started:	6/13/2006 0:00:00
Date Completed:	12/14/2006 0:00:00
Priority Level:	Cleaned up
Action:	REMOVAL
Date Started:	1/22/2008 0:00:00
Date Completed:	2/23/2008 0:00:00
Priority Level:	Cleaned up
Action:	NPL RP SEARCH
Date Started:	11/7/2007 0:00:00
Date Completed:	8/27/2008 0:00:00
Priority Level:	Not reported
Action:	COMBINED RI/FS
Date Started:	9/28/1990 0:00:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SULPHUR BANK MERCURY MINE (Continued)

1000707971

Date Completed: Not reported
Priority Level: Not reported

Action: COMBINED RI/FS
Date Started: 9/28/1990 0:00:00
Date Completed: Not reported
Priority Level: Not reported

Action: COMBINED RI/FS
Date Started: 11/18/1991 0:00:00
Date Completed: Not reported
Priority Level: Not reported

Action: TECHNICAL ASSISTANCE GRANT
Date Started: 3/8/2004 0:00:00
Date Completed: Not reported
Priority Level: Not reported

FINDS:

Registry ID: 110009329164

Environmental Interest/Information System

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites, including an inventory of sites, planned and actual site activities, and financial information.

Registry ID: 110033618011

Environmental Interest/Information System

California Department of Toxic Substances Control EnviroStor System (DTSC-EnviroStor) is an online search and Geographic Information System (GIS) tool for identifying sites that have known contamination or sites for which there may be reasons to investigate further. The EnviroStor database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites.

NPL:

EPA ID: CAD980893275
EPA Region: 09
Federal: N
Final Date: 8/30/1990

Category Details:

NPL Status: Currently on the Final NPL
Category Description: Depth To Aquifer-<= 10 Feet
Category Value: 6

NPL Status: Currently on the Final NPL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SULPHUR BANK MERCURY MINE (Continued)

1000707971

Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile
Category Value: 100

Site Details:

Site Name: SULPHUR BANK MERCURY MINE
Site Status: Final
Site Zip: 95422
Site City: CLEARLAKE
Site State: CA
Federal Site: No
Site County: LAKE
EPA Region: 09
Date Proposed: 06/24/88
Date Deleted: Not reported
Date Finalized: 08/30/90

Substance Details:

NPL Status: Currently on the Final NPL
Substance ID: Not reported
Substance: Not reported
CAS #: Not reported
Pathway: Not reported
Scoring: Not reported

NPL Status: Currently on the Final NPL
Substance ID: C460
Substance: MERCURY
CAS #: 7439-97-6
Pathway: GROUND WATER PATHWAY
Scoring: 4

NPL Status: Currently on the Final NPL
Substance ID: C460
Substance: MERCURY
CAS #: 7439-97-6
Pathway: SURFACE WATER PATHWAY
Scoring: 3

NPL Status: Currently on the Final NPL
Substance ID: D004
Substance: ARSENIC
CAS #: 7440-38-2
Pathway: GROUND WATER PATHWAY
Scoring: 4

NPL Status: Currently on the Final NPL
Substance ID: D004
Substance: ARSENIC
CAS #: 7440-38-2
Pathway: SURFACE WATER PATHWAY
Scoring: 3

Summary Details:

Conditions at proposal June 24, 1988): The Sulphur Bank Mercury (SBM) Mine is on the east shore of the Oaks Arm of Clear Lake, in Clear Lake, Lake County, California. The area was initially mined for sulfur during 1865-68.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SULPHUR BANK MERCURY MINE (Continued)

1000707971

Mercury ore was mined by underground methods during 1899-1902 and 1915-18. The majority of the mercury ore was mined using open pit methods during 1922-47 and 1955-57. The mine, once one of the largest producers of mercury in California, has been inactive since 1957 and is presently owned by Bradley Mining Co. (BMC) of San Francisco. Approximately 120 acres of tailings and an open, unlined mine pit called the Herman Pit) are on the property. The mine tailings extend into the Oaks Arm of Clear Lake along 1,320 feet of shoreline. The Herman Pit covers approximately 23 acres and is 750 feet upgradient of the lake. The pit is filled with water to a depth of 150 feet. The California Regional Water Quality Control Board (CRWQCB) is coordinating an ongoing investigation of SBM. Department of Health Services, Department of Fish and Game, and CRWQCB analyses indicate that mercury is present in the tailings and in the biota and bottom sediments in the Oaks Arm of Clear Lake. The levels of mercury in fish from Clear Lake led the State to issue an advisory on May 14, 1986 against consumption of the fish. The lake is a major recreational area. On March 13, 1987, CRWQCB informed BMC that the Herman Pit is regulated under the Toxic Pits Cleanup Act (TPCA). Under the act, BMC is required to submit a Hydrogeologic Assessment Report (HAR). The property owners are conducting a waste characterization study of the site prior to submitting a HAR to determine if the site may be exempt from the TPCA. On November 4, 1987, CRWQCB awarded a contract for a pollution abatement study of the Oaks Arm of Clear Lake and the adjacent mine site. The study is scheduled to be completed in early 1989. An estimated 4,700 people obtain drinking water from Clear Lake Oaks Water District wells about 1 mile from the site. Status August 30, 1990): The property owners submitted their HAR to CRWQCB in July 1988. CRWQCB exempted the Herman Pit from TPCA in April 1990. CRWQCB's study of Clear Lake was completed in late 1989. It indicated that the largest continued input of mercury to Clear Lake is probably from erosion of waste rock and tailings into the lake.

Site Status Details:

NPL Status: Final
Proposed Date: 06/24/1988
Final Date: 08/30/1990
Deleted Date: Not reported

Narratives Details:

NPL Name: SULPHUR BANK MERCURY MINE
City: CLEARLAKE
State: CA

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

A1
NE
< 1/8
0.051 mi.
267 ft.

PACIFIC BELL TD-255/LKPTCA022
555 LAKEPORT BLVD
LAKEPORT, CA 95453
Site 1 of 4 in cluster A

UST U003779259
N/A

Relative:
Lower

UST:
Global ID: 4624
Latitude: 39.03463
Longitude: -122.91951

Actual:
1350 ft.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A2
NE
 < 1/8
 0.051 mi.
 267 ft.

AT&T
555 LAKEPORT BOULEVARD
LAKEPORT, CA 95453

LUST **S108277126**
N/A

Site 2 of 4 in cluster A

Relative:
Lower

LUST REG 5:
 Region: 5
 Status: Case Closed
 Case Number: 170114
 Case Type: Soil only
 Substance: DIESEL
 Staff Initials: GTM
 Lead Agency: Regional
 Program: LUST
 MTBE Code: N/A

Actual:
1350 ft.

A3
NE
 < 1/8
 0.051 mi.
 267 ft.

AT&T
555 LAKEPORT BOULEVARD
LAKEPORT, CA 95453

LUST **S108086954**
N/A

Site 3 of 4 in cluster A

Relative:
Lower

LUST:
 Region: STATE
 Global Id: T0603315849
 Latitude: 39.034643
 Longitude: -122.919696
 Case Type: LUST Cleanup Site
 Status: Completed - Case Closed
 Status Date: 2006-11-27 00:00:00
 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
 Case Worker: Not reported
 Local Agency: LAKE COUNTY
 RB Case Number: Not reported
 LOC Case Number: Not reported
 File Location: Not reported
 Potential Media Affect: Soil
 Potential Contaminants of Concern: Diesel
 Site History: Not reported

Actual:
1350 ft.

A4
NE
 < 1/8
 0.051 mi.
 267 ft.

PACIFIC BELL
555 LAKEPORT BOULEVARD
LAKEPORT, CA 95453

RCRA-SQG **1000251835**
FINDS **CAT080028863**
HAZNET
HIST UST
EMI
SWEEPS UST

Site 4 of 4 in cluster A

Relative:
Lower

RCRA-SQG:
 Date form received by agency: 09/01/1996
 Facility name: PACIFIC BELL
 Facility address: 555 LAKEPORT BOULEVARD
 LAKEPORT, CA 95453
 EPA ID: CAT080028863
 Mailing address: 3707 KINGS WAY SEC A-6
 SACRAMENTO, CA 95821
 Contact: Not reported
 Contact address: Not reported

Actual:
1350 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PACIFIC BELL (Continued)

1000251835

Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: THE PACIFIC TELEPHONE AND TELEGRAPH CO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/05/1981
Facility name: PACIFIC BELL
Classification: Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PACIFIC BELL (Continued)

1000251835

Violation Status: No violations found

FINDS:

Registry ID: 110002954857

Environmental Interest/Information System

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:

Gepaid: CAT080028863
Contact: SHARON BAYLE/STAFF ASSOC
Telephone: 9258675741
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: PO BOX 5095 RM 3E000
Mailing City,St,Zip: SAN RAMON, CA 945830995
Gen County: Lakes
TSD EPA ID: CAD009452657
TSD County: San Mateo
Waste Category: Aqueous solution with 10% or more total organic residues
Disposal Method: Recycler
Tons: 2.91
Facility County: Not reported

HIST UST:

Region: STATE
Facility ID: 00000057526
Facility Type: Other
Other Type: SIC 4800
Total Tanks: 0001
Contact Name: E.J. KOEHLER
Telephone: 4155426758
Owner Name: PACIFIC BELL
Owner Address: 370 THIRD STREET
Owner City,St,Zip: SAN FRANCISCO, CA 94107

Tank Num: 001
Container Num: 1
Year Installed: 1970
Tank Capacity: 00001500
Tank Used for: PRODUCT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PACIFIC BELL (Continued)

1000251835

Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: None

EMI:

Year: 1996
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 1997
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 1998
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PACIFIC BELL (Continued)

1000251835

County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2000
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2001
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2002
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PACIFIC BELL (Continued)

1000251835

Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2003
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2004
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.01
Reactive Organic Gases Tons/Yr: 0.01
Carbon Monoxide Emissions Tons/Yr: 0.02
NOX - Oxides of Nitrogen Tons/Yr: 0.11
SOX - Oxides of Sulphur Tons/Yr: 0.01
Particulate Matter Tons/Yr: 0.01
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0.01

Year: 2005
County Code: 17
Air Basin: LC
Facility ID: 214
Air District Name: LAK
SIC Code: 4911
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .01
Reactive Organic Gases Tons/Yr: .008367
Carbon Monoxide Emissions Tons/Yr: .02
NOX - Oxides of Nitrogen Tons/Yr: .11

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PACIFIC BELL (Continued)

1000251835

SOX - Oxides of Sulphur Tons/Yr: .01
 Particulate Matter Tons/Yr: .01
 Part. Matter 10 Micrometers & Smlr Tons/Yr: .00976

Year: 2006
 County Code: 17
 Air Basin: LC
 Facility ID: 214
 Air District Name: LAK
 SIC Code: 4911
 Air District Name: LAKE COUNTY AQMD
 Community Health Air Pollution Info System: Not reported
 Consolidated Emission Reporting Rule: Not reported
 Total Organic Hydrocarbon Gases Tons/Yr: .01
 Reactive Organic Gases Tons/Yr: .008367
 Carbon Monoxide Emissions Tons/Yr: .02
 NOX - Oxides of Nitrogen Tons/Yr: .11
 SOX - Oxides of Sulphur Tons/Yr: .01
 Particulate Matter Tons/Yr: .01
 Part. Matter 10 Micrometers & Smlr Tons/Yr: .00976

SWEEPS UST:

Status: A
 Comp Number: 57526
 Number: 9
 Board Of Equalization: 44-001027
 Ref Date: Not reported
 Act Date: 10-29-88
 Created Date: 02-29-88
 Tank Status: A
 Owner Tank Id: 1
 Swrcb Tank Id: 17-000-057526-000001
 Actv Date: 10-29-88
 Capacity: 1500
 Tank Use: M.V. FUEL
 Stg: P
 Content: DIESEL
 Number Of Tanks: 1

B5
West
< 1/8
0.060 mi.
316 ft.

LAKE COUNTY DEPARTMENT OF AGRICULTURE
883 LAKEPORT BLVD
LAKEPORT, CA 95453

HIST UST **U001610369**
EMI **N/A**

Site 1 of 2 in cluster B

Relative:
Lower

HIST UST:
 Region: STATE
 Facility ID: 00000031035
 Facility Type: Other
 Other Type: OFFICE
 Total Tanks: 0001
 Contact Name: DON TOMPKINS
 Telephone: 7072632271
 Owner Name: LAKE COUNTY DEPARTMENT OF AGRICULTURE
 Owner Address: 883 LAKEPORT BOULEVARD
 Owner City,St,Zip: LAKEPORT, CA 95453

Actual:
1385 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LAKE COUNTY DEPARTMENT OF AGRI (Continued)

U001610369

Tank Num: 001
Container Num: 1975 AG
Year Installed: 1975
Tank Capacity: 00001000
Tank Used for: WASTE
Type of Fuel: Not reported
Tank Construction: 4 inches
Leak Detection: None

EMI:

Year: 2000
County Code: 17
Air Basin: LC
Facility ID: 178
Air District Name: LAK
SIC Code: 7261
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2001
County Code: 17
Air Basin: LC
Facility ID: 178
Air District Name: LAK
SIC Code: 7261
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2002
County Code: 17
Air Basin: LC
Facility ID: 178
Air District Name: LAK
SIC Code: 7261
Air District Name: LAKE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LAKE COUNTY DEPARTMENT OF AGRI (Continued)

U001610369

SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers & Smlr Tons/Yr:	0
Year:	2003
County Code:	17
Air Basin:	LC
Facility ID:	178
Air District Name:	LAK
SIC Code:	7261
Air District Name:	LAKE COUNTY AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers & Smlr Tons/Yr:	0
Year:	2004
County Code:	17
Air Basin:	LC
Facility ID:	178
Air District Name:	LAK
SIC Code:	7261
Air District Name:	LAKE COUNTY AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.01
Reactive Organic Gases Tons/Yr:	0.01
Carbon Monoxide Emissions Tons/Yr:	0.03
NOX - Oxides of Nitrogen Tons/Yr:	0.09
SOX - Oxides of Sulphur Tons/Yr:	0.004
Particulate Matter Tons/Yr:	0.01
Part. Matter 10 Micrometers & Smlr Tons/Yr:	0.01
Year:	2005
County Code:	17
Air Basin:	LC
Facility ID:	178
Air District Name:	LAK
SIC Code:	7261
Air District Name:	LAKE COUNTY AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.01
Reactive Organic Gases Tons/Yr:	.006986
Carbon Monoxide Emissions Tons/Yr:	.03
NOX - Oxides of Nitrogen Tons/Yr:	.09
SOX - Oxides of Sulphur Tons/Yr:	.004
Particulate Matter Tons/Yr:	.01
Part. Matter 10 Micrometers & Smlr Tons/Yr:	.007
Year:	2006
County Code:	17

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LAKE COUNTY DEPARTMENT OF AGRI (Continued)

U001610369

Air Basin: LC
 Facility ID: 178
 Air District Name: LAK
 SIC Code: 7261
 Air District Name: LAKE COUNTY AQMD
 Community Health Air Pollution Info System: Not reported
 Consolidated Emission Reporting Rule: Not reported
 Total Organic Hydrocarbon Gases Tons/Yr: .01
 Reactive Organic Gases Tons/Yr: .006986
 Carbon Monoxide Emissions Tons/Yr: .03
 NOX - Oxides of Nitrogen Tons/Yr: .09
 SOX - Oxides of Sulphur Tons/Yr: .004
 Particulate Matter Tons/Yr: .01
 Part. Matter 10 Micrometers & Smlr Tons/Yr: .007

B6
West
< 1/8
0.063 mi.
333 ft.

LAKEPORT TRANSFER STATION
910 BEVINS STREET
LAKEPORT, CA

SWF/LF S102360551
N/A

Site 2 of 2 in cluster B

Relative:
Lower

SWF/LF (SWIS):
 Region: STATE
 Facility ID: 17-AA-0002
 Lat/Long: 39.03455 / -122.9233
 Owner Name: County Of Lake
 Owner Telephone: 7072621760
 Owner Address: Not reported
 Owner Address2: 333 North Second Street
 Owner City,St,Zip: Lakeport, CA 95453
 Operator: County Of Lake
 Operator Phone: 7072621760
 Operator Address: Not reported
 Operator Address2: 333 North Second Street
 Operator City,St,Zip: Lakeport, CA 95453
 Operator's Status: Active
 Permit Date: 11/3/1995
 Permit Status: Permitted
 Permitted Acreage: 2
 Activity: Large Volume Transfer/Proc Facility
 Regulation Status: Permitted
 Landuse Name: Commercial
 GIS Source: Map
 Category: Transfer/Processing
 Unit Number: 01
 Inspection Frequency: Monthly
 Accepted Waste: Mixed municipal
 Closure Date: Not reported
 Closure Type: Not reported
 Disposal Acreage: Not reported
 Swisnumber: 17-AA-0002
 Issue & Observations: Lakeport, CA 95453
 Program Type: Not reported
 Permitted Throughput with Units: 200
 Actual Throughput with Units: Tons/day
 Permitted Capacity with Units: 200
 Remaining Capacity: Not reported
 Remaining Capacity with Units: Tons/day

Actual:
1379 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

7
East
1/8-1/4
0.165 mi.
869 ft.

BRUNO FOODS
355 LAKEPORT BLVD
LAKEPORT, CA 95453

RCRA-SQG **1001217358**
FINDS **CAR000032862**
HAZNET

Relative:
Lower

RCRA-SQG:

Date form received by agency: 10/20/1997
 Facility name: BRUNO FOODS
 Facility address: 355 LAKEPORT BLVD
 LAKEPORT, CA 954535412
 EPA ID: CAR000032862
 Contact: RAY STARK
 Contact address: 355 LAKEPORT BLVD
 LAKEPORT, CA 954535412
 Contact country: US
 Contact telephone: (707) 263-7337
 Contact email: Not reported
 EPA Region: 09
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Actual:
1341 ft.

Owner/Operator Summary:

Owner/operator name: WILLIAM BRUNETTI
 Owner/operator address: 355 LAKEPORT BLVD
 LAKEPORT, CA 95453
 Owner/operator country: Not reported
 Owner/operator telephone: (707) 263-7337
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No
 Off-site waste receiver: Commercial status unknown

Hazardous Waste Summary:

Waste code: D011
 Waste name: SILVER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRUNO FOODS (Continued)

1001217358

Violation Status: No violations found

FINDS:

Registry ID: 110002919637

Environmental Interest/Information System

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:

Gepaid: CAR000032862
Contact: WILLIAM BRUNETTI
Telephone: 7072637337
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 355 LAKEPORT BLVD
Mailing City,St,Zip: LAKEPORT, CA 954535412
Gen County: Lakes
TSD EPA ID: CA0000084517
TSD County: Sacramento
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: 2.0016
Facility County: Lakes

Gepaid: CAR000032862
Contact: TOM ROGERS SAFETY MGR
Telephone: 0
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 355 LAKEPORT BLVD
Mailing City,St,Zip: LAKEPORT, CA 954535412
Gen County: Lakes
TSD EPA ID: CA0000084517
TSD County: Lakes
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: 0.62
Facility County: Lakes

Gepaid: CAR000032862
Contact: TOM ROGERS SAFETY MGR
Telephone: Not reported
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 355 LAKEPORT BLVD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRUNO FOODS (Continued)

1001217358

Mailing City,St,Zip: LAKEPORT, CA 954535412
Gen County: Lakes
TSD EPA ID: CA0000084517
TSD County: Sacramento
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: 0.07
Facility County: Not reported

Gepaid: CAR000032862
Contact: WILLIAM BRUNETTI
Telephone: 7072637337
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 355 LAKEPORT BLVD
Mailing City,St,Zip: LAKEPORT, CA 954535412
Gen County: Lakes
TSD EPA ID: CA0000084517
TSD County: Sacramento
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: .2502
Facility County: Lakes

Gepaid: CAR000032862
Contact: TOM ROGERS SAFETY MGR
Telephone: --
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 355 LAKEPORT BLVD
Mailing City,St,Zip: LAKEPORT, CA 954535412
Gen County: Lakes
TSD EPA ID: Not reported
TSD County: Sacramento
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: 1
Facility County: Not reported

[Click this hyperlink](#) while viewing on your computer to access
3 additional CA_HAZNET: record(s) in the EDR Site Report.

8
ESE
1/8-1/4
0.224 mi.
1183 ft.

CLEAR LAKE MARINA
1400 SO MAIN ST LAKEPORT-B-5
LAKEPORT, CA 95453

HIST UST **U001610340**
N/A

Relative:
Lower

HIST UST:
Region: STATE
Facility ID: 00000006831
Facility Type: Gas Station
Other Type: BOAT
Total Tanks: 0003
Contact Name: SAME
Telephone: 7072636645
Owner Name: CHARLES YOZSA
Owner Address: 1400 SO MAIN ST LAKEPORT-B-5

Actual:
1337 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CLEAR LAKE MARINA (Continued)

U001610340

Owner City,St,Zip: LAKEPORT, CA 95453

Tank Num: 001
Container Num: 1
Year Installed: 1975
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Tank Construction: 10 gauge
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1975
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Tank Construction: 12 gauge
Leak Detection: None

Tank Num: 003
Container Num: 3
Year Installed: 1975
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Tank Construction: 10 gauge
Leak Detection: None

9
SE
1/4-1/2
0.332 mi.
1754 ft.

TESORO 67075
975 MAIN ST
LAKEPORT, CA 95453

HAZNET **S101295438**
LUST **N/A**
HIST CORTESE

Relative:
Lower

Actual:
1336 ft.

HAZNET:
Gepaid: CAL000252738
Contact: ROBERT HOOVER
Telephone: 2538968801
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 3450 S 344TH ST STE 100
Mailing City,St,Zip: AUBURN, WA 980015931
Gen County: Lakes
TSD EPA ID: Not reported
TSD County: San Bernardino
Waste Category: Other organic solids
Disposal Method: Transfer Station
Tons: 0.88
Facility County: Not reported

LUST:
Region: STATE
Global Id: T0603300005
Latitude: 39.035484667
Longitude: -122.915624842
Case Type: LUST Cleanup Site

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TESORO 67075 (Continued)

S101295438

Status: Open - Remediation
Status Date: 2006-08-10 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST REG 5:

Region: 5
Status: Remediation Plan
Case Number: 170013
Case Type: Drinking Water Aquifer affected
Substance: GASOLINE
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

CORTESE:

Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170013

**10
WNW
1/4-1/2
0.342 mi.
1808 ft.**

**UNITED PARCEL SER CALAK
924 PARALLEL DR
LAKEPORT, CA 95453**

**LUST S101307306
NPDES N/A
CA WDS
HIST CORTESE**

**Relative:
Lower**

LUST:

Region: STATE
Global Id: T0603300017
Latitude: 39.0370332
Longitude: -122.9278095
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 1996-08-20 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

**Actual:
1370 ft.**

LUST REG 5:

Region: 5
Status: Case Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED PARCEL SER CALAK (Continued)

S101307306

Case Number: 170033
Case Type: Soil only
Substance: WASTE OIL
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

NPDES:

Npdes Number: Not reported
Facility Status: Active
Agency Id: 47846
Region: 5S
Regulatory Measure Id: 198507
Order No: 97-03-DWQ
Regulatory Measure Type: Storm water industrial
Place Id: 269125
WDID: 5S17I002100
Program Type: INDSTW
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 3/30/1992
Expiration Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: Not reported
Discharge Name: United Parcel Service
Discharge Address: 2222 17th St
Discharge City: South San Francisco
Discharge State: CA
Discharge Zip: 94103

CA WDS:

Facility ID: 5S 17I002100
Facility Type: Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number: CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion: 0
Facility Telephone: 4157373758
Facility Contact: STAN PREDKI
Agency Name: UNITED PARCEL SERVICE
Agency Address: 2222 17TH ST
Agency City,St,Zip: SAN FRANCISCO 94103
Agency Contact: STAN PREDKI
Agency Telephone: Not reported
Agency Type: Private
SIC Code: 0
SIC Code 2: Not reported
Primary Waste: Not reported
Primary Waste Type: Not reported
Secondary Waste: Not reported
Secondary Waste Type: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

UNITED PARCEL SER CALAK (Continued)

S101307306

Design Flow: 0
 Baseline Flow: 0
 Reclamation: Not reported
 POTW: Not reported
 Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
 Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or those who must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

CORTESE:
 Region: CORTESE
 Facility County Code: 17
 Reg By: LTNKA
 Reg Id: 170033

11
 SE
 1/4-1/2
 0.363 mi.
 1918 ft.

CHEVRON #1802
1050 MAIN ST S
LAKEPORT, CA 95453

LUST S102427018
HIST CORTESE N/A

Relative:
Lower

LUST:
 Region: STATE
 Global Id: T0603300043
 Latitude: 39.0345993
 Longitude: -122.915511
 Case Type: LUST Cleanup Site
 Status: Completed - Case Closed
 Status Date: 2001-01-16 00:00:00
 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
 Case Worker: Not reported
 Local Agency: LAKE COUNTY
 RB Case Number: Not reported
 LOC Case Number: Not reported
 File Location: Not reported
 Potential Media Affect: Aquifer used for drinking water supply
 Potential Contaminants of Concern: Gasoline
 Site History: Not reported

Actual:
1336 ft.

LUST REG 5:
 Region: 5
 Status: Case Closed
 Case Number: 170063
 Case Type: Drinking Water Aquifer affected
 Substance: GASOLINE
 Staff Initials: GTM
 Lead Agency: Regional
 Program: LUST
 MTBE Code: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON #1802 (Continued)

S102427018

CORTESE:
Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170063

**C12
NE
1/4-1/2
0.378 mi.
1995 ft.**

**LAKEPORT SHELL
301 MAIN ST S
LAKEPORT, CA 95453
Site 1 of 2 in cluster C**

**LUST S104403187
HIST CORTESE N/A**

**Relative:
Lower**

LUST:
Region: STATE
Global Id: T0603300069
Latitude: 39.040341935
Longitude: -122.915274592
Case Type: LUST Cleanup Site
Status: Open - Verification Monitoring
Status Date: 2003-06-13 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

**Actual:
1336 ft.**

LUST REG 5:
Region: 5
Status: Post remedial action monitoring
Case Number: 170090
Case Type: Drinking Water Aquifer affected
Substance: GASOLINE
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: 7

CORTESE:
Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170090

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

C13
NE
1/4-1/2
0.389 mi.
2056 ft.

SOPER-REESE COMMUNITY THEATER
275 SOUTH MAIN STREET
LAKEPORT, CA 95453

LUST **S106859257**
N/A

Site 2 of 2 in cluster C

Relative:
Lower

LUST:

Region: STATE
Global Id: T0603346446
Latitude: 39.0406176666667
Longitude: -122.915501333333
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 2008-12-12 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Archived
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Diesel, Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

Actual:
1333 ft.

LUST REG 5:

Region: 5
Status: Post remedial action monitoring
Case Number: 170111
Case Type: Drinking Water Aquifer affected
Substance: Not reported
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

14
SSE
1/4-1/2
0.398 mi.
2101 ft.

LANGE BROTHERS CONSTRUCTION CO
301 INDUSTRIAL AVE
LAKEPORT, CA 95453

LUST **S100851204**
HIST CORTESE **N/A**

Relative:
Lower

LUST:

Region: STATE
Global Id: T0603300028
Latitude: 39.0281335
Longitude: -122.9167741
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 1994-10-19 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Actual:
1341 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LANGE BROTHERS CONSTRUCTION CO (Continued)

S100851204

LUST REG 5:

Region: 5
Status: Case Closed
Case Number: 170047
Case Type: Drinking Water Aquifer affected
Substance: GASOLINE
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

CORTESE:

Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170047

15
SE
1/4-1/2
0.417 mi.
2201 ft.

TOMRA PACIFIC INC
1155 S MAIN ST
LAKEPORT, CA 95453

SWRCY S107138048
N/A

Relative:
Lower

SWRCY:

Certification Status: O
Facility Phone Number: Not reported
Date facility became certified: 9/2/1998
Date facility began operating: 10/1/1998
Date facility ceased operating: Still operating
Whether The Facility Is Grandfathered: Not reported
Convenience Zone Where Facility Located: 459
Convenience Zone Where Facility Located 2: 4621
Convenience Zone Where Facility Located 3: 5225
Convenience Zone Where Facility Located 4: Not Accepted
Convenience Zone Where Facility Located 5: Not Accepted
Convenience Zone Where Facility Located 6: Not Accepted
Convenience Zone Where Facility Located 7: Not Accepted
Aluminum Beverage Containers Redeemed: AL
Glass Beverage Containers Redeemed: GL
Plastic Beverage Containers Redeemed: PL
Other mat beverage containers redeemed: Not reported
Refillable Beverage Containers Redeemed: Not reported

Actual:
1334 ft.

D16
NE
1/4-1/2
0.429 mi.
2267 ft.

TIME OIL CO/JACKPOT FOOD MART
202 S MAIN ST
LAKEPORT, CA 95453

HAZNET S101480526
ENVIROSTOR N/A

Site 1 of 5 in cluster D

Relative:
Lower

HAZNET:

Gepaid: CAL000264271
Contact: WALTER SPRAGUE GENERAL MANAGER
Telephone: 2062864505
Facility Addr2: Not reported
Mailing Name: Not reported

Actual:
1335 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TIME OIL CO/JACKPOT FOOD MART (Continued)

S101480526

Mailing Address: 2737 W COMMADORE WAY
Mailing City,St,Zip: SEATTLE, WA 981991257
Gen County: Lakes
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Waste Category: Unspecified organic liquid mixture
Disposal Method: Transfer Station
Tons: Not reported
Facility County: Not reported

Gepaid: CAC001040032
Contact: TIME OIL CO
Telephone: 0000000000
Facility Addr2: Not reported
Mailing Name: Not reported
Mailing Address: 2737 W COMMADORE WAY
Mailing City,St,Zip: SEATTLE, WA 981991233
Gen County: Lakes
TSD EPA ID: CAD043260702
TSD County: San Mateo
Waste Category: Unspecified oil-containing waste
Disposal Method: Recycler
Tons: .6880
Facility County: Lakes

ENVIROSTOR:

Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1
NPL: NO
Regulatory Agencies: NONE SPECIFIED
Lead Agency: NONE SPECIFIED
Program Manager: Not reported
Supervisor: Referred - Not Assigned
Division Branch: Sacramento
Facility ID: 17510002
Site Code: Not reported
Assembly: 01
Senate: 02
Special Program: * Rural County Survey Program
Status: Refer: RWQCB
Status Date: 2008-12-31 00:00:00
Restricted Use: NO
Funding: Not reported
Latitude: 39.0411134926845
Longitude: -122.914905087341
Alias Name: 17510010
Alias Type: Envirostor ID Number
Alias Name: Jackpot Station
Alias Type: Alternate Name
Alias Name: 17510002
Alias Type: Envirostor ID Number

APN: NONE SPECIFIED
APN Description: Not reported

Completed Info:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

TIME OIL CO/JACKPOT FOOD MART (Continued)

S101480526

Completed Area Name: PROJECT WIDE
 Completed Sub Area Name: Not reported
 Completed Document Type: * Discovery
 Completed Date: 1988-02-25 00:00:00

Completed Area Name: PROJECT WIDE
 Completed Sub Area Name: Not reported
 Completed Document Type: Site Screening
 Completed Date: 1988-07-14 00:00:00

Confirmed: NONE SPECIFIED
 Confirmed Description: Not reported
 Future Area Name: Not reported
 Future Sub Area Name: Not reported
 Future Document Type: Not reported
 Future Due Date: Not reported
 Media Affected: NONE SPECIFIED
 Media Affected Desc: Not reported

Management:

Management Required: NONE SPECIFIED
 Management Required Desc: Not reported
 Potential: NONE SPECIFIED
 Potential Description: Not reported
 Schedule Area Name: Not reported
 Schedule Sub Area Name: Not reported
 Schedule Document Type: Not reported
 Schedule Due Date: Not reported
 Schedule Revised Date: Not reported
 PastUse: NONE SPECIFIED

**D17
 NE
 1/4-1/2
 0.429 mi.
 2267 ft.**

**JACKPOT FOOD MART
 202 MAIN ST S
 LAKEPORT, CA 95453
 Site 2 of 5 in cluster D**

**LUST S101464499
 HIST CORTESE N/A**

**Relative:
 Lower**

LUST:

Region: STATE
 Global Id: T0603300001
 Latitude: 39.0402761
 Longitude: -122.9160671
 Case Type: LUST Cleanup Site
 Status: Completed - Case Closed
 Status Date: 1998-12-09 00:00:00
 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
 Case Worker: Not reported
 Local Agency: LAKE COUNTY
 RB Case Number: Not reported
 LOC Case Number: Not reported
 File Location: Not reported
 Potential Media Affect: Surface water
 Potential Contaminants of Concern: Gasoline
 Site History: Not reported

**Actual:
 1335 ft.**

LUST REG 5:

Region: 5
 Status: Case Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JACKPOT FOOD MART (Continued)

S104164499

Case Number: 170003
Case Type: Surface Water
Substance: GASOLINE
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

CORTESE:
Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170003

D18
NE
1/4-1/2
0.429 mi.
2267 ft.

AN-LEE
201 S MAIN ST
LAKEPORT, CA 95453
Site 3 of 5 in cluster D

ENVIROSTOR S100714259
N/A

Relative:
Lower

ENVIROSTOR:
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1
NPL: NO
Regulatory Agencies: NONE SPECIFIED
Lead Agency: NONE SPECIFIED
Program Manager: Not reported
Supervisor: Referred - Not Assigned
Division Branch: Sacramento
Facility ID: 17510005
Site Code: Not reported
Assembly: 01
Senate: 02
Special Program: * Rural County Survey Program
Status: Refer: RWQCB
Status Date: 2008-12-31 00:00:00
Restricted Use: NO
Funding: Not reported
Latitude: 39.0410896750381
Longitude: -122.915440804965
Alias Name: T0603300008
Alias Type: GeoTracker Global ID
Alias Name: Exxon
Alias Type: Alternate Name
Alias Name: 17510005
Alias Type: Envirostor ID Number

APN: NONE SPECIFIED
APN Description: Not reported

Actual:
1335 ft.

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Discovery
Completed Date: 1988-05-19 00:00:00

Completed Area Name: PROJECT WIDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AN-LEE (Continued)

S100714259

Completed Sub Area Name: Not reported
Completed Document Type: * Discovery
Completed Date: 1988-02-25 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 1988-07-14 00:00:00

Confirmed: NONE SPECIFIED
Confirmed Description: Not reported
Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Media Affected: NONE SPECIFIED
Media Affected Desc: Not reported

Management:
Management Required: NONE SPECIFIED
Management Required Desc: Not reported
Potential: NONE SPECIFIED
Potential Description: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported
PastUse: NONE SPECIFIED

D19 **EXXON**
NE **201 MAIN ST S**
1/4-1/2 **LAKEPORT, CA 95453**
0.429 mi.
2267 ft. **Site 4 of 5 in cluster D**

LUST **S102429340**
HIST CORTESE **N/A**

Relative: LUST:
Lower Region: STATE
Global Id: T0603300008
Actual: Latitude: 39.0402761
1335 ft. Longitude: -122.9160671
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 2006-03-23 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5S)
Case Worker: Not reported
Local Agency: LAKE COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST REG 5:
Region: 5
Status: Case Closed
Case Number: 170019

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON (Continued)

S102429340

Case Type: Drinking Water Aquifer affected
Substance: GASOLINE
Staff Initials: GTM
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

CORTESE:

Region: CORTESE
Facility County Code: 17
Reg By: LTNKA
Reg Id: 170019

D20
NE
1/4-1/2
0.429 mi.
2267 ft.

JACKPOT STATION
202 S MAIN
LAKEPORT, CA 95453
Site 5 of 5 in cluster D

ENVIROSTOR **S101480529**
N/A

Relative:
Lower

ENVIROSTOR:

Actual:
1335 ft.

Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1
NPL: NO
Regulatory Agencies: NONE SPECIFIED
Lead Agency: NONE SPECIFIED
Program Manager: Not reported
Supervisor: Referred - Not Assigned
Division Branch: Sacramento
Facility ID: 17510010
Site Code: Not reported
Assembly: 01
Senate: 02
Special Program: * Rural County Survey Program
Status: Refer: RWQCB
Status Date: 2008-12-31 00:00:00
Restricted Use: NO
Funding: Not reported
Latitude: 39.0411134926845
Longitude: -122.914905087341
Alias Name: 17510002
Alias Type: Envirostor ID Number
Alias Name: T0603300001
Alias Type: GeoTracker Global ID
Alias Name: Jackpot Food Mart
Alias Type: Alternate Name
Alias Name: Time Oil Company
Alias Type: Alternate Name
Alias Name: 17510010
Alias Type: Envirostor ID Number

APN: NONE SPECIFIED
APN Description: Not reported

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Discovery

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JACKPOT STATION (Continued)

S101480529

Completed Date: 1988-02-25 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 1988-07-13 00:00:00

Confirmed: NONE SPECIFIED
Confirmed Description: Not reported
Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Media Affected: NONE SPECIFIED
Media Affected Desc: Not reported

Management:
Management Required: NONE SPECIFIED
Management Required Desc: Not reported
Potential: NONE SPECIFIED
Potential Description: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported
PastUse: NONE SPECIFIED

21
NW
1/2-1
0.551 mi.
2911 ft.

**PARKSIDE SUBDIVISION
1453 MARTIN STREET
LAKEPORT, CA 95453**

**VCP S108054453
ENVIROSTOR N/A**

**Relative:
Higher**

VCP:
Facility ID: 60000339
Site Type: Voluntary Cleanup
Site Type Detail: Voluntary Cleanup
Acres: 22.4
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP, LAKE COUNTY
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Mitigation And Brownfield Reuse Program
Project Manager: TAMI TREARSE
Supervisor: Fernando A. Amador
Division Branch: Sacramento
Site Code: 101792
Assembly: 01
Senate: 02
Special Programs Code: Voluntary Cleanup Program
Status: No Further Action
Status Date: 2007-03-27 00:00:00
Restricted Use: NO
Funding: Responsible Party
Lat/Long: 39.0384695239589 / -122.932305347295
Alias Name: 110033610466
Alias Type: EPA (FRS #)
Alias Name: 101792

**Actual:
1396 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE SUBDIVISION (Continued)

S108054453

Alias Type: Project Code (Site Code)
Alias Name: 60000339
Alias Type: Envirostor ID Number

APN: NONE SPECIFIED
APN Description: Not reported

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 2006-06-16 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 2007-03-27 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 2007-03-27 00:00:00

Confirmed: 30001
Confirmed Description: Arsenic
Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Media Affected: 30001
Media Affected Desc: Not reported

Management:

Management Required: NONE SPECIFIED
Management Required Desc: Not reported
Potential: SOIL
Potential Description: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported
PastUse: AGRICULTURAL - ORCHARD

ENVIROSTOR:

Site Type: Voluntary Cleanup
Site Type Detailed: Voluntary Cleanup
Acres: 22.4
NPL: NO
Regulatory Agencies: SMBRP, LAKE COUNTY
Lead Agency: SMBRP
Program Manager: TAMI TREARSE
Supervisor: Fernando A. Amador
Division Branch: Sacramento
Facility ID: 60000339
Site Code: 101792
Assembly: 01
Senate: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE SUBDIVISION (Continued)

S108054453

Special Program: Voluntary Cleanup Program
Status: No Further Action
Status Date: 2007-03-27 00:00:00
Restricted Use: NO
Funding: Responsible Party
Latitude: 39.0384695239589
Longitude: -122.932305347295
Alias Name: 110033610466
Alias Type: EPA (FRS #)
Alias Name: 101792
Alias Type: Project Code (Site Code)
Alias Name: 60000339
Alias Type: Envirostor ID Number

APN: NONE SPECIFIED
APN Description: Not reported

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 2006-06-16 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 2007-03-27 00:00:00

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 2007-03-27 00:00:00

Confirmed: 30001
Confirmed Description: Arsenic
Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Media Affected: 30001
Media Affected Desc: Not reported

Management:

Management Required: NONE SPECIFIED
Management Required Desc: Not reported
Potential: SOIL
Potential Description: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported
PastUse: AGRICULTURAL - ORCHARD

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
LAKEPORT	A100324015	GRANITE HWY. 175 QUARRY	4220 HIGHWAY 175	95453	AST
LAKEPORT	S106230298	WILLIAMS TANK LINES HIGHWAY 29 ACC	HIGHWAY 29, BETWEEN HIGHWAY 17	95453	SLIC
LAKEPORT	S100224266	TRANSFER STATION	BEVINS ST	95453	LUST, HIST CORTESE
LAKEPORT	91209999	LAKEPORT LAGOONS MARINA **	LAKEPORT LAGOONS MARINA **		ERNS
LAKEPORT	1012085731	CITY OF LAKEPORT WWTP	2800 LINDA LANE	95453	FINDS
LAKEPORT	1008210750	LAKEPORT WASTEWTR TREATMNT FAC	795 LINDA LANE	95453	FINDS
LAKEPORT	U003779275	LAKEPORT CHEVRON	1050 MAIN ST	95453	UST
LAKEPORT	1008040044	LAKE COUNTY CSA 21 - NORTH LAKEPOR	230A MAIN STREET	95453	FINDS
LAKEPORT	S108087174	PETES AUTOMOTIVE	1665 MAIN STREET	95453	LUST
LAKEPORT	S108147314	PETES AUTOMOTIVE	1665 MAIN STREET	95453	LUST
LAKEPORT	S109448083	LAKEPORT MS4 PHASE II	255 PARK	95453	NPDES
LAKEPORT	1006838838	COBB MOUNTAIN DUMP SITE	8583 SULPHER CREEK ROAD	95453	FINDS
LAKEPORT	2008884438	WELL SITE NAME	WELL SITE NAME		ERNS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/29/2009	Source: EPA
Date Data Arrived at EDR: 07/31/2009	Telephone: N/A
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/14/2009
Number of Days to Update: 52	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/29/2009	Source: EPA
Date Data Arrived at EDR: 07/31/2009	Telephone: N/A
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/14/2009
Number of Days to Update: 52	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/17/2009
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/29/2009	Source: EPA
Date Data Arrived at EDR: 07/31/2009	Telephone: N/A
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/14/2009
Number of Days to Update: 52	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/30/2009	Source: EPA
Date Data Arrived at EDR: 08/11/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/30/2009
Number of Days to Update: 41	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009	Source: EPA
Date Data Arrived at EDR: 09/02/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/09/2009
Number of Days to Update: 19	Next Scheduled EDR Contact: 12/14/2009
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/30/2009	Source: EPA
Date Data Arrived at EDR: 07/01/2009	Telephone: 800-424-9346
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/31/2009
Number of Days to Update: 82	Next Scheduled EDR Contact: 11/30/2009
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Transporters, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/12/2008
Date Data Arrived at EDR: 11/18/2008
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 118

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 10/07/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/12/2008
Date Data Arrived at EDR: 11/18/2008
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 118

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 10/07/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 11/12/2008
Date Data Arrived at EDR: 11/18/2008
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 118

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 10/07/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/12/2008
Date Data Arrived at EDR: 11/18/2008
Date Made Active in Reports: 03/16/2009
Number of Days to Update: 118

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 10/07/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/31/2009
Date Data Arrived at EDR: 04/22/2009
Date Made Active in Reports: 05/05/2009
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/31/2009
Date Data Arrived at EDR: 04/22/2009
Date Made Active in Reports: 05/05/2009
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 05/15/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 62

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 10/06/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Annually

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 08/27/2009
Date Data Arrived at EDR: 08/27/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 22

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 08/27/2009
Next Scheduled EDR Contact: 11/23/2009
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 08/27/2009
Date Data Arrived at EDR: 08/27/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 22

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 08/27/2009
Next Scheduled EDR Contact: 11/23/2009
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/02/2009
Date Data Arrived at EDR: 09/04/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 14

Source: Integrated Waste Management Board
Telephone: 916-341-6320
Last EDR Contact: 09/04/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 10/16/2009
Next Scheduled EDR Contact: 02/01/2010
Data Release Frequency: Varies

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 10/05/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Quarterly

LUST: Geotracker's Leaking Underground Fuel Tank Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state. For more information on a particular leaking underground storage tank sites, please contact the appropriate regulatory agency.

Date of Government Version: 09/05/2009
Date Data Arrived at EDR: 09/28/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 15

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Quarterly

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 01/11/2010
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 10/16/2009
Next Scheduled EDR Contact: 02/01/2010
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 08/31/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: No Update Planned

SLIC: Statewide SLIC Cases

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/05/2009
Date Data Arrived at EDR: 09/28/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 15

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2008
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Quarterly

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 10/16/2009
Next Scheduled EDR Contact: 02/01/2010
Data Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 10/05/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Varies

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Semi-Annually

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Semi-Annually

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/31/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Semi-Annually

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/26/2009
Next Scheduled EDR Contact: 11/23/2009
Data Release Frequency: Annually

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/20/2009
Date Data Arrived at EDR: 08/26/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 57

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 08/21/2009
Date Data Arrived at EDR: 10/06/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 16

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 08/20/2009	Source: EPA Region 10
Date Data Arrived at EDR: 08/21/2009	Telephone: 206-553-2857
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009	Source: EPA Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 08/24/2009	Source: EPA Region 6
Date Data Arrived at EDR: 08/26/2009	Telephone: 214-665-6597
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 26	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/24/2009	Source: EPA Region 7
Date Data Arrived at EDR: 05/20/2009	Telephone: 913-551-7003
Date Made Active in Reports: 06/17/2009	Last EDR Contact: 08/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/24/2009	Source: EPA Region 8
Date Data Arrived at EDR: 09/10/2009	Telephone: 303-312-6271
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 42	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 09/05/2009	Source: SWRCB
Date Data Arrived at EDR: 09/28/2009	Telephone: 916-480-1028
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 24	Next Scheduled EDR Contact: 01/04/2010
	Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities
Registered Aboveground Storage Tanks.

Date of Government Version: 08/01/2009	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/10/2009	Telephone: 916-341-5712
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 10/09/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 08/20/2009	Source: EPA Region 10
Date Data Arrived at EDR: 08/21/2009	Telephone: 206-553-2857
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Quarterly

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 09/08/2008	Source: EPA Region 5
Date Data Arrived at EDR: 09/19/2008	Telephone: 312-886-6136
Date Made Active in Reports: 10/16/2008	Last EDR Contact: 10/22/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 08/20/2009	Source: EPA Region 4
Date Data Arrived at EDR: 08/26/2009	Telephone: 404-562-9424
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 57	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009	Source: EPA, Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 08/24/2009	Source: EPA Region 6
Date Data Arrived at EDR: 08/26/2009	Telephone: 214-665-7591
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 26	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008	Source: EPA Region 7
Date Data Arrived at EDR: 12/30/2008	Telephone: 913-551-7003
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/21/2009
Number of Days to Update: 76	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/24/2009	Source: EPA Region 8
Date Data Arrived at EDR: 09/10/2009	Telephone: 303-312-6137
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 42	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 08/21/2009	Source: EPA Region 9
Date Data Arrived at EDR: 08/26/2009	Telephone: 415-972-3368
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 57	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 04/22/2008	Telephone: 617-918-1102
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 10/05/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 08/27/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 08/27/2009	Telephone: 916-323-3400
Date Made Active in Reports: 09/18/2009	Last EDR Contact: 08/27/2009
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/23/2009
	Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 10/01/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/14/2008	Telephone: 202-566-2777
Date Made Active in Reports: 12/23/2008	Last EDR Contact: 09/11/2009
Number of Days to Update: 39	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-972-3336
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/23/2009
Number of Days to Update: 137	Next Scheduled EDR Contact: 12/21/2009
	Data Release Frequency: Varies

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000	Source: State Water Resources Control Board
Date Data Arrived at EDR: 04/10/2000	Telephone: 916-227-4448
Date Made Active in Reports: 05/10/2000	Last EDR Contact: 08/31/2009
Number of Days to Update: 30	Next Scheduled EDR Contact: 11/30/2009
	Data Release Frequency: Quarterly

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 09/25/2009	Source: Department of Conservation
Date Data Arrived at EDR: 09/28/2009	Telephone: 916-323-3836
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 15	Next Scheduled EDR Contact: 01/04/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HAULERS: Registered Waste Tire Haulers Listing
A listing of registered waste tire haulers.

Date of Government Version: 10/05/2009
Date Data Arrived at EDR: 10/05/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 8

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 08/26/2009
Next Scheduled EDR Contact: 11/23/2009
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/01/2009
Date Data Arrived at EDR: 06/22/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 91

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/26/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: Quarterly

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 08/27/2009
Date Data Arrived at EDR: 08/27/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 22

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 08/27/2009
Next Scheduled EDR Contact: 11/23/2009
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 06/30/2009
Date Data Arrived at EDR: 07/23/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 11

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 10/05/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 11/19/2008
Date Made Active in Reports: 03/30/2009
Number of Days to Update: 131

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/23/2009
Date Data Arrived at EDR: 09/23/2009
Date Made Active in Reports: 10/01/2009
Number of Days to Update: 8

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Varies

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994	Source: State Water Resources Control Board
Date Data Arrived at EDR: 07/07/2005	Telephone: N/A
Date Made Active in Reports: 08/11/2005	Last EDR Contact: 06/03/2005
Number of Days to Update: 35	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 08/18/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/21/2009	Telephone: 202-564-6023
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/17/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005	Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006	Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 09/08/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 12/07/2009
	Data Release Frequency: Varies

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 08/13/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 08/14/2009	Telephone: 916-323-3400
Date Made Active in Reports: 08/20/2009	Last EDR Contact: 10/19/2009
Number of Days to Update: 6	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Varies

DEED: Deed Restriction Listing

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 09/21/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 09/22/2009	Telephone: 916-323-3400
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 12/30/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 07/16/2009	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 07/16/2009	Telephone: 202-366-4555
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/05/2009
Number of Days to Update: 67	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Annually

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/31/2007	Source: Office of Emergency Services
Date Data Arrived at EDR: 05/09/2008	Telephone: 916-845-8400
Date Made Active in Reports: 06/20/2008	Last EDR Contact: 08/18/2009
Number of Days to Update: 42	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

LDS: Land Disposal Sites Listing

The Land Disposal program regulates of waste discharge to land for treatment, storage and disposal in waste management units.

Date of Government Version: 09/05/2009	Source: State Water Quality Control Board
Date Data Arrived at EDR: 09/28/2009	Telephone: 866-480-1028
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 15	Next Scheduled EDR Contact: 01/04/2010
	Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing

The State Water Resources Control Board and nine Regional Water Quality Control Boards partner with the Department of Defense (DoD) through the Defense and State Memorandum of Agreement (DSMOA) to oversee the investigation and remediation of water quality issues at military facilities.

Date of Government Version: 09/05/2009	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/28/2009	Telephone: 866-480-1028
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 15	Next Scheduled EDR Contact: 01/04/2010
	Data Release Frequency: Quarterly

Other Ascertainable Records

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 11/12/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/18/2008	Telephone: (415) 495-8895
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 10/07/2009
Number of Days to Update: 118	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 05/14/2008	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 05/28/2008	Telephone: 202-366-4595
Date Made Active in Reports: 08/08/2008	Last EDR Contact: 08/27/2009
Number of Days to Update: 72	Next Scheduled EDR Contact: 11/23/2009
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 703-692-8801
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/23/2009
Number of Days to Update: 62	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2007	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 09/05/2008	Telephone: 202-528-4285
Date Made Active in Reports: 09/23/2008	Last EDR Contact: 09/30/2009
Number of Days to Update: 18	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 04/24/2009	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 05/19/2009	Telephone: Varies
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/06/2009
Number of Days to Update: 125	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 09/01/2009	Source: EPA
Date Data Arrived at EDR: 09/22/2009	Telephone: 703-416-0223
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 09/22/2009
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009	Source: Department of Energy
Date Data Arrived at EDR: 05/07/2009	Telephone: 505-845-0011
Date Made Active in Reports: 05/08/2009	Last EDR Contact: 09/14/2009
Number of Days to Update: 1	Next Scheduled EDR Contact: 12/14/2009
	Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/28/2009	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 06/23/2009	Telephone: 303-231-5959
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/18/2009
Number of Days to Update: 90	Next Scheduled EDR Contact: 12/21/2009
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2007	Source: EPA
Date Data Arrived at EDR: 04/09/2009	Telephone: 202-566-0250
Date Made Active in Reports: 06/17/2009	Last EDR Contact: 09/14/2009
Number of Days to Update: 69	Next Scheduled EDR Contact: 12/14/2009
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 10/07/2009
Number of Days to Update: 46	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 09/10/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/14/2009
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 09/10/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/14/2009
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2007	Source: EPA
Date Data Arrived at EDR: 05/19/2009	Telephone: 202-564-4203
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/29/2009
Number of Days to Update: 125	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 08/21/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/27/2009	Telephone: 202-564-5088
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 56	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 05/27/2009	Source: EPA
Date Data Arrived at EDR: 08/05/2009	Telephone: 202-566-0500
Date Made Active in Reports: 09/29/2009	Last EDR Contact: 10/21/2009
Number of Days to Update: 55	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/06/2009	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 07/13/2009	Telephone: 301-415-7169
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/21/2009
Number of Days to Update: 70	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/28/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/28/2009	Telephone: 202-343-9775
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 10/16/2009
Number of Days to Update: 55	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/23/2009	Source: EPA
Date Data Arrived at EDR: 07/28/2009	Telephone: (415) 947-8000
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/18/2009
Number of Days to Update: 55	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2007	Source: EPA/NTIS
Date Data Arrived at EDR: 02/19/2009	Telephone: 800-424-9346
Date Made Active in Reports: 05/22/2009	Last EDR Contact: 09/09/2009
Number of Days to Update: 92	Next Scheduled EDR Contact: 12/07/2009
	Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6

Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 08/31/2009
Date Data Arrived at EDR: 09/04/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 14

Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 09/04/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Quarterly

CA WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9

Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 06/15/2009
Next Scheduled EDR Contact: 09/14/2009
Data Release Frequency: Quarterly

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites). This listing is no longer updated by the state agency.

Date of Government Version: 10/06/2009
Date Data Arrived at EDR: 10/07/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 6

Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 10/07/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES].

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NOTIFY 65: Proposition 65 Records

Proposition 65 Notification Records. NOTIFY 65 contains facility notifications about any release which could impact drinking water and thereby expose the public to a potential health risk.

Date of Government Version: 10/21/1993
Date Data Arrived at EDR: 11/01/1993
Date Made Active in Reports: 11/19/1993
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 01/11/2010
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 09/22/2009	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 09/23/2009	Telephone: 916-327-4498
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 09/18/2009
Number of Days to Update: 20	Next Scheduled EDR Contact: 12/28/2009
	Data Release Frequency: Annually

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009	Source: Los Angeles Water Quality Control Board
Date Data Arrived at EDR: 07/21/2009	Telephone: 213-576-6726
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 10/15/2009
Number of Days to Update: 13	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method.

Date of Government Version: 12/31/2007	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 02/17/2009	Telephone: 916-255-1136
Date Made Active in Reports: 04/08/2009	Last EDR Contact: 10/21/2009
Number of Days to Update: 50	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Annually

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2007	Source: California Air Resources Board
Date Data Arrived at EDR: 07/14/2009	Telephone: 916-322-2990
Date Made Active in Reports: 07/23/2009	Last EDR Contact: 10/08/2009
Number of Days to Update: 9	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/23/2009
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 09/09/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/09/2009	Telephone: 615-532-8599
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 09/08/2009
Number of Days to Update: 43	Next Scheduled EDR Contact: 11/09/2009
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/23/2009
Number of Days to Update: 339	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: N/A

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/18/2009	Telephone: 202-566-0517
Date Made Active in Reports: 05/29/2009	Last EDR Contact: 08/21/2009
Number of Days to Update: 100	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

COUNTY RECORDS

ALAMEDA COUNTY:

Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 07/20/2009	Source: Alameda County Environmental Health Services
Date Data Arrived at EDR: 07/20/2009	Telephone: 510-567-6700
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 10/05/2009
Number of Days to Update: 14	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Semi-Annually

Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 07/20/2009	Source: Alameda County Environmental Health Services
Date Data Arrived at EDR: 07/20/2009	Telephone: 510-567-6700
Date Made Active in Reports: 07/31/2009	Last EDR Contact: 10/05/2009
Number of Days to Update: 11	Next Scheduled EDR Contact: 01/18/2010
	Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 09/01/2009	Source: Contra Costa Health Services Department
Date Data Arrived at EDR: 09/02/2009	Telephone: 925-646-2286
Date Made Active in Reports: 09/18/2009	Last EDR Contact: 08/26/2009
Number of Days to Update: 16	Next Scheduled EDR Contact: 11/23/2009
	Data Release Frequency: Semi-Annually

FRESNO COUNTY:

CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 07/21/2009	Source: Dept. of Community Health
Date Data Arrived at EDR: 07/23/2009	Telephone: 559-445-3271
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 10/16/2009
Number of Days to Update: 11	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Semi-Annually

KERN COUNTY:

Underground Storage Tank Sites & Tank Listing Kern County Sites and Tanks Listing.

Date of Government Version: 09/18/2009	Source: Kern County Environment Health Services Department
Date Data Arrived at EDR: 09/18/2009	Telephone: 661-862-8700
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 09/18/2009
Number of Days to Update: 13	Next Scheduled EDR Contact: 11/30/2009
	Data Release Frequency: Quarterly

LOS ANGELES COUNTY:

San Gabriel Valley Areas of Concern

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office.

Date of Government Version: 03/30/2009	Source: EPA Region 9
Date Data Arrived at EDR: 03/31/2009	Telephone: 415-972-3178
Date Made Active in Reports: 10/23/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 206	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: No Update Planned

HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 05/28/2009	Source: Department of Public Works
Date Data Arrived at EDR: 08/13/2009	Telephone: 626-458-3517
Date Made Active in Reports: 08/20/2009	Last EDR Contact: 10/19/2009
Number of Days to Update: 7	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Semi-Annually

List of Solid Waste Facilities

Solid Waste Facilities in Los Angeles County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/10/2009
Date Data Arrived at EDR: 08/17/2009
Date Made Active in Reports: 08/20/2009
Number of Days to Update: 3

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 08/10/2009
Next Scheduled EDR Contact: 11/09/2009
Data Release Frequency: Varies

City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 03/05/2009
Date Data Arrived at EDR: 03/10/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 29

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 09/08/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Varies

Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 02/11/2009
Date Data Arrived at EDR: 04/23/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 18

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 10/23/2009
Next Scheduled EDR Contact: 02/08/2010
Data Release Frequency: Annually

City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 08/10/2009
Date Data Arrived at EDR: 08/17/2009
Date Made Active in Reports: 08/27/2009
Number of Days to Update: 10

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 08/10/2009
Next Scheduled EDR Contact: 11/09/2009
Data Release Frequency: Semi-Annually

City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 03/28/2003
Date Data Arrived at EDR: 10/23/2003
Date Made Active in Reports: 11/26/2003
Number of Days to Update: 34

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: Annually

City of Torrance Underground Storage Tank

Underground storage tank sites located in the city of Torrance.

Date of Government Version: 06/12/2009
Date Data Arrived at EDR: 08/31/2009
Date Made Active in Reports: 09/04/2009
Number of Days to Update: 4

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 10/19/2009
Next Scheduled EDR Contact: 02/01/2010
Data Release Frequency: Semi-Annually

MARIN COUNTY:

Underground Storage Tank Sites

Currently permitted USTs in Marin County.

Date of Government Version: 08/04/2009
Date Data Arrived at EDR: 08/18/2009
Date Made Active in Reports: 08/27/2009
Number of Days to Update: 9

Source: Public Works Department Waste Management
Telephone: 415-499-6647
Last EDR Contact: 10/13/2009
Next Scheduled EDR Contact: 01/25/2010
Data Release Frequency: Semi-Annually

NAPA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 07/09/2008
Date Data Arrived at EDR: 07/09/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 22

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Semi-Annually

Closed and Operating Underground Storage Tank Sites

Underground storage tank sites located in Napa county.

Date of Government Version: 01/15/2008
Date Data Arrived at EDR: 01/16/2008
Date Made Active in Reports: 02/08/2008
Number of Days to Update: 23

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Annually

ORANGE COUNTY:

List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 07/01/2009
Date Data Arrived at EDR: 08/31/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 18

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 08/28/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Annually

List of Underground Storage Tank Cleanups

Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 08/13/2009
Date Data Arrived at EDR: 09/04/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 14

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 08/31/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Quarterly

List of Underground Storage Tank Facilities

Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 08/05/2009
Date Data Arrived at EDR: 08/31/2009
Date Made Active in Reports: 09/04/2009
Number of Days to Update: 4

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Quarterly

PLACER COUNTY:

Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 07/15/2009
Date Data Arrived at EDR: 07/16/2009
Date Made Active in Reports: 07/23/2009
Number of Days to Update: 7

Source: Placer County Health and Human Services
Telephone: 530-889-7312
Last EDR Contact: 06/28/2009
Next Scheduled EDR Contact: 09/28/2009
Data Release Frequency: Semi-Annually

RIVERSIDE COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 08/24/2009	Source: Department of Public Health
Date Data Arrived at EDR: 08/26/2009	Telephone: 951-358-5055
Date Made Active in Reports: 09/18/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 23	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Quarterly

Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 08/24/2009	Source: Health Services Agency
Date Data Arrived at EDR: 08/26/2009	Telephone: 951-358-5055
Date Made Active in Reports: 09/16/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 06/04/2009	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 07/28/2009	Telephone: 916-875-8406
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 10/16/2009
Number of Days to Update: 6	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 06/04/2009	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 07/28/2009	Telephone: 916-875-8406
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 10/16/2009
Number of Days to Update: 6	Next Scheduled EDR Contact: 01/25/2010
	Data Release Frequency: Quarterly

SAN BERNARDINO COUNTY:

Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 09/18/2009	Source: San Bernardino County Fire Department Hazardous Materials Division
Date Data Arrived at EDR: 09/21/2009	Telephone: 909-387-3041
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 08/31/2009
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/30/2009
	Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/16/2008
Date Data Arrived at EDR: 10/29/2008
Date Made Active in Reports: 11/26/2008
Number of Days to Update: 28

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 09/24/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Quarterly

Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 11/01/2008
Date Data Arrived at EDR: 12/23/2008
Date Made Active in Reports: 01/27/2009
Number of Days to Update: 35

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 08/17/2009
Next Scheduled EDR Contact: 11/16/2009
Data Release Frequency: Varies

Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 08/18/2009
Date Data Arrived at EDR: 09/22/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 21

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 09/22/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Varies

SAN FRANCISCO COUNTY:

Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 08/31/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Quarterly

Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 10/01/2008
Number of Days to Update: 12

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 08/21/2009
Date Data Arrived at EDR: 08/21/2009
Date Made Active in Reports: 08/27/2009
Number of Days to Update: 6

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 01/11/2010
Data Release Frequency: Semi-Annually

SAN MATEO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 07/27/2009
Date Data Arrived at EDR: 07/28/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 6

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Annually

Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 04/07/2009
Date Data Arrived at EDR: 04/07/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 34

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Semi-Annually

SANTA CLARA COUNTY:

HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 05/29/2009
Date Data Arrived at EDR: 06/01/2009
Date Made Active in Reports: 06/15/2009
Number of Days to Update: 14

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 09/23/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Varies

Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 08/31/2009
Date Data Arrived at EDR: 08/31/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 18

Source: City of San Jose Fire Department
Telephone: 408-277-4659
Last EDR Contact: 08/31/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Annually

SOLANO COUNTY:

Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 09/21/2009
Date Data Arrived at EDR: 09/25/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 18

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 09/21/2009
Date Data Arrived at EDR: 09/28/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 24

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/21/2009
Data Release Frequency: Quarterly

SONOMA COUNTY:

Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 10/05/2009
Date Data Arrived at EDR: 10/06/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 7

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 10/05/2009
Next Scheduled EDR Contact: 01/18/2010
Data Release Frequency: Quarterly

SUTTER COUNTY:

Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 04/01/2009
Date Data Arrived at EDR: 04/02/2009
Date Made Active in Reports: 04/09/2009
Number of Days to Update: 7

Source: Sutter County Department of Agriculture
Telephone: 530-822-7500
Last EDR Contact: 09/18/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Semi-Annually

VENTURA COUNTY:

Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 08/28/2009
Date Data Arrived at EDR: 09/08/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 10

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/04/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Quarterly

Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 08/01/2009
Date Data Arrived at EDR: 10/05/2009
Date Made Active in Reports: 10/13/2009
Number of Days to Update: 8

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/28/2009
Next Scheduled EDR Contact: 11/30/2009
Data Release Frequency: Annually

Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/04/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 08/26/2009	Source: Environmental Health Division
Date Data Arrived at EDR: 09/28/2009	Telephone: 805-654-2813
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 09/28/2009
Number of Days to Update: 24	Next Scheduled EDR Contact: 01/04/2010
	Data Release Frequency: Quarterly

YOLO COUNTY:

Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 07/22/2009	Source: Yolo County Department of Health
Date Data Arrived at EDR: 09/04/2009	Telephone: 530-666-8646
Date Made Active in Reports: 09/16/2009	Last EDR Contact: 10/13/2009
Number of Days to Update: 12	Next Scheduled EDR Contact: 01/11/2010
	Data Release Frequency: Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007	Source: Department of Environmental Protection
Date Data Arrived at EDR: 08/26/2009	Telephone: 860-424-3375
Date Made Active in Reports: 09/11/2009	Last EDR Contact: 09/09/2009
Number of Days to Update: 16	Next Scheduled EDR Contact: 12/07/2009
	Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008	Source: Department of Environmental Protection
Date Data Arrived at EDR: 05/05/2009	Telephone: N/A
Date Made Active in Reports: 05/22/2009	Last EDR Contact: 10/20/2009
Number of Days to Update: 17	Next Scheduled EDR Contact: 02/01/2010
	Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 07/28/2009	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/27/2009	Telephone: 518-402-8651
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 08/27/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 11/23/2009
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 09/11/2008
Date Made Active in Reports: 10/02/2008
Number of Days to Update: 21

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 09/08/2009
Next Scheduled EDR Contact: 12/07/2009
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 06/01/2009
Date Data Arrived at EDR: 06/12/2009
Date Made Active in Reports: 06/29/2009
Number of Days to Update: 17

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 09/14/2009
Next Scheduled EDR Contact: 12/14/2009
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 07/17/2009
Date Made Active in Reports: 08/10/2009
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 09/24/2009
Next Scheduled EDR Contact: 01/04/2010
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2009 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D
HISTORICAL AERIAL PHOTOGRAPHS



818 Lakeport Boulevard Site

818 Lakeport Boulevard

Lakeport, CA 95453

Inquiry Number: 2622183.5

October 27, 2009

The EDR Aerial Photo Decade Package

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography October 27, 2009

Target Property:

818 Lakeport Boulevard

Lakeport, CA 95453

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1952	Aerial Photograph. Scale: 1"=555'	Flight Year: 1952	Southwestern
1972	Aerial Photograph. Scale: 1"=333'	Flight Year: 1972	CH2M Hill
1987	Aerial Photograph. Scale: 1"=666'	Flight Year: 1987	USGS
1993	Aerial Photograph. Scale: 1"=666'	Flight Year: 1993	USGS
1998	Aerial Photograph. Scale: 1"=666'	Flight Year: 1998	USGS
2005	Aerial Photograph. 1" = 604'	Flight Year: 2005	EDR



INQUIRY #: 2622183.5

YEAR: 1952

|—————| = 555'





INQUIRY #: 2622183.5

YEAR: 1972

| = 333'





INQUIRY #: 2622183.5

YEAR: 1987

| = 666'





INQUIRY #: 2622183.5

YEAR: 1993

| = 666'





INQUIRY #: 2622183.5

YEAR: 1998

|—————| = 666'





INQUIRY #: 2622183.5

YEAR: 2005

Scale: = 604'



APPENDIX E
HISTORICAL TOPOGRAPHIC MAPS



818 Lakeport Boulevard Site

818 Lakeport Boulevard

Lakeport, CA 95453

Inquiry Number: 2622183.4

October 26, 2009

The EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




	TARGET QUAD NAME: LAKEPORT MAP YEAR: 1938	SITE NAME: 818 Lakeport Boulevard Site ADDRESS: 818 Lakeport Boulevard Lakeport, CA 95453 LAT/LONG: 39.0344 / 122.922	CLIENT: URS Corporation CONTACT: Frank Gegunde INQUIRY#: 2622183.4 RESEARCH DATE: 10/26/2009
	SERIES: 15 SCALE: 1:62500		

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: LAKEPORT MAP YEAR: 1958</p>	<p>SITE NAME: 818 Lakeport Boulevard Site ADDRESS: 818 Lakeport Boulevard Lakeport, CA 95453 LAT/LONG: 39.0344 / 122.922</p>	<p>CLIENT: URS Corporation CONTACT: Frank Gegunde INQUIRY#: 2622183.4 RESEARCH DATE: 10/26/2009</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map



	TARGET QUAD NAME: LAKEPORT MAP YEAR: 1958	SITE NAME: 818 Lakeport Boulevard Site ADDRESS: 818 Lakeport Boulevard Lakeport, CA 95453 LAT/LONG: 39.0344 / 122.922	CLIENT: URS Corporation CONTACT: Frank Gegunde INQUIRY#: 2622183.4 RESEARCH DATE: 10/26/2009
	SERIES: 15 SCALE: 1:62500		

Historical Topographic Map



<p>N ↑</p>	TARGET QUAD	SITE NAME:	818 Lakeport Boulevard Site	CLIENT:	URS Corporation	
	NAME:	LAKEPORT	ADDRESS:	818 Lakeport Boulevard	CONTACT:	Frank Gegunde
	MAP YEAR:	1978		Lakeport, CA 95453	INQUIRY#:	2622183.4
	PHOTOREVISED FROM:	1958	LAT/LONG:	39.0344 / 122.922	RESEARCH DATE:	10/26/2009
	SERIES:	7.5				
	SCALE:	1:24000				

APPENDIX F
SANBORN FIRE INSURANCE MAPS



818 Lakeport Boulevard Site

818 Lakeport Boulevard

Lakeport, CA 95453

Inquiry Number: 2622183.3

October 23, 2009

Certified Sanborn® Map Report

Certified Sanborn® Map Report

10/23/09

Site Name:

818 Lakeport Boulevard Site
818 Lakeport Boulevard
Lakeport, CA 95453

Client Name:

URS Corporation
2870 Gateway Oaks Drive
Sacramento, CA 95833



EDR Inquiry # 2622183.3

Contact: Frank Gegunde

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by URS Corporation were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 818 Lakeport Boulevard Site
Address: 818 Lakeport Boulevard
City, State, Zip: Lakeport, CA 95453
Cross Street:
P.O. # 17326295.01001
Project: 17326295.01001
Certification # C1E5-44DE-A791



Sanborn® Library search results
Certification # C1E5-44DE-A791

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

Limited Permission To Make Copies

URS Corporation (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

APPENDIX G
CITY DIRECTORY ABSTRACT

818 Lakeport Boulevard Site

818 Lakeport Boulevard
Lakeport, CA 95453

Inquiry Number: 2622183.6
November 03, 2009

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

2009 Enhancements to EDR City Directory Abstract

New for 2009, the EDR City Directory Abstract has been enhanced with additional information and features. These enhancements will make your city directory research process more efficient, flexible, and insightful than ever before. The enhancements will improve the options for selecting adjoining properties, and will speed up your review of the report.

City Directory Report. Three important enhancements have been made to the EDR City Directory Abstract:

1. *Executive Summary.* The report begins with an Executive Summary that lists the sources consulted in the preparation of the report. Where available, a parcel map is also provided within the report, showing the locations of properties researched.
2. *Page Images.* Where available, the actual page source images will be included in the Appendix, so that you can review them for information that may provide additional insight. EDR has copyright permission to include these images.
3. *Findings Listed by Location.* Another useful enhancement is that findings are now grouped by address. This will significantly reduce the time you need to review your abstracts. Findings are provided under each property address, listed in reverse chronological order and referencing the source for each entry.

Options for Selecting Adjoining Properties. Ensuring that the right adjoining property addresses are searched is one of the biggest challenges that environmental professionals face when conducting city directory historical research. EDR's new enhancements make it easier for you to meet this challenge. Now, when you place an order for the EDR City Directory Abstract, you have the following choices for determining which addresses should be researched.

1. *You Select Addresses and EDR Selects Addresses.* Use the "Add Another Address" feature to specify the addresses you want researched. Your selections will be supplemented by addresses selected by EDR researchers using our established research methods. Where available, a digital map will be shown, indicating property lines overlaid on a color aerial photo and their corresponding addresses. Simply use the address list below the map to check off which properties shown on the map you want to include. You may also select other addresses using the "Add Another Address" feature at the bottom of the list.
2. *EDR Selects Addresses.* Choose this method if you want EDR's researchers to select the addresses to be researched for you, using our established research methods.
3. *You Select Addresses.* Use this method for research based solely on the addresses you select or enter into the system.
4. *Hold City Directory Research Option.* If you choose to select your own adjoining addresses, you may pause production of your EDR City Directory Abstract report until you have had a chance to look at your other EDR reports and sources. Sources for property addresses include: your Certified Sanborn Map Report may show you the location of property addresses; the new EDR Property Tax Map Report may show the location of property addresses; and your field research can supplement these sources with additional address information. To use this capability, simply click "Hold City Directory research" box under "Other Options" at the bottom of the page. Once you have determined what addresses you want researched, go to your EDR Order Status page, select the EDR City Directory Abstract, and enter the addresses and submit for production.

Questions? Contact your EDR representative at 800-352-0050. For more information about all of EDR's 2009 report and service enhancements, visit www.edrnet.com/2009enhancements

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

RESEARCH SUMMARY


The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2007	Haines Criss-Cross Directory	X	X	X	-
2000	Haines Criss-Cross Directory	X	X	X	-
1996	Haines Criss-Cross Directory	X	X	X	-
1992	Haines Criss-Cross Directory	-	X	X	-

EXECUTIVE SUMMARY

MAP INFORMATION

The Overview Map provides information on nearby property parcel boundaries. Properties on this map that were selected for research are listed below the map.



SELECTED ADDRESSES

The following addresses were selected by the client. Detailed findings are contained in the findings section. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
910 BEVINS CT	Map ID: 0	X
675 LAKEPORT BLVD	Map ID: 0	
1075 MARTIN ST	Client Entered	
818 Lakeport Boulevard	Client Entered	X
922 BEVINS CT	Client Entered	X
940 BEVINS CT	Client Entered	
958 BEVINS CT	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

818 Lakeport Boulevard
Lakeport, CA 95453

MapID: 1

FINDINGS DETAIL

Target Property research detail.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2007	Long Keith DDS	Haines Criss-Cross Directory
2000	No Return	Haines Criss-Cross Directory
1996	Lakeport Dental Gro	Haines Criss-Cross Directory

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

BEVINS CT

910 BEVINS CT

Not Mapped

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2007	Lake Co Waste Management	Haines Criss-Cross Directory
2000	Lake Co Waste Management	Haines Criss-Cross Directory
	Lake Co Waste Mng Transfer Sta	Haines Criss-Cross Directory
1996	Lake Co Solid Waste	Haines Criss-Cross Directory
1992	Lake Co Solid Waste	Haines Criss-Cross Directory

922 BEVINS CT

Not Mapped

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2007	Office Building (13 Occupants)	Haines Criss-Cross Directory
2000	Office Building (13 Occupants)	Haines Criss-Cross Directory
1996	Office Building (12 Occupants)	Haines Criss-Cross Directory
1992	Office Building (16 Occupants)	Haines Criss-Cross Directory

958 BEVINS CT

Not Mapped

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2007	Residential	Haines Criss-Cross Directory

FINDINGS

TARGET PROPERTY: ADDRESS NOT LISTED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not listed in the research source.

Address Researched

818 Lakeport Boulevard

Address Not Listed in Research Source

1992

ADJOINING PROPERTY: ADDRESSES NOT LISTED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not listed in research source.

Address Researched

1075 MARTIN ST

675 LAKEPORT BLVD

940 BEVINS CT

958 BEVINS CT

Address Not Listed in Research Source

2007, 2000, 1996, 1992

2007, 2000, 1996, 1992

2007, 2000, 1996, 1992

2000, 1996, 1992

APPENDIX H
RESUMES OF ENVIRONMENTAL PROFESSIONALS



FRANK L. GEGUNDE, P.G., R.E.A.

Senior Geologist

Areas of Expertise

Environmental Site Assessments
Environmental Geology
Landfill Investigations
Water Resources

Years of Experience

With URS: 3 Years
With Other Firms: 6 Years

Education

BS/Geology/2000/California State
University, Fresno

Registration/Certification

2005/Professional Geologist/CA/
#7998/Expires June 2011
Registered Environmental
Assessor/CA DTSC/#08095/Expires
June 2010

Overview

Mr. Gegunde is a California-licensed Professional Geologist and a Registered Environmental Assessor. Mr. Gegunde has extensive experience in conducting all aspects of Phase I and Phase II environmental site assessments (ESAs). Mr. Gegunde also has a thorough knowledge of soil boring and sampling techniques including continuous coring, split-spoon sampling, cone penetrometer testing technology (CPT) and Geoprobe™ direct push apparatus and in conducting bedrock fracture analysis using state-of-the-art field methods and RockWare™ stereonet software. He is well versed in monitoring well and piezometer installation methods as well as groundwater sampling and well monitoring procedures. Mr. Gegunde is proficient in the use of field-testing equipment including Hydac, YSI, and Horiba multiple parameter meters, photoionization hydrocarbon detection equipment, Explosimeters, PetroFLAG™ field hydrocarbon detection tests, and MiniTroll™ water monitoring data logger with Win-Situ or similar software. Mr. Gegunde also has conducted numerous passive soil gas investigations using GoreSorber™ technology to isolate “hotspots” of contamination for further subsurface investigation.

Mr. Gegunde brings organizational and supervisory skills to URS from 27 years in the dairy and transportation industries.

Project Specific Experience

Senior Geologist and Field Task Manager, McKittrick, CA, Confidential Client, 2008 - 2009: Provided observation and documentation for Health and Safety and Environmental Sensitivity aspects of the completion of a deep sandstone formation Class I Non-Hazardous Waste Injection Well. The well was authorized to inject into the Olig sand zone of the Reef Ridge Formation for the purpose of disposal of industrial nonhazardous wastewater fluids. These fluids consist primarily of cooling tower blowdown from a power plant cooling process, but also include boiler and evaporative cooler blowdown, wash water, filter backwash, equipment drains, and storm water from equipment containment.

Project Manager, Phase I Environmental Site Assessments, Kern County and Tulare County, CA, Confidential Client, 2008 - 2009, \$26,000 to \$32,000: Conducted Phase I environmental site assessments for a confidential client on properties in Kern and Tulare Counties, California. The Phase I ESAs were conducted with an emphasis on satisfying requirements for transferring property custodianship of multiple professional buildings between County and State agencies.

Site Auditor, Confidential Client, Limestone Mining and Cement Manufacturing, California, 2009: Environmental compliance audit and site assessment of this client’s mining and manufacturing sites in California.



Senior Geologist, TDPI Pipeline Project, Bakersfield/Coalinga Area, CA, Chevron, 2008: Conducted oversight and supervision of Phase II pipeline viability assessments of idled or inactive oilfield pipelines in conjunction with other Chevron-subcontracted firms. Activities included a rigorous health and safety oversight regimen. Investigation included pipeline location, intrusive activities to reveal pipelines, connection isolation, sampling pipeline wrap for asbestos, wall thickness measurements, soil sampling, pipeline cold taps, pipeline content sampling, air quality monitoring, and project field documentation including Global Positioning System (GPS) documentation.

Project Manager, Phase I Environmental Site Assessments, Fresno, CA, Merced, CA, and Stockton, CA, Confidential Client, 2008, \$6,000 to \$8,000: Conducted Phase I environmental site assessments for a confidential client on properties in Fresno, Merced, and San Joaquin Counties, California. The Phase I ESAs were conducted with an emphasis on satisfying requirements for submission of applications for siting and construction of three natural gas-fired electrical power generation plants.

Senior Geologist, Heated-oil Pipeline Project, Coalinga Area, CA, Chevron, 2007: Conducted boring activities for a portion of the San Ardo Heated-oil Pipeline geotechnical investigation in advance of pipeline construction. Duties involved geotechnical boring and field-testing within a larger effort to assess feasibility of construction of the pipeline across geologically complex and abrupt terrain including multiple faults and landslides. Investigation included directing the drilling subcontractor to advance borings ranging from 30 to 60 feet below ground surface using Sonic drilling technology and HQ coring methodology, collection of continuous core samples, lithologic logging, and documentation of the investigation.

Senior Geologist, Retail Environmental Phase II Site Assessments, Los Angeles Area, CA, Shell, 2007: Supervised field activities for a portion of the Inland Empire portfolio within a larger effort to conduct 94 Phase II ESAs in 90 days. Field tasks included responsibility for a two person team overseeing drilling at active retail stations and coordination with project management to meet project objectives and schedule. Investigation of each site included directing the drilling subcontractor to advance several hollow stem auger borings ranging from 30 to 50 feet below ground surface, collection of samples, lithologic logging, and documentation of the investigation.

Senior Geologist, Storm Water Conveyance System Cross Connection Survey, Naval Air Station Lemoore, CA, Department of the Navy, 2007: Supervised field activities for the Illicit Connection Illicit Discharge (ICID) survey of selected storm water conveyance systems as necessary for National Pollutant Discharge Elimination System (NPDES) compliance for storm water management at NAVFAC SW facilities. Field survey methods included a review of all available as-built or best construction drawings, visual inspections, and where appropriate dye testing, smoke testing, closed circuit television inspection, and



electromagnetic tracer survey. Results of the survey were documented in a comprehensive investigation report.

Associate Geologist and Technical Manager, Operational Unit 1, Purity Oil Sales Superfund Site, Fresno, CA, Chevron Environmental Management Company, 2002 - 2006: Oversaw the design, installation, and implementation of low flow sampling systems using QED MicroPurge® bladder pumps in 25 on- and offsite monitoring wells. Oversaw quarterly groundwater monitoring, sampling, and reporting for the extensive monitoring well network. Oversaw operation and maintenance (O&M) of the groundwater extraction and treatment system including a three-vessel greensands filtration system and a high-volume VOC airstripper. Oversaw several phases of CPT and HydroPunch investigations at the site. Reported monthly progress and activities to the lead agencies including the US Environmental Protection Agency, the Regional Water Quality Control Board, and the California Department of Toxic Substances Control.

Project Manager, Environmental Site Assessments (Phase I/II), San Joaquin Valley and Sacramento Valley Region, CA, Multiple Clients, 2000 – 2006, \$1,500 to \$10,000: Conducted Phase I environmental site assessments for GE Capital – Business Asset Funding on properties throughout the San Joaquin Valley including Fresno, Kings, and San Joaquin Counties, California. Conducted Phase I environmental site assessments and Environmental Facility Entrance Assessments for a confidential client in the health services field on properties throughout the San Joaquin Valley including Fresno, Stanislaus, Placer, Sacramento, and San Joaquin Counties, California. Conducted Phase I and Phase II environmental site assessments for Pacific Gas & Electric Company in Kern, Madera, Merced and Stanislaus Counties, California. Conducted Phase I environmental site assessment for Chevron Pipe Line Company for portions of the Wait-Midway crude oil pipeline in Kern County, California.

Project Manager, Drinking Water Availability Studies, Fresno/Madera Counties, CA, Private Landowners, 2005 – 2006, \$5,900 to \$7,800: Conducted groundwater availability investigations and potential yield analysis for drinking water sources in the foothill regions of Fresno County and Madera County, California. Investigations included local and regional aquifer surveys for groundwater use and groundwater conditions, and pumping tests for specific yield data for wells in compliance with regulatory mandates for such testing on drinking water sources.

Field Task Manager, Blue Hills Disposal Facility, Coalinga, CA, Fresno County Department of Public Works and Planning, 2005 – 2006: Supervised quarterly groundwater monitoring at the former agricultural chemicals container disposal facility in southwestern Fresno County. The California Department of Toxic Substances Control requires quarterly monitoring at the site due to elevated concentrations of constituents of concern including herbicides in groundwater underlying the



site. Also co-authored the revised Groundwater Monitoring Plan for the Site Corrective Action Plan.

Project Geologist and Field Task Manager, Goodyear Tire Service Centers, Multiple Locations, CA, Goodyear Tire and Rubber Company, 2004 – 2005: Performed soil boring and sampling at multiple Goodyear Service Centers in Fresno, Madera, Kings, Kern, Stanislaus, and Placer Counties. Borings were advanced inside the Center's service bays adjacent to hydraulic lifts and oil/water separators.

Project Geologist and Field Task Manager, Woodville Solid Wastes Landfill, Tulare, CA, Tulare County Resource Management Agency, 2004 – 2005: Oversight of the implementation and upgrade of Detection Monitoring Plans and Evaluation Monitoring Plans (California Code of Regulations Title 27) at the Woodville solid waste landfill in Tulare County, California.

Awards

2007/2nd Quarter 2007 Outstanding Achievement Award – URS Corporation

2000/Department of Geology Special Recognition Award – California State University, Fresno

Specialized Training

2000/ OSHA 40-Hour HAZWOPER w/ subsequent 8-hour refreshers

2002/OSHA 8-Hour Hazardous Waste Site Supervisor

2005/RTBU (Chevron) Loss Prevention System

2007/American Red Cross Standard First Aid

2007/American Red Cross Adult CPR

2006/URS Loss Prevention System (Chevron/Exxon Mobile)

2008/Westec - Contractor Safety Orientation (BKF Area Oilfields)

2006/SJVBU (Chevron) Business Partner Orientation

2009/e-Railsafe Rail Security Awareness Training

2009/BNSF Railroad Contractor Orientation and Safety Course

Chronology

10/06 – Present: URS Corporation, Senior Geologist, Fresno, CA

07/00 – 10/06: SECOR International Incorporated, Associate Geologist, Fresno, CA

Contact Information

URS Corporation

30 River Park Place West, Suite 180

Fresno, CA 93720

Tel: 559.256.1444

Direct: 559.256.1468

Fax: 559.256.1478

frank_gegunde@urscorp.com



Casper van Keppel

Project Engineer

Overview

Mr. Van Keppel is a chemical process engineer with experience in process and environmental engineering, project management, site characterization, soil and groundwater remediation, unit operations design, construction oversight, start-up assistance, stormwater pollution prevention, air emissions reduction and dust control, and environmental compliance monitoring and sampling.

Areas of Expertise

Process Engineering
Hazop Studies
Emission Reduction
Environmental Remediation
Ethanol Production

Years of Experience

With URS: 6 Years
With Other Firms: 14 Years

Education

Masters Degree (Ir.)/Chemical Engineer/1988/Delft University of Technology, Netherlands

Project Specific Experience

Environmental Compliance

Project Engineer, Confidential Client, Manure Digester Facilities, California and Nevada, 2008: Evaluation of environmental compliance of candidate dairy sites for proposed bio-energy generation through cow manure digesters.

Project Manager, Navy Facilities, Lemoore Naval Air Station, CA, 2007: Housing and contractor park facilities inspection and preparation of an Environmental Conditions of Property report for base housing Public Private Venture project.

Project Engineer, Alcoa-Kawneer, Visalia, CA, FAA, 2006: Hazardous materials inventory for TRI-ME air emissions program, administered by EPA.

Project Engineer, Fresno Yosemite International Airport, Fresno, CA, FAA, 2003: Hazardous materials inventory of outdated radar installations.

Site Auditor, Private Client, Shafter, CA, 2004: Phase One Site Assessment and follow-up Phase 2 investigation the former Air Force training base section of the Shafter Airport. This training base was active during World War II.

Site Auditor, Private Client, Fremont, CA, 2004: Phase One Site Assessment and environmental compliance audit at an electronics production facility.

Site Auditor, Unilever, Merced, CA, 2004: Environmental data verification audit at a tomato processing plant.

Site Auditor, Grumman – Olsen, Visalia, CA, 2003: Phase One Site Assessment at a truck manufacturing facility.

Site Auditor, Private Clients, over 40 sites in Central California, 2003-present: Phase One Site Assessments. Sites included hospitals,



industrial production facilities, cellular phone antenna towers, former gas station properties, shopping centers, and undeveloped areas.

Project Manager, Private Clients, near Chowchilla, CA, 2005 – Present: Environmental compliance assistance and groundwater monitoring for three dairy facilities.

Project Manager, Private Client, Tulare County, CA, 2006: Preparation of spill prevention, control, and countermeasure plans for three agricultural chemicals distribution facilities.

NPDES-Related Projects

Project Manager / Process Engineer, Aquatic Pesticide Monitoring, Alta, Consolidated, and Fresno Irrigation Districts, CA, 2002-2003: Project management of monitoring program for aquatic herbicides (copper sulfate) application to the canal systems of the three districts working together as Upper Districts. Monitoring included observation and sampling of all spill locations to the San Joaquin River and Kings River during the herbicide application season. The monitoring program also included a study on the fate of the applied chemicals.

Project Manager / Process Engineer, Aquatic Pesticide Monitoring, Fresno Irrigation Districts, CA, 2002-2003: Project management of a monitoring program for aquatic herbicide (acrolein) application to the canal system of Fresno Irrigation District. Monitoring included observation and sampling of all spill locations to the San Joaquin River during the herbicide application season.

Project Engineer, Modern Custom Fabrication, Fresno, CA, 2002: Preparation of a spill prevention, control and countermeasure (SPCC) plan for tank manufacturing facility.

Area Manger, United States Postal Service, Fresno and Bakersfield, CA, 2003-2006: Stormwater monitoring program for five USPS locations.

Water Resources and Wastewater

Private Client, Fresno County, CA 2006: Evaluate current wastewater treatment facilities for a mountain resort, and make recommendations for upgrading to 100,000 gpd.

Community of Riverdale, Fresno County, CA 2006: Peer review of process design and operations manuals for arsenic removal installation at municipal well site.

Tulare County Resource Management Agency, Tulare, CA, 2005: The well and aquifer study included the evaluation of water demands, groundwater supplies and quality, water distribution network, water conservation BMPs, and available treatment technologies for existing and projected drinking water supplies within the Richgrove Community Services District (RCSD). Treatment alternatives addressed contaminants



of concern in the drinking water supply, which included arsenic, dibromochloropropane, hydrogen sulfide, and nitrate.

Groundwater Remediation

Project Manager / Project Engineer, AAF-McQuay, Inc. (American Air Filter), Visalia, CA, 2002-present: Managing operations and maintenance of Visalia, California site groundwater remediation system. System involves several wells and two activated carbon adsorption units.

Project Manager / Project Engineer, Private site, near Earlimart, CA, private client, 2003-2008: For this site with deep fuel contamination, following scope was implemented: Site characterization to 150-ft below ground surface with laser-induced fluorescence (push-probing); preparation of a feasibility study, corrective action plan, and remedial action plan; site remediation; and groundwater monitoring.

Project Engineer, Private site, Pinehurst, CA, private, 2002: Design of well water treatment for private property. Site was characterized by passive soil gas sampling (Gore-Sorber™ technology), results were used to develop a groundwater monitoring plan, and to apply for California UST Fund project funding.

Project Engineer, Former C&T Gas Station, Huron, CA, private, 2002-2003: Soil vapor extraction pilot test design and design of a soil vapor extraction system, comprising thermal oxidizer and carbon adsorption system. Application for air pollution control permit.

Project Engineer, Gas-N-Save Gas Station, Merced, CA, private, 2002-2003: Design of soil vapor extraction system (thermal oxidizer), and applications for building permit and air pollution permit. Subcontracting construction activities.

Process Engineer / Project Manager, Akzo-Nobel, Weert, Holland, Akzo-Nobel, 2001-2002: Design of soil remediation, ground water purification part Project manager and lead chemical engineering for tele-monitored smart pump-and-treat system, involving chlorinated and fluorinated hydrocarbons and heavy metals removal.



Site Remediation (Brownfields)

Project Manager, Private Client, Voluntary Remediation of Former Crop Dusting Airport for Residential Development, Fresno, CA, 2004-present: Phase 1 Investigation, Phase 2 Site characterization, removal action plan preparation, interaction with Department of Toxic Substances Control, San Joaquin Valley Air Pollution Control District, and Fresno County, and turn-key excavation and disposal of the soils impacted by toxaphene, DDD, DDE and DDT. Clean-up to residential standards. Excavation and load-out was performed by URS' Construction Division. Excavation volume approx. 50,000 cubic yards.

Project Engineer, 50th Street Property, Rosamond, CA, Department of Toxic Substances Control, 2007: Remedial Action Workplan for metals-contaminated site. Remedial work will include excavation of impacted soils.

Project Engineer, Proposed Livingston High School Site, Livingston, CA, Department of Toxic Substances Control, 2007: Supplemental Site Investigation Workplan review. Investigative work included soil sampling for organochlorine pesticides at a former farmstead.

Project Engineer, Proposed Reedley Elementary School Site, Reedley, CA, Kings Canyon Unified School District, 2007: Preliminary Endangerment Assessment Report. Review of report on investigative work according DTSC guidelines for school sites. The report included risk assessment calculations.

Project Engineer, Oakdale Unified School District/Department of Toxic Substances Control, Oakdale, CA, 2004: Preparation of a Remedial Action Workplan for a lead and pesticide contaminated future school site. Remedial work will include excavation of impacted soils.

Project Engineer, Fresno Battery Exchange/Department of Toxic Substances Control, Fresno, CA, Department of Toxic Substances Control, 2004-2005: Preparation of a Remedial Action Workplan for lead contaminated future residential site. Remedial work will include debris removal and excavation of impacted soils.

Project Engineer, H.S. Mann Property/Department of Toxic Substances Control, Fresno, CA, Department of Toxic Substances Control, 2004: Waste classification as part of Remedial Action Workplan for lead contaminated industrial site. Oversight air monitoring program during remediation activities.

Project Manager and Project Engineer, Private Client, Remediation of Leaking Underground Storage Tank Site, Tulare County, CA, 2003-present: Managing groundwater monitoring, site characterization,



and remediation of a farm property where leaking fuel tanks contaminated soil and deep groundwater.

Project Engineer, Former Railroad Property/City of Visalia, Visalia, CA, City of Visalia, 2002, Geophysical investigation and soil

sampling oversight: Site investigation of railroad property within the City of Visalia. The Phase II Environmental Site Assessment of this property intended to provide additional information to City of Visalia regarding environmental risks related to acquisition of the property. At the time of the investigation, an automotive sale and repair shop and a fuel and oil storage and distribution company occupied parts of the property. After clearing the boring locations by a geophysical survey, soil samples from up to 60 feet below ground surface were collected with a low-profile direct-push rig and submitted to an analytical laboratory.

Industrial Projects

Starwood Midway Power, LLC, Fresno County, CA, 2008: Air Quality Construction Mitigation Manager. Preparer of dust control plan and stormwater pollution prevention plan. During construction phase responsible for contractor implementation of and compliance with particulate emissions mitigation measures.

Process Engineer, Confidential Client, CA, 2008: Design of a sugar cane to ethanol plant. Specific tasks in conceptual design: vinasse evaporator design; overall design check; compliance with California water and wastewater regulations. Project halted in May 2008 due to funding issues.

Panoche Energy Center, Fresno County, CA, 2007-2008: Air Quality Construction Mitigation Manager. Preparer of dust control plan. During construction phase responsible for contractor implementation of and compliance with particulate emissions mitigation measures.

Lead Process Engineer, Colusa Biomass Energy Corporation, Colusa, CA, 2007-present: Process development of a cellulosic ethanol plant utilizing rice straw as feed stock, and producing silica as a byproduct. Project halted in development stage due to poor reproducibility of patented process on bench-scale.

Project Engineer, City of Wasco, California, 2006:

Managed and prepared the air quality section of the Environmental Impact Report (EIR) for a new industrial park in Wasco, California. The project included a potential 100M GPY ethanol production plant.

Project Engineer, Flying J Big West Refinery, Bakersfield, 2005-

2006: Process safety study of the clean fuels retrofit EIR for this refinery. The study involved an inventory of hazardous materials and related release scenarios for the planned refinery upgrade, based on PFDs and P&IDs. Further, a conceptual design was developed for sulfuric acid alkylation as an alternative to hydrofluoric acid alkylation.



Process Engineer, Pacific Ethanol California, Madera, CA, 2005: Report of Waste Discharge preparation for a double-lined evaporation basin. Process calculations and mass balance of generated waste indicated evaporation basin would not work at that location. Directed client to water treatment technology providers.

Phoenix Bio Industries, LLC, Goshen, CA, 2005-2006: Preparation of a sampling protocol for monitoring potential ethanol emissions from the wet distillers grain storage. Following its preparation, the protocol was implemented during several sampling events.

Process Engineer, TKV Containers, Inc., Fresno, CA, 2002: Vacuum and Cooling System design. Basic design of closed loop cooling system and centralized vacuum system for this Styrofoam box producer, to replace the existing open system.

Process Engineer, Advanced Food Products, LLC, Visalia, CA, 2003: Monitoring of process wastewater from a cheese sauce plant via data logger technology, and preparation of an air toxics inventory.

Process Engineer, Nedalco BV Bergen op Zoom, Holland, 1995-1999: Assistance process engineering department. Projects and processes dealt with are:

- Debottlenecking consumption alcohol distillation, which resulted in a 15% increase of the production with only \$100k investment. This project included distillation process simulations, reboiler heat transfer design calculations, and specification of process modifications.
- Reconstruction of a 7-effect falling film evaporator train for vinasse (distillation bottoms) to reduce scaling. This improved the performance with 30%. Work included numerical modeling of heat transfer and mass balance, calibrating the model, optimizing the flow rates and equipment sequence, specifying modifications to equipment internals, pumps, and piping, construction supervision, startup.
- Heat exchanger design checks with HTRI software, and specifying modifications to the existing equipment resulting in increased production capacity.
- Debottlenecking liquid ring vacuum systems, resulting in ethanol emissions reduction.
- Complete responsibility for various utility design and construction projects (steam system / cooling towers / water softener / storage tanks) resulting in increased operation efficiency.

Process Engineer, Distillerie Orbat, Forlimpopoli, Italy, 1998-1999: Debottlenecking consumption alcohol and absolute alcohol production. The quality of the produced alcohol was not high enough, therefore the distillation section had to be reorganized. Using as much of the existing equipment the alcohol quality was improved considerably, which gave the plant a better market position. Modifications were made based on computer simulations of the distillation and long-term experience of the



Nedalco's production staff. Further, the distillation bottoms concentrator (falling film evaporator train) was analyzed for possible optimizations.

Site Auditor, Eridania, Ferrara, Italy, 1998: Technical and environmental assessment of the total production facility for consumption and technical grade alcohol on behalf of possible investors. Environmental permits and procedures were checked. The production process (including utilities and waste stream handling) evaluated. Maintenance of the equipment and necessary future investments were discussed.

Process Engineer, S.C. Johnson Polymer B.V., Heerenveen, Holland, 1994: Basic design polymer production plant, tank farm and utilities (steam / cooling water / process water). A variety of processes and equipment were designed for the emulsion polymerization process of this new factory (Greenfield project).

Process Engineer, Master Foods C.V., Oud-Beijerland, Holland, 1992-1993: Design, construction and start-up of a sauce production line within an existing plant (Hot Fill).

Process Engineer, ARCO Chemie Nederland Ltd., Rozenburg, Holland, 1989: Design of a propylene oxide scrubbing system.

Process Engineer, Avecia NeoResins, Waalwijk, Holland, 2000-2001: Pilot testing and engineering of dryer system for polymer powder. Lead process engineer, selection of test facilities at manufacturers' laboratories, test oversight, evaluation of results, process design of full scale unit based on test results, preparation bid package, bid comparison.

Process Engineer, Fuji Photo Film B.V., Tilburg, Holland, 1990-1992: Design, construction, and start-up of a photo-chemical emulsion plant. A variety of unit operations were used in the preparation of photographic emulsions. Equipment was sized, specified and ordered. Construction supervision and start-up of various systems was part of this job too.

Lead Process Engineer, Allied Signal BV, Weert, Holland, 1995: Design of cooling water system based on canal water for refrigerant production plant. The project involved selection and installation of a surface water filtration system, a heat exchanger for process water cooling and a water cooled chiller as a backup for the summer season.

Process Engineer, Vlisco BV, Helmond, Holland; Abidjan, Ivory Coast; Accra, Ghana, 2000-2001: Process design and budget estimates for various engineering/construction projects dealing with trichloroethylene recovery and emissions reduction in the client's wax print processes in Europe and Africa. Some projects required design of pilot test equipment.



Project Manager, Pasmenco, Budel, Holland, 2000: Management of mechanical design for filtration press section in Cadmium plant of Zinc ore processing. Assisting client's engineering group in designing piping and structural steel modifications necessary for installation of new low-emission filterpresses for cadmium precipitation and purification process.

Process Engineer, Isover B.V., Etten-Leur, Holland, 1999: Technical evaluation of electrostatic precipitator section at fiberglass insulation manufacturer's facility. The project involved collection of samples from the exhaust of the glass furnace and comparing renovation of the system with total replacement to comply with new emissions control act. Isover is part of the multinational Saint Gobain group.

Hazop Team Chairman, Trespa BV, Weert, Holland, 2000: Hazop study on high-pressure (2000 psi) hydraulic and cooling water system, which is part of a woodchip/paper/resin construction laminate factory.

Lead Chemical Engineer, FSM Europe, Sittard, Holland, 2000-2001: Basic design of production facilities for TV tube shadow masks. An improved design was made for the production of TV tube shadow masks out of steel sheeting. Special attention has been paid to the handling of strong acids used in the etching process. A hazop study was part of this project.

Process Engineer, Fuji Photo Film B.V., Tilburg, Holland, 1990: Start-up of a silver recovery waste water treatment plant. Assistance at the start-up of this silver co-precipitation process. After start-up the process was supervised for several weeks to assure proper operation and to optimize dosing of various process chemicals.

Process Engineer, AKZO Salt & Basic Chemicals, Holland, 1989-1990: Reconstruction of a rock salt exploitation location. Well head Christmas trees and booster pump stations for brine transportation had to be redesigned to facilitate future natural gas storage in the underground salt caverns.

Process Engineer, DSM Engineering Stamicarbon, Urmond, Holland, 1995: Pressure relief system design check of the refinery's butadiene plant according API rules.

Process Engineer, Vlisco B.V. Helmond, Holland, 1994: Basic engineering resin recovery plant. A full-scale filtration system with dry cake discharge was designed to recover resin from an industrial waste water stream, based on pilot test results.

Process Engineer, Master Foods C.V., Oud-Beijerland, Holland, 1998: Start-up of utility systems for new sauce production plant. Greenfield project.



Process Engineer, Hoogers Chemisch Afval B.V., Geldrop,

Holland, 1994: Emission calculations of solid waste handling activities. For this chemical waste handling facility, solvent emissions to air from the various recycling and processing steps were calculated. These calculations were the basis for their emissions permit.

Professional Societies/Affiliates

Association of Facilities Engineers, San Joaquin Valley Chapter

Languages

English, Dutch, German, French

Specialized Training

2006 Dust Control Training San Joaquin Valley Air Pollution Control District

2005 HAZWOPER Supervisor

2003 HAZWOPER 40-hr (annual 8-hr updates since)

2002 Hazardous Waste Management

Chronology

01/03 - Present: URS Corporation, Project Engineer, Fresno, CA

05/02 - 01/03: BSK Associates, Project Engineer, Fresno, CA

04/89 - 02/02: Tebodin Consultants and Engineers, Process Engineer and Project Manager, The Hague, Netherlands

Contact Information

URS Corporation

1333 Broadway, Suite 800

Oakland, CA 94612-1924

Tel: 510.893.3600

Direct: 559-2561461

Fax: 510.874.3268

casper_vankeppel@urscorp.com

Appendix G
Noise Measurements and
Vibration Data

**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Existing
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Bevins Street and Larrecou Lane		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	5,840			
Receiver Barrier Dist:	0	Peak Hour Traffic:	584			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	47.7	56.5	54.7	48.6	57.2	57.8
Medium Trucks:	57.4	49.3	42.9	41.4	49.9	50.1
Heavy Trucks:	62.6	50.7	41.6	42.8	52.7	52.9
Vehicle Noise:	65.1	58.4	55.2	50.5	59.1	59.6

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	101
65 dBA	32
70 dBA	10
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Existing
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Larrecou Lane and Main Street		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	5,750			
Receiver Barrier Dist:	0	Peak Hour Traffic:	575			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	47.6	56.4	54.6	48.5	57.2	57.8
Medium Trucks:	57.3	49.3	42.9	41.3	49.8	50.0
Heavy Trucks:	62.6	50.6	41.6	42.8	52.7	52.8
Vehicle Noise:	65.0	58.3	55.2	50.5	59.0	59.5

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	99
65 dBA	31
70 dBA	10
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Existing
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Main Street		
Road Segment:	North of Lakeport Boulevard		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	6,670			
Receiver Barrier Dist:	0	Peak Hour Traffic:	667			
Centerline Dist. To Observer:	100	Vehicle Speed:	30			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	46.3	55.1	53.3	47.2	55.9	56.5
Medium Trucks:	56.9	48.9	42.5	40.9	49.4	49.6
Heavy Trucks:	62.6	50.6	41.6	42.8	52.9	53.1
Vehicle Noise:	65.1	57.6	54.1	49.7	58.3	58.7

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	82
65 dBA	26
70 dBA	8
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Existing
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Main Street		
Road Segment:	South of Lakeport Boulevard		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	4,950			
Receiver Barrier Dist:	0	Peak Hour Traffic:	495			
Centerline Dist. To Observer:	100	Vehicle Speed:	30			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	45.0	53.8	52.0	45.9	54.6	55.2
Medium Trucks:	55.6	47.6	41.2	39.6	48.1	48.3
Heavy Trucks:	61.3	49.3	40.3	41.5	51.6	51.8
Vehicle Noise:	63.8	56.3	52.8	48.4	57.0	57.4

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	61
65 dBA	19
70 dBA	6
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Bevins Street and Larrecou Lane		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	10,870			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1087			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.4	59.2	57.4	51.3	59.9	60.5
Medium Trucks:	60.1	52.0	45.6	44.1	52.6	52.8
Heavy Trucks:	65.3	53.4	44.3	45.5	55.4	55.6
Vehicle Noise:	67.8	61.1	57.9	53.2	61.8	62.3

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	187
65 dBA	59
70 dBA	19
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Larrecou Lane and Main Street		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	10,830			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1083			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.4	59.1	57.4	51.3	59.9	60.5
Medium Trucks:	60.1	52.0	45.6	44.1	52.5	52.8
Heavy Trucks:	65.3	53.4	44.3	45.5	55.4	55.6
Vehicle Noise:	67.7	61.1	57.9	53.2	61.8	62.2

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	187
65 dBA	59
70 dBA	19
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Main Street		
Road Segment:	North of Lakeport Boulevard		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	13,820			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1382			
Centerline Dist. To Observer:	100	Vehicle Speed:	30			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	49.5	58.3	56.5	50.4	59.1	59.7
Medium Trucks:	60.1	52.0	45.6	44.1	52.6	52.8
Heavy Trucks:	65.7	53.8	44.7	46.0	56.1	56.2
Vehicle Noise:	68.3	60.8	57.2	52.9	61.4	61.9

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	171
65 dBA	54
70 dBA	17
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Main Street		
Road Segment:	South of Lakeport Boulevard		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	8,460			
Receiver Barrier Dist:	0	Peak Hour Traffic:	846			
Centerline Dist. To Observer:	100	Vehicle Speed:	30			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	47.4	56.1	54.4	48.3	56.9	57.5
Medium Trucks:	58.0	49.9	43.5	41.9	50.4	50.7
Heavy Trucks:	63.6	51.7	42.6	43.8	54.0	54.1
Vehicle Noise:	66.1	58.6	55.1	50.8	59.3	59.7

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	104
65 dBA	33
70 dBA	10
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future Plus Project
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Bevins Street and Larrecou Lane		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	11,440			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1144			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.6	59.4	57.6	51.5	60.2	60.8
Medium Trucks:	60.3	52.3	45.9	44.3	52.8	53.0
Heavy Trucks:	65.5	53.6	44.5	45.8	55.7	55.8
Vehicle Noise:	68.0	61.3	58.2	53.5	62.0	62.5

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	197
65 dBA	62
70 dBA	20
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future Plus Project
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Lakeport Boulevard		
Road Segment:	Between Larrecou Lane and Main Street		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	10,870			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1087			
Centerline Dist. To Observer:	100	Vehicle Speed:	35			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.4	59.2	57.4	51.3	59.9	60.5
Medium Trucks:	60.1	52.0	45.6	44.1	52.6	52.8
Heavy Trucks:	65.3	53.4	44.3	45.5	55.4	55.6
Vehicle Noise:	67.8	61.1	57.9	53.2	61.8	62.3

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	187
65 dBA	59
70 dBA	19
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name:	Lake County Courthouse	Scenario:	Future Plus Project
Analyst:	Brian Allee	Job #:	60100671
Roadway:	Main Street		
Road Segment:	North of Lakeport Boulevard		

PROJECT DATA		SITE DATA				
Centerline Dist to Barrier	0	Road Grade:	0			
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	13,850			
Receiver Barrier Dist:	0	Peak Hour Traffic:	1385			
Centerline Dist. To Observer:	100	Vehicle Speed:	30			
Barrier Near Lane CL Dist:	0	Centerline Separation:	24			
Barrier Far lane CL Dist:	0	NOISE INPUTS				
Pad Elevation:	0.5	Site conditions HARD SITE				
Road Elevation:	0	FLEET MIX				
Observer Height (above grade):	0	Type	Day	Evening	Night	Daily
Barrier Height:	0	Auto	0.775	0.129	0.096	0.9742
Rt View: 90	Lft View: -90	Med. Truck	0.848	0.049	0.103	0.0184
NOISE SOURCE ELEVATIONS (Feet)		Heavy Truck	0.865	0.027	0.108	0.0074
Autos:	0					
Medium Trucks:	2.3					
Heavy Trucks:	8					

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	49.5	58.3	56.5	50.4	59.1	59.7
Medium Trucks:	60.1	52.0	45.7	44.1	52.6	52.8
Heavy Trucks:	65.8	53.8	44.8	46.0	56.1	56.2
Vehicle Noise:	68.3	60.8	57.2	52.9	61.4	61.9

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	171
65 dBA	54
70 dBA	17
Mitigated	
60 dBA	
65 dBA	
70 dBA	



**Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)**


Project Name: Lake County Courthouse	Scenario: Future Plus Project
Analyst: Brian Allee	Job #: 60100671
Roadway: Main Street	
Road Segment: South of Lakeport Boulevard	

PROJECT DATA	SITE DATA
Centerline Dist to Barrier: 0	Road Grade: 0
Barrier (0=wall, 1= berm): 0	Average Daily Traffic: 8,470
Receiver Barrier Dist: 0	Peak Hour Traffic: 847
Centerline Dist. To Observer: 100	Vehicle Speed: 30
Barrier Near Lane CL Dist: 0	Centerline Separation: 24
Barrier Far lane CL Dist: 0	
Pad Elevation: 0.5	NOISE INPUTS
Road Elevation: 0	Site conditions HARD SITE
Observer Height (above grade): 0	FLEET MIX
Barrier Height: 0	Type Day Evening Night Daily
Rt View: 90 Lft View: -90	Auto 0.775 0.129 0.096 0.9742
	Med. Truck 0.848 0.049 0.103 0.0184
	Heavy Truck 0.865 0.027 0.108 0.0074
NOISE SOURCE ELEVATIONS (Feet)	
Autos: 0	
Medium Trucks: 2.3	
Heavy Trucks: 8	

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	47.4	56.1	54.4	48.3	56.9	57.5
Medium Trucks:	58.0	49.9	43.5	41.9	50.4	50.7
Heavy Trucks:	63.6	51.7	42.6	43.8	54.0	54.1
Vehicle Noise:	66.1	58.6	55.1	50.8	59.3	59.7

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)						
Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	105
65 dBA	33
70 dBA	10
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Appendix H
Traffic Impact Analysis



New Lakeport Courthouse

**CITY OF LAKEPORT
LAKE COUNTY, CALIFORNIA**

TRAFFIC IMPACT ANALYSIS

Prepared for the Administrative Office of the Courts by

RBF Consulting

June 29, 2010

Revised **October 4, 2010**

TABLE OF CONTENTS

1 EXECUTIVE SUMMARY 1

2 INTRODUCTION 3

 2.1 Project Description..... 3

 2.2 Scope of Work..... 3

 2.3 Trip Generation..... 6

 2.4 Traffic Operation Evaluation Methodologies..... 6

 2.5 LOS Standards..... 7

 2.6 Thresholds of Significance Criteria 7

3 EXISTING TRAFFIC CONDITIONS 8

 3.1 Existing Traffic Network..... 8

 3.2 Transit..... 9

 3.3 Bicycle Facilities..... 10

 3.4 Existing Traffic Data..... 10

 3.5 Existing Conditions Intersection Operations..... 13

4 EXISTING PLUS BACKGROUND CONDITIONS ANALYSIS..... 13

 4.1 Background Trips..... 13

 4.2 Existing plus Background Conditions Intersection Operations 15

5 EXISTING PLUS BACKGROUND PLUS PROJECT CONDITIONS 18

 5.1 Site Access..... 18

 5.2 Project Trip Generation 20

 5.3 Project Trip Distribution and Assignment..... 21

 5.4 Existing plus Background plus Project Analysis..... 24

 5.4.1 Existing plus Background plus Project Conditions Intersection Operations 24

 5.4.2 Existing plus Background plus Project Conditions Intersection Sight Distance..... 24

6 CUMULATIVE WITHOUT PROJECT TRAFFIC CONDITIONS 28

 6.1 Cumulative Volumes..... 28

 6.2 Cumulative Without Project Analysis..... 28

 6.2.1 Cumulative Without Project Conditions Intersection Operations..... 28

 6.2.2 Intersection Improvements 29

7 CUMULATIVE PLUS PROJECT TRAFFIC CONDITIONS 32

 7.1 Cumulative Projects Trip Generation..... 32

 7.2 Cumulative With Project Analysis 32

 7.2.1 Cumulative With Project Conditions Intersection Operations..... 32

 7.2.2 Intersection Mitigations 33

8 MULTIMODAL ACCESS 35

LIST OF APPENDICES

- A Level of Service Descriptions – Unsignalized Intersection All-Way Stop Control
Level of Service Descriptions – Unsignalized Intersection Two-Way Stop Control
Level of Service Descriptions – Signalized Intersection Control

- B. Intersection Level of Service Calculations – Existing Conditions

- C. Intersection Level of Service Calculations – Existing plus Background Conditions

- D. Intersection Level of Service Calculations – Existing plus Background plus Project
Conditions

- E. Intersection Level of Service Calculations – Cumulative Conditions

- F. Intersection Level of Service Calculations – Cumulative plus Project Conditions

- G. Intersection Level of Service Calculations – Mitigated Conditions

- H. Peak Hour Signal Warrants

- I. Transit Maps

1 EXECUTIVE SUMMARY

The proposed New Lakeport Courthouse project will be located in Lakeport, California adjacent to Highway 29 and just south of Lakeport Boulevard. The proposed project would encompass 4 courtrooms. The site plan has not been developed yet. This study recommends feasible locations for primary and secondary access to the site. The site is located on the south side of Lakeport Boulevard immediately east of the visitor center. The primary driveway would be located on the eastern boundary of the site, where the grading and access is viable. The facility will also require secondary access and it is recommended that this access be provided off Bevins Road to the south of Lakeport Boulevard. The driveway would be immediately south of the visitor center. The site is elevated above road level (approximately 20-30 feet), which restricts access driveways and the corner sight distance.

At project build out, the proposed project would generate 403 daily trips; with 61 trips (55 in, 6 out) occurring during the AM peak hour.

The traffic analysis of the project consisted of six intersections:

- Parallel Drive / Lakeport Boulevard
- Highway 29 southbound ramps / Lakeport Boulevard
- Highway 29 northbound ramps / Lakeport Boulevard
- Bevins Street / Lakeport Boulevard
- Larrecou Lane / Lakeport Boulevard
- South Main Street / Lakeport Boulevard

Development Conditions

The study analyzed traffic conditions under the following development scenarios:

- Existing Traffic Conditions
- Existing plus Background Conditions
- Existing plus Background plus Project Conditions
- Cumulative Conditions without the project
- Cumulative Conditions with the project

The City of Lakeport 2025 General Plan was used to determine cumulative volumes and project traffic distribution onto the study road network. The City also provided the background (approved, but not yet constructed) project information.

For **Existing Conditions**, **Existing plus Background Conditions**, and **Existing plus Background plus Project Conditions** all study intersections operate at acceptable Levels of Service (LOS). However inadequate sight distance is evident at the intersection of Lakeport Boulevard/Bevins Road on the northbound approach. The secondary access to the project would add traffic onto this approach and the southeast corner would have to be graded and a retaining wall constructed to increase the sight distance to the required standard. This is an existing deficiency. The project may be requested to fund the entire improvement.

For **Cumulative and Cumulative plus Project Conditions**, the following intersections would operate at unacceptable conditions and improvements are required.

- Highway 29 southbound ramps / Lakeport Boulevard
- Highway 29 northbound ramps / Lakeport Boulevard
- Bevins Street / Lakeport Boulevard
- South Main Street / Lakeport Boulevard

Improvements Required:

1. Signalize the ramp terminal at the Highway 29 NB Ramps / Lakeport Boulevard intersection and improve the southbound approach to include a 150 ft right turn lane.
2. Signalize the ramp terminal at the Highway 29 SB Ramps / Lakeport Boulevard intersection and include a 150 ft eastbound left turn lane and improve the northbound approach to include a 200 ft right turn lane.
3. Signalize the Bevins Street / Lakeport Boulevard intersection.
4. Signalize the Main Street / Lakeport Boulevard intersection.

The intersections listed above are identified in the City of Lakeport General Plan 2025 as intersections recommended for improvement under the City's Long Range Improvement Program. The project would pay a fair share contribution towards improving these intersections.

2 INTRODUCTION

2.1 Project Description

The Administration Office of the Courts (AOC) is proposing to construct a new courthouse for the Lake County Superior Court of California to replace the existing Lakeport Courthouse, located on Forbes Street in Lakeport California. The proposed project site for the new courthouse is located off of Lakeport Boulevard adjacent to the Highway 29 interchange. The project site is a vacant 5.74 acre parcel adjacent to the existing Lake County Chamber of Commerce. The project borders Lakeport Boulevard to the north, the visitor center to the west, open space to the south, and Bruno's shopping center to the east.

The new courthouse will be approximately 50,000 square feet and include four (4) courtrooms with associated support office space and a parking area with approximately 120 spaces. The AOC plans to complete acquisition of the proposed project site by July 2011, begin construction in 2013, and complete construction in 2015. The Superior Court will begin operations in the new building in early to mid-2015. **Figures 1 and 2** provide a Location and Vicinity Map for the proposed project, respectively.

This report presents the results from traffic analyses indicating the potential traffic impacts from the proposed New Lakeport Courthouse project. The traffic generated by the project will travel on Caltrans and the City of Lakeport roadways.

2.2 Scope of Work


The study identifies potential traffic impacts that may be associated with the development of the New Lakeport Courthouse project. It includes traffic analyses at intersections and street segments during typical weekday AM peak hours and site distance analysis at Bevins Street and the main access driveway off of Lakeport Boulevard. The AM peak period is the most critical for court houses and presents a worst case scenario. Operational improvements recommended for the AM peak period, would suffice for the PM peak period. The following intersections were included in the analysis and selected based on project trip distribution and anticipated project impacts.

Intersections

1. Parallel Drive / Lakeport Boulevard
2. Highway 29 southbound ramps / Lakeport Boulevard
3. Highway 29 northbound ramps / Lakeport Boulevard
4. Bevins Street / Lakeport Boulevard
5. Larrecou Lane / Lakeport Boulevard
6. South Main Street / Lakeport Boulevard



Source: Google Maps (2010)




04/29/10 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Location Map

Figure 1



Source: Google Maps (2010)



04/29/10 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Vicinity Map

Figure 2

Analysis Conditions

The study analyzed traffic conditions under the following development scenarios:

- Existing Traffic Conditions
- Existing Plus Background Conditions
- Existing Plus Background Plus Project Conditions
- Cumulative Conditions without the project
- Cumulative Conditions with the project

2.3 Trip Generation

The Institute for Transportation Engineers (ITE) Trip Generation, 7th Edition is the most widely accepted reference for transportation professionals for determining trip generation rates for various land use types. However, the reference does not provide trip generation rates for courthouses. Therefore, a methodology for determining the trip generation rate was developed based on a similar traffic study performed in San Diego, CA and with information provided by courthouse staff.

2.4 Traffic Operation Evaluation Methodologies

The methodologies outlined in the *2000 Highway Capacity Manual (HCM)* was used to perform the operational analysis and provide quantitative levels of services (LOS). Synchro and Sidra, traffic operations analysis software programs, were used to evaluate intersection and roundabout operations, respectively.

Intersection operations are evaluated based on a LOS grading system. The system uses a scale of “LOS A” through “LOS F” in which “LOS A” represents free flowing conditions and “LOS F” represents forced flow conditions. Different factors are used to determine intersection LOS depending on the intersection control device. The operations of all-way (four-way) stop controlled intersections are evaluated based on the average delay per vehicle. The average delay is calculated using the roadway capacity (number of travel lanes) provided for each intersection approach and the overall traffic demand. The relationship between vehicle delay and the level of service for all-way stop controlled intersection is provided in **Appendix A**.

The operating efficiency of vehicle movements is analyzed to determine the level of service for one and two-way stop controlled intersections. Vehicles on minor streets approaching a one or two-way stop controlled intersection must yield to the major streets vehicle through movements. The operation of the intersection is therefore based upon the distribution of gaps on the major street traffic stream and drivers judgment on the minor street on selecting appropriate gaps. The methods of the HCM use this information to calculate vehicle delay and determine the level of service of the minor street and the overall intersection level of service. **Appendix A** shows the relationship between vehicle delay and level of service for one and two-way stop controlled intersections.

At signalized intersections, average control delay per vehicle is used to define the level of service. This is determined based on a number of factors including signal cycle length, roadway capacity

(number of travel lanes) for each intersection approach, and the traffic demand. **Appendix A** shows the relationship between vehicle delay and the signalized intersection level of service categories.

The California Manual on Urban Traffic Control Devices (MUTCD) requires that an engineering study be performed before traffic signals are installed. Recommendations in this study to provide signals are based on limited planning level data for the peak hour signal warrants only and may not be sufficient for installing signals.

2.5 LOS Standards

The City of Lakeport has established LOS C as the minimum acceptable LOS for overall intersection operations.

The standard for Caltrans level of service is the LOS C/D threshold in which LOS C is acceptable in all cases and LOS D is acceptable on a case-by-case basis.

2.6 Thresholds of Significance Criteria

The City of Lakeport does not have an established threshold of Significance Criteria. California Environmental Quality Act Guidelines were used in The Draft EIR City of Lakeport General Plan Update (2008) to determine the significance of traffic impacts and therefore were also used in this TIA, as well as the Caltrans criteria.

California Environmental Quality Act

According to Appendix G of the *CEQA Guidelines*, the proposed project would have a significant impact on traffic if the project would:

- Result in a traffic increase that is substantial in relation to the existing traffic load and capacity of the street system, which is defined as causing an existing acceptable intersection or roadway level of service to drop to unacceptable levels
- Result in potentially unsafe conditions or inadequate internal circulation to accommodate project traffic
- Result in a roadway design that would increase traffic hazards to motor vehicles, bicycles, or pedestrians or substantially impede pedestrian, bicycle or transit system operations
- Provide an inadequate amount of parking
- Conflict with adopted policies, plans, programs that support supporting alternative transportation (for example, bus turnouts, bicycle racks)

Caltrans

Caltrans has jurisdiction over the Highway 29 NB and SB ramp intersections with Lakeport Boulevard. The standards of significance criteria apply to project and cumulative project traffic being added to facilities operating at an LOS that does not meet the required standard. The following is the significance criteria for Caltrans:

The Caltrans Guide for the Preparation of Traffic Impact Studies (Caltrans, 2002) states that if an existing State Highway facility is operating at less than the target LOS, the existing LOS should be maintained, thus adding any trips to a facility operating at adverse LOS would be a significant impact.

3 EXISTING TRAFFIC CONDITIONS

The following sections provide a description of the existing traffic network, existing traffic volumes, intersection LOS, and an overview of traffic conditions within the study area.

3.1 Existing Traffic Network

Regional access to the project site is provided from Highways 29. Roadways in the vicinity of the project site include Bevins Street, Lakeport Boulevard, Larrecou Lane, Main Street, and Parallel Drive. The following provides a description of the roadway facilities.

Bevins Street is a two-lane collector that runs parallel to Highway 29 and connects Marvin Street in the north to Lakeport Boulevard in the south. It is an undivided facility and provides access to various local businesses. The speed limit along Bevins Street is 30 miles per hour in the vicinity of the project.

Highway 29 is a north-south state highway that travels from Vallejo in the south to Upper Lake in the north. In the project vicinity it is a four-lane freeway with a posted speed limit of 65 miles per hour.

Lakeport Boulevard is a two-lane arterial with a two-way left-turn lane that connects Main to the east with Highway 29 to the west. It transitions at Main Street to K Street which terminates at Clear Lake. Lakeport Boulevard provides access to various business and shopping areas via closely spaced driveways. In the vicinity of the project, Lakeport Boulevard has a speed limit of 35 miles per hour and has a downhill grade of about 6% for approximately 0.2 miles.

Larrecou Lane is a short access roadway that provides access to a strip center and a small industrial center. There is no posted speed in the vicinity of the project.

Main Street is a two lane arterial with a two-way left-turn lane that terminates just north of 16th Street to the north and transitions to County Road 502 at Soda Bay Road to the south. It provides access to local businesses and residential dwellings. The post speed limit in the vicinity of the project is 30 miles per hour.

Parallel Drive is a two lane collector that runs from just north of Lakeport Boulevard southward and terminates at State Route 175. It provides access to retail establishment to the north of Lakeport Boulevard and residential dwellings south of Lakeport Boulevard. It has a post speed limit of 35 miles per hour in the vicinity of the project.

Intersections

1. Parallel Drive / Lakeport Boulevard

The Parallel Drive / Lakeport Boulevard intersection is a four-legged single lane roundabout.

2. Highway 29 SB Ramps / Lakeport Boulevard

The Highway 29 SB Ramps / Lakeport Boulevard intersection is a stop controlled intersection. Lakeport Boulevard is uncontrolled in the eastbound and westbound directions. The Highway 29 SB off ramp terminates at Lakeport Boulevard and has access to the eastbound and westbound directions.

3. Highway 29 NB Ramps / Lakeport Boulevard

The Highway 29 NB Ramps / Lakeport Boulevard intersection is a stop controlled intersection. Lakeport Boulevard is uncontrolled in the eastbound and westbound directions. The Highway 29 NB off ramp terminates at Lakeport Boulevard and has access to the eastbound and westbound directions.

4. Bevins Street / Lakeport Boulevard

The Bevins Street / Lakeport Boulevard intersection is a four-legged two-way stop controlled intersection. Lakeport Boulevard is uncontrolled in the eastbound and westbound directions. Northbound and southbound Bevins Street has access to the eastbound and westbound directions of Lakeport Boulevard.

5. Larrecou Lane / Lakeport Boulevard

The Larrecou Lane / Lakeport Boulevard intersection is a stop controlled "T" intersection. Lakeport Boulevard is uncontrolled in the eastbound and westbound directions. Larrecou Lane has access to the eastbound and westbound directions of Lakeport Boulevard.

6. Main Street / Lakeport Boulevard

The Main Street / Lakeport Boulevard intersection is an offset all-way stop controlled intersection. Main Street has access to the westbound direction of Lakeport Boulevard and the eastbound direction of K Street. Lakeport Boulevard and K Street have access to northbound and southbound Main Street.

3.2 Transit

Lake Transit provides mass transit for Lake County and provides local and regional bus service for the City of Lakeport along 4 routes (Route 4, 4A, 7, and 8). Route 8 (Lakeport City) provides exclusive service for the City of Lakeport from Peckham Court in the south to Sutter Lakeside Hospital in the north. Routes 4 (South Shore) and 4A (Soda Bay) provide regional service to Clearlake and Kit's Corner, respectively, with limited City service. Route 7 (Lakeport – Ukiah) provides regional service from Lakeport to the Ukiah Municipal Airport, Greyhound, and Amtrak

stations. The transfer point in the City of Lakeport is located on Main Street at the Third Street intersection. **Appendix I** provides further detail on these bus routes.

Currently, Routes 4, 4A, and 8 travel along Lakeport Boulevard in the vicinity of the project. Route 4 does not stop in the vicinity of the project and Route 4A stops at Mendocino College which is off of Parallel Drive approximately ½ mile west of the project site. Route 8 stops at Mendocino College and the Bevins Court Health Center off of Bevins Street.

3.3 Bicycle Facilities

According to the 2006 Lake County Regional Bikeway Plan (LCRBP), the County has 5 bikeways. None of the 5 bikeways are in the vicinity of the proposed site. The nearest bikeway facility is a Class II Bike Lane located on North High Street approximately 1.5 miles away. The Transportation Element of the City of Lakeport General Plan 2025 identifies Parallel Drive, Lakeport Boulevard, Bevins Street, and Main Street as future bikeway locations.

Bicycle facilities range from Class I to Class III Bikeways. Descriptions of the bicycle facility classifications are provided in the following sections.


Class I Bikeway (Bike Path) – A Class I Bikeway is a physically separated bike path that does not share the roadway with motorized vehicles. They can be separated by either open space or a physical barrier and are generally two-way facilities.

Class II Bikeway (Bike Lane) – A Class II Bikeway is a bike lane that shares a portion of the roadway with motorized vehicles. They are separated by striping and are signed and marked for exclusive use by bicycle traffic. Class II Bikeways provide service for one-way bicycle traffic and are located outside of the through lanes for motorized vehicles.

Class III Bikeway (Bike Route) – A Class III Bikeway is a bike route that shares the roadway with motorized vehicles. They are identified by signs and not separated by striping. Class III Bikeways are utilized in locations that do not have Class I or Class II facilities or to connect Class II Bikeways to provide a continuous bikeway system.

3.4 Existing Traffic Data

Traffic counts were collected, for all intersections included in this analysis, in April 2010. Counts were performed during the AM peak hour per guidance from the Administrative Office of the Courts (AOC). The intersection counts and a speed survey were conducted along Lakeport Boulevard on April 1, 2010. The traffic volumes along Lakeport Boulevard were increased by 6.9% to reflect seasonal trends as identified in the City of Lakeport General Plan 2025. Existing intersection configuration and traffic volumes are provided in **Figures 3 and 4**, respectively.



Source: RBF Consulting (2010)




07/21/09 JN 60-100671

LAKE COUNTY COURTHOUSE TIA

Existing Intersection Configuration

Figure 3



Source: RBF Consulting (2010)



07/21/09 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Existing Peak Hour Volumes

Figure 4

3.5 Existing Conditions Intersection Operations

Synchro and Sidra traffic analyses were performed to determine the LOS for the weekday existing AM peak hour at each of the intersections within the project area. The results of these analyses are listed in a matrix in **Table 1**. All intersections operate at an acceptable LOS during the existing weekday AM peak hour.

Table 1: Existing Intersection Operations AM Peak Hour

		Existing	
Intersection	Intersection Control	Delay	LOS
1. Parallel Drive / Lakeport Boulevard	Roundabout (Sidra)	8.6	A
2. Highway 29 SB Ramps / Lakeport Boulevard	Stop Control (SB)	5.3	A
	Worst approach	11.8	B
3. Highway 29 NB Ramps / Lakeport Boulevard	Stop Control (NB)	5.0	A
	Worst approach	12.7	B
4. Bevins Street / Lakeport Boulevard	Stop Control (NB & SB)	3.3	A
	Worst approach	15.6	B
5. Larecou Lane / Lakeport Boulevard	Stop Control (SB)	0.3	A
	Worst approach	10.2	B
6. Main Street / Lakeport Boulevard	Stop Control (All-Way)	10.4	B
	Worst approach	11.1	B
Source: RBF Consulting 2010. Notes: 1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound			


The Synchro and Sidra output calculations are provided in **Appendix B**.

4 EXISTING PLUS BACKGROUND CONDITIONS ANALYSIS

The following sections provide a description of the analyses performed during the AM peak hour for Existing plus Background conditions.

4.1 Background Trips

Existing plus Background conditions include existing traffic plus the traffic generated by approved projects within the vicinity of the project. All background projects were obtained from the City of Lakeport Planning Department website per Andrew Britton (Planning Services Manager). The Background projects are located throughout the City of Lakeport and indicated in the **Appendix J**. **Figure 5** provides the background trip distribution on the existing roadway network.



Source: RBF Consulting (2010)



05/10/10 JN 60-100671

LAKE COUNTY COURTHOUSE TIA

Background Peak Hour Volumes

Figure 5

The trip generation for each project was calculated using the Institute of Transportation Engineers (ITE) Manual, *Trip Generation 7th Edition*, 2003. The trip distribution was calculated based on typical travel patterns in the City and engineering judgment. The background projects would generate approximately 284 AM peak hour trips (80 in and 204 out). The Existing plus Background traffic volumes are indicated in **Table 2**.

Table 2: Background Trips

	ITE LAND USE CODE	PROJECT SIZE		AM PEAK HOUR			
				TOTAL PEAK HOUR	IN	/	OUT
<u>Lake Terrace Estates</u>							
Single Family Detached Homes	210	8	Units	15	4	/	11
<u>Bella Vista</u>							
Single Family Detached Homes	210	35	Units	34	8	/	26
<u>Rodriguez</u>							
Townhouse	230	6	Units	5	1	/	4
<u>Frankovich Subdivision</u>							
Single Family Detached Homes	210	30	Units	30	8	/	22
<u>Munion Subdivision</u>							
Single Family Detached Homes	210	5	Units	13	3	/	10
<u>Lakewood Knoll</u>							
Single Family Detached Homes	210	28	Units	29	7	/	22
<u>Lake County Tribal Health*</u>							
Medical Office	720	19,683	SF	33	18	/	15
<u>Harper's Landing</u>							
Single Family Detached Homes	210	61	Units	52	13	/	39
<u>Moody Subdivision</u>							
Single Family Detached Homes	210	30	Units	30	8	/	22
<u>Pino Subdivision</u>							
Single Family Detached Homes	210	5	Units	13	3	/	10
<u>JT Meadows Subdivision</u>							
Single Family Detached Homes	210	28	Units	29	7	/	22
Total				284	80	/	204
Note: Bruno's Shop Smart and Plaza Paints were not included as they are currently open for business. The Safeway Expansion was also not included because construction was completed in 2009.							


4.2 Existing plus Background Conditions Intersection Operations

Synchro and Sidra traffic analysis was performed for the weekday Existing plus Background AM peak hour at each of the study intersections within the project area. The results of the analysis are summarized in **Table 3**. All intersections would operate at an acceptable LOS.

Table 3: Existing + Background Intersection Operations AM Peak Hour

		Existing		Existing + Background	
Intersection	Intersection Control	Delay	LOS	Delay	LOS
1. Parallel Drive / Lakeport Boulevard	Roundabout	8.6	A	8.7	A
2. Highway 29 SB Ramps / Lakeport Boulevard	Stop Control (SB)	5.3	A	5.5	A
	Worst approach	11.8	B	12.4	B
3. Highway 29 NB Ramps / Lakeport Boulevard	Stop Control (NB)	5.0	A	5.0	A
	Worst approach	12.7	B	13.1	B
4. Bevins Street / Lakeport Boulevard	Stop Control (NB & SB)	3.3	A	3.5	A
	Worst approach	15.6	B	16.4	C
5. Lamrecou Lane / Lakeport Boulevard	Stop Control (SB)	0.3	A	0.3	A
	Worst approach	10.2	B	10.5	B
6. Main Street / Lakeport Boulevard	Stop Control (All-Way)	10.4	B	11.2	B
	Worst approach	11.1	B	11.8	B
Source: RBF Consulting 2010.					
Notes: 1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound					

The Synchro and Sidra output calculations for Existing plus Background conditions are provided in **Appendix C**. The intersection volumes for Existing plus Background conditions are provided in **Figure 6**.



Source: RBF Consulting (2010)



LAKE COUNTY COURTHOUSE TIA

Existing + Background Peak Hour Volumes



05/10/10 JN 60-100671

Figure 6

5 EXISTING PLUS BACKGROUND PLUS PROJECT CONDITIONS

The following sections describe the analysis performed during the AM peak hour for Existing plus Background plus Project traffic conditions and provide an explanation of the project trip generation, distribution, and assignment. For this development scenario the project trips were added to the Existing and Background trips and analyzed.

5.1 Site Access

The proposed project site is located on a parcel land that is at an elevation approximately 30 feet above Lakeport Boulevard. A site plan was not available to indicate the driveway access points to the proposed courthouse; therefore, several locations were evaluated to determine the most appropriate position. The following provides a description for each site access location.

Four (4) access points were evaluated for the proposed site and are provided in **Figure 7** and are listed below.

Location 1: Off of Lakeport Boulevard positioned in center of project site

Location 2: Off of Lakeport Boulevard across from Larrecou Lane

Location 3: Off of Bevins Street through the Lake County Chamber of Commerce parking lot

Location 4: Off of Bevins Street behind the Lake County Chamber of Commerce

Location 1 is located off of Lakeport Boulevard at the center of the proposed site and would provide a central access point the courthouse. In order to accommodate the driveway at this location, significant grading would need to be performed to provide adequate sight distance and to construct the driveway up the grades to the elevated the project site. In addition, the driveway would be located in between Larrecou Lane and a shopping center driveway. This would provide limited intersection spacing. It was determined that, due to the amount of earthwork needed and intersection spacing, this location is not feasible for site access.


Location 2 is located at the Larrecou Lane intersection off of Lakeport Boulevard. This location would take advantage of an existing pathway and grading adjacent to the project site. This location would provide adequate sight distance and not limit intersection spacing. Grading would need to be performed but not to the degree of Location 1. It was determined that this location is feasible for site access and is recommended for the main access.

Location 3 takes advantage of the Lake County Chamber of Commerce parking lot, located above the project site, to provide an access driveway. To accommodate this driveway location, grading and construction of retaining walls would need to be performed and the elimination of parking spaces. It was determined that this location is not feasible for site access.

Location 4 is located behind the Lake County Chamber of Commerce and will take advantage of an existing pathway and grading adjacent to the project site. Limited grading would need to be performed. It was determined that this location is a feasible site access and is recommended for secondary access for prisoner pick-up and drop-off.



Source: Google Maps (2010)



04/29/10 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Site Access Locations

Figure 7

5.2 Project Trip Generation

The project proposes to relocate the existing courthouse to a new facility. The office space of the existing courthouse building will be held by the county for use by other county agencies. Therefore, it is assumed that the trips generated by the proposed project will remain on the road network and no trip credit is taken for the relocation.

Table 4 contains the trip generation estimates for the project ultimate build out. The rates are based upon similar traffic studies for courthouse facilities which are described below. The project will generate 403 daily trips; with 61 AM peak hour trips (55 in, 6 out).

The Institute for Transportation Engineers (ITE) Trip Generation, 7th Edition is the most widely accepted reference for transportation professionals for determining trip generation rates for various land use types. However, the reference does not provide trip generation rates for courthouses. Therefore, a methodology for determining the trip generation rate was developed based on a similar traffic study performed in San Diego, CA and with information provided by Lake County courthouse staff.

In 2000, Linscott Law & Greenspan (LLG) prepared a Traffic Impact Analysis (TIA) report for the San Diego County Courthouse. The trip generation rate that was developed in this report was based on the number of courthouse employees and visitors/jurors. An employee survey, conducted in 1992 by San Diego County, was used to determine mod of travel, daily trips per person, and vehicle occupancy rates. In addition, the report assumed that 30 visitors/jurors were in each courtroom. The number of trips was calculated based on the number of employees and visitors/jurors and the results from the employee survey.

RBF used a methodology that is similar to the one identified in the LLG study. RBF assumed that the primary choice of transportation is a passenger car for each employee and visitor/juror. In addition, as in the LLG study, it will be assumed that 25% of employees leave and return the courthouse once during the day.


In order to determine the AM peak hour project trips, a comparison was made between the AM peak hour average rate and daily rate for the General Office land use in the ITE Trip Generation, 7th Edition. The General Office land use was used because it is similar to the proposed project and is slightly more conservative than the LLG study. This provided an AM percentage of the daily trips. This percentage was then applied to the daily trips to calculate the AM peak hour project trips. The directional distribution identified in the LLG study was used to determine inbound and outbound project trips.

Table 4: Project Trip Generation

	ITE LAND USE CODE	PROJECT SIZE		WEEKDAY DAILY TRIPS	AM PEAK HOUR				
					TOTAL PEAK HOUR	% OF ADT	IN	/	OUT
<u>Lake County Courthouse (Trip Generation Used)</u>									
Employees		65	Employees	163	25	15%	23	/	2
Courtrooms		4	Units	240	36	15%	32	/	4
Net Total				403	61	15%	55	/	6
<u>LGG</u>									
Employees		65	Employees	163	22	13%	20	/	2
Courtrooms		4	Units	240	32	13%	32	/	3
Net Total				403	54	13%	52	/	5
<u>ITE General Office</u>									
Employees	710	65	Employees	310	47	15%	41	/	6
Net Total				310	47	15%	41	/	6

5.3 Project Trip Distribution and Assignment

The county population densities, land use maps, and other traffic studies in the Lakeport area were used to determine trip distribution. Based on this information, 31% of project trips travel to/from north of Lakeport on Highway 29, 59% south of Lakeport on Highway 29, and 10% travel within the City of Lakeport. The distribution percentages were then multiplied by the inbound and outbound project trips to determine the trip assignment on the local roadway network. **Figures 8 and 9** provide visual representations of the project trip distribution and trip assignment, respectively.




Source: RBF Consulting (2010)



07/21/09 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Project Trip Distribution

Figure 8



Source: RBF Consulting (2010)



07/21/09 JN 60-100671

LAKE COUNTY COURTHOUSE TIA

Project Trip Assignment

Figure 9

5.4 Existing plus Background plus Project Analysis

5.4.1 Existing plus Background plus Project Conditions Intersection Operations

The project trips were added to the Existing and Background traffic volumes and analyzed. All of the study intersections for Existing plus Background plus Project conditions would continue to operate at acceptable levels of service. The results of the analysis are summarized in **Table 5** and Existing plus Background plus Project volumes are provided in **Figure 10**.

Table 5: Existing + Background + Project Intersection Operations AM Peak Hour

Intersection	Intersection Control	Existing		Existing + Background		Existing + Background + Project	
		Delay	LOS	Delay	LOS	Delay	LOS
1. Parallel Drive / Lakeport Boulevard	Roundabout	8.6	A	8.7	A	8.7	A
2. Highway 29 SB Ramps / Lakeport Boulevard	Stop Control (SB)	5.3	A	5.5	A	6.0	A
	Worst approach	11.8	B	12.4	B	13.3	B
3. Highway 29 NB Ramps / Lakeport Boulevard	Stop Control (NB)	5.0	A	5.0	A	5.4	A
	Worst approach	12.7	B	13.1	B	14.0	B
4. Bevins Street / Lakeport Boulevard	Stop Control (NB & SB)	3.3	A	3.5	A	3.4	A
	Worst approach	15.6	B	16.4	C	17.1	C
5. Larrecou Lane / Lakeport Boulevard	Stop Control (SB)	0.3	A	0.3	A	0.4	A
	Worst approach	10.2	B	10.5	B	12.0	B
6. Main Street / Lakeport Boulevard	Stop Control (All-Way)	10.4	B	11.2	B	11.2	B
	Worst approach	11.1	B	11.8	B	11.8	B

Source: RBF Consulting 2010.
Notes: 1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound

The Synchro and Sidra output calculations for Existing plus Background plus Project are provided in **Appendix D**.

5.4.2 Existing plus Background plus Project Conditions Intersection Sight Distance

The initial field visit and subsequent analysis to the project intersections revealed that there is potential sight distance deficiencies for northbound left turn vehicles at the Lakeport Boulevard and Bevins Street intersection. This intersection is located at the top of a hill with the westbound approach being below grade. Exiting vehicles from northbound Bevins Street have sight distance constraints looking at the westbound approach of this intersection due to the crest curve and existing earth. It was witnessed that left turn vehicles on the northbound approach were having trouble making the left turn at Bevins Street onto Lakeport Boulevard. Exiting vehicles were observed to make right turns and then make a U-turn at Larrecou Lane to continue westbound. A sight distance analysis was performed on this intersection.

The Larrecou Lane / Lakeport Boulevard intersection is the proposed main access driveway and is located approximately 30 ft below the proposed site. This intersection was also evaluated for sight distance.

The results of the sight distance analysis are provided in Table 6.

Table 6: Intersection Sight Distance - Left Turn from Stop (AASHTO Case B1)

Intersection	Intersection Control	Approach	Gap (t_g) (seconds)	85th percentile speed (mph)	Sight Distance (ft)		
					AASHTO Minimum	Measured	Difference
1. Bevins Street / Lakeport Boulevard	Stop Control	NB	8.0	37	435.1	261	-174.1
5. Larrecou Lane / Lakeport Boulevard (Driveway)	Stop Control	NB	8.0*	37	435.1	>600	>164.9

* It was assumed that northbound left turn vehicles will have to cross a 12ft median because of the TWLT lane in the existing condition. Intersection Sight Distance Analysis performed per AASHTO Geometric Design of Highway and Streets, 2004.

Table 7: Intersection Sight Distance - Right Turn from Stop (AASHTO Case B2)

Intersection	Intersection Control	Approach	Gap (t_g) (seconds)	85th percentile speed (mph)	Sight Distance (ft)		
					AASHTO Minimum	Measured	Difference
5. Larrecou Lane / Lakeport Boulevard (Driveway)	Stop Control	NB	6.5	38	363.1	450	86.9

Intersection Sight Distance Analysis performed per AASHTO Geometric Design of Highway and Streets, 2004.

The sight distance analysis shows that left turning vehicles on the northbound approach at the Bevins Street / Lakeport Boulevard intersection do not have sufficient sight distance to safely proceed onto westbound Lakeport Boulevard under the existing configuration. Project traffic will be added to this intersection, which will have an impact on safety. To mitigate this impact, it is recommended that earthwork be performed on the south eastern side of the intersection to re-grade and increase the sight distance. Because this is a pre-existing condition, the project would pay a fair share contribution towards improving this intersection.

Bevins Street / Lakeport Boulevard intersection



Northbound approach looking east



Southbound approach looking east


Larrecou Lane / Courthouse Driveway Access / Lakeport Boulevard intersection



**Northbound approach (Access Driveway)
looking west**



Southbound approach looking east



Source: RBF Consulting (2010)



LAKE COUNTY COURTHOUSE TIA



05/10/10 JN 60-100671

Existing + Background + Project Peak Hour Volumes

Figure 10

6 CUMULATIVE WITHOUT PROJECT TRAFFIC CONDITIONS

The following sections describe the results of the traffic analysis performed under cumulative traffic conditions (projected 2030 traffic conditions). These conditions do not include trips generated by the project site.

6.1 Cumulative Volumes

The year 2030 volumes on the study road network were calculated based on the General Plan build out growth factors identified in the City of Lakeport General Plan Update (2008). The growth factors were then applied to existing traffic volumes to determine the 2030 traffic volumes. The turning movements were balanced based on the existing turning movement counts and the expected development in the area. Where the cumulative volumes were lower than the background volumes, the higher background volume was utilized.

6.2 Cumulative Without Project Analysis

6.2.1 Cumulative Without Project Conditions Intersection Operations

The cumulative traffic volumes were analyzed at the study intersections. All of the study intersections would operate at acceptable levels of service with the exception of the following:

- Highway 29 SB Ramps / Lakeport Boulevard
- Highway 29 NB Ramps / Lakeport Boulevard
- Bevins Street / Lakeport Boulevard (worst approach)
- Main Street / Lakeport Boulevard

Intersection levels of service under Cumulative without Project conditions are summarized in Table 8.

Table 8: Cumulative Intersection Operations AM Peak Hour

		Cumulative	
Intersection	Intersection Control	Delay	LOS
1. Parallel Drive / Lakeport Boulevard	Roundabout	19.4	B
2. Highway 29 SB Ramps / Lakeport Boulevard	Stop Control (SB)	251.6	F
	Worst approach	620.7	F
3. Highway 29 NB Ramps / Lakeport Boulevard	Stop Control (NB)	146.8	F
	Worst approach	461.9	F
4. Bevins Street / Lakeport Boulevard	Stop Control (NB & SB)	5.9	A
	Worst approach	72.6	F
5. Larecou Lane / Lakeport Boulevard	Stop Control (SB)	0.4	A
	Worst approach	13.3	B
6. Main Street / Lakeport Boulevard	Stop Control (All-Way)	42.4	E
	Worst approach	60.9	F

Source: RBF Consulting 2010.
Notes: 1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound

The **Highway 29 SB Ramps / Lakeport Boulevard** intersection would operate at and unacceptable LOS of F during the AM peak hour with the southbound off ramp approach also operating at LOS F.

The **Highway 29 NB Ramps / Lakeport Boulevard** intersection is forecast to operate at an overall LOS F during the AM peak hour. The northbound off ramp approach (worst approach) is also forecast to operate at LOS F during the AM peak hour.

The **Bevins Street / Lakeport Boulevard** intersection is forecast to operate at an overall LOS A during the AM peak hour but the southbound approach (worst approach) is forecast to operate at LOS F.

The **Main Street / Lakeport Boulevard** intersection is forecast to operate at an overall LOS E and worst approach of LOS F during the AM peak hour.


The Synchro and Sidra output calculations are provided in **Appendix E** and the Cumulative peak hour volumes are provided in **Figure 11**.

6.2.2 *Intersection Improvements*

The City of Lakeport General Plan 2025 identifies either the installation of modern roundabouts or the signalization of the **Highway 29 SB Ramps / Lakeport Boulevard** intersection, the **Highway 29 NB Ramps / Lakeport Boulevard** intersection, the **Bevins Street / Lakeport Boulevard** intersection, and the **Main Street / Lakeport Boulevard** as part of the City's Long Range Roadway Improvement Program. The installation of traffic signals is anticipated to improve the operations of the intersections for Cumulative conditions as follows. The close spacing of the intersections would require communication between the intersections to coordinate the signals:

The installation of a traffic signal at the **Highway 29 SB Ramps / Lakeport Boulevard** is anticipated to improve the operations of the intersection to LOS C during the Cumulative AM peak hour. The traffic signal would be coordinated with the Highway 29 NB Ramps / Lakeport Boulevard and Bevins Street / Lakeport Boulevard intersections. The signal would provide a protected left turn for westbound traffic. In addition, the southbound approach should be improved to include a 150 ft right turn lane to reduce vehicle queues.

The installation of a traffic signal at the **Highway 29 NB Ramps / Lakeport Boulevard** is anticipated to improve the operations of the intersection to LOS B during the Cumulative AM peak hour. The traffic signal would be coordinated with the Highway 29 SB Ramps / Lakeport Boulevard and Bevins Street / Lakeport Boulevard intersections. The signal would provide a protected left turn for eastbound traffic. In addition, the intersection should be re-stripped to provide approximately 150 ft of vehicle storage length for the eastbound left turn lane. Also, the northbound approach should be improved to include a 200 ft right turn lane to reduce vehicle queues.



Source: RBF Consulting (2010)



07/21/09 JN 60-100671

LAKE COUNTY COURTHOUSE TIA
Cumulative Peak Hour Volumes

Figure 11

The installation of a traffic signal at the **Bevins Street / Lakeport Boulevard** intersection would improve the operations of the intersection to LOS C during the Cumulative AM peak hour. The traffic signal would be coordinated with the Highway 29 SB Ramps / Lakeport Boulevard and Highway 29 NB Ramps / Lakeport Boulevard intersections.

The installation of a traffic signal at the **Main Street / Lakeport Boulevard** intersection is anticipated to improve the operations of the intersection to LOS B during the Cumulative AM peak hour. The signal will be split phased in the east-west direction and protected in the north-south direction. The southbound right turn lane will have an overlap phase with the eastbound split phase.

Each of the intersections meets the California MUTCD signal warrant for peak hour traffic volumes. The calculation sheets are included in **Appendix H**.

The LOS calculation sheets for mitigated intersection conditions are included in **Appendix G**.

7 CUMULATIVE PLUS PROJECT TRAFFIC CONDITIONS

This section describes the analysis results of the study intersection operations under cumulative traffic conditions, which includes the project trips.

7.1 Cumulative Projects Trip Generation

The project traffic was added to the cumulative volumes and analyzed. **Figure 12** indicates the Cumulative plus Project traffic volumes for the AM peak hour at the study intersections.

7.2 Cumulative With Project Analysis

7.2.1 Cumulative With Project Conditions Intersection Operations

Project trips were added to the cumulative traffic volumes and analyzed at the study intersections. All of the study intersections would operate at acceptable levels of service with the exception of the following:

- Highway 29 SB Ramps / Lakeport Boulevard
- Highway 29 NB Ramps / Lakeport Boulevard
- Bevins Street / Lakeport Boulevard (worst approach)
- Main Street / Lakeport Boulevard

Intersection levels of service under Cumulative with Project conditions are summarized in **Table 9**.

Table 9: Cumulative + Project Intersection Operations AM Peak Hour

Intersection	Intersection Control	Cumulative		Cumulative + Project	
		Delay	LOS	Delay	LOS
1. Parallel Drive / Lakeport Boulevard	Roundabout	19.4	B	19.4	B
2. Highway 29 SB Ramps / Lakeport Boulevard	Stop Control (SB)	251.6	F	275.4	F
	Worst approach	620.7	F	671.7	F
3. Highway 29 NB Ramps / Lakeport Boulevard	Stop Control (NB)	146.8	F	165.7	F
	Worst approach	461.9	F	509.7	F
4. Bevins Street / Lakeport Boulevard	Stop Control (NB & SB)	5.9	A	6.4	A
	Worst approach	72.6	F	80.0	F
5. Larrecou Lane / Lakeport Boulevard	Stop Control (SB)	0.4	A	0.5	A
	Worst approach	13.3	B	16.2	C
6. Main Street / Lakeport Boulevard	Stop Control (All-Way)	42.4	E	42.6	E
	Worst approach	60.9	F	61.6	F

Source: RBF Consulting 2010.
Notes: 1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound

The **Highway 29 SB Ramps / Lakeport Boulevard** intersection would continue to operate at and unacceptable level of service of F during the AM peak hour with the southbound off ramp approach also operating at LOS F.

The **Highway 29 NB Ramps / Lakeport Boulevard** intersection is forecast to continue to operate at an overall LOS F during the AM peak hour. The northbound off ramp approach is also forecast to operate at LOS F during the AM peak hour.

The **Bevins Street / Lakeport Boulevard** intersection is forecast to continue to operate at an overall LOS A during the AM peak hour but the southbound approach is forecast to continue to operate at LOS F.

The **Main Street / Lakeport Boulevard** intersection is forecast to continue to operate at an overall LOS E and worst approach of LOS F during the AM peak hour. It should be noted that this intersection was studied in the City of Lakeport General Plan 2025 and was forecast to operate at an overall LOS F during the PM peak hour.

The Synchro and Sidra output calculations are provided in **Appendix F** and Cumulative plus Project peak hour volumes are provided in **Figure 11**.


7.2.2 Intersection Mitigations

With the improvements identified under the Cumulative Intersection Mitigations, all intersection would operate at acceptable levels of service.

The improvements listed in the Cumulative Intersection Mitigations are identified in the City of Lakeport General Plan 2025 and the intersections are recommended for improvement under the City's Long Range Improvement Program. The project would pay a fair share contribution towards improving these intersections.

Each of the intersections meets the California MUTCD signal warrant for peak hour traffic volumes. The calculation sheets are included in **Appendix H**.

The LOS calculation sheets for mitigated intersection conditions are included in **Appendix G**.



Source: RBF Consulting (2010)



05/10/10 JN 60-100671

LAKE COUNTY COURTHOUSE TIA

Cumulative + Project Peak Hour Volumes

Figure 12

8 MULTIMODAL ACCESS

Currently, there are no bus stops at the project site. Bus stops should be constructed immediately east and west of the Larrecou Lane / Lakeport Boulevard intersection per Lake Transit standards. The addition of the bus stops will provide direct access from the local bus system and indirect access from the regional bus system to and from the proposed project. It is also recommended that high visibility crosswalks be installed to provide safe access for pedestrians to and from the bus stops. In addition, pedestrian access should be provided throughout the proposed project with links to the existing pedestrian pathways and sidewalks. Also, bicycle storage facilities should be provided on site for cyclists.

APPENDIX A

Level of Service Descriptions and LOS Table

LEVEL OF SERVICE (LOS) DESCRIPTION UNSIGNALIZED INTERSECTIONS WITH ALL-WAY STOP CONTROL (AWSC)

AWSC intersections require every vehicle to stop at the intersection before proceeding. Since each driver must stop, the judgement as to whether to proceed into the intersection is a function of traffic conditions on the other approaches. While giving priority to the driver on the right is a recognized rule in some areas, it is not a good descriptor of actual intersection operations. What happens is the development of a consensus of right-of-way that alternates between the drivers on the intersection approaches, a consensus that depends primarily on the intersection geometry and the arrival patterns at the stop line.

If no traffic is present on the other approaches, a driver can proceed immediately after the stop is made. If there is traffic on one or more of the other approaches, a driver proceeds only after determining that there are no vehicles currently in the intersection and that it is the driver's turn to proceed. Since no traffic signal controls the stream movement or allocates the right-of-way to each conflicting stream, the rate of departure is controlled by the interaction between the traffic streams themselves.

For AWSC intersections, the average control delay (in seconds per vehicle) is used as the primary measure of performance. Control delay is the increased time of travel for a vehicle approaching and passing through an AWSC intersection, compared with a free-flow vehicle if it were not required to slow down or stop at the intersection.

The criteria for AWSC intersections have different threshold values than do those for signalized intersections, primarily because drivers expect different levels of performance from different kinds of traffic control devices (i.e traffic signals, two way stop or all way stop, etc.). The expectation is that a signalized intersection is designed to carry higher traffic volumes than an AWSC intersection and a higher level of control delay is acceptable at a signalized intersection for the same LOS.

For AWSC analysis using the HCM 2000 method, the LOS shown reflects the weighted average of the delay on each of the approaches.

LEVEL OF SERVICE (LOS) CRITERIA FOR AWSC INTERSECTIONS (Reference Highway Capacity Manual 2000)

Level of Service	Control Delay (seconds / vehicle)
A	0 - 10
B	>10 - 15
C	>15 - 25
D	>25 - 35
E	>35 - 50
F	>50

**LEVEL OF SERVICE (LOS) DESCRIPTION
UNIGNALIZED INTERSECTIONS WITH TWO-WAY STOP CONTROL (TWSC)**

TWSC intersections are widely used and stop signs are used to control vehicle movements at such intersections. At TWSC intersections, the stop-controlled approaches are referred to as the minor street approaches; they can be either public streets or private driveways. The intersection approaches that are not controlled by stop signs are referred to as the major street approaches. A three-leg intersection is considered to be a standard type of TWSC intersection if the single minor street approach (i.e. the stem of the T configuration) is controlled by a stop sign. Three-leg intersections where two of the three approaches are controlled by stop signs are a special form of unsignalized intersection control.

At TWSC intersections, drivers on the controlled approaches are required to select gaps in the major street flow through which to execute crossing or turning maneuvers on the basis of judgement. In the presence of a queue, each driver on the controlled approach must use some time to move into the front-of-queue position and prepare to evaluate gaps in the major street flow. Capacity analysis at TWSC intersections depends on a clear description and understanding of the interaction of drivers on the minor or stop-controlled approach with drivers on the major street. Both gap acceptance and empirical models have been developed to describe this interaction.

Thus, the capacity of the controlled legs is based on three factors:

- / the distribution of gaps in the major street traffic stream,;
- / driver judgement in selecting gaps through which to execute the desired maneuvers; and
- / the follow-up time required by each driver in a queue.

The delay experienced by a motorist is made up of a number of factors that relate to control, geometrics, traffic and incidents. Total delay is the difference between the travel time actually experienced and the reference travel time that would result during base conditions, in the absence of incident, control, traffic or geometric delay. Average control delay for any particular minor movement is a function of the capacity of the approach and the degree of saturation and referred to as level of service.

LEVEL OF SERVICE (LOS) CRITERIA FOR TWSC INTERSECTIONS
(Reference Highway Capacity Manual 2000)

Level of Service	Control Delay (seconds / vehicle)
A	0 - 10
B	>10 - 15
C	>15 - 25
D	>25 - 35
E	>35 - 50
F	>50

LEVEL OF SERVICE (LOS) DESCRIPTION SIGNALIZED INTERSECTIONS

The capacity of an urban street is related primarily to the signal timing and the geometric characteristics of the facility as well as to the composition of traffic on the facility. Geometrics are a fixed characteristic of a facility. Thus, while traffic composition may vary somewhat over time, the capacity of a facility is generally a stable value that can be significantly improved only by initiating geometric improvements. A traffic signal essentially allocates time among conflicting traffic movements that seek to use the same space. The way in which time is allocated significantly affects the operation and the capacity of the intersection and its approaches.

The methodology for signalized intersection is designed to consider individual intersection approaches and individual lane groups within approaches. A lane group consists of one or more lanes on an intersection approach. The outputs from application of the method described in the HCM 2000 are reported on the basis of each lane. For a given lane group at a signalized intersection, three indications are displayed: green, yellow and red. The red indication may include a short period during which all indications are red, referred to as an all-red interval and the yellow indication forms the change and clearance interval between two green phases.

The methodology for analyzing the capacity and level of service must consider a wide variety of prevailing conditions, including the amount and distribution of traffic movements, traffic composition, geometric characteristics, and details of intersection signalization. The methodology addresses the capacity, LOS, and other performance measures for lane groups and the intersection approaches and the LOS for the intersection as a whole.

Capacity is evaluated in terms of the ratio of demand flow rate to capacity (v/c ratio), whereas LOS is evaluated on the basis of control delay per vehicle (in seconds per vehicle). The methodology does not take into account the potential impact of downstream congestion on intersection operation, nor does the methodology detect and adjust for the impacts of turn-pocket overflows on through traffic and intersection operation.

LEVEL OF SERVICE (LOS) CRITERIA FOR SIGNALIZED INTERSECTIONS (Reference Highway Capacity Manual 2000)

Level of Service	Control Delay (seconds / vehicle)
A	<10
B	>10 - 20
C	>20 - 35
D	>35 - 55
E	>55 - 80
F	>80

Intersection Level of Service Summary

N-S Street	E-W Street	Existing Intersection Control	LOS Threshold	Existing Condition			Existing + Background			Existing + Background + Project			Cumulative			Cumulative + Project		
				PM Peak Hour V/C Ratio	Delay (sec)	LOS	PM Peak Hour V/C Ratio	Delay (sec)	LOS	PM Peak Hour V/C Ratio	Delay (sec)	LOS	PM Peak Hour V/C Ratio	Delay (sec)	LOS	PM Peak Hour V/C Ratio	Delay (sec)	LOS
1	Parallel Drive	Lakeport Boulevard	Roundabout	8.6	A	A	8.7	A	A	8.7	A	A	19.4	B	B	19.4	B	B
2	SR 29 SB Ramps	Lakeport Boulevard	Stop Sign (1-way) Worst Approach Mitigation Signalize Intersection	5.3 11.8	A B	A B	5.5 12.4	A B	A B	6.0 13.3	A B	A B	251.6 620.7	F F	F F	275.4 671.7	F F	F F
3	SR 29 NB Ramps	Lakeport Boulevard	Stop Sign (1-way) Worst Approach Mitigation Signalize Intersection	5.0 12.7	A B	A B	5.0 13.1	A B	A B	5.4 14.0	A B	A B	146.8 461.9	F F	F F	165.7 509.7	F F	F F
4	Bevins Street	Lakeport Boulevard	Stop Sign (2-way) Worst Approach Mitigation Signalize Intersection	3.3 11.1	A B	A B	3.5 16.4	A C	A C	3.4 17.1	A C	A C	5.9 72.6	A F	A F	6.4 80.0	A F	A F
5	Larrecou Lane	Lakeport Boulevard	Stop Sign (1-way)	0.3 10.2	A B	A B	0.3 10.5	A B	A B	0.4 12.0	A B	A B	0.4 13.3	A B	A B	0.5 16.2	A C	A C
6	Main Street	Lakeport Boulevard	Stop Sign (4-way) Worst Approach Mitigation Signalize Intersection	10.4 11.1	B B	B B	11.2 11.8	B B	B B	11.2 11.8	B B	B B	42.4 60.9	E F	E F	42.6 223.2	E F	E F
													0.68 20.0	C C	C C	0.68 20.1	C C	C C

- NOTES:
1. NB, SB, EB, WB = Northbound, Southbound, Eastbound, Westbound
 2. Analysis performed using HCM 2000 methodologies.
 3. Overall level of service standard for the City of Lakeport is LOS C. Overall level of service standard for Caltrans is the LOS C/D threshold.
 4. Intersection improvements are highlighted.
 5. The overall delay for some intersections actually decreases with the addition of background and project trips. The reduction in delay occurs because the "intersection delay" is the weighted average of all approaches. When traffic volumes increase for an approach that has a free movement (zero delay) or very low delay, the "intersection delay" decreases.
 6. The asterisk (*) indicates that the delay was beyond the capabilities of Synchro.

APPENDIX B

Intersection Level of Service Calculations
Existing Conditions

LANE SUMMARY

Site: Lakeport/Parallel - Ex AM

Existing
Roundabout

Lane Use and Performance																
	Demand Flows			Total	HV	Cap.	Deg.	Lane	Average	Level of	95% Back of Queue	of Queue	Lane	SL	Cap.	Prob.
	L	T	R													
	veh/h	veh/h	veh/h	veh/h	%	veh/h	v/c	%	sec			veh	ft	ft	%	%
South: Parallel Drive																
Lane 1	7	33	44	84	2.0	953	0.088	100	7.9	LOS A	0.5	13.6	1600	-	0.0	0.0
Approach	7	33	44	84	2.0		0.088		7.9	LOS A	0.5	13.6				
East: Lakeport Boulevard																
Lane 1	58	44	192	293	2.0	1167	0.251	100	7.5	LOS A	1.6	39.8	1600	-	0.0	0.0
Approach	58	44	192	293	2.0		0.251		7.5	LOS A	1.6	39.8				
North: Parallel Drive																
Lane 1	110	18	5	133	2.0	963	0.138	100	11.7	LOS B	0.7	18.6	1600	-	0.0	0.0
Approach	110	18	5	133	2.0		0.138		11.7	LOS B	0.7	18.6				
West: Lakeport Boulevard																
Lane 1	7	47	3	56	2.0	893	0.063	100	7.4	LOS A	0.3	8.0	1600	-	0.0	0.0
Approach	7	47	3	56	2.0		0.063		7.4	LOS A	0.3	8.0				
Intersection				566	2.0		0.251		8.6	LOS A	1.6	39.8				

Level of Service (Aver. Int. Delay): LOS A. Based on average delay for all lanes. LOS Method: Delay (HCM).

Level of Service (Worst Lane): LOS B. LOS Method for individual lanes: Delay (HCM).

Approach LOS values are based on the worst delay for any lane.

Roundabout LOS Method: Same as Signalised Intersections.

Roundabout Capacity Model: SIDRA Standard.

Processed: Wednesday, June 02, 2010 6:29:46 PM

SIDRA INTERSECTION 4.0.18.1102

Project: H:\PDATA\60100671\Traffic\Calcs\Sidra\0671-Ex-AM.sip

8000182, RBF CONSULTING, SINGLE

Copyright ©2000-2010 Akcelik & Associates Pty Ltd


www.sidrasolutions.com



HCM Unsignalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/2/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		↑	↗	↖	↑						↑	↗	
Volume (veh/h)	0	170	38	89	171	0	0	0	0	139	0	134	
Sign Control		Free			Free			Stop			Stop		
Grade		0%			0%			0%			0%		
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	
Hourly flow rate (vph)	0	195	44	102	197	0	0	0	0	160	0	154	
Pedestrians													
Lane Width (ft)													
Walking Speed (ft/s)													
Percent Blockage													
Right turn flare (veh)												1	
Median type	None				TWLTL								
Median storage (veh)												2	
Upstream signal (ft)													
pX, platoon unblocked													
vC, conflicting volume	197			239				674	597	195	597	640	197
vC1, stage 1 conf vol							195	195			401	401	
vC2, stage 2 conf vol							478	401			195	239	
vCu, unblocked vol	197			239				674	597	195	597	640	197
tC, single (s)	4.1			4.1				7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5			6.1	5.5	
tF (s)	2.2			2.2				3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	100			92				100	100	100	70	100	82
cM capacity (veh/h)	1376			1328				411	519	846	530	493	845

Direction, Lane #	EB 1	EB 2	WB 1	WB 2	SB 1
Volume Total	195	44	102	197	314
Volume Left	0	0	102	0	160
Volume Right	0	44	0	0	154
cSH	1700	1700	1328	1700	845
Volume to Capacity	0.11	0.03	0.08	0.12	0.37
Queue Length 95th (ft)	0	0	6	0	43
Control Delay (s)	0.0	0.0	7.9	0.0	11.8
Lane LOS			A	B	
Approach Delay (s)	0.0	2.7		11.8	
Approach LOS					B

Intersection Summary				
Average Delay			5.3	
Intersection Capacity Utilization	35.8%		ICU Level of Service	A
Analysis Period (min)	15			

HCM Unsignalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/2/2010























Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	60	249	0	0	195	98	65	1	259	0	0	0
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	67	277	0	0	217	109	72	1	288	0	0	0
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			
Median type		TWLTL			None							
Median storage (veh)		2										
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	326			277			681	736	277	682	681	271
vC1, stage 1 conf vol							410	410		271	271	
vC2, stage 2 conf vol							271	326		411	410	
vCu, unblocked vol	326			277			681	736	277	682	681	271
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	95			100			86	100	62	100	100	100
cM capacity (veh/h)	1234			1286			516	479	762	346	509	768
Direction, Lane #	EB 1	EB 2	WB 1	NB 1								
Volume Total	67	277	326	361								
Volume Left	67	0	0	72								
Volume Right	0	0	109	288								
cSH	1234	1700	1700	956								
Volume to Capacity	0.05	0.16	0.19	0.38								
Queue Length 95th (ft)	4	0	0	44								
Control Delay (s)	8.1	0.0	0.0	12.7								
Lane LOS	A			B								
Approach Delay (s)	1.6		0.0	12.7								
Approach LOS				B								
Intersection Summary												
Average Delay			5.0									
Intersection Capacity Utilization			35.8%		ICU Level of Service				A			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins


6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	138	357	13	3	176	26	8	4	1	21	2	109
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Hourly flow rate (vph)	152	392	14	3	193	29	9	4	1	23	2	120
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	222			407			964	931	399	913	924	208
vC1, stage 1 conf vol							703	703		214	214	
vC2, stage 2 conf vol							261	229		698	710	
vCu, unblocked vol	222			407			964	931	399	913	924	208
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	89			100			97	99	100	94	99	86
cM capacity (veh/h)	1347			1152			331	361	650	358	366	833
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1						
Volume Total	152	407	3	222	14	145						
Volume Left	152	0	3	0	9	23						
Volume Right	0	14	0	29	1	120						
cSH	1347	1700	1152	1700	369	1008						
Volume to Capacity	0.11	0.24	0.00	0.13	0.04	0.14						
Queue Length 95th (ft)	9	0	0	0	3	13						
Control Delay (s)	8.0	0.0	8.1	0.0	15.6	11.1						
Lane LOS	A		A		C	B						
Approach Delay (s)	2.2		0.1		15.6	11.1						
Approach LOS					C	B						
Intersection Summary												
Average Delay			3.3									
Intersection Capacity Utilization			40.8%	ICU Level of Service	A							
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

5: Lakeport Blvd & Larrecou Ln

6/2/2010






















Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Volume (veh/h)	10	369	200	2	4	5
Sign Control		Free	Free		Stop	
Grade		0%	0%		0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	11	410	222	2	4	6
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type		TWLTL	TWLTL			
Median storage veh		2	2			
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	224				656	223
vC1, stage 1 conf vol					223	
vC2, stage 2 conf vol					432	
vCu, unblocked vol	224				656	223
tC, single (s)	4.1				6.4	6.2
tC, 2 stage (s)					5.4	
tF (s)	2.2				3.5	3.3
p0 queue free %	99				99	99
cM capacity (veh/h)	1344				596	816

Direction, Lane #	EB 1	EB 2	WB 1	SB 1
Volume Total	11	410	224	10
Volume Left	11	0	0	4
Volume Right	0	0	2	6
cSH	1344	1700	1700	701
Volume to Capacity	0.01	0.24	0.13	0.01
Queue Length 95th (ft)	1	0	0	1
Control Delay (s)	7.7	0.0	0.0	10.2
Lane LOS	A			B
Approach Delay (s)	0.2		0.0	10.2
Approach LOS				B

Intersection Summary			
Average Delay		0.3	
Intersection Capacity Utilization		29.4%	ICU Level of Service A
Analysis Period (min)		15	

HCM Unsignalized Intersection Capacity Analysis
 6: Lakeport Blvd & South Main

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Sign Control	Stop				Stop			Stop			Stop	
Volume (vph)	185	9	80	0	1	0	56	160	8	14	191	130
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	208	10	90	0	1	0	63	180	9	16	215	146
Direction, Lane #	EB 1	EB 2	WB 1	NB 1	NB 2	SB 1	SB 2					
Volume Total (vph)	208	100	1	63	189	230	146					
Volume Left (vph)	208	0	0	63	0	16	0					
Volume Right (vph)	0	90	0	0	9	0	146					
Hadj (s)	0.53	-0.60	0.03	0.53	0.00	0.07	-0.67					
Departure Headway (s)	6.6	5.5	6.6	6.5	5.9	5.9	5.1					
Degree Utilization, x	0.38	0.15	0.00	0.11	0.31	0.37	0.21					
Capacity (veh/h)	518	616	489	532	582	591	672					
Control Delay (s)	12.4	8.3	9.6	9.1	10.4	11.1	8.3					
Approach Delay (s)	11.1		9.6	10.0		10.0						
Approach LOS	B		A	B		B						
Intersection Summary												
Delay			10.4									
HCM Level of Service			B									
Intersection Capacity Utilization			46.6%	ICU Level of Service	A							
Analysis Period (min)			15									

APPENDIX C

Intersection Level of Service Calculations
Existing + Background Conditions

LANE SUMMARY

Site: Lakeport/Parallel - Ex + Back
AM

Existing
Roundabout

Lane Use and Performance																
	Demand Flows			Total veh/h	HV %	Cap. veh/h	Deg. Satn v/c	Lane Util. %	Average Delay sec	Level of Service	95% Back of Queue Vehicles veh	Distance ft	Lane Length ft	SL Type	Cap. Adj. %	Prob. Block. %
	L veh/h	T veh/h	R veh/h													
South: Parallel Drive																
Lane 1	7	33	45	85	2.0	935	0.091	100	8.1	LOS A	0.6	14.2	1600	-	0.0	0.0
Approach	7	33	45	85	2.0		0.091		8.1	LOS A	0.6	14.2				
East: Lakeport Boulevard																
Lane 1	62	44	211	316	2.0	1174	0.269	100	7.5	LOS A	1.7	43.7	1600	-	0.0	0.0
Approach	62	44	211	316	2.0		0.269		7.5	LOS A	1.7	43.7				
North: Parallel Drive																
Lane 1	127	18	5	151	2.0	964	0.156	100	11.9	LOS B	0.8	21.4	1600	-	0.0	0.0
Approach	127	18	5	151	2.0		0.156		11.9	LOS B	0.8	21.4				
West: Lakeport Boulevard																
Lane 1	7	47	3	56	2.0	876	0.064	100	7.5	LOS A	0.3	8.2	1600	-	0.0	0.0
Approach	7	47	3	56	2.0		0.064		7.5	LOS A	0.3	8.2				
Intersection				608	2.0		0.269		8.7	LOS A	1.7	43.7				

Level of Service (Aver. Int. Delay): LOS A. Based on average delay for all lanes. LOS Method: Delay (HCM).

Level of Service (Worst Lane): LOS B. LOS Method for individual lanes: Delay (HCM).

Approach LOS values are based on the worst delay for any lane.


Roundabout LOS Method: Same as Signalised Intersections.

Roundabout Capacity Model: SIDRA Standard.

HCM Unsignalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/2/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↑	↗	↘	↑						↑	↗
Volume (veh/h)	0	183	39	93	180	0	0	0	0	147	0	142
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	0	210	45	107	207	0	0	0	0	169	0	163
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	207			255			713	631	210	631	676	207
vC1, stage 1 conf vol							210	210		421	421	
vC2, stage 2 conf vol							502	421		210	255	
vCu, unblocked vol	207			255			713	631	210	631	676	207
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	100			92			100	100	100	67	100	80
cM capacity (veh/h)	1364			1310			390	505	830	512	478	834


Direction, Lane #	EB 1	EB 2	WB 1	WB 2	SB 1
Volume Total	210	45	107	207	332
Volume Left	0	0	107	0	169
Volume Right	0	45	0	0	163
cSH	1700	1700	1310	1700	820
Volume to Capacity	0.12	0.03	0.08	0.12	0.41
Queue Length 95th (ft)	0	0	7	0	49
Control Delay (s)	0.0	0.0	8.0	0.0	12.4
Lane LOS			A		B
Approach Delay (s)	0.0		2.7		12.4
Approach LOS					B

Intersection Summary				
Average Delay			5.5	
Intersection Capacity Utilization		37.0%		ICU Level of Service A
Analysis Period (min)		15		

HCM Unsignalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/2/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	63	267	0	0	208	104	65	1	263	0	0	0
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	70	297	0	0	231	116	72	1	292	0	0	0
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			
Median type		TWLTL			None							
Median storage (veh)		2										
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	347			297			726	783	297	726	726	289
vC1, stage 1 conf vol							437	437		289	289	
vC2, stage 2 conf vol							289	347		437	437	
vCu, unblocked vol	347			297			726	783	297	726	726	289
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	94			100			85	100	61	100	100	100
cM capacity (veh/h)	1212			1265			495	461	743	325	492	750





















Direction, Lane #	EB 1	EB 2	WB 1	NB 1
Volume Total	70	297	347	366
Volume Left	70	0	0	72
Volume Right	0	0	116	292
cSH	1212	1700	1700	929
Volume to Capacity	0.06	0.17	0.20	0.39
Queue Length 95th (ft)	5	0	0	47
Control Delay (s)	8.2	0.0	0.0	13.1
Lane LOS	A			B
Approach Delay (s)	1.6		0.0	13.1
Approach LOS				B

Intersection Summary			
Average Delay		5.0	
Intersection Capacity Utilization		37.0%	ICU Level of Service
Analysis Period (min)		15	A

HCM Unsignalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins


6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	153	364	13	3	184	37	8	4	1	30	2	120
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Hourly flow rate (vph)	168	400	14	3	202	41	9	4	1	33	2	132
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	243			414			1019	993	407	968	980	223
vC1, stage 1 conf vol							743	743		229	229	
vC2, stage 2 conf vol							276	249		739	751	
vCu, unblocked vol	243			414			1019	993	407	968	980	223
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	87			100			97	99	100	90	99	84
cM capacity (veh/h)	1323			1145			305	339	644	334	345	817
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1						
Volume Total	168	414	3	243	14	167						
Volume Left	168	0	3	0	9	33						
Volume Right	0	14	0	41	1	132						
cSH	1323	1700	1145	1700	343	1035						
Volume to Capacity	0.13	0.24	0.00	0.14	0.04	0.16						
Queue Length 95th (ft)	11	0	0	0	3	14						
Control Delay (s)	8.1	0.0	8.2	0.0	16.4	11.7						
Lane LOS	A		A		C	B						
Approach Delay (s)	2.3		0.1		16.4	11.7						
Approach LOS					C	B						
Intersection Summary												
Average Delay			3.5									
Intersection Capacity Utilization			41.7%		ICU Level of Service				A			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

5: Lakeport Blvd & Larrecou Ln

6/2/2010






















Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Volume (veh/h)	10	385	220	3	5	5
Sign Control		Free	Free		Stop	
Grade		0%	0%		0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	11	428	244	3	6	6
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type		TWLTL	TWLTL			
Median storage veh		2	2			
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	248				696	246
vC1, stage 1 conf vol					246	
vC2, stage 2 conf vol					450	
vCu, unblocked vol	248				696	246
tC, single (s)	4.1				6.4	6.2
tC, 2 stage (s)					5.4	
tF (s)	2.2				3.5	3.3
p0 queue free %	99				99	99
cM capacity (veh/h)	1318				580	793

Direction, Lane #	EB 1	EB 2	WB 1	SB 1
Volume Total	11	428	248	11
Volume Left	11	0	0	6
Volume Right	0	0	3	6
cSH	1318	1700	1700	670
Volume to Capacity	0.01	0.25	0.15	0.02
Queue Length 95th (ft)	1	0	0	1
Control Delay (s)	7.8	0.0	0.0	10.5
Lane LOS	A			B
Approach Delay (s)	0.2		0.0	10.5
Approach LOS				B

Intersection Summary			
Average Delay		0.3	
Intersection Capacity Utilization		30.3%	ICU Level of Service A
Analysis Period (min)		15	

HCM Unsignalized Intersection Capacity Analysis
 6: Lakeport Blvd & South Main

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Sign Control	Stop				Stop			Stop			Stop	
Volume (vph)	194	9	89	0	1	0	68	188	8	14	212	147
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	218	10	100	0	1	0	76	211	9	16	238	165
Direction, Lane #	EB 1	EB 2	WB 1	NB 1	NB 2	SB 1	SB 2					
Volume Total (vph)	218	110	1	76	220	254	165					
Volume Left (vph)	218	0	0	76	0	16	0					
Volume Right (vph)	0	100	0	0	9	0	165					
Hadj (s)	0.53	-0.60	0.03	0.53	0.01	0.06	-0.67					
Departure Headway (s)	6.8	5.7	6.9	6.6	6.1	6.0	5.3					
Degree Utilization, x	0.41	0.17	0.00	0.14	0.37	0.42	0.24					
Capacity (veh/h)	502	593	463	519	568	577	652					
Control Delay (s)	13.3	8.7	9.9	9.5	11.4	12.2	8.8					
Approach Delay (s)	11.8		9.9	10.9		10.8						
Approach LOS	B		A	B		B						
Intersection Summary												
Delay			11.2									
HCM Level of Service			B									
Intersection Capacity Utilization			49.7%	ICU Level of Service								A
Analysis Period (min)			15									

APPENDIX D

Intersection Level of Service Calculations
Existing + Background + Project Conditions

LANE SUMMARY

Site: Lakeport/Parallel - Ex + Back
+ Proj AM

Existing
Roundabout

Lane Use and Performance																
	Demand Flows			Total veh/h	HV %	Cap. veh/h	Deg. Satn v/c	Lane Util. %	Average Delay sec	Level of Service	95% Back of Queue Vehicles veh	Distance ft	Lane Length ft	SL Type	Cap. Adj. %	Prob. Block. %
	L veh/h	T veh/h	R veh/h													
South: Parallel Drive																
Lane 1	7	33	45	85	2.0	934	0.091	100	8.1	LOS A	0.6	14.2	1600	-	0.0	0.0
Approach	7	33	45	85	2.0		0.091		8.1	LOS A	0.6	14.2				
East: Lakeport Boulevard																
Lane 1	62	44	211	316	2.0	1174	0.269	100	7.5	LOS A	1.7	43.7	1600	-	0.0	0.0
Approach	62	44	211	316	2.0		0.269		7.5	LOS A	1.7	43.7				
North: Parallel Drive																
Lane 1	129	18	5	152	2.0	965	0.158	100	11.9	LOS B	0.9	21.7	1600	-	0.0	0.0
Approach	129	18	5	152	2.0		0.158		11.9	LOS B	0.9	21.7				
West: Lakeport Boulevard																
Lane 1	7	47	3	56	2.0	875	0.064	100	7.5	LOS A	0.3	8.2	1600	-	0.0	0.0
Approach	7	47	3	56	2.0		0.064		7.5	LOS A	0.3	8.2				
Intersection				610	2.0		0.269		8.7	LOS A	1.7	43.7				

Level of Service (Aver. Int. Delay): LOS A. Based on average delay for all lanes. LOS Method: Delay (HCM).

Level of Service (Worst Lane): LOS B. LOS Method for individual lanes: Delay (HCM).

Approach LOS values are based on the worst delay for any lane.



















Roundabout LOS Method: Same as Signalised Intersections.

Roundabout Capacity Model: SIDRA Standard.

HCM Unsignalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	0	184	39	97	180	0	0	0	0	164	0	142
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	0	211	45	111	207	0	0	0	0	189	0	163
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	207			256			723	641	211	641	686	207
vC1, stage 1 conf vol							211	211		430	430	
vC2, stage 2 conf vol							511	430		211	256	
vCu, unblocked vol	207			256			723	641	211	641	686	207
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	100			91			100	100	100	63	100	80
cM capacity (veh/h)	1364			1309			384	499	829	505	471	834
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	SB 1							
Volume Total	211	45	111	207	352							
Volume Left	0	0	111	0	189							
Volume Right	0	45	0	0	163							
cSH	1700	1700	1309	1700	780							
Volume to Capacity	0.12	0.03	0.09	0.12	0.45							
Queue Length 95th (ft)	0	0	7	0	59							
Control Delay (s)	0.0	0.0	8.0	0.0	13.3							
Lane LOS			A		B							
Approach Delay (s)	0.0		2.8		13.3							
Approach LOS					B							
Intersection Summary												
Average Delay			6.0									
Intersection Capacity Utilization			39.9%		ICU Level of Service				A			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/2/2010























Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	63	285	0	0	212	105	65	1	295	0	0	0
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	70	317	0	0	236	117	72	1	328	0	0	0
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			
Median type		TWLTL			None							
Median storage (veh)		2										
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	352			317			751	809	317	751	751	294
vC1, stage 1 conf vol							457	457		294	294	
vC2, stage 2 conf vol							294	352		457	457	
vCu, unblocked vol	352			317			751	809	317	751	751	294
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	94			100			85	100	55	100	100	100
cM capacity (veh/h)	1207			1243			484	452	724	287	482	745
Direction, Lane #	EB 1	EB 2	WB 1	NB 1								
Volume Total	70	317	352	401								
Volume Left	70	0	0	72								
Volume Right	0	0	117	328								
cSH	1207	1700	1700	886								
Volume to Capacity	0.06	0.19	0.21	0.45								
Queue Length 95th (ft)	5	0	0	60								
Control Delay (s)	8.2	0.0	0.0	14.0								
Lane LOS	A			B								
Approach Delay (s)	1.5		0.0	14.0								
Approach LOS				B								
Intersection Summary												
Average Delay			5.4									
Intersection Capacity Utilization			39.9%		ICU Level of Service				A			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	153	414	13	3	189	37	8	4	1	32	2	120
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Hourly flow rate (vph)	168	455	14	3	208	41	9	4	1	35	2	132
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	248			469			1080	1053	462	1029	1040	228
vC1, stage 1 conf vol							798	798		235	235	
vC2, stage 2 conf vol							281	255		794	805	
vCu, unblocked vol	248			469			1080	1053	462	1029	1040	228
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	87			100			97	99	100	89	99	84
cM capacity (veh/h)	1317			1092			287	321	600	311	325	811
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1						
Volume Total	168	469	3	248	14	169						
Volume Left	168	0	3	0	9	35						
Volume Right	0	14	0	41	1	132						
cSH	1317	1700	1092	1700	323	1041						
Volume to Capacity	0.13	0.28	0.00	0.15	0.04	0.16						
Queue Length 95th (ft)	11	0	0	0	3	14						
Control Delay (s)	8.1	0.0	8.3	0.0	17.1	12.0						
Lane LOS	A		A		C	B						
Approach Delay (s)	2.1		0.1		17.1	12.0						
Approach LOS					C	B						
Intersection Summary												
Average Delay			3.4									
Intersection Capacity Utilization			44.5%		ICU Level of Service				A			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

5: Lakeport Blvd & Larrecou Ln

6/2/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	10	385	52	3	220	3	5	0	1	5	0	5
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.92	0.92	0.90	0.90	0.92	0.92	0.92	0.90	0.92	0.90
Hourly flow rate (vph)	11	428	57	3	244	3	5	0	1	6	0	6
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												
Median type		TWLTL			TWLTL							
Median storage veh		2			2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	248			484			736	733	456	704	759	246
vC1, stage 1 conf vol							478	478		253	253	
vC2, stage 2 conf vol							258	254		451	507	
vCu, unblocked vol	248			484			736	733	456	704	759	246
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	99			100			99	100	100	99	100	99
cM capacity (veh/h)	1318			1078			509	500	604	526	487	793




















Direction, Lane #	EB 1	EB 2	WB 1	NB 1	SB 1
Volume Total	11	484	251	7	11
Volume Left	11	0	3	5	6
Volume Right	0	57	3	1	6
cSH	1318	1700	1078	523	632
Volume to Capacity	0.01	0.28	0.00	0.01	0.02
Queue Length 95th (ft)	1	0	0	1	1
Control Delay (s)	7.8	0.0	0.1	12.0	10.8
Lane LOS	A		A	B	B
Approach Delay (s)	0.2		0.1	12.0	10.8
Approach LOS				B	B

Intersection Summary

Average Delay	0.4
Intersection Capacity Utilization	33.4%
ICU Level of Service	A
Analysis Period (min)	15

HCM Unsignalized Intersection Capacity Analysis
 6: Lakeport Blvd & South Main

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Sign Control	Stop				Stop			Stop			Stop	
Volume (vph)	195	9	89	0	1	0	69	188	8	14	212	149
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	219	10	100	0	1	0	78	211	9	16	238	167
Direction, Lane #	EB 1	EB 2	WB 1	NB 1	NB 2	SB 1	SB 2					
Volume Total (vph)	219	110	1	78	220	254	167					
Volume Left (vph)	219	0	0	78	0	16	0					
Volume Right (vph)	0	100	0	0	9	0	167					
Hadj (s)	0.53	-0.60	0.03	0.53	0.01	0.06	-0.67					
Departure Headway (s)	6.8	5.7	6.9	6.6	6.1	6.0	5.3					
Degree Utilization, x	0.42	0.17	0.00	0.14	0.37	0.43	0.25					
Capacity (veh/h)	501	593	462	519	567	576	651					
Control Delay (s)	13.4	8.7	9.9	9.5	11.5	12.2	8.8					
Approach Delay (s)	11.8		9.9	11.0		10.9						
Approach LOS	B		A	B		B						
Intersection Summary												
Delay			11.2									
HCM Level of Service			B									
Intersection Capacity Utilization			49.8%	ICU Level of Service								A
Analysis Period (min)			15									

APPENDIX E

Intersection Level of Service Calculations
Cumulative Conditions

MOVEMENT SUMMARY

Site: Lakeport/Parallel - Cu AM

Existing
Roundabout

Movement Performance - Vehicles											
Mov ID	Turn	Demand Flow veh/h	HV %	Deg. Satn v/c	Average Delay sec	Level of Service	95% Back of Queue Vehicles veh	Distance ft	Prop. Queued	Effective Stop Rate per veh	Average Speed mph
South		Parallel Drive									
3L	L	67	2.0	0.599	14.2	LOS B	6.3	160.0	0.67	0.76	29.2
8T	T	240	2.0	0.601	7.6	LOS A	6.3	160.0	0.67	0.62	30.7
8R	R	279	2.0	0.601	9.2	LOS A	6.3	160.0	0.67	0.64	30.7
Approach		586	2.0	0.601	9.1	LOS B	6.3	160.0	0.67	0.65	30.5
East		Lakeport Boulevard									
1L	L	534	2.0	0.952	31.3	LOS C	25.0	634.6	1.00	1.28	21.7
6T	T	51	2.0	0.956	24.4	LOS C	25.0	634.6	1.00	1.28	22.6
6R	R	199	2.0	0.955	24.9	LOS C	25.0	634.6	1.00	1.21	22.6
Approach		784	2.0	0.953	29.2	LOS C	25.0	634.6	1.00	1.26	22.0
North		Parallel Drive									
7L	L	121	2.0	0.548	20.1	LOS C	5.0	127.3	0.87	1.05	26.2
4T	T	152	2.0	0.549	13.2	LOS B	5.0	127.3	0.87	0.98	28.2
4R	R	7	2.0	0.571	14.1	LOS B	5.0	127.3	0.87	0.92	28.1
Approach		279	2.0	0.549	16.2	LOS C	5.0	127.3	0.87	1.01	27.3
West		Lakeport Boulevard									
5L	L	11	2.0	0.281	18.7	LOS B	1.9	49.1	0.80	0.98	27.0
2T	T	67	2.0	0.279	12.0	LOS B	1.9	49.1	0.80	0.88	29.3
2R	R	45	2.0	0.279	12.9	LOS B	1.9	49.1	0.80	0.80	29.1
Approach		123	2.0	0.278	13.0	LOS B	1.9	49.1	0.80	0.86	29.0
All Vehicles		1773	2.0	0.956	19.4	LOS B	25.0	634.6	0.85	0.99	25.5

Level of Service (Aver. Int. Delay): LOS B. Based on average delay for all vehicle movements. LOS Method: Delay (HCM).

Level of Service (Worst Movement): LOS C. LOS Method for individual vehicle movements: Delay (HCM).

Approach LOS values are based on the worst delay for any vehicle movement.



















Roundabout LOS Method: Same as Signalised Intersections.

Roundabout Capacity Model: SIDRA Standard.

HCM Unsignalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/3/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	0	384	71	177	391	0	0	0	0	367	0	326
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	0	441	82	203	449	0	0	0	0	422	0	375
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	449			523			1485	1298	441	1298	1379	449
vC1, stage 1 conf vol							441	441		856	856	
vC2, stage 2 conf vol							1044	856		441	523	
vCu, unblocked vol	449			523			1485	1298	441	1298	1379	449
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	100			81			100	100	100	0	100	39
cM capacity (veh/h)	1111			1044			83	278	616	247	242	610
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	SB 1							
Volume Total	441	82	203	449	797							
Volume Left	0	0	203	0	422							
Volume Right	0	82	0	0	375							
cSH	1700	1700	1044	1700	346							
Volume to Capacity	0.26	0.05	0.19	0.26	2.31							
Queue Length 95th (ft)	0	0	18	0	1531							
Control Delay (s)	0.0	0.0	9.3	0.0	620.7							
Lane LOS			A		F							
Approach Delay (s)	0.0		2.9		620.7							
Approach LOS					F							
Intersection Summary												
Average Delay			251.6									
Intersection Capacity Utilization			92.4%		ICU Level of Service				F			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/2/2010























Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	204	547	0	0	384	173	184	3	416	0	0	0
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	227	608	0	0	427	192	204	3	462	0	0	0
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			
Median type		TWLTL			None							
Median storage (veh)		2										
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	619			608			1584	1680	608	1586	1584	523
vC1, stage 1 conf vol							1061	1061		523	523	
vC2, stage 2 conf vol							523	619		1063	1061	
vCu, unblocked vol	619			608			1584	1680	608	1586	1584	523
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	76			100			0	98	7	100	100	100
cM capacity (veh/h)	961			971			180	180	496	13	213	554
Direction, Lane #	EB 1	EB 2	WB 1	NB 1								
Volume Total	227	608	619	670								
Volume Left	227	0	0	204								
Volume Right	0	0	192	462								
cSH	961	1700	1700	344								
Volume to Capacity	0.24	0.36	0.36	1.95								
Queue Length 95th (ft)	23	0	0	1154								
Control Delay (s)	9.9	0.0	0.0	461.9								
Lane LOS	A			F								
Approach Delay (s)	2.7		0.0	461.9								
Approach LOS				F								
Intersection Summary												
Average Delay			146.8									
Intersection Capacity Utilization			92.4%		ICU Level of Service				F			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins


6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	273	665	25	6	324	50	17	11	2	40	4	216
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Hourly flow rate (vph)	300	731	27	7	356	55	19	12	2	44	4	237
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	411			758			1835	1769	745	1735	1755	384
vC1, stage 1 conf vol							1345	1345		397	397	
vC2, stage 2 conf vol							490	424		1338	1358	
vCu, unblocked vol	411			758			1835	1769	745	1735	1755	384
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	74			99			64	92	99	63	97	64
cM capacity (veh/h)	1148			853			52	146	414	118	148	664
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1						
Volume Total	300	758	7	411	33	286						
Volume Left	300	0	7	0	19	44						
Volume Right	0	27	0	55	2	237						
cSH	1148	1700	853	1700	85	544						
Volume to Capacity	0.26	0.45	0.01	0.24	0.39	0.52						
Queue Length 95th (ft)	26	0	1	0	39	76						
Control Delay (s)	9.2	0.0	9.3	0.0	72.6	18.7						
Lane LOS	A		A		F	C						
Approach Delay (s)	2.6		0.1		72.6	18.7						
Approach LOS					F	C						
Intersection Summary												
Average Delay			5.9									
Intersection Capacity Utilization			58.9%		ICU Level of Service				B			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

5: Lakeport Blvd & Larrecou Ln

6/2/2010






















Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Volume (veh/h)	16	691	372	7	13	8
Sign Control		Free	Free		Stop	
Grade		0%	0%		0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	18	768	413	8	14	9
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type		TWLTL	TWLTL			
Median storage veh		2	2			
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	421				1221	417
vC1, stage 1 conf vol					417	
vC2, stage 2 conf vol					803	
vCu, unblocked vol	421				1221	417
tC, single (s)	4.1				6.4	6.2
tC, 2 stage (s)					5.4	
tF (s)	2.2				3.5	3.3
p0 queue free %	98				96	99
cM capacity (veh/h)	1138				390	636

Direction, Lane #	EB 1	EB 2	WB 1	SB 1
Volume Total	18	768	421	23
Volume Left	18	0	0	14
Volume Right	0	0	8	9
cSH	1138	1700	1700	457
Volume to Capacity	0.02	0.45	0.25	0.05
Queue Length 95th (ft)	1	0	0	4
Control Delay (s)	8.2	0.0	0.0	13.3
Lane LOS	A			B
Approach Delay (s)	0.2		0.0	13.3
Approach LOS				B

Intersection Summary			
Average Delay		0.4	
Intersection Capacity Utilization		46.4%	ICU Level of Service A
Analysis Period (min)		15	

HCM Unsignalized Intersection Capacity Analysis
 6: Lakeport Blvd & South Main

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Sign Control	Stop				Stop			Stop			Stop	
Volume (vph)	402	15	103	0	3	0	72	299	12	36	360	285
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	452	17	116	0	3	0	81	336	13	40	404	320
Direction, Lane #	EB 1	EB 2	WB 1	NB 1	NB 2	SB 1	SB 2					
Volume Total (vph)	452	133	3	81	349	445	320					
Volume Left (vph)	452	0	0	81	0	40	0					
Volume Right (vph)	0	116	0	0	13	0	320					
Hadj (s)	0.53	-0.58	0.03	0.53	0.01	0.08	-0.67					
Departure Headway (s)	8.1	7.0	9.2	8.3	7.8	7.5	6.8					
Degree Utilization, x	1.02	0.26	0.01	0.19	0.76	0.93	0.60					
Capacity (veh/h)	437	500	368	424	453	476	518					
Control Delay (s)	75.4	11.2	12.3	12.0	29.9	51.0	18.2					
Approach Delay (s)	60.9		12.3	26.5		37.3						
Approach LOS	F		B	D		E						
Intersection Summary												
Delay			42.4									
HCM Level of Service			E									
Intersection Capacity Utilization			76.3%	ICU Level of Service		D						
Analysis Period (min)			15									

APPENDIX F

Intersection Level of Service Calculations
Cumulative + Project Conditions

MOVEMENT SUMMARY

Site: Lakeport/Parallel - Cu + Proj
AM

Existing
Roundabout

Movement Performance - Vehicles											
Mov ID	Turn	Demand Flow veh/h	HV %	Deg. Satn v/c	Average Delay sec	Level of Service	95% Back of Queue Vehicles veh	Distance ft	Prop. Queued	Effective Stop Rate per veh	Average Speed mph
South Parallel Drive											
3L	L	67	2.0	0.605	14.2	LOS B	6.3	160.9	0.67	0.77	29.1
8T	T	240	2.0	0.602	7.6	LOS A	6.3	160.9	0.67	0.62	30.6
8R	R	279	2.0	0.602	9.3	LOS A	6.3	160.9	0.67	0.64	30.7
Approach		586	2.0	0.603	9.2	LOS B	6.3	160.9	0.67	0.65	30.5
East Lakeport Boulevard											
1L	L	534	2.0	0.952	31.3	LOS C	25.0	635.3	1.00	1.28	21.7
6T	T	51	2.0	0.956	24.4	LOS C	25.0	635.3	1.00	1.28	22.6
6R	R	199	2.0	0.955	24.9	LOS C	25.0	635.3	1.00	1.21	22.6
Approach		784	2.0	0.953	29.3	LOS C	25.0	635.3	1.00	1.27	22.0
North Parallel Drive											
7L	L	122	2.0	0.552	20.1	LOS C	5.1	128.3	0.87	1.05	26.2
4T	T	152	2.0	0.551	13.3	LOS B	5.1	128.3	0.87	0.99	28.2
4R	R	7	2.0	0.571	14.2	LOS B	5.1	128.3	0.87	0.92	28.1
Approach		281	2.0	0.552	16.3	LOS C	5.1	128.3	0.87	1.01	27.3
West Lakeport Boulevard											
5L	L	11	2.0	0.281	18.7	LOS B	1.9	49.2	0.80	0.98	27.0
2T	T	67	2.0	0.279	12.1	LOS B	1.9	49.2	0.80	0.88	29.3
2R	R	45	2.0	0.279	12.9	LOS B	1.9	49.2	0.80	0.80	29.1
Approach		123	2.0	0.279	13.0	LOS B	1.9	49.2	0.80	0.86	29.0
All Vehicles		1774	2.0	0.956	19.4	LOS B	25.0	635.3	0.86	0.99	25.5

Level of Service (Aver. Int. Delay): LOS B. Based on average delay for all vehicle movements. LOS Method: Delay (HCM).

Level of Service (Worst Movement): LOS C. LOS Method for individual vehicle movements: Delay (HCM).

Approach LOS values are based on the worst delay for any vehicle movement.

Roundabout LOS Method: Same as Signalised Intersections.

Roundabout Capacity Model: SIDRA Standard.

Processed: Friday, May 28, 2010 11:45:46 AM

SIDRA INTERSECTION 4.0.10.982

Project: H:\PDATA\60100671\Traffic\Calcs\Sidra\0671-Ex-AM.sip

8000182, RBF CONSULTING, SINGLE

Copyright ©2000-2009 Akcelik & Associates Pty Ltd


www.sidrasolutions.com

SIDRA
INTERSECTION

HCM Unsignalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↑	↗	↖	↑						↓	↘
Volume (veh/h)	0	385	71	181	391	0	0	0	0	384	0	326
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	0	443	82	208	449	0	0	0	0	441	0	375
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	449			524			1495	1308	443	1308	1390	449
vC1, stage 1 conf vol							443	443		866	866	
vC2, stage 2 conf vol							1053	866		443	524	
vCu, unblocked vol	449			524			1495	1308	443	1308	1390	449
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	100			80			100	100	100	0	100	39
cM capacity (veh/h)	1111			1042			82	274	615	243	238	610

Direction, Lane #	EB 1	EB 2	WB 1	WB 2	SB 1
Volume Total	443	82	208	449	816
Volume Left	0	0	208	0	441
Volume Right	0	82	0	0	375
cSH	1700	1700	1042	1700	337
Volume to Capacity	0.26	0.05	0.20	0.26	2.42
Queue Length 95th (ft)	0	0	19	0	1614
Control Delay (s)	0.0	0.0	9.3	0.0	671.7
Lane LOS			A		F
Approach Delay (s)	0.0		2.9		671.7
Approach LOS					F

Intersection Summary		
Average Delay		275.4
Intersection Capacity Utilization	95.6%	ICU Level of Service F
Analysis Period (min)		15

HCM Unsignalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/2/2010























Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	204	565	0	0	388	174	184	3	448	0	0	0
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Hourly flow rate (vph)	227	628	0	0	431	193	204	3	498	0	0	0
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			
Median type		TWLTL			None							
Median storage (veh)		2										
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	624			628			1609	1706	628	1611	1609	528
vC1, stage 1 conf vol							1081	1081		528	528	
vC2, stage 2 conf vol							528	624		1083	1081	
vCu, unblocked vol	624			628			1609	1706	628	1611	1609	528
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	76			100			0	98	0	0	100	100
cM capacity (veh/h)	957			954			175	176	483	0	209	550
Direction, Lane #	EB 1	EB 2	WB 1	NB 1								
Volume Total	227	628	624	706								
Volume Left	227	0	0	204								
Volume Right	0	0	193	498								
cSH	957	1700	1700	343								
Volume to Capacity	0.24	0.37	0.37	2.05								
Queue Length 95th (ft)	23	0	0	1263								
Control Delay (s)	9.9	0.0	0.0	509.7								
Lane LOS	A			F								
Approach Delay (s)	2.6		0.0	509.7								
Approach LOS				F								
Intersection Summary												
Average Delay			165.7									
Intersection Capacity Utilization			95.6%		ICU Level of Service				F			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins


6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	273	715	25	6	329	50	17	11	2	42	4	216
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Hourly flow rate (vph)	300	786	27	7	362	55	19	12	2	46	4	237
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									1			1
Median type		None			TWLTL							
Median storage (veh)					2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	416			813			1895	1829	799	1795	1815	389
vC1, stage 1 conf vol							1399	1399		402	402	
vC2, stage 2 conf vol							496	430		1393	1413	
vCu, unblocked vol	416			813			1895	1829	799	1795	1815	389
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	74			99			61	91	99	57	97	64
cM capacity (veh/h)	1143			814			48	138	385	108	139	659
Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1						
Volume Total	300	813	7	416	33	288						
Volume Left	300	0	7	0	19	46						
Volume Right	0	27	0	55	2	237						
cSH	1143	1700	814	1700	79	493						
Volume to Capacity	0.26	0.48	0.01	0.24	0.42	0.58						
Queue Length 95th (ft)	26	0	1	0	42	92						
Control Delay (s)	9.3	0.0	9.5	0.0	80.0	22.1						
Lane LOS	A		A		F	C						
Approach Delay (s)	2.5		0.1		80.0	22.1						
Approach LOS					F	C						
Intersection Summary												
Average Delay			6.4									
Intersection Capacity Utilization			61.7%		ICU Level of Service				B			
Analysis Period (min)			15									

HCM Unsignalized Intersection Capacity Analysis

5: Lakeport Blvd & Larrecou Ln

6/2/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (veh/h)	16	691	52	3	372	7	5	0	1	13	0	8
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.90	0.90	0.92	0.92	0.90	0.90	0.92	0.92	0.92	0.90	0.92	0.90
Hourly flow rate (vph)	18	768	57	3	413	8	5	0	1	14	0	9
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)												
Median type		TWLTL			TWLTL							
Median storage veh		2			2							
Upstream signal (ft)												
pX, platoon unblocked												
vC, conflicting volume	421			824			1260	1259	796	1228	1284	417
vC1, stage 1 conf vol							832	832		424	424	
vC2, stage 2 conf vol							429	428		804	860	
vCu, unblocked vol	421			824			1260	1259	796	1228	1284	417
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)							6.1	5.5		6.1	5.5	
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	98			100			98	100	100	96	100	99
cM capacity (veh/h)	1138			806			320	337	387	330	329	636




















Direction, Lane #	EB 1	EB 2	WB 1	WB 2	NB 1	SB 1
Volume Total	18	824	3	421	7	23
Volume Left	18	0	3	0	5	14
Volume Right	0	57	0	8	1	9
cSH	1138	1700	806	1700	329	404
Volume to Capacity	0.02	0.48	0.00	0.25	0.02	0.06
Queue Length 95th (ft)	1	0	0	0	2	5
Control Delay (s)	8.2	0.0	9.5	0.0	16.2	14.5
Lane LOS	A		A		C	B
Approach Delay (s)	0.2		0.1		16.2	14.5
Approach LOS					C	B

Intersection Summary

Average Delay		0.5				
Intersection Capacity Utilization		49.5%		ICU Level of Service		A
Analysis Period (min)		15				

HCM Unsignalized Intersection Capacity Analysis
 6: Lakeport Blvd & South Main

6/2/2010

												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Sign Control	Stop				Stop			Stop			Stop	
Volume (vph)	403	15	103	0	3	0	73	299	12	36	360	287
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	453	17	116	0	3	0	82	336	13	40	404	322
Direction, Lane #	EB 1	EB 2	WB 1	NB 1	NB 2	SB 1	SB 2					
Volume Total (vph)	453	133	3	82	349	445	322					
Volume Left (vph)	453	0	0	82	0	40	0					
Volume Right (vph)	0	116	0	0	13	0	322					
Hadj (s)	0.53	-0.58	0.03	0.53	0.01	0.08	-0.67					
Departure Headway (s)	8.1	7.0	9.2	8.3	7.8	7.5	6.8					
Degree Utilization, x	1.02	0.26	0.01	0.19	0.76	0.93	0.61					
Capacity (veh/h)	437	500	368	424	453	475	518					
Control Delay (s)	76.3	11.2	12.3	12.0	29.9	51.0	18.4					
Approach Delay (s)	61.6		12.3	26.5		37.3						
Approach LOS	F		B	D		E						
Intersection Summary												
Delay			42.6									
HCM Level of Service			E									
Intersection Capacity Utilization			76.4%	ICU Level of Service	D							
Analysis Period (min)			15									

APPENDIX G

Intersection Level of Service Calculations
Mitigation Conditions

HCM Signalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↑	↗	↖	↑						↑	↗
Volume (vph)	0	384	71	177	391	0	0	0	0	367	0	326
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		4.0	4.0	4.0	4.0						4.0	4.0
Lane Util. Factor		1.00	1.00	1.00	1.00						1.00	1.00
Frt		1.00	0.85	1.00	1.00						1.00	0.85
Flt Protected		1.00	1.00	0.95	1.00						0.95	1.00
Satd. Flow (prot)		1863	1583	1770	1863						1770	1583
Flt Permitted		1.00	1.00	0.95	1.00						0.95	1.00
Satd. Flow (perm)		1863	1583	1770	1863						1770	1583
Peak-hour factor, PHF	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Adj. Flow (vph)	0	441	82	203	449	0	0	0	0	422	0	375
RTOR Reduction (vph)	0	0	21	0	0	0	0	0	0	0	0	93
Lane Group Flow (vph)	0	441	61	203	449	0	0	0	0	0	422	282
Turn Type			Perm	Prot						Perm		Perm
Protected Phases		4		3	8						6	
Permitted Phases			4							6		6
Actuated Green, G (s)		18.6	18.6	10.5	33.1						24.9	24.9
Effective Green, g (s)		18.6	18.6	10.5	33.1						24.9	24.9
Actuated g/C Ratio		0.28	0.28	0.16	0.50						0.38	0.38
Clearance Time (s)		4.0	4.0	4.0	4.0						4.0	4.0
Vehicle Extension (s)		3.0	3.0	3.0	3.0						3.0	3.0
Lane Grp Cap (vph)		525	446	282	934						668	597
v/s Ratio Prot		c0.24		c0.11	0.24							
v/s Ratio Perm			0.04								0.24	0.18
v/c Ratio		0.84	0.14	0.72	0.48						0.63	0.47
Uniform Delay, d1		22.3	17.7	26.4	10.8						16.8	15.6
Progression Factor		1.00	1.00	0.90	0.33						1.00	1.00
Incremental Delay, d2		11.5	0.1	6.2	0.3						4.5	2.7
Delay (s)		33.8	17.8	29.9	3.8						21.3	18.2
Level of Service		C	B	C	A						C	B
Approach Delay (s)		31.3			12.0			0.0			19.9	
Approach LOS		C			B			A			B	

Intersection Summary			
HCM Average Control Delay	20.3	HCM Level of Service	C
HCM Volume to Capacity ratio	0.72		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	12.0
Intersection Capacity Utilization	92.4%	ICU Level of Service	F
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	204	547	0	0	384	173	184	3	416	0	0	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0			4.0			4.0	4.0			
Lane Util. Factor	1.00	1.00			1.00			1.00	1.00			
Frt	1.00	1.00			0.96			1.00	0.85			
Flt Protected	0.95	1.00			1.00			0.95	1.00			
Satd. Flow (prot)	1770	1863			1785			1775	1583			
Flt Permitted	0.95	1.00			1.00			0.95	1.00			
Satd. Flow (perm)	1770	1863			1785			1775	1583			
Peak-hour factor, PHF	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	227	608	0	0	427	192	204	3	462	0	0	0
RTOR Reduction (vph)	0	0	0	0	25	0	0	0	230	0	0	0
Lane Group Flow (vph)	227	608	0	0	594	0	0	207	232	0	0	0
Turn Type	Prot							Perm		Perm		
Protected Phases	7	4			8			2				
Permitted Phases							2		2			
Actuated Green, G (s)	11.4	40.0			24.6			18.0	18.0			
Effective Green, g (s)	11.4	40.0			24.6			18.0	18.0			
Actuated g/C Ratio	0.17	0.61			0.37			0.27	0.27			
Clearance Time (s)	4.0	4.0			4.0			4.0	4.0			
Vehicle Extension (s)	3.0	3.0			3.0			3.0	3.0			
Lane Grp Cap (vph)	306	1129			665			484	432			
v/s Ratio Prot	c0.13	0.33			c0.33							
v/s Ratio Perm								0.12	c0.15			
v/c Ratio	0.74	0.54			0.89			0.43	0.54			
Uniform Delay, d1	25.9	7.6			19.5			19.8	20.5			
Progression Factor	0.94	0.27			0.54			1.00	1.00			
Incremental Delay, d2	6.6	0.3			12.5			2.7	4.7			
Delay (s)	30.9	2.4			23.1			22.5	25.2			
Level of Service	C	A			C			C	C			
Approach Delay (s)		10.1			23.1			24.4			0.0	
Approach LOS		B			C			C			A	

Intersection Summary

HCM Average Control Delay	18.4	HCM Level of Service	B
HCM Volume to Capacity ratio	0.74		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	12.0
Intersection Capacity Utilization	92.4%	ICU Level of Service	F
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	273	665	25	6	324	50	17	11	2	40	4	216
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0		4.0	4.0			4.0	4.0		4.0	4.0
Lane Util. Factor	1.00	1.00		1.00	1.00			1.00	1.00		1.00	1.00
Frt	1.00	0.99		1.00	0.98			1.00	0.85		1.00	0.85
Flt Protected	0.95	1.00		0.95	1.00			0.97	1.00		0.96	1.00
Satd. Flow (prot)	1770	1853		1770	1825			1807	1583		1781	1583
Flt Permitted	0.95	1.00		0.95	1.00			0.86	1.00		0.77	1.00
Satd. Flow (perm)	1770	1853		1770	1825			1594	1583		1426	1583
Peak-hour factor, PHF	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Adj. Flow (vph)	300	731	27	7	356	55	19	12	2	44	4	237
RTOR Reduction (vph)	0	2	0	0	8	0	0	0	2	0	0	191
Lane Group Flow (vph)	300	756	0	7	403	0	0	31	0	0	48	46
Turn Type	Prot			Prot			Perm		Perm	Perm		Perm
Protected Phases	7	4		3	8			2			6	
Permitted Phases							2		2	6		6
Actuated Green, G (s)	16.0	40.4		0.8	25.2			12.8	12.8		12.8	12.8
Effective Green, g (s)	16.0	40.4		0.8	25.2			12.8	12.8		12.8	12.8
Actuated g/C Ratio	0.24	0.61		0.01	0.38			0.19	0.19		0.19	0.19
Clearance Time (s)	4.0	4.0		4.0	4.0			4.0	4.0		4.0	4.0
Vehicle Extension (s)	3.0	3.0		3.0	3.0			3.0	3.0		3.0	3.0
Lane Grp Cap (vph)	429	1134		21	697			309	307		277	307
v/s Ratio Prot	c0.17	c0.41		0.00	0.22							
v/s Ratio Perm								0.02	0.00		c0.03	0.03
v/c Ratio	0.70	0.67		0.33	0.58			0.10	0.00		0.17	0.15
Uniform Delay, d1	22.8	8.4		32.3	16.2			21.9	21.4		22.2	22.1
Progression Factor	0.93	0.73		1.00	1.00			1.00	1.00		1.00	1.00
Incremental Delay, d2	7.5	1.2		9.1	3.5			0.6	0.0		0.3	0.2
Delay (s)	28.8	7.3		41.5	19.7			22.5	21.5		22.5	22.3
Level of Service	C	A		D	B			C	C		C	C
Approach Delay (s)		13.4			20.0			22.5			22.3	
Approach LOS		B			C			C			C	

Intersection Summary

HCM Average Control Delay	16.5	HCM Level of Service	B
HCM Volume to Capacity ratio	0.55		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	8.0
Intersection Capacity Utilization	58.9%	ICU Level of Service	B
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

6: Lakeport Blvd & South Main

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	402	15	103	0	3	0	72	299	12	36	360	285
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0			4.0		4.0	4.0		4.0	4.0	4.0
Lane Util. Factor	1.00	1.00			1.00		1.00	1.00		1.00	1.00	1.00
Frt	1.00	0.87			1.00		1.00	0.99		1.00	1.00	0.85
Flt Protected	0.95	1.00			1.00		0.95	1.00		0.95	1.00	1.00
Satd. Flow (prot)	1770	1619			1863		1770	1852		1770	1863	1583
Flt Permitted	0.95	1.00			1.00		0.95	1.00		0.95	1.00	1.00
Satd. Flow (perm)	1770	1619			1863		1770	1852		1770	1863	1583
Peak-hour factor, PHF	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Adj. Flow (vph)	452	17	116	0	3	0	81	336	13	40	404	320
RTOR Reduction (vph)	0	78	0	0	0	0	0	1	0	0	0	112
Lane Group Flow (vph)	452	55	0	0	3	0	81	348	0	40	404	208
Turn Type	Split			Split			Prot			Prot		pm+ov
Protected Phases	4	4		8	8		5	2		1	6	4
Permitted Phases												6
Actuated Green, G (s)	20.8	20.8			1.0		5.2	22.7		2.7	20.2	41.0
Effective Green, g (s)	20.8	20.8			1.0		5.2	22.7		2.7	20.2	41.0
Actuated g/C Ratio	0.33	0.33			0.02		0.08	0.36		0.04	0.32	0.65
Clearance Time (s)	4.0	4.0			4.0		4.0	4.0		4.0	4.0	4.0
Vehicle Extension (s)	3.0	3.0			3.0		3.0	3.0		3.0	3.0	3.0
Lane Grp Cap (vph)	583	533			29		146	665		76	595	1127
v/s Ratio Prot	c0.26	0.03			c0.00		c0.05	0.19		0.02	c0.22	0.06
v/s Ratio Perm												0.07
v/c Ratio	0.78	0.10			0.10		0.55	0.52		0.53	0.68	0.18
Uniform Delay, d1	19.1	14.7			30.7		27.9	16.0		29.6	18.7	4.4
Progression Factor	1.00	1.00			1.00		1.00	1.00		1.00	1.00	1.00
Incremental Delay, d2	6.4	0.1			1.6		4.5	2.9		6.4	6.1	0.1
Delay (s)	25.5	14.8			32.2		32.4	18.9		36.1	24.8	4.5
Level of Service	C	B			C		C	B		D	C	A
Approach Delay (s)		23.1			32.2			21.4			16.9	
Approach LOS		C			C			C			B	

Intersection Summary

HCM Average Control Delay	20.0	HCM Level of Service	C
HCM Volume to Capacity ratio	0.68		
Actuated Cycle Length (s)	63.2	Sum of lost time (s)	16.0
Intersection Capacity Utilization	61.9%	ICU Level of Service	B
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

2: Lakeport Blvd & Highway 29 SB Off Ramp

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↑	↑	↑	↑						↑	↑
Volume (vph)	0	385	71	181	391	0	0	0	0	384	0	326
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)		4.0	4.0	4.0	4.0						4.0	4.0
Lane Util. Factor		1.00	1.00	1.00	1.00						1.00	1.00
Frt		1.00	0.85	1.00	1.00						1.00	0.85
Flt Protected		1.00	1.00	0.95	1.00						0.95	1.00
Satd. Flow (prot)		1863	1583	1770	1863						1770	1583
Flt Permitted		1.00	1.00	0.95	1.00						0.95	1.00
Satd. Flow (perm)		1863	1583	1770	1863						1770	1583
Peak-hour factor, PHF	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Adj. Flow (vph)	0	443	82	208	449	0	0	0	0	441	0	375
RTOR Reduction (vph)	0	0	21	0	0	0	0	0	0	0	0	88
Lane Group Flow (vph)	0	443	61	208	449	0	0	0	0	0	441	287
Turn Type			Perm	Prot						Perm		Perm
Protected Phases		4		3	8						6	
Permitted Phases			4							6		6
Actuated Green, G (s)		18.6	18.6	10.5	33.1						24.9	24.9
Effective Green, g (s)		18.6	18.6	10.5	33.1						24.9	24.9
Actuated g/C Ratio		0.28	0.28	0.16	0.50						0.38	0.38
Clearance Time (s)		4.0	4.0	4.0	4.0						4.0	4.0
Vehicle Extension (s)		3.0	3.0	3.0	3.0						3.0	3.0
Lane Grp Cap (vph)		525	446	282	934						668	597
v/s Ratio Prot		c0.24		c0.12	0.24							
v/s Ratio Perm			0.04								0.25	0.18
v/c Ratio		0.84	0.14	0.74	0.48						0.66	0.48
Uniform Delay, d1		22.3	17.7	26.4	10.8						17.0	15.6
Progression Factor		1.00	1.00	0.90	0.33						1.00	1.00
Incremental Delay, d2		11.8	0.1	7.0	0.3						5.1	2.8
Delay (s)		34.1	17.8	30.8	3.8						22.1	18.4
Level of Service		C	B	C	A						C	B
Approach Delay (s)		31.6			12.4			0.0			20.4	
Approach LOS		C			B			A			C	

Intersection Summary

HCM Average Control Delay	20.7	HCM Level of Service	C
HCM Volume to Capacity ratio	0.74		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	12.0
Intersection Capacity Utilization	95.6%	ICU Level of Service	F
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

3: Lakeport Blvd & Highway 29 Northbound On Ramp

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	204	565	0	0	388	174	184	3	448	0	0	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0			4.0			4.0	4.0			
Lane Util. Factor	1.00	1.00			1.00			1.00	1.00			
Frt	1.00	1.00			0.96			1.00	0.85			
Flt Protected	0.95	1.00			1.00			0.95	1.00			
Satd. Flow (prot)	1770	1863			1785			1775	1583			
Flt Permitted	0.95	1.00			1.00			0.95	1.00			
Satd. Flow (perm)	1770	1863			1785			1775	1583			
Peak-hour factor, PHF	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	227	628	0	0	431	193	204	3	498	0	0	0
RTOR Reduction (vph)	0	0	0	0	25	0	0	0	221	0	0	0
Lane Group Flow (vph)	227	628	0	0	599	0	0	207	277	0	0	0
Turn Type	Prot							Perm		Perm		
Protected Phases	7	4			8			2				
Permitted Phases							2		2			
Actuated Green, G (s)	11.4	40.1			24.7			17.9	17.9			
Effective Green, g (s)	11.4	40.1			24.7			17.9	17.9			
Actuated g/C Ratio	0.17	0.61			0.37			0.27	0.27			
Clearance Time (s)	4.0	4.0			4.0			4.0	4.0			
Vehicle Extension (s)	3.0	3.0			3.0			3.0	3.0			
Lane Grp Cap (vph)	306	1132			668			481	429			
v/s Ratio Prot	c0.13	0.34			c0.34							
v/s Ratio Perm								0.12	c0.18			
v/c Ratio	0.74	0.55			0.90			0.43	0.65			
Uniform Delay, d1	25.9	7.7			19.4			19.8	21.3			
Progression Factor	0.95	0.26			0.55			1.00	1.00			
Incremental Delay, d2	6.4	0.4			12.8			2.8	7.3			
Delay (s)	31.1	2.4			23.5			22.6	28.6			
Level of Service	C	A			C			C	C			
Approach Delay (s)		10.0			23.5			26.8			0.0	
Approach LOS		B			C			C			A	

Intersection Summary

HCM Average Control Delay	19.3	HCM Level of Service	B
HCM Volume to Capacity ratio	0.78		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	12.0
Intersection Capacity Utilization	95.6%	ICU Level of Service	F
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

4: Lakeport Blvd & Bevins

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	273	665	25	6	324	50	17	11	2	40	4	216
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0		4.0	4.0			4.0	4.0		4.0	4.0
Lane Util. Factor	1.00	1.00		1.00	1.00			1.00	1.00		1.00	1.00
Frt	1.00	0.99		1.00	0.98			1.00	0.85		1.00	0.85
Flt Protected	0.95	1.00		0.95	1.00			0.97	1.00		0.96	1.00
Satd. Flow (prot)	1770	1853		1770	1825			1807	1583		1781	1583
Flt Permitted	0.95	1.00		0.95	1.00			0.86	1.00		0.77	1.00
Satd. Flow (perm)	1770	1853		1770	1825			1594	1583		1426	1583
Peak-hour factor, PHF	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Adj. Flow (vph)	300	731	27	7	356	55	19	12	2	44	4	237
RTOR Reduction (vph)	0	2	0	0	8	0	0	0	2	0	0	191
Lane Group Flow (vph)	300	756	0	7	403	0	0	31	0	0	48	46
Turn Type	Prot			Prot			Perm		Perm	Perm		Perm
Protected Phases	7	4		3	8			2			6	
Permitted Phases							2		2	6		6
Actuated Green, G (s)	16.0	40.4		0.8	25.2			12.8	12.8		12.8	12.8
Effective Green, g (s)	16.0	40.4		0.8	25.2			12.8	12.8		12.8	12.8
Actuated g/C Ratio	0.24	0.61		0.01	0.38			0.19	0.19		0.19	0.19
Clearance Time (s)	4.0	4.0		4.0	4.0			4.0	4.0		4.0	4.0
Vehicle Extension (s)	3.0	3.0		3.0	3.0			3.0	3.0		3.0	3.0
Lane Grp Cap (vph)	429	1134		21	697			309	307		277	307
v/s Ratio Prot	c0.17	c0.41		0.00	0.22							
v/s Ratio Perm								0.02	0.00		c0.03	0.03
v/c Ratio	0.70	0.67		0.33	0.58			0.10	0.00		0.17	0.15
Uniform Delay, d1	22.8	8.4		32.3	16.2			21.9	21.4		22.2	22.1
Progression Factor	0.93	0.77		1.00	1.00			1.00	1.00		1.00	1.00
Incremental Delay, d2	7.1	1.2		9.1	3.5			0.6	0.0		0.3	0.2
Delay (s)	28.3	7.6		41.5	19.7			22.5	21.5		22.5	22.3
Level of Service	C	A		D	B			C	C		C	C
Approach Delay (s)		13.5			20.0			22.5			22.3	
Approach LOS		B			C			C			C	

Intersection Summary

HCM Average Control Delay	16.6	HCM Level of Service	B
HCM Volume to Capacity ratio	0.55		
Actuated Cycle Length (s)	66.0	Sum of lost time (s)	8.0
Intersection Capacity Utilization	58.9%	ICU Level of Service	B
Analysis Period (min)	15		
c Critical Lane Group			

HCM Signalized Intersection Capacity Analysis

6: Lakeport Blvd & South Main

6/3/2010



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Volume (vph)	403	15	103	0	3	0	73	299	12	36	360	287
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Total Lost time (s)	4.0	4.0			4.0		4.0	4.0		4.0	4.0	4.0
Lane Util. Factor	1.00	1.00			1.00		1.00	1.00		1.00	1.00	1.00
Frt	1.00	0.87			1.00		1.00	0.99		1.00	1.00	0.85
Flt Protected	0.95	1.00			1.00		0.95	1.00		0.95	1.00	1.00
Satd. Flow (prot)	1770	1619			1863		1770	1852		1770	1863	1583
Flt Permitted	0.95	1.00			1.00		0.95	1.00		0.95	1.00	1.00
Satd. Flow (perm)	1770	1619			1863		1770	1852		1770	1863	1583
Peak-hour factor, PHF	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Adj. Flow (vph)	453	17	116	0	3	0	82	336	13	40	404	322
RTOR Reduction (vph)	0	78	0	0	0	0	0	1	0	0	0	113
Lane Group Flow (vph)	453	55	0	0	3	0	82	348	0	40	404	209
Turn Type	Split			Split			Prot			Prot		pm+ov
Protected Phases	4	4		8	8		5	2		1	6	4
Permitted Phases												6
Actuated Green, G (s)	20.9	20.9			1.0		5.2	22.7		2.7	20.2	41.1
Effective Green, g (s)	20.9	20.9			1.0		5.2	22.7		2.7	20.2	41.1
Actuated g/C Ratio	0.33	0.33			0.02		0.08	0.36		0.04	0.32	0.65
Clearance Time (s)	4.0	4.0			4.0		4.0	4.0		4.0	4.0	4.0
Vehicle Extension (s)	3.0	3.0			3.0		3.0	3.0		3.0	3.0	3.0
Lane Grp Cap (vph)	584	535			29		145	664		75	595	1128
v/s Ratio Prot	c0.26	0.03			c0.00		c0.05	0.19		0.02	c0.22	0.06
v/s Ratio Perm												0.07
v/c Ratio	0.78	0.10			0.10		0.57	0.52		0.53	0.68	0.19
Uniform Delay, d1	19.1	14.7			30.7		28.0	16.0		29.7	18.7	4.4
Progression Factor	1.00	1.00			1.00		1.00	1.00		1.00	1.00	1.00
Incremental Delay, d2	6.4	0.1			1.6		5.0	2.9		7.1	6.1	0.1
Delay (s)	25.5	14.8			32.3		32.9	19.0		36.8	24.9	4.5
Level of Service	C	B			C		C	B		D	C	A
Approach Delay (s)		23.1			32.3			21.6			16.9	
Approach LOS		C			C			C			B	

Intersection Summary

HCM Average Control Delay	20.1	HCM Level of Service	C
HCM Volume to Capacity ratio	0.68		
Actuated Cycle Length (s)	63.3	Sum of lost time (s)	16.0
Intersection Capacity Utilization	62.0%	ICU Level of Service	B
Analysis Period (min)	15		
c Critical Lane Group			

APPENDIX H

Peak Hour Warrants

**CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT
(URBAN CONDITIONS)**

General Information

Description Intersection 2: Highway 29 SB Ramps / Lakeport Blvd
 Major Approach Street Name Lakeport Blvd
 Minor Approach Street Name Highway 29 SB Ramps

Geometry

Number of Approach Legs 3
 Number of Major Approach Lanes 2
 Number of Minor Approach Lanes 1

Volumes and Delay

Major Approach Volumes (Both Directions) 1020
 Minor Approach Volume (One Direction Only) 693
 Total Entering Volume 1723
 Minor Approach Delay per Vehicle 616.7

SIGNAL WARRANT SATISFIED

**WARRANT 3 - Peak Hour
(Part A or Part B must be satisfied)**

PART A

SATISFIED YES NO

(All parts 1, 2, and 3 below must be satisfied for the same one hour, for any four consecutive 15-minute periods)

1. The total delay experienced for traffic on one minor street approach (one direction only) controlled by a STOP sign equals or exceeds four vehicle-hours for a one-lane approach, or five vehicle-hours for a two-lane approach; **AND**

Total Delay (Vehicle Hours) 118.71

2. The volume on the same minor street approach (one direction only equal or exceeds 100 vph for one moving lane of traffic or 150 vph for two moving lanes; **AND**

Total Minor Approach Volume 693

3. The total entering volume serviced during the hour equals or exceeds 800 vph for intersections with four or more approaches or 650 vph for intersections with three approaches.

Total Entering Volume 1723

PART B

SATISFIED YES NO

APPROACH LANES	Hour		
	One	2 or More	
Both Approaches - Major Street		✓	1020
Higher Approach - Minor Street	✓		693

The plotted point falls above the curve in Figure 4C-3. YES NO

OR. The plotted point falls above the curve in Figure 4C-4. YES NO

The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal.

**CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT
(URBAN CONDITIONS)**

Peak Hour **AM**

Major Stre **Lakeport Blvd**


Minor **Highway 29 SB Ramps**

Total of Both Approaches (VPH): **1020**
Number of Approach Lanes: **2**

Higher Volume Approach (VPH): **693**
Number of Approach Lanes: **1**

SIGNAL WARRANT SATISFIED

Figure 4C-3. Peak Hour Warrant (Urban)



- ◆ 1 Lane Major & 1 Lane Minor
- 2 or More Lanes Major & 1 Lane Minor
- △ 2 or More Lanes Major & 2 or More Lanes Minor
- - - Major Street
- Minor Street

* Note: p pp pp
vph Applies as the
Lower Threshold Volume for a Minor Street Approach with One Lane.

Source: MUTCD 2010

**CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT
(URBAN CONDITIONS)**

General Information

Description Intersection 3: Highway 29 NB Ramps / Lakeport Blvd
 Major Approach Street Name Lakeport Blvd
 Minor Approach Street Name Highway 29 NB Ramps

Geometry

Number of Approach Legs 3
 Number of Major Approach Lanes 2
 Number of Minor Approach Lanes 1

Volumes and Delay

Major Approach Volumes (Both Directions) 1308
 Minor Approach Volume (One Direction Only) 603
 Total Entering Volume 1921
 Minor Approach Delay per Vehicle 461.9

SIGNAL WARRANT SATISFIED

**WARRANT 3 - Peak Hour
(Part A or Part B must be satisfied)**

PART A SATISFIED YES NO
 (All parts 1, 2, and 3 below must be satisfied for the same one hour, for any four consecutive 15-minute periods)

1. The total delay experienced for traffic on one minor street approach (one direction only) controlled by a STOP sign equals or exceeds four vehicle-hours for a one-lane approach, or five vehicle-hours for a two-lane approach; **AND**
 YES NO
 Total Delay (Vehicle Hours) 77.37

2. The volume on the same minor street approach (one direction only equal or exceeds 100 vph for one moving lane of traffic or 150 vph for two moving lanes; **AND**
 YES NO
 Total Minor Approach Volume 603

3. The total entering volume serviced during the hour equals or exceeds 800 vph for intersections with four or more approaches or 650 vph for intersections with three approaches.
 YES NO
 Total Entering Volume 1921

PART B SATISFIED YES NO

APPROACH LANES	Hour		
	One	2 or More	
Both Approaches - Major Street		✓	1308
Higher Approach - Minor Street	✓		603

The plotted point falls above the curve in Figure 4C-3. YES NO

OR. The plotted point falls above the curve in Figure 4C-4. YES NO

The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal.

CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT (URBAN CONDITIONS)

Peak Hour **AM**

Major Stre **Lakeport Blvd**


Minor **Highway 29 NB Ramps**

Total of Both Approaches (VPH): **1308**
Number of Approach Lanes: **2**

Higher Volume Approach (VPH): **603**
Number of Approach Lanes: **1**

SIGNAL WARRANT SATISFIED

Figure 4C-3. Peak Hour Warrant (Urban)



- ◆ 1 Lane Major & 1 Lane Minor
- 2 or More Lanes Major & 1 Lane Minor
- △ 2 or More Lanes Major & 2 or More Lanes Minor
- - - Major Street
- Minor Street

* Note: p pp pp
vph Applies as the
Lower Threshold Volume for a Minor Street Approach with One Lane.

Source: MUTCD 2010

**CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT
(URBAN CONDITIONS)**

General Information

Description Intersection 4: Bevins St / Lakeport Blvd
 Major Approach Street Name Lakeport Blvd
 Minor Approach Street Name Bevins St

Geometry

Number of Approach Legs 4
 Number of Major Approach Lanes 2
 Number of Minor Approach Lanes 1

Volumes and Delay

Major Approach Volumes (Both Directions) 1343
 Minor Approach Volume (One Direction Only) 260
 Total Entering Volume 1613
 Minor Approach Delay per Vehicle 18.7

SIGNAL WARRANT SATISFIED

**WARRANT 3 - Peak Hour
(Part A or Part B must be satisfied)**

PART A SATISFIED YES NO
 (All parts 1, 2, and 3 below must be satisfied for the same one hour, for any four consecutive 15-minute periods)

1. The total delay experienced for traffic on one minor street approach (one direction only) controlled by a STOP sign equals or exceeds four vehicle-hours for a one-lane approach, or five vehicle-hours for a two-lane approach; **AND**
 YES NO
 Total Delay (Vehicle Hours) 1.35

2. The volume on the same minor street approach (one direction only equal or exceeds 100 vph for one moving lane of traffic or 150 vph for two moving lanes; **AND**
 YES NO
 Total Minor Approach Volume 260

3. The total entering volume serviced during the hour equals or exceeds 800 vph for intersections with four or more approaches or 650 vph for intersections with three approaches.
 YES NO
 Total Entering Volume 1613

PART B SATISFIED YES NO

APPROACH LANES	Hour		
	One	2 or More	
Both Approaches - Major Street		✓	1343
Higher Approach - Minor Street	✓		260

The plotted point falls above the curve in Figure 4C-3. YES NO

OR. The plotted point falls above the curve in Figure 4C-4. YES NO

The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal.

CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT (URBAN CONDITIONS)

Peak Hour **AM**

Major Stre **Lakeport Blvd**


Minor **Bevins St**

Total of Both Approaches (VPH): **1343**
Number of Approach Lanes: **2**

Higher Volume Approach (VPH): **260**
Number of Approach Lanes: **1**

SIGNAL WARRANT SATISFIED

Figure 4C-3. Peak Hour Warrant (Urban)



- ◆ 1 Lane Major & 1 Lane Minor
- 2 or More Lanes Major & 1 Lane Minor
- △ 2 or More Lanes Major & 2 or More Lanes Minor
- - - Major Street
- - - - Minor Street

* Note: p pp pp
vph Applies as the
Lower Threshold Volume for a Minor Street Approach with One Lane.

Source: MUTCD 2010

**CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT
(URBAN CONDITIONS)**

General Information

Description Intersection 6: Main St / Lakeport Blvd
 Major Approach Street Name Main St
 Minor Approach Street Name Lakeport Blvd

Geometry

Number of Approach Legs 4
 Number of Major Approach Lanes 2
 Number of Minor Approach Lanes 2

Volumes and Delay

Major Approach Volumes (Both Directions) 1064
 Minor Approach Volume (One Direction Only) 520
 Total Entering Volume 1594
 Minor Approach Delay per Vehicle 52.8

SIGNAL WARRANT SATISFIED

**WARRANT 3 - Peak Hour
(Part A or Part B must be satisfied)**

PART A SATISFIED YES NO
 (All parts 1, 2, and 3 below must be satisfied for the same one hour, for any four consecutive 15-minute periods)

1. The total delay experienced for traffic on one minor street approach (one direction only) controlled by a STOP sign equals or exceeds four vehicle-hours for a one-lane approach, or five vehicle-hours for a two-lane approach; **AND**
 YES NO
 Total Delay (Vehicle Hours) 7.63

2. The volume on the same minor street approach (one direction only equal or exceeds 100 vph for one moving lane of traffic or 150 vph for two moving lanes; **AND**
 YES NO
 Total Minor Approach Volume 520

3. The total entering volume serviced during the hour equals or exceeds 800 vph for intersections with four or more approaches or 650 vph for intersections with three approaches.
 YES NO
 Total Entering Volume 1594

PART B SATISFIED YES NO

APPROACH LANES	Hour		
	One	2 or More	
Both Approaches - Major Street		✓	1064
Higher Approach - Minor Street		✓	520

The plotted point falls above the curve in Figure 4C-3. YES NO

OR. The plotted point falls above the curve in Figure 4C-4. YES NO

The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal.

CUMULATIVE CONDITIONS - PEAK HOUR VOLUME WARRANT (URBAN CONDITIONS)

Peak Hour **AM**

Major Stre **Main St**


Minor **Lakeport Blvd**

Total of Both Approaches (VPH): **1064**
Number of Approach Lanes: **2**

Higher Volume Approach (VPH): **520**
Number of Approach Lanes: **2**

SIGNAL WARRANT SATISFIED

Figure 4C-3. Peak Hour Warrant (Urban)



- ◆ 1 Lane Major & 1 Lane Minor
- 2 or More Lanes Major & 1 Lane Minor
- △ 2 or More Lanes Major & 2 or More Lanes Minor
- - - Major Street
- - - - Minor Street

* Note: p pp pp
vph Applies as the
Lower Threshold Volume for a Minor Street Approach with One Lane.

Source: MUTCD 2010.

APPENDIX I

Transit

SOUTH SHORE CLEARLAKE TO LAKEPORT

Clearlake • Lower Lake • Kelseyville • Lakeport



**ROUTE
4**

● Indicates transfer point with timed transfers ○ Indicates time point

ROUTE 4 Westbound CLEARLAKE TO LAKEPORT								
Clearlake	Lower Lake		Riveras	Kelseyville	Lakeport			
Ray's Food Place / Walmart	Lake Co. Social Services	Hwy 53 & Hwy 29	9th Corner S.R. 29 & S.R. 281	Main & Third	S. Main & Peckham (K-Mart)	Parallel Dr. & Lakeport Blvd	Safeway	Third & Main
6:20	—	6:23	6:33	6:43	—	6:52	6:56	7:00
7:05	—	7:10	7:20	7:32	—	7:41	7:46	7:51
9:00	9:03	9:06	9:16	9:28	9:37	9:40	9:45	9:50
11:00	11:03	11:06	11:16	11:28	11:37	11:40	11:45	11:50
1:00	1:03	1:06	1:16	1:28	1:37	1:40	1:45	1:50
2:00	2:03	2:06	2:16	2:28	2:37	2:40	2:45	2:50
4:10	4:13	4:16	4:26	4:38	4:47	4:50	4:55	5:00
5:10	5:13	5:16	5:26	5:38	5:47	5:50	5:55	6:00

Saturday service

All Route 4 runs indicated operate Monday through Saturday
other runs operate Monday through Friday only

Continues to Route 7 - Ukiah. Operates Monday through Saturday

ROUTE 4 Eastbound LAKEPORT TO CLEARLAKE								
Lakeport		Kelseyville		Riveras	Lower Lake		Clearlake	
Third & Main	Main & D	Parallel Dr. & Lakeport Blvd	S. Main @ K-Mart	Main & Third	9th Corner S.R. 29 & S.R. 281	Hwy 53 & Hwy 29	Lake Co. Social Services	Ray's Food Place / Walmart
6:10	6:12	6:15	—	6:24	6:39	6:48	6:50	6:55
7:05	7:07	7:10	7:13	7:23	7:38	7:47	7:50	7:55
10:00	10:02	10:05	10:08	10:18	10:33	10:42	10:45	10:50
10:45	10:47	10:50	10:53	11:03	11:18	11:27	11:30	11:35
2:00	2:02	2:05	2:08	2:18	2:33	2:42	2:45	2:50
3:50	3:52	3:55	3:58	4:08	4:23	4:32	—	4:35
5:30	5:32	5:35	5:38	5:48	6:03	6:12	—	6:15
7:50	7:52	7:55	7:58	8:08	8:23	8:32	—	8:35

Saturday service

Continues from Route 7 - Ukiah. Operates Monday through Saturday

Commuter Tip


A new early morning commute bus begins on Route 5 in Clearlake and continues as Route 4 to Lakeport. Call 994-3334 for more information.

SODA BAY KIT'S CORNER TO LAKEPORT

Kit's Corner • Rivas • Soda Bay • Finley •
Big Valley Rancheria • Lakeport

All Route 4A runs operate
Monday through Friday

ROUTE
4A



- Indicates time point
- ⌚ Indicates transfer point with timed transfers

ROUTE 4A Westbound - KIT'S CORNER TO LAKEPORT									
Soda Bay Road			Kelseyville	Finley	Big Valley Rancheria	Lakeport			
⌚ Kit's Corner	Riviera Shopping Center	Soda Bay	Main & Third	Finley Rd & Stone Dr	Konokti Vista Casino	S. Main & Peckham (K-Mart)	Mendocino College	Safeway 11th St	⌚ Third & Main
9:05	9:08	9:24	—	9:36	9:43	9:50	—	—	9:55
11:20	11:23	11:39	11:49	11:57	12:04	12:11	12:16	12:21	12:26
4:33	4:36	4:52	—	5:04	5:11	5:18	—	—	5:23


ROUTE 4A Eastbound - LAKEPORT TO KIT'S CORNER										
Lakeport				Big Valley Rancheria	Finley	Kelseyville	Soda Bay Road			
⌚ Third & Main	Third & D Street	Mendocino College Parallel Rd	S. Main & Peckham (K-Mart)	Konokti Vista Casino	Finley Rd & Stone Dr	Main & Third	Soda Bay	Riviera Shopping Center	⌚ Kit's Corner	
10:05	10:09	10:13	10:18	10:25	10:30	—	10:42	11:02	11:10	
1:35	1:39	1:43	1:48	1:55	2:00	—	2:12	2:27	2:33	
5:25	—	—	5:30	5:37	—	—	5:47	6:02	6:03	

LAKEPORT - UKIAH

Lakeport • Robinson Rancheria • Upper Lake
Blue Lakes • Calpella • Ukiah

All Route 7 runs operate
Monday through Saturday

ROUTE 7



ROUTE 7 Westbound LAKEPORT TO UKIAH									
Lakeport	Robinson Rancheria	Upper Lake	Blue Lakes	Calpella	Ukiah				
Third & Main	Robinson Rancheria	1st & Main	Blue Lakes Lodge	Consolidated Tribal Health	Mendocino College	Pear Tree Center	Veterans Clinic	Burger King	Airport
LTA	LTA	MTA	MTA	MTA	MTA	MTA	MTA	AMTRAK	GREYHOUND
8:00	8:16	8:22	8:30	—	8:54	9:10	9:25	9:30	—
12:00	12:16	12:22	12:30	12:46	1:10	1:22	1:25	1:45	1:50
3:00	3:16	3:22	3:30	—	3:54	4:10	4:15	—	4:20
5:15	5:31	5:37	5:45	—	6:09	6:20	—	6:35	6:40

ROUTE 7 Eastbound UKIAH TO LAKEPORT									
Ukiah					Calpella	Blue Lakes	Upper Lake	Robinson Rancheria	Lakeport
Airport	Burger King	Veterans Clinic	Pear Tree Center	Mendocino College	Consolidated Tribal Health	Blue Lakes Lodge	1st & Main	Robinson Rancheria	Third & Main
GREYHOUND	AMTRAK	MTA	MTA	MTA	MTA	MTA	MTA	LTA	LTA
—	9:35	**	9:40	—	—	10:10	10:19	10:24	10:40
2:10	—	2:20	2:25	2:36	2:50	3:10	3:19	3:24	3:40
4:20	—	**	4:25	4:36	4:50	5:10	—	—	5:30
6:40	—	—	6:45	6:56	—	7:16	7:25	7:30	7:45

* If you are arriving in Ukiah via Greyhound or Amtrak and your bus is late, please call (707) 994-3334 before 7:00 p.m. for connection information.

** The bus stops westbound at the VA Clinic at 9:25 a.m. and 4:15 p.m., and then continues on eastbound schedule.

For more information about MTA, Amtrak, or Greyhound, go to "Other Transportation Links" at www.laketransit.org.

LAKEPORT CITY

Sutter Lakeside Hospital
 Bevins Court Health Center
 Mendocino College • K-Mart

ROUTE
8



🕒 Indicates transfer point with timed transfers

○ Indicates time point

ROUTE 8 LAKEPORT										
Sutter Lakeside Hospital	Lakeside Health Center	Lakeshore & Lange	Main & Third St.	Bevins Ct. Health Center	Mendocino College	S. Main & Peckham (K-Mart)	Main & 3rd Street	Lakeshore & Lange	Lakeside Health Center	Sutter Lakeside Hospital
7:28	7:32	7:39	7:45	7:49	7:53	7:58	8:15	8:20	8:28	8:31
9:17	9:21	9:28	9:45	9:49	9:53	9:57	10:05	10:10	10:18	10:21
11:17	11:21	11:28	11:45	11:49	11:53	11:57	12:05	12:10	12:18	12:21
1:17	1:21	1:28	1:45	1:49	1:53	1:57	2:05	2:10	2:18	2:21
3:17	3:21	3:28	3:45	3:49	3:53	3:57	4:05	4:10	4:18	4:21
4:17	4:21	4:28	4:45	4:49	4:53	4:57	5:15	5:20	5:28	5:31
5:18	5:22	5:29	5:46	5:50	5:54	5:58	6:15	6:20	6:28	6:31

Appendix I
Public Notice



Judicial Council of California
ADMINISTRATIVE OFFICE OF THE COURTS

OFFICE OF COURT CONSTRUCTION AND MANAGEMENT

2860 Gateway Oaks Drive, Suite 400 • Sacramento, California 95833-4336
Telephone 916-643-8022 • Fax 916-263-2342

RONALD M. GEORGE
Chief Justice of California
Chair of the Judicial Council

WILLIAM C. VICKREY
Administrative Director of the Courts

RONALD G. OVERHOLT
Chief Deputy Director

LEE WILLOUGHBY
Director, Office of Court
Construction and Management

**Notice of Intent to Adopt a Mitigated Negative
Declaration and Notice of Public Comment
Period: August 23 through September 22, 2010**

BACKGROUND

The Administrative Office of the Courts (AOC), the staff agency of the Judicial Council of California, is considering adopting a mitigated negative declaration in compliance with the California Environmental Quality Act for a new California Superior Courthouse in the County of Lake. The project site is located at 675 Lakeport Boulevard, in the City of Lakeport. Lakeport Boulevard forms the northern boundary of the proposed project site, while Highway 29 is approximately 0.10 miles west, and S. Main Street is located approximately 0.22 miles east of the proposed project site. The project will be an approximately 50,000 sq. ft., two-story building with a basement and four courtrooms. The environmental issues to be addressed in the mitigated negative declaration include, but are not limited to: Air Quality; Biological Resources; Cultural Resources; Noise and Vibration; and Transportation and Traffic.

WHY THIS NOTICE?

The purpose of this notice is to: a) provide you with the opportunity to learn more about the proposed project; and b) allow you to provide comments to the AOC concerning the proposed project.

A copy of the mitigated negative declaration can be viewed on-line at the address below or at:

Lakeport Main Library
1425 N. High Street
Lakeport, CA 95453
Phone: 707-263-7455

Lakeport Community Development
Department (City Hall)
225 Park Street
Lakeport, CA 95453
Phone: 707-263-5613

HOW DO YOU PARTICIPATE?

The AOC encourages your participation. You may submit comments to:

Laura Sainz, Administrative Office of the Courts
2860 Gateway Oaks, Suite 400
Sacramento, CA 95833

In addition, a public meeting for the project will be held on:

Wednesday, September 15, 2010
5:00 – 6:30 p.m.
Lake County Courthouse
255 North Forbes Street
Lakeport, CA 95453

The deadline for written comments is September 22, 2010.

For more information on the project and/or to receive a copy of the mitigated negative declaration, please visit the following website:
http://www.courtinfo.ca.gov/programs/occm/projects_lake_lakeport.htm. If you have questions or wish to discuss the project, please contact Laura Sainz at the Administrative Office of the Courts at 916-263-7992 or via email at laura.sainz@jud.ca.gov.

Affidavit of Publication

STATE OF CALIFORNIA,

County of Lake.

I, Michelle Berger being first duly sworn, deposes and says: That at and during all the dates and times herein mentioned she was, and now is the legal clerk of the LAKE COUNTY RECORD-BEE, a newspaper published for the dissemination of local or telegraphic news and intelligence of a general character, having a bona fide subscription list of paying subscribers, and which is, and has been, established, printed and published at regular intervals, to-wit: Daily (except Sunday and Monday) in the City of Lakeport, County and State aforesaid, for more than one year preceding the date of the publication below mentioned, a newspaper of general circulation, as that term is defined by Section 6,000 et al, of the Government Code of the State of California, and is not and was not during any said times, a newspaper devoted to the interests or denomination, or for any members of such classes, professionals, trades, callings, races or denominations.

That at, and during all of said dates and times herein mentioned, affiant had and now has knowledge and charge of all notes and advertisements appearing in said newspaper; that the notice of which the annexed is printed copy, was published each week in the regular and entire issue of one or more number of the said newspaper during the period and times of publication thereof, to-wit:

For 1 issues, commencing on the 24
day of AUG 2010

and was published there in on the following dates, viz:

_____ 2010;

that said notice was published in said newspaper proper and not in a supplement; that said notice, as so published, was set in type not smaller than nonpareil, and was preceded with words printed in black face type not smaller than nonpareil, describing and expressing in general terms the purport and character of said notice, as fully appears from the exact copy of said notice, which is hereto annexed as aforesaid.

Executed this 24 day of AUG 2010,
at Lakeport, California. I hereby declare under penalty of perjury that I have read the foregoing and that it is true and correct.


Michelle Berger, Legal Clerk
Lake County Record-Bee

RB11951
Notice of Intent to Adopt a Mitigated Negative Declaration and Notice of Public Meeting and Public Comment Period: August 23, 2010 through September 22, 2010

The Administrative Office of the Courts is considering adopting a mitigated negative declaration (MND) in compliance with CEQA for a new Superior Courthouse in Lake County. The proposed project is located at 675 Lakeport Blvd., in the City of Lakeport. The site is generally bounded by Lakeport Blvd. on the north, Highway 29 on the west, vacant land to the south, and retail on the east. The proposed project includes an approximately 50,000 sq ft. building with four courtrooms. The environmental issues to be addressed in the MND include: Aesthetics; Agriculture and Forestry Resources; Air Quality; Biological Resources; Cultural Resources; Geology and Soils; Greenhouse Gas Emissions; Hazards and Hazardous Materials; Hydrology and Water Quality; Land Use and Planning; Mineral Resources; Noise; Population and Housing; Public Services; Transportation and Traffic; and Utilities and Service Systems. For more information on the project and/or to view the MND, please visit: www.courtinfo.ca.gov/programs/occm/projects_lake_lakeport.htm. Written comments should be directed to Laura Sainz, Administrative Office of the Courts, 2860 Gateway Oaks, Suite 400, Sacramento, CA 95833, 916-263-7992. The deadline for written comments is September 22, 2010. A public meeting for this project will be held on Wednesday, September 15, 2010 from 5:00-6:30 p.m. at the Lake County Courthouse located at 255 North Forbes Street in Lakeport, CA, 95453.
Pub: Aug 24, 2010

RECEIVED

AUG 26 2010

RBF CONSULTING

Administrative Office of the Courts
 CEQA Public Meeting
for the
 Superior Court of Lake County

Name	Affiliation	Address (street, city, zip)	Email Address
Judith Steele Lan Franco	Citizen	5220 Lakeshore Blvd. Lakeport, CA 95453	mariejudy@netsi.com
ELIZABETH LARSON	LAKE COUNTY NEWS	PO BOX 307 LAKEPORT, CA 95453	EDITDR@LAKECOUNTYNEWS.COM
Katy Sweeney	Lake County Record-Book	2150 S. Main St. Lakeport, CA 95453	kdsweeney@gmail.com
RICHARD KNOLL	CITY OF LAKEPORT	225 PARK ST. LAKEPORT, CA	rknoll@cityoflakeport.com
Andrew Britton	City of Lakeport	" "	abritton@cityoflakeport.com
Terri Persons	Lake County / City Area Planning Council	367 N. State St. 206 UKiah 95482	personst@dow-associates.com

Appendix J
Public Comments

Public Comments

The AOC made the Draft Initial Study / Mitigated Negative Declaration available to the public for a 30-day public review period from Monday, August 23, 2010 through Wednesday, September 22, 2010. The AOC filed a Notice of Completion with the State Clearinghouse and notified the public that copies of the Draft Initial Study / Mitigated Negative Declaration could be viewed at the Lakeport Main Library, the Lakeport Community Development Department (City Hall), or by downloading the document from the AOC website.

As indicated in the Public Notice (included in Appendix I), the AOC held a Public Meeting on September 15, 2010 at the Lake County Courthouse located at 255 North Forbes Street in Lakeport, CA, 95453. An affidavit of publication and a copy of the sign-in sheet, which attendees were asked to complete, is included in Appendix I. At that meeting, the AOC presented a general description of the proposed project, including the objectives and timeline, and the CEQA process. After the AOC presentation, attendees were given the opportunity to provide comments and/or ask questions regarding the proposed project, either orally at the meeting, in writing by filling out a comment form that would be addressed at the meeting, or in writing by means of a separate submittal, which could be sent to the AOC by e-mail or regular mail. These latter options were also made available to the general public (non-attendees) through the Public Notice, which included all necessary contact information.

The public meeting was attended by interested community members and representatives from the Superior Court, the City of Lakeport and the AOC. Meeting participants asked questions and/or provided comments during the meeting about various topics, including parking, traffic and transportation impacts, hydrology and stormwater management impacts, and courthouse design. The comments presented at the public meeting and responses to those comments are organized by topic below.

Parking / Traffic and Transportation

- Did you address parking?
- It is important to look at all modes of travel that people are going to use to get to and from the courthouse / there is a lot of potential to improve the circulation in the area.

Response to Above Parking / Traffic and Transportation-Related Comment: *As proposed, there will be on-site parking via a surface parking lot adjacent to the new courthouse, in addition to parking underneath the building for more secure parking (potentially for Judges and staff). A parking study was completed in August 2010 to carefully balance the parking demand with the parking that will be provided on-site.*

The Traffic Impact Analysis that was prepared for the proposed project discusses alternative modes of transportation (refer to Appendix H of the Draft IS/MND). Also refer to Section 3.16, Transportation and Traffic, of the Draft IS/MND. Specifically, Mitigation Measures TRANS-3 and TRANS-4 (on page 3-91 of the Draft IS/MND) address the use of transit and pedestrian access. The AOC does not have precise design information for the proposed project at this time;

however, additional details about the project design (including access and alternative modes of transportation) will be provided as the design process moves forward and is finalized. Also refer to comment letter 5, responses 5a through 5h, below.

Hydrology and Stormwater Management

- A hydrology study has not been completed for the proposed project.
- There is no discussion regarding stormwater management / off-site runoff.
- There is no discussion regarding on-site retention.
- Infrastructure isn't in place other than the curb and gutter to convey stormwater to the nearest drop inlet which is a block and a half away.

Response to Above Hydrology and Stormwater Management-Related Comment: As stated in the Draft IS/MND, the proposed project will be consistent with the guidelines provided in the California Stormwater BMP Handbook for stormwater runoff, including using landscape areas for percolation of runoff. In addition, the proposed project will be designed to the LEED silver rating and the AOC will seek certification of the silver rating by the U.S. Green Building Council. LEED requirements include stormwater design for quantity control. The LEED Checklist was provided in Appendix A of the Draft IS/MND. The LEED 2009 For New Construction and Major Renovations Rating System, which is the guidance document for the preparation of the LEED Checklist, is included in Appendix A of the Final IS/MND.

All AOC capital projects must be reviewed and approved by the State of California Public Works Board. This process requires CEQA analysis before acquisition approval, which is typically very early in the process and before detailed design has begun. Therefore, the CEQA process is based on very basic design information and assumptions. These assumptions are based on previous capital projects and/or the AOC's experience in building and operating courthouses. Detailed design for this proposed project will not be available until after the completion of the CEQA process. However, the AOC, in consultation with the city, will determine the best stormwater management techniques for the proposed project site as the design process moves forward and more information is made available. Please also refer to comment letter 3, responses 3s. through 3x., below.

Courthouse Design

- The project description and proposed project is really quite vague.
- The precise footprint or where the building will be located on the site isn't known.
- A 51,000 square foot building that is being built in a large community may not be viewed as a significant or substantial construction or development project, but in a community of 5,200 people, it's a significant project.

Response to Above Courthouse Design-Related Comments: *As stated above, the state's capital project process requires CEQA to be completed before a site is acquired, and the site has to be acquired before more detailed design can begin. Therefore, the CEQA process is based on some assumptions. The detail of design will not be known until after acquisition and completion of the CEQA process. The project description provided in the IS/MND assumes worst case scenario, in terms of size and height of the proposed project, therefore allowing the CEQA analysis to evaluate all potential impacts and identify appropriate mitigations.*

No written comments were submitted at the public meeting.

The following individuals/agencies submitted comments regarding the proposed project in writing to the AOC:

- John W. Andress, a concerned citizen, submitted comments via e-mail on September 16, 2010;
- Dave Carstensen, District 1 Community Planning with the California Department of Transportation, submitted comments in a letter dated September 21, 2010;
- Richard Knoll, Community Development, Redevelopment & Housing Director with the City of Lakeport, submitted comments in a letter dated September 21, 2010;
- Warren Massie, AQE with the Lake County Air Quality Management District, submitted comments in a letter dated September 22, 2010.
- Terri Persons, Associate Transportation Planner with the Lake County/City Area Planning Council, submitted comments in a letter dated September 22, 2010.

The AOC appreciates the effort these agencies and individuals undertook to be involved in the public review process, and has given these submittals serious consideration to determine whether the comments raise any issues regarding the proposed project that: 1) warrant refinement or modification of mitigation measures presented in the IS/MND; 2) warrant implementation of further mitigation measures beyond those originally presented in the IS/MND; or 3) indicate potential environmental impacts that cannot be mitigated. Based on the review of public comments received, the AOC has determined that the evaluation of potential impacts performed for the IS/MND is adequate and that the mitigation measures presented should effectively mitigate potential environmental impacts due to the proposed project.

Copies of the comment letters/submittals are provided in the following pages. Each comment letter is followed by the corresponding AOC response(s).

Comment Letter No. 1

September 16, 2010 e-mail from Mr. Address

Jennifer Stewart - Lakeport Court House

From: "Sainz, Laura" <Laura.Sainz@jud.ca.gov>
To: Jennifer Stewart <JSTEWART@rbf.com>
Date: 9/16/2010 10:06 AM
Subject: Lakeport Court House
CC: Bruce Grove <BGROVE@rbf.com>

From: Jwa42@aol.com [mailto:Jwa42@aol.com]
Sent: Thursday, September 16, 2010 7:03 AM
To: Sainz, Laura
Subject: Re Court House

Laura:

A under ground garage is the most ignorant plan yet!!

All you need is some WACO with car or truck packed with Ammonia Nitrate, Diesel fuel, cell phone and a blasting cap and your court house will be a pile of rubble!!

1a.

And as for the water run off, stand on the knoll and look east what do you see? O my gosh there is a lake there maybe that's where the runoff will go.

1b.

If you care for more observations please respond.

A unwilling tax payer,

John W. Address

Response to Comment Letter No. 1

September 16, 2010 e-mail from Mr. Address

- 1a. The issues raised by the commenter are not CEQA related; therefore, no response or change to the Draft Initial Study / Mitigated Negative Declaration (IS/MND) is necessary. However, the AOC does take security issues very seriously, and the AOC's Office of Emergency Response and Security (ORES) does review potential security risks for every courthouse. In the case of this proposed project, ORES is intricately involved in the project, and will continue to be involved throughout design development in an effort to identify any and all security risks.
- 1b. The commenter has statements / concerns regarding the direction of runoff. As stated on page 3-21 of the Draft IS/MND, most runoff from the proposed project site enters constructed ditches that convey flow to the east. Flow will eventually enter the city's storm drain system, which then discharges into Clear Lake approximately one-quarter mile east of the proposed project site.

The AOC is required to apply for a National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges of Stormwater Runoff Associated with Construction Activity (General Construction Permit). The NPDES permit program under Section 402(p) of the Clean Water Act (CWA) controls water pollution by regulating storm water discharges into waters of the United States. Under the NPDES program, the construction contractor would be required to prepare a Stormwater Pollution Prevention Plan (SWPPP) and Erosion Control Plan. Implementation of these plans would manage stormwater flow and prevent sediment generated during construction from flowing into receiving waters. The Erosion Control Plan would address best management practices (BMPs) to protect bodies of water from sedimentation. BMPs can include minimizing or restricting earthwork during periods of rain, establishing a vegetative buffer between the construction area and the creeks, silt fencing, and straw bales to prevent runoff. Specifically, page 2, order item # 4 of the *State Water Resources Control Board Order No. 2009-0009-DWQ, NPDES General Permit No. CAS000002, Waste Discharge Requirements For Discharges of Storm Water Runoff Associated with Construction and Land Disturbance Activities*, states the following:

"4. This General Permit does not preempt or supersede the authority of local storm water management agencies to prohibit, restrict, or control storm water discharges to municipal separate storm sewer systems or other watercourses within their jurisdictions."

In addition, page 12 of the California General Permit, Item L.75 states:

"75. This General Permit includes performance standards for post-construction that are consistent with State Water Board Resolution No. 2005-0006, "Resolution Adopting the Concept of Sustainability as a Core Value for State Water Board Programs and Directing Its Incorporation," and 2008-0030, "Requiring Sustainable Water Resources Management." The requirement for all construction sites to match pre-project hydrology will help ensure that the physical and biological integrity of aquatic ecosystems are sustained. This "runoff reduction" approach is analogous in principle to Low Impact Development (LID) and will serve to protect related watersheds and waterbodies from both hydrologic-based and pollution impacts associated with the post-construction landscape."

The AOC is required to match (or decrease) pre-project hydrology. No change to the Draft IS/MND is necessary.

Comment Letter No. 2

September 21, 2010 letter from the California Department of Transportation

DEPARTMENT OF TRANSPORTATION

DISTRICT 1, P. O. BOX 3700
EUREKA, CA 95502-3700
PHONE (707) 445-6409
FAX (707) 441-5869
TTY (Teletypewriter #707-445-6463)



*Flex your power!
Be energy efficient!*

September 21, 2010

1-LAK-29-41.423
New Lakeport Courthouse
SCH# 2010082058

Ms. Laura Sainz,
Environmental Program Manager
Judicial Council of California
Administrative Office of the Courts
2860 Gateway Oaks, Suite 400
Sacramento, CA 95833 fax: 916-263-2342

Dear Ms. Sainz,

Thank you for giving Caltrans the opportunity to comment on the New Lakeport Courthouse Draft Initial Study (IS) and Mitigated Negative Declaration, inclusive of traffic impact analysis. The proposed project will house the existing court system in a 51,000 square foot building with parking for 120 vehicles, located east of the State Route 29/Lakeport Boulevard interchange, on the south side of Lakeport Boulevard. We have reviewed the proposed project's mitigation measures, Section 3.16 of the IS, and offer the following comments:

- Our existing ramp volume data at Route 29/Lakeport Blvd. suggests that PM peak period traffic is greater than double the AM peak traffic; therefore, we recommend the analysis be expanded to include PM peak volumes at both ramp intersections to arrive at a more comprehensive conclusion to the project's traffic impacts.
- Once the AM and PM peak period traffic analysis is conducted as recommended above, the results of the analysis may identify the need for opening day improvements at the Lake 29/Lakeport Blvd. ramp intersections. We recommend Mitigation Measures be modified to reflect any opening day improvements as a result of the further analysis.
- Due to the close proximity (about 200 feet) of the northbound on-ramp at the Route 29/Lakeport Blvd. intersection and the Lakeport Blvd/Bevins Street intersections; we recommend that the analysis include discussion and details of how a single roundabout would function to cover the movements of both intersections. We also suggest the traffic impact analysis include information regarding how and when roundabouts would be implemented at each intersection identified in the Mitigation Measure TRANS-I.
- We recommend a more detailed explanation of how the fair share portion will be determined, when and to whom the funds are to be paid.

2a.

2b.

2c.

2d.

Ms. Laura Sainz
09/21/10
Page 2

- Mitigation Measure TRANS-4 (page 3-91) does mention a need for pedestrian access links; but due to the increased pedestrian usage of the Route 29 overcrossing as a result of the project, we recommend that pedestrian links from the project sight to the north side of Lakeport Boulevard and then to the west side of Route 29 accessing "Hamburger Hill", along with the appropriate ADA ramp requirements be installed prior to project opening.
- When the funding is secured for the proposed project, and there is a more definitive construction timeline, we request the applicant notify Caltrans and the City of Lakeport, so that construction does not significantly impact the State and local roadway network. Early communication with transportation agencies will also improve the public's perception and acceptance of the project's implementation.

2e.

2f.

We appreciate your efforts to involve Caltrans in the proposed project's planning process. If you have questions or need further assistance, please contact me at the number above.

Sincerely,



Dave Carstensen
District 1 Community Planning

cc
Scott Morgan, State Clearing House
Mark Wall, Lake Transit Authority
Lisa Davey-Bates, Lake County/City Area Planning Council
Scott Harter, City of Lakeport
Emily Minton, County of Lake, Community Development Department

Y:\IGR\Letters\Lake\New Lakeport Courthouse.doc

Response to Comment Letter No. 2

September 21, 2010 letter from the California Department of Transportation

- 2a. The commenter recommends that the traffic impact analysis be expanded to include PM peak volumes at State Route 29/Lakeport Boulevard ramp intersections; therefore, additional (worst case) Synchro analysis was performed in response to this comment. The highest ramp volumes for both AM (Traffic Impact Assessment counts) and PM (Caltrans counts) peak traffic periods were analyzed, showing the highest volumes on all legs of the ramp. The AM peak hour volumes were increased by 100 percent at the northbound on-ramp to State Route 29 and at the southbound on-ramp to State Route 29 on Lakeport Boulevard, in order to reflect 10 percent of the Caltrans average daily trip (ADT) ramp volume counts (Peak Hour). The analysis indicates that the worst approaches would operate at level of service (LOS) C. There are reverse volume peaks occurring between AM and PM, so the analysis is accurate in one direction for the AM, and the reverse increases in the PM. Since the intersection operations are acceptable for worst case, they will be acceptable for PM peak hour. Therefore, no additional mitigation is required for the proposed project. No change to the Draft IS/MND is necessary.
- 2b. The commenter recommends that the mitigation measures be modified to reflect any opening day improvements as a result of the above further analysis. Refer to response 2a., above. Since additional mitigation is not required, no changes to the Draft IS/MND are necessary.
- 2c. The commenter recommends that the traffic impact analysis include discussion and details of how a single roundabout would function to cover the movement of the State Route 29/Lakeport Boulevard and the Lakeport Boulevard/Bevins Street intersections. It is also suggested that the traffic impact analysis include information regarding how and when roundabouts would be implemented at each intersection identified in Mitigation Measure TRANS-1 (on page 3-87 of the Draft IS/MND). Mitigation Measure TRANS-1 indicates the proposed project's fair share contribution towards improving Highway 29 SB Ramps/Lakeport Boulevard; Highway 29 NB Ramps/Lakeport Boulevard; Bevins Street/Lakeport Boulevard; and Main Street/Lakeport Boulevard. Please see 2d, below, for a summary of the proposed project's fair share fees per intersection. No change to the Draft IS/MND is necessary.
- 2d. The commenter recommends that a more detailed explanation of how the fair share portion will be determined, when and to whom the funds are to be paid. The proposed project will pay the fair share portion or the percentage of project traffic as a proportion of the total improvement costs. A summary of the proposed project's fair share fees per intersection are as follows:

<u>Intersection</u>	<u>Proposed Project Fair Share of Total Improvement Cost</u>
#2 State Route 29 SB Ramps/Lakeport Blvd	2.3%
#3 State Route 29 NB Ramps/Lakeport Blvd	5.5%
#4 Bevins Street/Lakeport Blvd	7.3%
#6 Main Street/Lakeport Blvd	0.6%

The proposed project will pay the fair share fees prior to the opening of the courthouse. The fees will be paid to either the city of Lakeport or Caltrans, depending upon the intersection's jurisdiction. No change to the Draft IS/MND is necessary.

- 2e. The commenter recommends that pedestrian links from the proposed project site to the north side of Lakeport Boulevard and then to the west side of State Route 29 accessing “Hamburger Hill,” along with the appropriate Americans with Disabilities Act (ADA) ramp requirements be installed prior to proposed project opening. The AOC is required to comply with the ADA. The details of pedestrian access and ADA facilities will be provided through the design process. At that time, the location of the building, ramps, and sidewalks will become known and pedestrian and ADA access can be finalized. The purpose of the CEQA analysis is to describe the proposed project, and evaluate the potential impacts of the project. Since the recommended pedestrian links are not identified as project environmental impacts, no change to the Draft IS/MND is necessary.
- 2f. The commenter requests that the applicant notify Caltans and the City of Lakeport when funding is secured and construction timeline is defined, so that construction does not significantly impact the state and local roadway network. Comment noted. No change to the Draft IS/MND is necessary.

Comment Letter No. 3

September 21, 2010 letter from the City of Lakeport

CITY OF LAKEPORT

*Over 100 years of community
pride, progress, and service*



September 21, 2010

Ms. Laura Sainz
Administrative Office of the Courts
2860 Gateway Oaks, Suite 400
Sacramento, CA 95833

Re: County of Lake Superior Court Project / City of Lakeport Comments Re: Draft Initial Study and Mitigated Negative Declaration

Dear Ms. Sainz,

City of Lakeport staff has reviewed the Draft Initial Study/Mitigated Negative Declaration for the new Superior Court project proposed at 675 Lakeport Boulevard. We think the court project will be a terrific addition to the Lakeport community, but have some concerns based on our review of the draft initial study.

The City has identified a number of environmental issues that may ultimately not be considered significant environmental impacts by the Administrative Office of the Courts (AOC); however, this does not minimize their potential impact on the Lakeport community. The City believes that these issues must be addressed in a formal manner during the planning and development of the project.

Environmental impacts are relative in nature. At approximately 51,000 square feet, the proposed building will be one of the largest public buildings in our community. This is a major project in our small city and it is our goal to ensure that its development will not create any substantial detrimental impacts to our residents and visitors.

The following comments are arranged in order starting near the beginning of the document. The comments address a variety of issues but the most substantive comments are related to Aesthetics, Hydrology and Water Quality, Transportation and Traffic, and Utilities and Service Systems.

General Comments

- The project description in Chapter 2 is inadequate. The description should be revised to include new details and information made available by the AOC on August 18, 2010, including the conceptual site plans.
- Pg 2-3: The Lakeport General Plan was adopted in April 2009 rather than August 2009.
- Pg 2-5: References to "Lakeport Visitor's Bureau" should be changed to Lake County Chamber of Commerce. The Chamber occupies the adjoining parcel.

3a.

3b.

3c.

There are many other references to the Visitor's Bureau throughout the document.

3c.,
Cont.

- Figure 2: Poor topographic map. More detailed topographic information is available from the City.
- Figure 3: Lake County Chamber of Commerce identified as Lakeport Visitor's Bureau.

3d.

3e.

Aesthetics

- Pg 3-2 Section 3.1.a): The study describes scenic vistas and the existing views from the project site. This section does not note that the City's General Plan (Figure 16) identifies a View Corridor at the site of the Chamber of Commerce directly east of the courthouse site. The proposed courthouse building has the potential to adversely impact the view corridor. The study indicates that the "AOC is attempting to site the courthouse in a way that reduces impacts on the view from the Visitors Center; views would only be partially obstructed, if at all." Related impacts are considered to be less-than-significant and no mitigation is recommended.

3f.

Comment: The AOC's analysis was done without a site plan and presumably without any architectural renderings or building elevations.

Impacts to the View Corridor resulting from the new building are considered potentially significant. The City of Lakeport suggests a mitigation measure which addresses this issue and requires the AOC to develop a building that minimizes the impact to the adjoining View Corridor.

- Pg 3-3 Section 3.1.c): This section addresses the potential degradation of the existing visual character or quality of the site and its surroundings. The presence of the nearby View Corridor (General Plan Figure 16) is noted and the report states that the "proposed project would be consistent with policies identified in the general plan." It is unclear how the project will be consistent if the View Corridor is adversely impacted by the new courthouse building. The level of impact has not been illustrated via architectural renderings/building elevations.

3g.

Comment: This is a potentially significant impact and the City suggests a mitigation measure as described above.

- Regarding potentially significant aesthetic impacts related to the degradation of the existing visual character of the site or its surroundings, the City also suggests a mitigation measure which requires the provision of adequately-sized refuse enclosures to store the trash and recyclables generated by the project. Mitigation measures are also suggested regarding propane tank enclosures (if above-ground tanks are used) and the use of building materials/finishes that will not create any potentially significant glare-related impacts.

3h.

- The City is aware of a recorded "cone of vision" easement extending through the project site which protects the adjoining view corridor area. We suggest that this issue be addressed and believe that a mitigation measure may be warranted.

3i.

Air Quality

- Pg 3-11 Section 3.3. b): References the use of "natural gas" in conjunction with this project.

3j.

Comment: Natural gas is not available in Lakeport. Unknown if "natural gas" actually refers to propane use.

- Pg 3-12 Section 3.3. b): Table 3.3-2 details the estimated operational emissions. The 24 Hour PM₁₀ estimate is 57.98 which exceeds the California Ambient Air Quality Standard (CAAQS) of 50 as noted in the table. Section 3.3 c) on Pg 3-13 states that "operational emissions would be below the California and national AAQS." A similar statement is on Pg 3-14.

3k.

Comment: Statements in Sections 3.3. b) and Section 3.3 c) regarding PM₁₀ emissions and CAAQS appear to be in conflict. It is unknown if the estimated PM₁₀ emissions in excess of the CAAQS is a potentially significant impact.

Biological Resources

- Figure 3 is unlabeled and does not include a legend. Staff assumes that it illustrates the locations of the site's special-status species. Pages 7 and 8 of the Biological Study note the presence of "roughly 20,000 to 25,000" Colusa layia plants on the project site.

3l.

Comment: Figure 3 in the Biological Resources section should be labeled and provided with a legend.

- The report was prepared without the benefit of a site plan. As such the full scope of the potential impacts to the site's biological resources is not yet known. However, the proposed mitigation measures on Pages 3-19 and 3-20 appear to be thorough. A detailed mitigation plan must be prepared and approved by the California Department of Fish and Game before the start of construction. Another mitigation measure requires vegetation removal between August and February in order to protect nesting birds.

3m.

- Pages 3-22 & 3-23 Section 3.4.c): This section addresses impacts to federally protected wetlands. "Eight non-wetland waters of the United States were mapped within two categories: seasonal waters and constructed ditches." It appears that the presence of these waters of the United States will require a jurisdictional determination by the Corps of Engineers. However, there is no related mitigation measure.

3n.

Comment: Impacts to the site's designated wetlands may be potentially significant. Is a mitigation measure necessary related to the requirement for a jurisdictional determination by the Corps of Engineers?

- Pg 3-23 Section 3.4.e): This section should reference mitigation measure BIO-1 and not BIO-2 as it is related to the loss of the special-status plant species.

3o.

Comment: Revise Section 3.4.e) to reference the correct mitigation measure.

Greenhouse Gas Emissions

- Pg 3-43 Section 3.7.a): Table 3.7-2 states that "Lakeport Boulevard contains improved sidewalks which promote pedestrian activity." This is not completely accurate as portions of Lakeport Boulevard do not have fully developed sidewalks, including the Lakeport Boulevard frontage of the subject property.

3p.

Comment: Section 3.4.e) should be revised to accurately describe the existing pedestrian improvements in the vicinity of the project. Chapter 12.04 of the Lakeport Municipal Code requires the installation of right-of-way improvements along the street frontage of the project site. The Code states that right-of-way improvements "shall include curbs, gutters, sidewalks, street paveouts, drive approaches, handicapped ramps, water lines and appurtenances, sewer lines and appurtenances, storm drainage facilities, property dedications of right-of-way, street lights, pavement markings, signs, and street trees."

The City recommends a mitigation measure which requires the project to comply with the City's right-of-way development standards in order to avoid a potentially significant impact. A similar recommendation has been provided in the Transportation and Traffic section of this letter.

- Table 3.7-2 also indicates that an existing bicycle route terminates at the project site and that the "bicycle route is proposed to be extended to the east." No details are provided and it is unclear who will be responsible for the bicycle route extension.

3q.

Comment: Please expand discussion regarding proposed extension (improvement) of the bicycle route. Is a mitigation measure necessary?

Hazards and Hazardous Materials

- No mitigation measures are recommended in the report.

Comment: The report includes references to the use of natural gas and it is therefore assumed that propane storage and use may be a component of this project. The use of propane can create significant hazards to the public related to upset and accident conditions and a mitigation measure may be warranted. City staff suggests some discussion and possibly a mitigation measure related to the potential use of above-ground propane tanks needed to serve the project. Underground storage tanks are recommended to reduce the aesthetic impact associated with large above-ground tanks.

3r.

Hydrology and Water Quality

- A hydrology study which quantifies the amount of additional storm water runoff resulting from the proposed project has not been prepared.
- The discussion in Sections 3.9.a) through 3.9.e) on Pages 3-56 to 3-59 demonstrates a poor understanding of storm water runoff from the site. Forbes Creek is mentioned on Pages 3-57 and 3-58. Although Forbes Creek is relatively close to the project site (0.15 miles north), its location will prevent it from accepting any of the storm water generated from the project. The storm water generated from the project site will drain to the east and northeast.

3s.

3t.

- Pg 3-58 Section 3.9.a): References the need for permit approval from the North Coast Regional Water Quality Control Board (RWQCB).

3u.

Comment: The City of Lakeport is in the jurisdiction of the Central Valley RWQCB. The report should be corrected.

- Pages 3-58 & 3-59 Section 3.9.c): Notes the use of storm water BMPs during construction to limit erosion and siltation. The project's design will include "vegetated swales or similar storm water management techniques to slow runoff flow and trap sediment."

3v.

Comment: No details have been provided and no mitigation is suggested. It is unknown if the site's physical characteristics will accommodate vegetated swales.

- Pg 3-59 Section 3.9.d): This section addresses the alteration of drainage patterns and the potential for project-related flooding. The report states that the "project would be designed to ensure adequate drainage facilities for storm capacities." As such, "there is a very low potential" for up- or downstream flooding as a result of the project.

3w.

Comment: There is no discussion regarding the method of dealing with the increased amount of storm water flows resulting from the new impervious surfaces. This is a potentially significant impact. No mitigation is suggested but is warranted based on the existing site conditions and the size and scope of the proposed project.

In the City's opinion there will be a net increase in the amount of storm water generated by the subject property subsequent to the construction of the new building, driveways, parking lot, etc. The preparation of a hydrology study is recommended so that adequate drainage facilities are designed.

- Pg 3-59 Section 3.9.e): This section deals with potential impacts to the storm water drainage system and states that the project will not "substantially increase the amount of runoff from the site" and that "storm water volumes would be expected to be similar to existing flows."

3x.

Comment: No factual documentation has been submitted to support these statements and City staff does not believe they are accurate. The addition of new impervious surfaces will substantially increase the rate and amount of storm water generated by the site. This is a potentially significant impact.

City staff is concerned because there are no existing municipal storm water drainage facilities in the Lakeport Boulevard right-of-way near the project site. Storm water from the site currently flows down Lakeport Boulevard in the street gutter and into the curb inlet at the nearest public storm drainage facility located at the NW corner of Lakeport Boulevard and South Main Street. This intersection currently experiences flooding impacts during significant rainfall events. Increased storm water flow from the subject property will significantly impact the drainage system.

Given the lack of any nearby municipal storm drainage facilities, it is vital that adequately-sized storm water detention facilities be constructed on the project site in conjunction with the proposed project.

Another option is the installation of storm water collection and conveyance facilities in the Lakeport Boulevard right-of-way that would tie into the existing improvements at the intersection of Lakeport Boulevard and South Main Street. An on-site storm water detention structure may still be required to ensure that there is no net increase in the rate an amount of off-site storm water drainage.

City staff believes that downstream flooding hazards will increase significantly unless adequate on-site storm water detention facilities or downstream improvements are provided. This is a significant issue which warrants further study. The City's Storm Drainage Master Plan does not identify any proposed facilities in the vicinity of the project.

City staff recommends additional discussion regarding this issue and also suggests a mitigation measure calling for the preparation of a hydrology analysis which quantifies the amount of increased storm water runoff resulting from this project. The City also recommends mitigation requiring the development of adequately-sized on-site storm water detention facilities or adequate downstream improvements that will ensure there is no net increase to the rate and amount of the site's existing storm water runoff. The suggested mitigation measures are intended to reduce these impacts to a less than significant level.

Transportation and Traffic

- The site of the proposed project has been planned and zoned for Commercial activities, but has never been seriously considered for development until now. The court project plans are developing quickly and the conceptual site plans (two options) were only made available for review on August 18, 2010. As such, the City has had a limited amount of time to consider the proposed project. The City believes that the project will generate significant traffic impacts and will likely spur additional development such as office and retail activities in the vicinity.
- The City is looking at this project along with other projects in the area including a proposed main fire station to the north on Larrecou Lane and the redevelopment of the nearby Vista Point Shopping Center. There will be a cumulative impact resulting from the development and redevelopment projects in the vicinity of the court project.

The Planning Commission is reviewing the City's General Plan and considering recommendations for amendments to the Transportation Element in the near future. Specifically, the "Recommended Roadway Improvements" map (Figure 6) of the current General Plan has been determined to need updating to achieve consistency with the 1992 General Plan Transportation Element which called for improvements to Larrecou Lane between Martin Street and Lakeport Boulevard. The Planning Commission will consider this amendment along with the designation of a proposed right-of-way to the south of Lakeport Boulevard (tentative name is Court Street) through the courthouse project site. The

3x.,
Cont

3y.

3z.

collector street would extend south of the Larrecou Lane / Lakeport Boulevard intersection through the proposed project site and would then connect to Kimberly Lane, Grace Lane, Campbell Lane and Industrial Avenue.

The forthcoming review by the Planning Commission and consideration of an amendment of the Lakeport General Plan is being done as a result of the courthouse project design plan which became known to the City on August 18, 2010. The concept of enhancing the transportation network in the project area and addressing other infrastructure needs is set forth as recommended projects in the Lakeport Redevelopment Agency's 5-Year Implementation Plan (projects #3, #7, #9, and #12 on pages 13, 14, and 15 of the March 3, 2009 Five Year Implementation Plan).

Staff will recommend to the Planning Commission that the Transportation Element of the Lakeport General Plan be amended to designate a collector street through the new project site (60 foot right-of-way) in the same location as the proposed driveway access off of Lakeport Boulevard. City staff also recommends consideration of a roundabout at the Lakeport Boulevard / Larrecou Lane intersection. A conceptual roundabout plan is available for review.

The proposed project has the potential to create significant impacts related to Transportation and Traffic. The City recommends a mitigation measure requiring the dedication of land to the City for street right-of-way through the project site. The City also recommends the construction of the collector street to extend through the project site. Utilities in the collector street should also be constructed including sewer, water, storm water drainage, power, street lights, cable television and telephone.

The AOC's participation in the construction of a traffic roundabout is also recommended as traffic mitigation. Said construction would require the dedication of land for right-of-way purposes and the construction of related utilities.

- Improvements to the four impacted intersections are discussed on Pages 3-86 through 3-88, including signalization at the following intersections:
 - Highway 29 SB Ramps / Lakeport Boulevard
 - Highway 29 NB Ramps / Lakeport Boulevard
 - Bevins Street / Lakeport Boulevard
 - Main Street / Lakeport Boulevard

The signalization of the intersections is "recommended for the Cumulative Plus Project Conditions. Therefore fair share contributions for the intersection improvements would be required." A mitigation measure (TRANS-1) states that the AOC will be required to pay the City of Lakeport "the proposed project's fair share contribution towards improving" the intersections listed above. There is no indication as to how the "fair share contribution" will be determined.

3z.,
Cont.

3aa.

- Section 3.16.d) Pages 3-88 & 3-89: This section describes the potential traffic-related hazards resulting from the project. This section describes the "sight distance deficiencies for northbound left turn vehicles at the Lakeport Boulevard / Bevins Street intersection." The report mistakenly refers to the driveway serving the Chamber of Commerce and the Lake County Agriculture/Air Quality Departments as Bevins Street. The Bevins Street right-of-way does not extend south of Lakeport Boulevard. A recommended mitigation measure (TRANS-2) calls for the AOC to pay a fair share contribution to the City for "improving the sight distance at the Bevins Street / Lakeport Boulevard interchange." No indication on how the "fair share contribution" will be determined.

3bb.
- Section 3.16.e) Pg 3-89: This section also refers to the driveway serving the Chamber of Commerce, etc. as Bevins Street. This section describes the recommended driveway location (east side of site opposite the Larrecou Lane intersection) as well as the other driveway locations that were considered. A secondary driveway to be located behind the Chamber of Commerce office ("Visitor's Bureau") is also recommended and will be used for prisoner pick-up and drop-off.

Comment: References to the driveway serving the Chamber of Commerce, etc. as Bevins Street should be eliminated.

3cc.
- The driveway design is briefly discussed and the report states that the "proposed project will conform to design requirements for the Superior Court of California and the City of Lakeport." Impacts are considered less-than-significant and no mitigation is recommended.

Comment: The City's Building Official reviewed the site's topography and provided the following comments:

 - At 8.33% slope, a 600 foot ramp is needed plus a six foot long landing every 30 feet of run (20 landings @ 6 foot each = 120 feet) or a total path length of 720' LF. Approximately 724 lineal feet are available.
 - The last 200 feet of run at the existing slope rises 30 feet. The existing slope exceeds 15%. The maximum allowable slope is 8.33%.

3dd.
- Section 3.16.f) Pages 3-90 & 3-91: This section discusses project-related impacts to public transit, bicycle and pedestrian facilities. Much of the discussion addresses public transit and the development of two bus stops "immediately east and west of the Larrecou Lane/Lakeport Boulevard intersection" is a recommended mitigation measure (TRANS-3).

Comment: As previously noted, Chapter 12.04 of the Lakeport Municipal Code requires the installation of right-of-way improvements along the street frontage of the project site. The City recommends a mitigation measure which requires the project to comply with the City's right-of-way development standards in order to avoid a potentially significant impact to the City's circulation system.

3ee.
- Bikeways are briefly addressed. The City's Transportation Element is cited, including the designation of Lakeport Boulevard as a future bikeway location. No bikeway-related improvements are recommended. The Greenhouse Gas

3ff.

Emissions section included a statement that the "bicycle route is proposed to be extended to the east." It is unclear if the bicycle route extension will be incorporated into the proposed improvements.

3ff.,
Cont.

Comment: Please expand discussion regarding proposed extension (improvement) of the bicycle route. Provide a mitigation measure if necessary.

- A recommended mitigation measure (TRANS-4) requires the installation of high visibility crosswalks to provide safe pedestrian access to the proposed bus stops. This mitigation also states that "pedestrian access should be provided throughout the proposed project with links to the existing pedestrian pathways and sidewalks."

3gg.

Comment: The study does not mention that there is no existing sidewalk along the site's Lakeport Boulevard frontage. This is a significant omission. The City recommends the addition of a mitigation measure calling for the development of right-of-way improvements along the site's Lakeport Boulevard frontage in accordance with the City's Municipal Code. The report should also address the need for off-site pedestrian improvements needed to serve the proposed courthouse project, particularly along the south side of Lakeport Boulevard to the west of the project site. The need for pedestrian improvements in conjunction with the proposed project is considered a potentially significant impact.

Utilities and Service Systems

- Sections 3.17.a) & b) Pages 3-92 & 3-93: These sections indicate that the proposed project will result in less-than-significant impacts to the City's water and sewer systems. The report states that the "amount of water used and wastewater generated daily would likely be the same as the existing amount of water used and wastewater generated" at the existing courthouse facilities that are slated to be replaced by the new project.

3hh.

Comment: This reasoning is flawed due to the fact that the existing courthouse facilities will be occupied by other tenants in the future (see Pg 2-4: "The county intends to reassign the space to other county agencies."). Although the impacts to the City's water and sewer systems may not be potentially significant, the report must be revised to include estimates regarding the anticipated water usage and wastewater generation in conjunction with this project.

- Page 3-94 Section 3.17 d): The report states that the "city currently has water rights for 750 acre-feet per year from the Scotts Valley Aquifer and another 2,000 acre-feet per year from both the Scotts Valley Aquifer and Clear Lake."

3ii.

Comment: The city does not have water rights in Scotts Valley but does have an agreement with Yolo County Flood Control, who has the water rights to Clear Lake, to draw up to 2,000 acre-feet per year.

- Section 3.17.c) Pg 3-94: This section addresses the potential construction of new storm water drainage facilities or the expansion of existing facilities. The discussion addresses compliance with water quality issues including NPDES regulations.

3jj.

Comment: There is no discussion regarding the need for on-site storm water detention facilities in order to prevent downstream impacts related the addition of new impervious surfaces and the resulting increase in storm water runoff. See the comments in the Hydrology and Water Quality section of this letter for more discussion and the City's recommendations regarding appropriate mitigation needed to avoid potentially significant impacts.

3jj.,
Cont.

- Page 3-95 Section 3.17 e): The report states that the "WWTP is owned and operated by the CLMSD, with a design capacity is 2.5 million gallons per day (mgd)."

3kk.

Comment: The original design capacity of the CLMSD treatment facility was 1.05 million gallons per day of dry weather flow and a maximum daily discharge not to exceed 3.8 million gallons. In 2007 the City of Lakeport received a Cease and Desist Order (CDO) from the California Regional Water Quality Control Board Central Valley Region which reduced capacity to 0.42 million gallons per day dry weather flow.

- Section 3.17.e) Pg 3-95: Sewer treatment capacity is discussed. The report states that according to the City of Lakeport Sewer System Management Plan (SSMP), the City's treatment plan has 888 RUEs currently available.

3ll.

Comment: This number of available residential unit equivalents (RUEs) is not accurate. The City of Lakeport Sewer System Management Plan (SSMP) and Sewer Master Plan do not mention capacity to serve an additional 888 RUEs. Currently CLMSD has adequate capacity for approximately 100 RUEs under the CDO restrictions. The report should be corrected to provide the accurate number.

- Section 3.17.f) Pg 3-95 Indicates that the Bevins Street transfer station is still in operation.

3mm.

Comment: The transfer station ceased operation at this location in 2010. The new transfer station is located on Soda Bay Road outside of the Lakeport city limits.

These comments were prepared by the following staff:

- Richard Knoll, Community Development and Redevelopment Director, 707-263-8841, rknoll@cityoflakeport.com
- Mark Brannigan, Utilities Director, 707-263-3578, mbrannigan@cityoflakeport.com
- Andrew Britton, Planning Services Manager, 707-263-5613 x28, abritton@cityoflakeport.com
- Scott Harter, City Engineer, 707-263-5614 x11, sharter@cityoflakeport.com
- Tom Carlton, Building Official, 707-263-3056 x14, tcarlton@cityoflakeport.com

3nn.

The City of Lakeport appreciates the opportunity to comment on this project and we hope that our comments and suggestions are beneficial to the AOC. We look forward to further discussion regarding the project, the potential impacts to our community, and

the integration of appropriate mitigation measures. We also look forward to being a partner with the AOC in addressing and resolving the issues identified herein.

Please don't hesitate to contact our staff if you have any questions or concerns regarding our comments.

3nn.,
Cont.

Sincerely,



Richard Knoll

Community Development, Redevelopment & Housing Director

cc: City Manager
City Council
Planning Commission

Response to Comment Letter No. 3

September 21, 2010 letter from the City of Lakeport

General Comments

- 3a. The commenter states that the project description in Chapter 2 of the Draft IS/MND is inadequate. As stated above, the AOC does not have more detailed design information for the proposed project at this time. The project description provided is a “maximum envelope” for the proposed project, which allows the AOC to evaluate maximum impacts. The purpose of the CEQA analysis is to describe the proposed project, and evaluate the potential impacts of the project. The project description, including project location, square footage of the proposed courthouse, proposed height of the building, traffic counts and ingress/egress options, and area of site disturbance (for purposes of the CEQA analysis, we assumed the entire site would be disturbed), is adequate for CEQA purposes. More detailed design information about the proposed project will be provided as the design process moves forward and is finalized.

The Draft IS/MND provides a description of the proposed project’s anticipated design features, based on the best information currently available, and a detailed evaluation of the proposed project’s potential impacts. Chapter 2 (specifically, page 2-9 in the Draft IS/MND) describes the AOC’s design requirements for new courthouses. As the AOC finalizes the design process, it will share design information with the city, consult with, and solicit the city’s input and review.

The new details and conceptual site plans that are referenced in the comment letter were preliminary in nature, and were only made available at a Project Advisory Group meeting on August 18, 2010 (which included city staff). The plans were very preliminary in nature, were high level “test fits,” and while they do not change or contribute to the CEQA analysis, they have been included as Appendix K in an effort to respond to the comment received. The AOC recognizes that if substantial changes or new information is provided that was not previously identified or analyzed in the IS/MND, as with any project under CEQA, any future discretionary project approvals shall be evaluated in light of Section 21166 of CEQA and State CEQA Guidelines Section 15162. No change to the Draft IS/MND is necessary.

- 3b. The commenter states that the Draft IS/MND reflects the incorrect date for the month in which the Lakeport General Plan was adopted. Comment noted. The Lakeport General Plan adoption date has been modified on page 2-3 of the Draft IS/MND to reflect April 2009.
- 3c. The commenter states that the reference to “Lakeport Visitor’s Bureau” should be changed to “Lake County Chamber of Commerce.” Comment noted. All references to the “Lakeport Visitor’s Bureau” in the Draft IS/MND have been modified to reflect the “Lake County Chamber of Commerce.”
- 3d. The commenter states that Figure 2 of the Draft IS/MND illustrates a poor topographic map. Figures 1, 2, and 3 in the Draft IS/MND are consistent with State CEQA Guidelines Section 15071(b) requirements: “*the location of the project, preferably shown on a map...*”, and the figures are consistent with the AOC’s standards. No change to the Draft IS/MND is necessary.

- 3e. The commenter states that Figure 3 text should be revised to read “Lake County Chamber of Commerce.” Comment noted. Figure 3 in the Draft IS/MND has been modified to reflect the “Lake County Chamber of Commerce.”

Aesthetics

- 3f. The commenter is concerned about potentially significant impacts to the view corridor that is located east of the proposed courthouse site. The Draft IS/MND provides a description of the proposed project based on the best information that is currently available, and the AOC’s design standards for new courthouses. The AOC’s 2006 design standards are available in: *California Trial Court Facilities Standards* which is available at: http://www.courtinfo.ca.gov/programs/occm/documents/06_April_Facilities_Standards-Final-Online.pdf. Strict adherence to the *California Trial Court Facilities Standards* will reduce potential aesthetic impacts.

In addition, since the AOC is the lead agency for the proposed project, and is acting for the State of California on behalf of the Judicial Council of California, local government land use planning and zoning regulations do not apply. The Draft IS/MND analysis did, however, note that the City’s General Plan (Figure 16) identifies a view corridor near the proposed project site in Section 3.1.c). The AOC will continue to work with the City of Lakeport and interested stakeholders to address potential aesthetic issues during the more detailed design process. This coordination will ensure that, as stated in the IS/MND, “the AOC is attempting to site the courthouse in a way that reduces impacts on the view from the Visitors Center...”. The AOC will also need to site the courthouse in a way that is compliant with the “cone of vision” easement on the project site. Given these efforts, the analysis concludes that the proposed project will minimize any potential impact to the view corridor that is located east of the proposed courthouse site. No change to the Draft IS/MND is necessary.

- 3g. The commenter suggests that a mitigation measure be added to address the potential view corridor impact. Refer to response 3f., above. No change to the Draft IS/MND is necessary.
- 3h. The commenter suggests that mitigation measures be added which require the provision of adequately-sized refuse enclosures, propane tank enclosures, and the use of anti-glare related building materials/finishes. Comment noted. The proposed project will adhere to the *California Trial Court Facilities Standards* (Judicial Council of California 2006), which ensure that the building will be appropriate to the surroundings. The courthouse’s design will represent the dignity of the law, the importance of the activities within the courthouse, and the stability of the judicial system. The design will be responsive to local context, geography, climate, culture, and history. The proposed project design will include landscaping elements that will enhance, rather than degrade, the visual and aesthetic quality of the area, thus maintaining the important visual elements in the city. The *California Trial Court Facilities Standards* emphasize that the state’s courthouse buildings will be appropriate to the surroundings and will not have substantial metallic finishes that generate substantial glare. The proposed project will also incorporate LEED criteria in order to reduce light and glare pollution. No change to the Draft IS/MND is necessary.
- 3i. The commenter suggests that the recorded “cone of vision” easement which extends through the proposed project site (protecting the adjoining view corridor area) be

addressed. Although the design process has not yet been finalized, the proposed project will be placed outside of the “cone of vision” easement. Refer to response 3f., above. No change to the Draft IS/MND is necessary.

Air Quality

- 3j. The commenter notes that natural gas is not available in Lakeport. Comment noted. All references to “natural gas” in the Draft IS/MND have been modified to state “propane.”
- 3k. The commenter notes that statements in Sections 3.3.b) and 3.3.c) regarding PM₁₀ emissions and California Ambient Air Quality Standards (CAAQS) appear to be in conflict. Table 3.3-1 and Table 3.3-2 contain typographical errors and do not appear consistent with the less than significant conclusions in the analysis. This is because the modeled project peak concentrations for PM₁₀ are incorrect. Additionally, the background concentrations for PM₁₀ and PM_{2.5} are incorrect. Table 3.1-1 (on page 3-9) and Table 3.1-2 (on page 3-12) of the Draft IS/MND have been modified as follows:

**Table 3.3-1
Construction Emissions**

Estimated Emissions	Pollutant – Averaging Time			
	CO (µg/m ³) 1 Hour	NO _x (µg/m ³) 1 Hour	PM ₁₀ (µg/m ³) 24 Hour	PM _{2.5} (µg/m ³) 24 Hour
Project peak concentration (2012)	56.05	98.96	73.92 <u>26.89</u>	16.81
Background Concentration	3.5	0.45	48.5 <u>17.6</u>	29.0 <u>7.8</u>
Total	59.15	99.41	122.42 44.49	45.81 24.61
NAAQS	40,000	203	150	35
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>
CAAQS	23,000	339	50	-
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>

ppm = parts per million; µg/m³ = micrograms per cubic meter; CAAQS = California Ambient Air Quality Standards; NAAQS = National Ambient Air Quality Standards

**Table 3.3-2
Operational Emissions**

Estimated Emissions	Pollutant – Averaging Time			
	CO (µg/m ³) 1 Hour	NO _x (µg/m ³) 1 Hour	PM ₁₀ (µg/m ³) 24 Hour	PM _{2.5} (µg/m ³) 24 Hour
Project peak concentration	146.40	17.09	9.48	1.85
Background Concentration	3.5	0.45	48.5 <u>17.6</u>	29.0 <u>7.8</u>
Total	149.90	17.54	57.98 27.08	30.85 9.65
NAAQS	40,000	203	150	35
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>
CAAQS	23,000	339	50	35
<i>Significant?</i>	<i>No</i>	<i>No</i>	<i>No</i>	<i>No</i>

ppm = parts per million; µg/m³ = micrograms per cubic meter; CAAQS = California Ambient Air Quality Standards; NAAQS = National Ambient Air Quality Standards

As seen in the modified tables above, PM_{10} total emissions do not exceed the state AAQS and $PM_{2.5}$ emissions do not exceed the state and federal AAQS. Therefore, construction-related emissions are less than significant with mitigation incorporated. The following page contains the output of the revised SCREEN3 modeling.

*** SCREEN3 MODEL RUN ***
*** VERSION DATED 96043 ***

C:\Lakes\ScreenView\lake_co.scr

SIMPLE TERRAIN INPUTS:

SOURCE TYPE = AREA
EMISSION RATE (G/(S-M**2)) = 0.206000E-05
SOURCE HEIGHT (M) = 3.0000
LENGTH OF LARGER SIDE (M) = 152.4100
LENGTH OF SMALLER SIDE (M) = 152.4100
RECEPTOR HEIGHT (M) = 3.0000
URBAN/RURAL OPTION = URBAN

THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED.
THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED.

MODEL ESTIMATES DIRECTION TO MAX CONCENTRATION

BOUY. FLUX = 0.000 M**4/S**3; MOM. FLUX = 0.000 M**4/S**2.

*** FULL METEOROLOGY ***

*** SCREEN AUTOMATED DISTANCES ***

*** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING DISTANCES ***

DIST (M)	CONC (UG/M**3)	STAB	U10M (M/S)	USTK (M/S)	MIX HT (M)	PLUME HT (M)	MAX DIR (DEG)
1.	52.96	5	1.0	1.0	10000.0	3.00	45.
100.	66.37	5	1.0	1.0	10000.0	3.00	45.
200.	22.35	5	1.0	1.0	10000.0	3.00	45.
300.	13.98	5	1.0	1.0	10000.0	3.00	45.
400.	9.894	5	1.0	1.0	10000.0	3.00	45.
500.	7.470	5	1.0	1.0	10000.0	3.00	45.
600.	5.882	5	1.0	1.0	10000.0	3.00	45.
700.	4.779	5	1.0	1.0	10000.0	3.00	42.
800.	3.979	5	1.0	1.0	10000.0	3.00	45.
900.	3.380	5	1.0	1.0	10000.0	3.00	45.
1000.	2.918	5	1.0	1.0	10000.0	3.00	45.

MAXIMUM 1-HR CONCENTRATION AT OR BEYOND 1. M:
108. 67.23 5 1.0 1.0 10000.0 3.00 45.

*** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
SIMPLE TERRAIN	67.23	108.	0.

** REMEMBER TO INCLUDE BACKGROUND CONCENTRATIONS **

Biological Resources

- 3l. The commenter states that Figure 3 in the Draft IS/MND is unlabeled and does not include a legend. Figure 3 (only in the hard copies of the Draft IS/MND) did not print properly; this has been corrected and the figure has been replaced in the Final IS/MND. The Biological Study Report, available online for viewing during the 30-day public review period (Appendix C of the Draft IS/MND, available at: http://www.courtinfo.ca.gov/programs/occm/projects_lake_lakeport.htm), correctly illustrated Figure 3, which was labeled “Special-Status Plant Population Locations and Density Representation.” A legend was also provided.
- 3m. The commenter states that although the Biological Study Report was prepared without the benefit of a site plan, the proposed mitigation measures on pages 3-19 and 3-20 of the Draft IS/MND appear to be thorough. The AOC concurs that the mitigation measures included in the Draft IS/MND will provide adequate mitigation for biological resources regardless of the ultimate site plan configuration. Since the release of the Draft IS/MND, the AOC was able to initiate consultation with the California Department of Fish and Game regarding mitigation for biological impacts.
- 3n. The commenter questions whether or not mitigation measures are necessary for a jurisdictional determination by the U.S. Army Corps of Engineers (Corps). Following publication of the Draft IS/MND, the Corps staff reviewed the draft wetland delineation report (included in Appendix C of the Draft IS/MND) and concluded that the on-site waters are not subject to Corps jurisdiction. These waters consist of two very shallow, seasonally ponded depressions overlying bedrock and several drainage ditches. The Corps concluded that the two depressions over bedrock are not subject to its jurisdiction because they lack hydric soils and have less than five percent vegetative cover. The Corps also concluded that the constructed ditches are not subject to its jurisdiction because they were constructed wholly in uplands and do not receive or intercept flow from jurisdictional waters. A revised map showing no waters on the proposed project site was submitted to the Corps on August 10, 2010. The Corps responded on August 27, 2010, with a “preliminary jurisdictional determination” (JD) concurring that no wetlands or others waters subject to Corps jurisdiction occur on the proposed project site. A copy of the August 27, 2010 JD letter follows this response.

Subsequently, Regional Water Quality Control Board (Board) staff was contacted to determine if the Board would exert jurisdiction over the features pursuant to its authority under the Porter-Cologne Act. As documented in the attached September 9, 2010 email following this response, the Board will not exert jurisdiction over on-site features under the Porter-Cologne Act.

Because neither of the above agencies are exerting jurisdiction over the features, the need for mitigation should be evaluated on the basis of their environmental values (as opposed to regulatory requirements). The most important of these values would be their ability to support flora and fauna, potential to contribute to groundwater recharge, and potential to improve the quality of stormwater runoff. Most of the features are essentially unvegetated, while the two features that do support vegetation are dominated by introduced annual grasses and forbs. No invertebrates were observed in the features during the wildlife survey (conducted on March 17, 2010) or early-season botanical surveys (conducted on April 9 and 29, May 17, and June 19, 2010). Although the features could be used as a water source for certain species such as killdeer on an occasional basis, they are very

unlikely to support critical life stages of wildlife species. Further, the features have minimal potential to provide groundwater recharge because most of the features overlie bedrock. Because the features have minimal vegetative cover, they also have limited potential to filter pollutants out of runoff or to provide for nutrient uptake. Given the negligible environmental values of the features and the absence of resource-agency jurisdiction, loss of the features due to proposed project implementation is not a significant environmental impact and no mitigation is warranted. No change to the Draft IS/MND is necessary.



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
U.S. ARMY ENGINEER DISTRICT, SACRAMENTO
CORPS OF ENGINEERS
1325 J STREET
SACRAMENTO CA 95814-2922

August 27, 2010

Regulatory Division SPK-2010-00960

Ms. Laura Sainz
Administrative Office of the Courts
2860 Gateway Oaks Drive, Suite 400
Sacramento, California 95833

Dear Ms. Sainz:

We are responding to your August 10, 2010, request for a preliminary jurisdictional determination (JD), in accordance with our Regulatory Guidance Letter (RGL) 08-02, for the Lake County Courthouse site. The approximately 6.4-acres site is located on or near Clear Lake, Section 25, Township 14 North, Range 10 West, Mount Diablo Meridian Survey, Latitude 39.0338°, Longitude -122.9207°, City of Lakeport, Lake County, California.

Based on available information, **we concur with the estimate of potential waters of the United States, as depicted on the August 16, 2010, Figure 2, Waters of the U.S. and/or State, Lake County Courthouse Site drawing prepared by Enplan, Don Burk.** There is approximately 0-acre of wetlands or other water bodies present within the survey.

A copy of our RGL 08-02 Preliminary Jurisdictional Determination Form for this site is enclosed. Please sign and return a copy of the completed form to this office. Once we receive a copy of the form with your signature, we can accept and process a Pre-Construction Notification (PCN) or permit application for your proposed project.

You should not start any work in potentially jurisdictional waters of the United States unless you have Department of the Army permit authorization. You may request an approved JD for this site at any time prior to starting work within waters. In certain circumstances, as described in RGL 08-02, an approved JD may later be necessary.

You should provide a copy of this letter and notice to all other affected parties, including any individual who has an identifiable and substantial legal interest in the property.


This preliminary determination has been conducted to identify the potential limits of wetlands and other water bodies, which may be subject to Corps of Engineers' jurisdiction for the particular site identified in this request. A Notification of Appeal Process and Request for Appeal (RFA) form is enclosed to notify you of your options with this determination. This determination may not be valid for the wetland conservation provisions of the Food Security Act of 1985. If you or your tenant are USDA program participants, or anticipate participation in

USDA programs, you should request a certified wetland determination from the local office of the Natural Resources Conservation Service, prior to starting work.

We appreciate your feedback. At your earliest convenience, please tell us how we are doing by completing the customer survey on our website under *Customer Service Survey*.

Please refer to identification number SPK-2010-00960 in any correspondence concerning this project. If you have any questions, please contact Mr. Peck Ha at our California North Branch Office, Regulatory Division, Sacramento District, U.S. Army Corps of Engineers, 1325 J Street, Room 1480, Sacramento, California 95814-2922, email Peck.Ha@usace.army.mil, or telephone 916-557-6617. For more information regarding our program, please visit our website at www.spk.usace.army.mil/regulatory.html.

Sincerely,



Nancy A. Haley
Chief, California North Branch

Enclosures

Copy Furnished without enclosures:

Mr. John Luper, Enplan, 3179 Bechelli Lane, Suite 100, Redding, California 96002

Copies Furnished with enclosures:

Mr. Dan Radulescu, Storm Water and Water Quality Certification Unit, California Regional Water Quality Control Board, Central Valley Region, 11020 Sun Center Drive #200, Rancho Cordova, California 95670-6114


Mr. Kent Smith, California Department of Fish and Game, Region 2, 1701 Nimbus Drive, Rancho Cordova, California 95670-4599

Ms. Kim Squires, Forest Foothill Branch, U.S. Fish and Wildlife Service, Endangered Species Division, 2800 Cottage Way, Suite W2605, Sacramento, California 95825-3901

Mr. Jason Brush, Environmental Protection Agency, WRT-8, 75 Hawthorne Street, San Francisco, California 94105

PRELIMINARY JURISDICTIONAL DETERMINATION FORM
Sacramento District

This preliminary JD finds that there "may be" waters of the United States on the subject project site, and identifies all aquatic features on the site that could be affected by the proposed activity, based on the following information:

Regulatory Branch: California North File/ORM #: SPK-2010-00960 PJD Date: August 27, 2010					
State: CA City/County: Lakeport, Lake County Nearest Waterbody: Clear Lake, Cache Creek Location (Lat/Long): 39.0337787360831°, -122.920723885088° Size of Review Area: 6.4 acres	Name/Address Laura Sainz Of Property Administrative Office of the Courts Owner/ 2860 Gateway Oaks Drive, Suite 400 Potential Sacramento, California 95833 Applicant				
Identify (Estimate) Amount of Waters in the Review Area Non-Wetland Waters: <table border="0"> <tr> <td>linear feet</td> <td>ft wide</td> <td>0.135 acres</td> <td>Stream Flow Per. (seasonal)</td> </tr> </table> Wetlands: 0 acre(s) Cowardin N/A Class:	linear feet	ft wide	0.135 acres	Stream Flow Per. (seasonal)	Name of any Water Bodies Tidal: on the site identifies as Section 10 Waters: Non-Tidal: <input checked="" type="checkbox"/> Office (Desk) Determination <input type="checkbox"/> Field Determination: Date(s) of Site Visit(s):
linear feet	ft wide	0.135 acres	Stream Flow Per. (seasonal)		
SUPPORTING DATA: Data reviewed for preliminary JD (check all that apply – checked items should be included in case file and, where checked and requested, appropriately reference sources below) <input checked="" type="checkbox"/> Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: August 16, 2010, Figure 2, Waters of the U.S. and/or State, Lake County Courthouse Site <input checked="" type="checkbox"/> Data sheets prepared/submitted by or on behalf of the applicant/consultant. <input type="checkbox"/> Data sheets prepared by the Corps. <input type="checkbox"/> Corps navigable waters' study. <input type="checkbox"/> U.S. Geological Survey Hydrologic Atlas: <input type="checkbox"/> USGS NHD data. <input type="checkbox"/> USGS HUC maps. <input checked="" type="checkbox"/> U.S. Geological Survey map(s). Cite scale & quad name: 1:24K; CA-LAKEPORT <input checked="" type="checkbox"/> USDA Natural Resources Conservation Service Soil Survey. <input type="checkbox"/> National wetlands inventory map(s). <input type="checkbox"/> State/Local wetland inventory map(s). <input type="checkbox"/> FEMA/FIRM maps. <input type="checkbox"/> 100-year Floodplain Elevation (if known): <input checked="" type="checkbox"/> Photographs: <input checked="" type="checkbox"/> Aerial <input checked="" type="checkbox"/> Other <input type="checkbox"/> Previous determination(s). File no. and date of response letter: <input checked="" type="checkbox"/> Other information (please specify): This property has been previously graded and altered of its natural contours. The graded surface exposed some areas of bedrock where ponding of water occurred during winter/early spring and support sparse wetland vegetation. These seasonal waters lack hydric soils and more than 5% hydric vegetation. All of the drainage ditches on this property are constructed in uplands and to drain upland waters.					
IMPORTANT NOTE: The information recorded on this form has not necessarily been verified by the Corps and should not be relied upon for later jurisdictional determinations.					
Signature and Date of Regulatory Project Manager (REQUIRED) 	Signature and Date of Person Requesting Preliminary JD (REQUIRED, unless obtaining the signature is impracticable)				

Applicant: Laura Sainz, Administrative Office of the Courts		File No.: SPK-2010-00960	Date: August 30, 2010
Attached is:			See Section below
	INITIAL PROFFERED PERMIT (Standard Permit or Letter of permission)		A
	PROFFERED PERMIT (Standard Permit or Letter of permission)		B
	PERMIT DENIAL		C
	APPROVED JURISDICTIONAL DETERMINATION		D
X	PRELIMINARY JURISDICTIONAL DETERMINATION		E

SECTION I: The following identifies your rights and options regarding an administrative appeal of the above decision. Additional information may be found at <http://www.usace.army.mil/infocenter/why/whynew/ce/ce.html> or Corps regulations at 33 CFR Part 391.

A: INITIAL PROFFERED PERMIT: You may accept or object to the permit.

- **ACCEPT:** If you received a Standard Permit, you may sign the permit document and return it to the DISTRICT engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- **OBJECT:** If you object to the permit (Standard or LOP) because of certain terms and conditions therein, you may request that the permit be modified accordingly. You must complete Section II of this form and return the form to the DISTRICT engineer. Your objections must be received by the DISTRICT engineer within 60 days of the date of this notice, or you will forfeit your right to appeal the permit in the future. Upon receipt of your letter, the DISTRICT engineer will evaluate your objections and may: (a) modify the permit to address all of your concerns, (b) modify the permit to address some of your objections, or (c) not modify the permit having determined that the permit should be issued as previously written. After evaluating your objections, the DISTRICT engineer will send you a proffered permit for your reconsideration, as indicated in Section B below.

B: PROFFERED PERMIT: You may accept or appeal the permit

- **ACCEPT:** If you received a Standard Permit, you may sign the permit document and return it to the DISTRICT engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- **APPEAL:** If you choose to decline the proffered permit (Standard or LOP) because of certain terms and conditions therein, you may appeal the declined permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the DIVISION (not district) engineer (address on reverse). This form must be received by the DIVISION engineer within 60 days of the date of this notice.

C: PERMIT DENIAL: You may appeal the denial of a permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the DIVISION (not district) engineer (address on reverse). This form must be received by the DIVISION (not district) engineer within 60 days of the date of this notice.

D: APPROVED JURISDICTIONAL DETERMINATION: You may accept or appeal the approved JD or provide new information.

- **ACCEPT:** You do not need to notify the Corps to accept an approved JD. Failure to notify the Corps within 60 days of the date of this notice, means that you accept the approved JD in its entirety, and waive all rights to appeal the approved JD.
- **APPEAL:** If you disagree with the approved JD, you may appeal the approved JD under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the DIVISION (not district) engineer (address on reverse). This form must be received by the DIVISION engineer within 60 days of the date of this notice. Exception: JD appeals based on new information must be submitted to the DISTRICT engineer within 60 days of the date of this notice.

E: PRELIMINARY JURISDICTIONAL DETERMINATION: You do not need to respond to the Corps regarding the preliminary JD. The Preliminary JD is not appealable. If you wish, you may request an approved JD (which may be appealed), by contacting the Corps district for further instruction. Also you may provide new information for further consideration by the Corps to reevaluate the JD.

EXPLANATION OF PRELIMINARY AND APPROVED JURISDICTIONAL DETERMINATIONS:

1. The Corps of Engineers believes that there may be jurisdictional waters of the United States on the subject site, and the permit applicant or other affected party who requested this preliminary JD is hereby advised of his or her option to request and obtain an approved jurisdictional determination (JD) for that site. Nevertheless, the permit applicant or other person who requested this preliminary JD has declined to exercise the option to obtain an approved JD in this instance and at this time.

2. In any circumstance where a permit applicant obtains an individual permit, or a Nationwide General Permit (NWP) or other general permit verification requiring "preconstruction notification" (PCN), or requests verification for a non-reporting NWP or other general permit, and the permit applicant has not requested an approved JD for the activity, the permit applicant is hereby made aware of the following: (1) the permit applicant has elected to seek a permit authorization based on a preliminary JD, which does not make an official determination of jurisdictional waters; (2) that the applicant has the option to request an approved JD before accepting the terms and conditions of the permit authorization, and that basing a permit authorization on an approved JD could possibly result in less compensatory mitigation being required or different special conditions; (3) that the applicant has the right to request an individual permit rather than accepting the terms and conditions of the NWP or other general permit authorization; (4) that the applicant can accept a permit authorization and thereby agree to comply with all the terms and conditions of that permit, including whatever mitigation requirements the Corps has determined to be necessary; (5) that undertaking any activity in reliance upon the subject permit authorization without requesting an approved JD constitutes the applicant's acceptance of the use of the preliminary JD, but that either form of JD will be processed as soon as is practicable; (6) accepting a permit authorization (e.g., signing a proffered individual permit) or undertaking any activity in reliance on any form of Corps permit authorization based on a preliminary JD constitutes agreement that all wetlands and other water bodies on the site affected in any way by that activity are jurisdictional waters of the United States, and precludes any challenge to such jurisdiction in any administrative or judicial compliance or enforcement action, or in any administrative appeal or in any Federal court; and (7) whether the applicant elects to use either an approved JD or a preliminary JD, that JD will be processed as soon as is practicable. Further, an approved JD, a proffered individual permit (and all terms and conditions contained therein), or individual permit denial can be administratively appealed pursuant to 33 C.F.R. Part 331, and that in any administrative appeal, jurisdictional issues can be raised (see 33 C.F.R. 331.5(a)(2)). If, during that administrative appeal, it becomes necessary to make an official determination whether CWA jurisdiction exists over a site, or to provide an official delineation of jurisdictional waters on the site, the Corps will provide an approved JD to accomplish that result, as soon as is practicable.



FILE: \\fira\as\XService\AD\CompanyFiles\01_Lake County Courthouse\Project GIS\3_Maps\Documents\Fig 2_Lakeport Ditch.mxd 8.16.10.mxd

- Study Area Boundary
- Parcel Boundary
- Culvert
- Flow Direction
- Storm Drain Inlet
- Data Point

Figure 2
Waters of the U.S. and/or State

Project:	Lake County Courthouse Site
Delineator:	Don Burk
Date:	February 8 & April 9, 29, & 30, 2010
Date Revised:	August 16, 2010



Feature and boundary locations depicted are approximate only 08.16.10



Cindy Crom

From: Daniel Worth [DWorth@waterboards.ca.gov]
Sent: Thursday, September 09, 2010 12:28 PM
To: John Luper
Subject: Re: Lake County Site - Jurisdictional Determination Request

John,

I have review the attached information including the Corps 27 August 2010 jurisdictional determination. The proposed project site is located at 675 Lakeport Blvd in the City of Lakeport, and is situated on the south side of Lakeport Blvd. The Central Valley Water Board concurs with the Corps determination that the site does not contain wetlands or other water bodies. The Central Valley Water Board will not exert jurisdiction over on-site features under the Porter-Cologne Act. Please be advised that the project may be required to obtain coverage under the NPDES General Permit for Storm Water Discharges. If you have any further questions please let me know.

Dan

To comply with the Governor's order calling for furloughs, the Central Valley Regional Water Control Board Office and offices of the California Environmental Protection Agency are closed the second, third, and fourth Friday of every month.

Daniel Worth
Environmental Scientist
Water Quality Certification Program
Central Valley Water Board
11020 Sun Center Dr. #200
Rancho Cordova, CA 95670

Telephone (916) 464-4709
FAX (916) 464-4775
dworth@waterboards.ca.gov

>>> John Luper <JLuper@enplan.com> 9/9/2010 11:20 AM >>>

Dan,

Per our recent conversation, we request that the you review the delineation data prepared by ENPLAN and determine whether or not the State would exert jurisdiction over on-site features under the State's Porter-Cologne Act. In support of your determination, we have attached a vicinity map, the original delineation map, the Corps-verified map, and representative photos. As discussed, the Corps issued a letter on August 27 stating that no wetlands or other water bodies subject to its jurisdiction are present within the survey area (letter attached).

The subject site is located at 675 Lake Boulevard in the City of Lakeport, Lake County. Previous grading activities have dramatically altered the natural contours of the site. Overall, roughly 20 feet of surface material has been removed from the upper portion of the site, resulting in two level terraces, and in some areas, exposed the underlying bedrock. Areas of exposed bedrock pond water during the winter/early spring and support sparse wetland vegetation. Because the on-site seasonal waters lack hydric soils and have less than five percent vegetative cover (4:SW and 5:SW), they do not qualify as wetlands subject to Corps jurisdiction. With respect to constructed ditches, through discussions with Corps and ENPLAN staff, it was determined that the on-site ditches are constructed wholly in uplands and do not receive or intercept flow from jurisdictional waters. As such, under current Corps

guidelines, the on-site constructed ditches do not qualify as waters of the U.S. Based on the above information, the Corps requested that we remove said features from the map as they did not qualify as waters of the U.S. (see Corps-verified map).

We request that the Regional Board review the attached information and determine if the State would exert jurisdiction over on-site features under the Porter-Cologne Act. Please call me if you have any questions regarding our request. Thank you.

Regards,

John

John Luper
Environmental Scientist
ENPLAN
jluper@enplan.com<mailto:jluper@enplan.com>
530/221-0440 x110
530/221-6963 Fax
www.enplan.com<http://www.enplan.com>

- 3o. The commenter stated that the reference to mitigation measures should be changed from “BIO-2” to “BIO-1.” Comment noted. Section 3.4.e) on page 3-23 of the Draft IS/MND has been modified to reference the correct mitigation measure.

Greenhouse Gas Emissions

- 3p. The commenter requests that the existing pedestrian facilities along Lakeport Boulevard be described to depict that there are areas without fully developed sidewalks. In addition, the commenter recommends a mitigation measure which requires the proposed project to comply with the city’s right-of-way development standards in order to avoid a potentially significant impact to the city’s circulation system.

Based on the comment received, Table 3.7-2 (on page 3-43 of the Draft IS/MND) has been modified as follows:

Project Design Feature	Project Applicability	Percent Reduction
Include pedestrian and bicycle facilities within projects and ensure that existing non-motorized routes are maintained and enhanced.	Compliant. The proposed project’s design would include bicycle racks to encourage non-motorized travel. Also, <u>portions of</u> Lakeport Boulevard contains improved sidewalks which promote pedestrian activity. <u>The proposed project will include sidewalks around the site as well.</u>	2

The AOC included the table above as a review of the project’s consistency with the state’s greenhouse gas (GHG) emission reduction targets. Since the Lake County Air Quality Management District does not currently have quantitative thresholds of significance for GHG emissions, the AOC used the Attorney General’s recommendations for design features that would reduce GHG. To the extent feasible, the AOC will include sidewalks and improve pedestrian and other non-motorized access on the proposed project site, which is consistent with the Attorney General’s recommendations. No change to the Draft IS/MND is necessary.

- 3q. The commenter requests that the discussion regarding the proposed extension (improvement) of the bicycle route be expanded. Figure 7 (Bikeway Plan) of the city’s General Plan illustrates a proposed bicycle route along Lakeport Boulevard to connect to the existing route which terminates at the proposed project site. Implementation Program T 21.1-a of the city’s Bikeway Plan states: “Implement the bikeway route system as shown on Figure 7; Responsibility: Community Development and Public Works Departments.” Since the city’s General Plan illustrates the proposed bicycle route, no change to the Draft IS/MND is necessary.

Hazards and Hazardous Materials

- 3r. The commenter suggests discussion and possibly mitigation measures related to the potential use of underground or above-ground propane tanks needed to serve the project. Refer to response 3j., above. References to “natural gas” in the Draft IS/MND have been

modified to state “propane.” Propane, also known as liquid petroleum gas, is often used in place of natural gas, with the connection to the building provided by a large tank. It is regulated under the Code of Federal Regulations (CFR), 29 CFR Parts 1910 and 1926, through the U.S. Department of Labor, Occupation Safety and Health Administration (OSHA). The National Fire Protection Agency (NFPA) also provides safety regulations for propane, under NFPA 58, Liquid Petroleum Gas Code. Propane is not listed as a hazardous material per the American Standards for Testing and Materials (ASTM) Standard Practice E 1527-05. The use of propane on the proposed project site will be subject to all federal, state, and local laws and regulations regarding safety. Therefore, impacts remain less than significant and no mitigation is required. No change to the Draft IS/MND is necessary.

Hydrology and Water Quality

- 3s. The commenter states that there has been no quantification of additional stormwater runoff resulting from the proposed project. Section 3.9, beginning on page 3-56 of the Draft IS/MND, discusses drainage and stormwater runoff. Based on the comment received, rough estimates regarding existing and proposed project completion runoff amounts were calculated. Please note that these estimates are very general, and can vary greatly based on a number of factors, including site design, footprint, and landscape area. The Lake County Hydrology Design Standards (Lake County Department of Public Works Water Resources Division, June 1999) were used to estimate the worst case stormwater runoff scenario for the 10-year and 100-year storm events for existing and proposed project completion conditions. Because the AOC does not have precise design information at this time, the worst case stormwater runoff amounts were estimated. The estimated existing worst case stormwater runoff amounts assume that the existing soils are clay with low infiltration capacity. The estimated proposed project completion worst case stormwater runoff amounts assume that the six-acre project site would be almost entirely covered with impervious surface, except those areas required for landscaping and stormwater percolation.

The 10-year worst case stormwater runoff amounts are estimated as follows:

- Existing conditions: 3.1 cubic feet per second (cfs)
- Proposed project completion conditions: 6.9 cfs
- Increase in worst case stormwater runoff amount: 3.8 cfs

The 100-year worst case stormwater runoff amounts are estimated as follows:

- Existing conditions: 4.5 cfs
- Proposed project completion conditions: 10.0 cfs
- Increase in worst case stormwater runoff amount: 5.5 cfs

The worst case increase for stormwater runoff at the proposed project site would be 3.8 cfs during a 10-year storm event and 5.5 cfs during the 100-year storm event. The proposed project will be required to be consistent with the guidelines provided in the *California Stormwater BMP Handbook* for stormwater runoff, including using landscape areas for percolation of runoff. The proposed project’s stormwater drainage facilities will be designed to ensure adequate capacities. Since the proposed project is required to be consistent with the California Stormwater BMP Handbook, no mitigation is required. Once more detailed design information is available, the AOC will consult with the city to determine the best stormwater management techniques for the proposed project.

In addition, pursuant to the *California Trial Court Facilities Standards*, all courthouse projects shall be designed for sustainability and, at a minimum, to the standards of a Leadership in Energy and Environmental Design (LEED) “certified” rating. The proposed project will be designed to the LEED silver rating and the AOC will seek certification of the silver rating by the U.S. Green Building Council. LEED requirements will include stormwater design for quantity control. Given this design requirement, stormwater runoff volumes are anticipated to be similar to existing flows. The AOC does not have more precise design information at this time; additional details about the proposed project design, footprint, and infrastructure will be provided as more detailed design is completed. No change to the Draft IS/MND is necessary.

- 3t. The commenter feels the Draft IS/MND does not identify the drainage patterns appropriately and states that the stormwater generated from the proposed project site will drain to the east and northeast. Comment noted. Section 3.9.d) on page 3-59 of the Draft IS/MND discusses the groundwater gradient as to the east, down gradient toward Clear Lake. Sections 3.9.a) through e) discuss water quality and runoff as related to the CEQA Checklist questions regarding water quality, groundwater supply, erosion and siltation, on- and offsite flooding, and stormwater runoff. Please refer to response 1b, above, pertaining to runoff direction and response 3s, above, pertaining to stormwater runoff. No change to the Draft IS/MND is necessary.
- 3u. The commenter states that the city is in the Central Valley Regional Water Quality Control Board’s jurisdiction. Comment noted. References to the North Coast Regional Water Quality Control Board have been modified in the Draft IS/MND to reflect the City of Lakeport’s location within the Central Valley Regional Water Quality Control Board’s jurisdiction.
- 3v. The commenter states that no mitigation measures are provided for erosion or siltation and that the physical characteristics of the proposed project site may not accommodate vegetated swales. As stated above and in the Draft IS/MND, the proposed project will incorporate BMPs consistent with the *California Stormwater BMP Handbook* guidelines. The incorporation of these BMPs will result in a less than significant impact and, therefore, no mitigation measures are required. In addition, Section 3.9.c) refers to vegetated swales as part of stormwater management techniques; however, the Draft IS/MND states “vegetated swales or similar stormwater management techniques.”

The Draft IS/MND provides an adequate CEQA analysis of this issue, as the proposed project will be consistent with the *California Stormwater BMP Handbook*. Since more detailed design is not available at this time, the Draft IS/MND also includes options and techniques the AOC may use to manage stormwater runoff. The AOC, in consultation with the city, will determine the best stormwater management techniques for the proposed project site as the design process moves forward and is finalized. No change to the IS/MND is necessary.

- 3w. The commenter is concerned about the increased amount of stormwater flows resulting from the project’s new impervious surfaces. Comment noted. Please refer to response 3s., above, pertaining to stormwater runoff. No change to the Draft IS/MND is necessary.
- 3x. The commenter is concerned about the increase in the rate and amount of stormwater generated by the site, particularly because there is a lack of nearby municipal storm

drainage facilities near the proposed project site. Comment noted. Please refer to response 3s., above, pertaining to stormwater runoff. No change to the Draft IS/MND is necessary.

Transportation and Traffic

- 3y. The commenter is concerned about the limited amount of time they have had to consider the proposed project, and is concerned about potentially significant impacts. Proposed project impacts have been identified in the Draft IS/MND, which was available for public review, commencing on August 23, 2010, and ending on September 22, 2010. The AOC recognizes that if substantial changes or new information is provided that was not previously analyzed in the IS/MND, as with any project under CEQA, any future discretionary project approvals shall be evaluated in light of Section 21166 of CEQA and State CEQA Guidelines Section 15162.
- 3z. The commenter recommends a mitigation measure requiring the dedication of land to the city for street right-of-way through the proposed project site, the construction of the collector street to extend through the proposed project site, and the AOC's participation in the construction of a traffic roundabout. This is new information that was not revealed to the project team in time to be incorporated into the Draft IS/MND. The City of Lakeport has been consulted regarding the future dedication of land for a street right-of-way. However, this dedication will not be mitigation, but rather, an effort to coordinate the proposed project with the long-term goals of the city. Currently, the project description does not include the dedication of right-of-way, and until more detailed analysis can be completed, the project description remains as is. Mitigation measures for the proposed project were based on an extensive traffic analysis included as Appendix H to the IS/MND.

The city was consulted as part of the preparation of the Draft IS/MND. A record of this correspondence follows this response. The dedication of the street right-of-way is not required for mitigation purposes; however, based on the comment received, Section 3.16.a) on page 3-85 in the Draft IS/MND has been modified to reflect the following:

The city of Lakeport plans to extend the future Court Street alignment from Lakeport Boulevard southward along the eastern boundary of the proposed project site. To accommodate this future city project, the AOC, if feasible, would dedicate right-of-way to the city to support this future arterial extension.

- 3aa. The commenter would like more information regarding how the proposed project's "fair share contribution" will be determined. Refer to response 2d, above. No change to the Draft IS/MND is necessary.
- 3bb. The commenter verifies that Bevins Street right-of-way ends at Lakeport Boulevard and recommends fair share contributions be provided. Comment noted. Refer to response 2d., above, for clarification on proposed project payment of "fair share contribution" fees. References to the driveway that serves the Chamber of Commerce and the Lake County Agriculture/Air Quality Departments as Bevins Street have been modified on pages 3-88 and 3-99 of the Draft IS/MND.
- 3cc. The commenter recommends eliminating references to Bevins Street at the Chamber of Commerce location, as the Bevins Street right-of-way ends at Lakeport Boulevard. Comment noted. Refer to response 3bb., above.

- 3dd. The commenter provides calculations related to the slope and length required for an accessible pathway based on the elevation change from the street to the top of the building site. Comment noted. No change to the Draft IS/MND is necessary.
- 3ee. The commenter recommends a mitigation measure which requires the proposed project to comply with the city's right-of-way development standards in order to avoid a potentially significant impact to the city's circulation system. As a state agency, the AOC is not required to comply with the city of Lakeport development standards. Also, please refer to responses 3p. and 3z., above. No change to the Draft IS/MND is necessary.
- 3ff. The commenter would like more information regarding bikeway-related improvements. Refer to response 3ee., above. To the extent feasible, the AOC will include bikeways, sidewalks, and other non-motorized access on the proposed project site. Bike facility and connectivity improvements will be reviewed during the more detailed design phase of the project. No change to the Draft IS/MND is necessary.
- 3gg. The commenter recommends the addition of a mitigation measure calling for the development of right-of-way improvements along the proposed project site's Lakeport Boulevard frontage in accordance the City's Municipal Code. Additionally, the commenter would like information regarding the need for off-site pedestrian improvements to serve the proposed project, particularly along the south side of Lakeport Boulevard to the west of the proposed project site. Refer to response 3z, above regarding right-of-way improvements. The AOC is aware of the lack of sidewalks on Lakeport Boulevard. As the AOC completes a more detailed design analysis, additional pedestrian access and additional public transportation options will be reviewed. However, mitigation measures for improving pedestrian access were identified in the Draft IS/MND. Refer to response 3ee., above. No change to the Draft IS/MND is necessary.

Jennifer Stewart - Fwd: emails from the City of Lakeport

From: Craig Jordan <cjordan99@gmail.com>
To: <nschmidt@rbf.com>
Date: 10/1/2010 10:14 AM
Subject: Fwd: emails from the City of Lakeport
Attachments: Tribal Health Focused Traffic Analysis 2008.pdf, Schall Bevins St Traffic Study 2005.pdf, AR 01-10 ACDC Traffic Study.pdf, Appendix E - Traffic Report_May 2007.pdf, IV - Transportation Element.pdf

Here you go.

----- Forwarded message -----
From: Andrew Britton <abritton@cityoflakeport.com>
Date: Fri, Apr 30, 2010 at 4:19 PM
Subject: emails from the City of Lakeport
To: cjordan99@gmail.com

Craig,

Copies of the emails are attached.

Best wishes,

Andrew

Andrew Britton | Planning Services Manager | Community Development Department
City of Lakeport | 225 Park Street | Lakeport, CA 95453
(707.263.5613 x28 | 6 707.263.8584
* abritton@cityoflakeport.com

www.cityoflakeport.com



Census 2010 IT'S IN OUR HANDS
WWW.CENSUS.GOV/2010CENSUS

Census Day - April 1, 2010

www.2010census.gov

----- Forwarded message -----
From: "Andrew Britton" <abritton@cityoflakeport.com>
To: <CJORDAN@rbf.com>
Date: Wed, 28 Apr 2010 14:30:50 -0700

Subject: Lakeport General Plan info

Hi Craig,

After we got off the phone I found the following program in the Transportation Element:

Program T 12.1-d: Revise the Zoning Ordinance to establish thresholds and guidelines for the implementation of traffic impact studies and to require traffic studies for all high traffic generating uses.

The zoning ordinance hasn't been revised as of yet to include any thresholds or guidelines.

Thanks,

Andrew

----- Forwarded message -----

From: "Andrew Britton" <abritton@cityoflakeport.com>

To: <CJORDAN@rbf.com>

Date: Wed, 28 Apr 2010 15:36:50 -0700

Subject: Traffic studies / Lakeport

Hi Craig,

I found a couple of traffic studies that were prepared in conjunction with recent development projects— one on Bevins St (Schall) and one on Bevins Court (Tribal Health). Copies are attached.

I hope they are helpful.

Best wishes,

Andrew

Andrew Britton|Planning Services Manager|Community Development Department

City of Lakeport | 225 Park Street | Lakeport, CA 95453

(707) 263-5613 x28 | 6 707.263-8584

* abritton@cityoflakeport.com

: www.cityoflakeport.com



Census 2010 IT'S IN OUR HANDS
WWW.CENSUS.GOV/2010CENSUS

Census Day - April 1, 2010

www.2010census.gov

----- Forwarded message -----

From: "Andrew Britton" <abritton@cityoflakeport.com>
To: <CJORDAN@rbf.com>
Date: Wed, 28 Apr 2010 14:23:33 -0700
Subject: traffic study / Lakeport

Craig,

Traffic study is attached for an apartment complex on Bevins Street that was not constructed.

Please call if you have any questions.

Thanks,

Andrew

----- Forwarded message -----

From: "Andrew Britton" <abritton@cityoflakeport.com>
To: <CJORDAN@rbf.com>
Date: Wed, 28 Apr 2010 14:19:41 -0700
Subject: FW: Lake County Courthouse Project

-----Original Message-----

From: Andrew Britton
Sent: Monday, April 26, 2010 3:40 PM
To: 'Craig Jordan'
Subject: RE: Lake County Courthouse Project

Hi Craig,

Thanks for the email. I've attached a copy of the traffic study from the General Plan. Also attached is a copy of the Transportation Element. The entire GP is posted on our website-

<http://www.cityoflakeport.com/departments/docs.aspx?deptID=39&catID=133>

I hope it's helpful.

Best wishes,

Andrew

-----Original Message-----

From: Craig Jordan [<mailto:CJORDAN@rbf.com>]
Sent: Monday, April 26, 2010 2:42 PM
To: Andrew Britton
Subject: Lake County Courthouse Project

Andrew,

Thank you for returning my call so quickly. The General Plan Traffic Study that you mentioned would be beneficial to us. I will try to give you a call either later today or tomorrow to discuss the project.

Craig

file:///C:/Documents and Settings/JSTEWART/Local Settings/Temp/XPgrpwise/4CAA096... 10/5/2010

From: Craig Jordan
To: sharter@cityoflakeport.com
CC: abritton@cityoflakeport.com; cjordan99@gmail.com; Frederik Venter
Date: 4/30/2010 11:07 AM
Subject: Lake County Courthouse

Scott,

This is a follow up to the voice mail I left you in regards to the new Lake County Courthouse project. We are performing a traffic study for this project and we want to make sure we are following the City's guidelines. Our traffic study will analyze 6 intersections (listed below) along Lakeport Boulevard. If you have time next week, I would like to talk with you about the project and our analysis methodologies. I have provided some questions that we have concerning the preparation of the traffic study.

Study Intersections

1. Parallel Drive / Lakeport Boulevard - Todd Road
2. Highway 29 southbound ramps / Lakeport Boulevard
3. Highway 29 northbound ramps / Lakeport Boulevard
4. Bevins Street / Lakeport Boulevard
5. Larrecou Lane / Lakeport Boulevard
6. South Main Street / Lakeport Boulevard

Questions

- What analysis methodology for intersections and roadways does the City require for traffic studies? I read in the 2025 General Plan that analysis methodologies from the 2000 Highway Capacity Manual were used for intersection LOS and the Florida Department of Transportation LOS thresholds were used for City streets. Should we use these methodologies?
- Does the City have threshold of significance standards and requirements for impact mitigation?
- Does Caltrans have jurisdiction over any of our study intersections besides #2 and #3?
- For future conditions (2030) we would like to apply the growth rates that are identified in the 2025 General Plan for future growth between 2010 and 2030. Do you agree with this methodology?
- Andrew Britton mentioned that a roundabout was being looked at for the Main Street/Lakeport Boulevard intersection. Is there a traffic study that was performed on that intersection that we can review?

For some reason, I have been unable to receive email from the City of Lakeport this week. I have cc'ed my personal email (cjordan99@gmail.com). Will you respond to both my work and personal email addresses?

Thank you for your assistance and I look forward to speaking with you about the project.

Craig

--

Craig A. Jordan, P.E.
Design Engineer
RBF Consulting
500 Ygnacio Valley Road, Ste 270
Walnut Creek, CA 94596
www.rbf.com
925.906.1460 ph
925.906.1465 fx

From: Craig Jordan
To: sharter@cityoflakeport.com
CC: cajordan99@aol.com
Date: 6/30/2010 1:45 PM
Subject: Lake County Courthouse Project: AM Peak Hour Percentage from ADT Question

Scott,

I am preparing a traffic report for the AOC Lake County Courthouse proposed to be located in the vicinity of the Bevins St / Lakeport Blvd intersection. I am trying to determine the average daily traffic for existing conditions and the year 2030 along Lakeport Blvd and Main St north and south of Lakeport Blvd by using AM peak hour percentages. I have daily counts just west of Larrecou Ln on Lakeport Blvd. These counts when compared to peak hour counts at Larrecou Ln indicate that the AM peak hour percentage is around 5%. This seems a little low.

For comparison, I looked at the Caltrans AM peak hour percentage for Highway 29. The mainline at the Lakeport Blvd is 9%. Ramp percentages, based off of our counts and Caltrans ADT numbers, are 11% for the NB off, 8% for the SB off, 5% for the NB on, and 4% for the SB on.

I have a copy of the 2025 GP which studied the Main St / Lakeport Blvd intersection. The GP provides ADT numbers but does not show peak hour volumes. Are the intersection volumes available for the AM peak hour? Also, do you have any thoughts on the methodology I am using to determine the ADT or the 5% AM peak hour percentage along Lakeport Blvd that was calculated?

I cc'ed my personal email as I have been having trouble receiving emails from the City of Lakeport to my RBF account.

If you have any questions, please let me know.

Thank you for your assistance,
Craig Jordan

--

Craig A. Jordan, P.E.
Design Engineer
RBF Consulting
500 Ygnacio Valley Road, Ste 270
Walnut Creek, CA 94596
www.rbf.com
925.906.1460 ph
925.906.1465 fx

Craig Jordan - Re: Lake County Courthouse

From: Frederik Venter
To: Craig Jordan; sharter@cityoflakeport.com
Date: 7/13/2010 10:05 AM
Subject: Re: Lake County Courthouse
CC: cajordan99@aol.com

Scott, in addition, does the City have a Traffic Impact Fee program through which future development would help pay for the roadway improvements in the General Plan/CIP. Could you send a copy to us, please?

Thanks for your help in this regard.

Frederik Venter
RBF Consulting

>>> Craig Jordan 7/13/2010 9:45 AM >>>
Scott,

I have a quick question. In the transportation element of the City of Lakeport General Plan 2025, Policy T 20.1 Capital Improvement Program states "Adopt a Capital Improvement Program identifying required improvements to Lakeport's transportation system." Has a CIP been adopted? If so, can you send me a copy of the CIP report or point me to where I can obtain a copy?

Thank you,
Craig Jordan

--

Craig A. Jordan, P.E.
Design Engineer
RBF Consulting
500 Ygnacio Valley Road, Ste 270
Walnut Creek, CA 94596
www.rbf.com
925.906.1460 ph
925.906.1465 fx

Utilities and Service Systems

- 3hh. The commenter would like estimates regarding the anticipated water usage and wastewater generation in conjunction with the proposed project. Based on the comment received, rough estimates regarding the anticipated water usage and wastewater generation in conjunction with the proposed project were calculated. Please note that these estimates are very general, and can vary greatly based on a number of factors, including but not limited to: climate, water conservation efforts, the number of bathrooms, number of fixture units, and number of occupants.

For a commercial / office building consisting of approximately 51,000 square feet (SF), the estimated water usage would be approximately 102,000 gallons per day (GPD) based on the simple rule of thumb of 2.0 gpd / SF. According to the City's 2008 Water Master Plan, the city's maximum day demand (MDD) is roughly 1.8 million gallons per day (MGD). Worst-case scenario, the proposed project would use an estimated 5.7 percent of the total current water capacity; therefore, the city will be able to meet the projected water needs of the proposed project.

The estimated wastewater generation would be approximately 1,500 gpd based on the simple rule of thumb of 30 gpd / 1,000 SF. Wastewater produced by the new courthouse would be limited to restroom facilities for the courthouse during business hours (8:00 a.m. to 5:00 p.m.). Per information from the city's September 21, 2010 comment letter, the original design capacity of the City of Lakeport Municipal Sewer District facility was 1.05 million gallons (MG) per day of dry weather flow and a maximum daily discharge not to exceed 3.8 MG. In 2007, the City of Lakeport received a Cease and Desist Order from the California Regional Water Quality Control Board Central Valley Region which reduced capacity to 0.42 MGD dry weather flow. According to the city's 2008 Sewer Master Plan, the design peak flow capacity of the WWTP is estimated at 3.0 MGD. The proposed project would use an estimated 0.05 percent of the design peak flow capacity; therefore, the WWTP will be able to meet the projected needs of the proposed project.

- 3ii. The commenter notes that the city does not have water rights to Scotts Valley, but does have an agreement with Yolo County Flood Control. Based on the comment received, text in Section 3.17.d) on page 3-94 of the Draft IS/MND has been modified to reflect the following:

The city currently has an **agreement with Yolo County Flood Control, who has the water rights for 750 acre feet per year from the Scotts Valley Aquifer and another water rights to Clear Lake to draw up to 2,000 acre-feet per year. from both the Scotts Valley Aquifer and Clear Lake.**

- 3jj. The commenter is concerned about the increase in stormwater runoff. As discussed above, the proposed project will incorporate BMPs consistent with the *California Stormwater BMP Handbook* guidelines. The incorporation of these BMPs will result in a less than significant impact and, therefore, no mitigation measures are required. Also, please refer to response 3s., above, pertaining to stormwater runoff. No change to the Draft IS/MND is necessary.
- 3kk. The commenter provides design capacity and additional information regarding the wastewater treatment plant. Based on the comment received, text in Section 3.17.e) on page 3-95 of the Draft IS/MND has been modified to reflect the following:

Wastewater generated by the City of Lakeport is collected and transported to the City of Lakeport wastewater treatment plant (WWTP), located southwest of the city limits. The WWTP (which is owned and operated by the CLMSD) ~~with a design capacity is 2.5 million gallons per day (mgd).~~ **had an original design treatment capacity of 1.05 million gallons per day (MGD) of dry weather flow and a maximum daily discharge not to exceed 3.8 million gallons (MG). In 2007, the City of Lakeport received a Cease and Desist Order from the California Regional Water Quality Control Board Central Valley Region which reduced capacity to 0.42 MGD dry weather flow.**

- 3ll. The commenter questions the RUEs used in the Draft IS/MND. The reference to the City of Lakeport Sewer System Management Plan (SSMP) in Section 3.17.e) on page 3-95 of the Draft IS/MND was incorrect. The number of available residential unit equivalents (RUEs) came from page 3-155 of the November 2008 Draft Environmental Impact Report for the General Plan Update, which states: “According to Lakeport public works officials, the plant has the capacity to serve an additional 888 residential unit equivalent (RUEs) in its current condition.” Based on the comment received, text in Section 3.17.e) on page 3-95 of the Draft IS/MND has been modified to reflect the following:

~~According to the City of Lakeport Sewer System Management Plan (SSMP), the WWTP has the capacity to serve an additional 888 residential unit equivalents above its current treatment levels.~~ **Currently, the CLMSD has adequate capacity for approximately 100 residential unit equivalents under the Cease and Desist Order restrictions.** In addition, the SSMP acknowledges that the CLSMD intends to expand the sewer system over the next 10 years to accommodate the potential commercial and residential growth within the city.

- 3mm. The commenter provides information that the Bevins Street transfer station ceased operation in 2010. Based on the comment received, text in Section 3.17.f) on page 3-95 of the Draft IS/MND has been modified to reflect the following:

Most solid waste refuse from Lakeport is transported first to a transfer station ~~on Bevins Street in south Lakeport,~~ **located on Soda Bay Road outside of the Lakeport city limits,** and then on to the East Lake Landfill, located just outside the City of Clearlake.

- 3nn. The AOC thanks you for your comments and suggestions. The AOC looks forward to a continued partnership with the city of Lakeport and the community.

Comment Letter No. 4

September 22, 2010 letter from the Lake County Air Quality Management District

LAKE COUNTY AIR QUALITY MANAGEMENT DISTRICT

885 Lakeport Blvd.
Lakeport, CA 95453
Phone (707) 263-7000
Fax (707) 263-0421



Douglas G. Gearhart
Air Pollution Control Officer
doug@lcaqmd.net

-MEMORANDUM-

To: Laura Sainz, Administrative Office of the Courts
Office of Court Construction and Management
2860 Gateway Oaks, Suite 400
Sacramento, CA 95833
DATE: September 22, 2010

FROM: Warren Massie, AQE *WM*

SUBJECT: Lake County Courthouse Relocation Project ••• ZONE C-2, & GPD MR
••• Review of Draft Initial Study / Mitigated Negative Declaration for the
New Lakeport Courthouse of August 2010, vacant six acres located at 675
Lakeport Boulevard, Lakeport, CA

This project has potential to contribute substantially to the air quality violation as well as create health related impacts over the 2-3 year build out. The Lake County Air Quality Management District (District) staff has received and reviewed the above referenced document, and offers the following comments.

4a.

The site for the new courthouse is adjacent to property used to monitor the ambient air space of Lake County. Currently the District monitors PM10, PM2.5, ozone and visibility at this site. The proposed new courthouse is less than 400 feet from air monitoring equipment used by the District. Therefore, this project has a significant potential to impact the Lake County Air Basin attainment status due to close proximity construction emissions. Strict air emission controls should be required. The District's major concerns are the increase of vehicle traffic, emissions from construction activities, and the disturbance of serpentine soil.

The following comments/corrections relate to Section 2 Project Description.

Page 2-12, Project Construction Activities - Air quality management.

The subject project is located on mapped areas known to contain serpentine rock and/or soils. A Serpentine Dust Control Plan is required prior to any construction activities on this site. The contractor should include provisions for dust control measures to achieve no visible emissions, prevent material track-out onto the public road, provide for worker notification of the plan requirements and asbestos hazards, the posting of an asbestos warning notice at the site, and the covering of all disturbed serpentine surfaces subject to traffic wear or wind erosion with non-asbestos containing materials. Exposed serpentine surfaces that may be subject to vehicular traffic should have restricted access (fencing or other effective barriers) until such

4b.

time as the surface is adequately covered with non-asbestos material.

4b.,
Cont.

If project activities result in visible dust generation, trackout, or nuisance conditions, the contractor will be required to stop work until corrective measures are in place.

Page 2-13, Required Approvals

It states local government regulations do not apply to the proposed project. This is not true for the District. The District is a Federal and State authority agency with regulation powers. All open air quality issues must be submitted to the District for approval which includes Serpentine Dust Mitigation Plans and permitting of equipment that emits air pollutants such as diesel generators that might be used for emergency backup power.

4c.

The following comments/corrections relate to Section 3.3 Air Quality.

Page 3-9, Discussion (b). A correction needs to be made to the comments of Table 3.3-1. The table shows that construction emissions would result in a violation of a state or national AAQS. PM10 total emissions exceeds the state AAQS and PM2.5 emissions exceeds the state and federal AAQS. Therefore construction-related emissions could be significant.

4d.

Page 3-11, Long-term operational impacts.

As the writing of this initial study natural gas is not available to Lake County. Therefore a correction should be made to state propane to be the source for heat and that the emissions from the process of refueling could be of concern.

4e.

Long term impacts are projected to include increased Greenhouse Gas (GHG) emissions. Consideration should be given to energy efficiency of the proposed new construction. The District recommends active or passive solar designs and/or wind power, in addition to use of high efficiency lighting and HVAC systems, be considered for the facility for both energy efficiency and GHG reduction/mitigation. These measures are in Section 3.7 Greenhouse Gas Emissions of initial study.

Page 3-12, Mitigation Measure AQ-1.

Most likely serpentine soil is going to be relocated off the site project during grading work. Plans should state how such material is to be removed and disposed with in the Districts rules and regulations. Transport and disposal of serpentine material has potentially significant environmental and community expose impacts.

4f.

Page 3-13, (c)

As stated above the site is in close proximity to the Districts air monitoring equipment and short and long term activities have the potential to effect the Lake County Air Basin attainment status. Therefore it should be stated that impacts will be less than significant with mitigation incorporated to prevent close proximity construction emission impacts.

4g.

Page 3-47, Greenhouse Gas Emissions.

Action T-6 refers to public transportation, and pedestrian connectivity to the surrounding circulation system. The connectivity to local eateries on the west side of Lakeport Blvd. is incomplete. This project should include the improvements to sidewalks for public and government walkers. This improvement should include street trees along Lakeport Blvd. from Main Street to the west side of Hwy. 29 with the appropriate illumination for evening walking. The soft and hard landscape will promote and encourage the use of walking instead of driving vehicles that generate GHGs.

4h.

Page 3-87, Intersection Improvements, TRANS-1

The project for intersection improvements states that AOC would contribute its fair share. These improvements should be done prior to the opening of the new courthouse. The intersections should allow for the safety of pedestrian crossing and the control of vehicle traffic. The Districts recommends, at a minimum, a round-about at the Bevins Street / Lakeport Blvd intersection, with cross walks and safe pedestrian access to fast food facilities across hwy 29. Without these improvements there will be long delays for vehicle and pedestrian traffic. This would create a problem with the transportation of prisoners and will increase vehicle GHG production during long delays.

4i.

Based on the review of this initial study, some gaps remain in the Air Quality sections. Impacts related to construction activities that could include the removal of serpentine soil, short and long-term GHG and PM emissions being increased near the District's air monitoring equipment, and no definite schedule to intersection improvements. Also the Document needs to include the Districts air quality authority and recommend AOC apply for plan approval and permits timely.

4j.

Response to Comment Letter No. 4

September 22, 2010 letter from the Lake County Air Quality Management District

- 4a. The commenter summarizes the Lake County Air Quality Management District's (LCAQMD) concerns which are addressed below. Thank you for your comment.
- 4b. The commenter notes that the proposed project is located on mapped areas known to contain serpentine rock and/or soil, which requires a Serpentine Dust Control Plan. Based on the comment received, text in Section 2 on page 2-12 of the Draft IS/MND has been enhanced and modified to reflect the following:

Air quality management measures. The construction contractor will:

- **Provide an asbestos-dust-hazard mitigation plan (also referred to as a serpentine dust control plan) prior to any construction activities on-site. The plan should include provisions for dust control measures to achieve no visible emissions, prevent material track-out onto the public road, provide for worker notification of the plan requirements and asbestos hazards, the posting of an asbestos warning notice at the site, and the covering of all disturbed serpentine surfaces subject to traffic wear or wind erosion with non-asbestos containing materials. Exposed serpentine surfaces that may be subject to vehicular traffic should have restricted access (fencing or other effective barriers) until such time as the surface is adequately covered with non-asbestos material.**
- Discontinue construction activities that generate substantial dust blowing on unpaved surfaces during windy conditions, **trackout, or nuisance conditions. The construction contractor will be required to stop work until corrective measures are in place.**

- 4c. The commenter states that the LCAQMD is a Federal and State authority agency with regulation powers. As stated on page 2-10 of the Draft IS/MND, the AOC would implement the proposed project in compliance with standard conditions and requirements for state and/or federal regulations or laws that are independent of CEQA compliance. The Lake County Air Quality Management District is listed as an agency based on the comment received, text in Section 2 on page 2-13 of the Draft IS/MND has been modified to reflect the following:

Since the AOC is the lead agency for the proposed project, and is acting for the State of California on behalf of the Judicial Council of California, local government land use planning and zoning regulations do not apply to the proposed project. **However, the Lake County Air Quality Management District (LCAQMD) is a federal and state authority agency with regulation powers. All air quality issues must be submitted to the LCAQMD for approval, which includes Serpentine Dust Mitigation Plans and permitting of equipment that emits air pollutants such as diesel generators that might be used for emergency backup power.**

- 4d. The commenter notes that Table 3.3-1 (on page 3-9 of the Draft IS/MND) shows that construction emissions would result in a violation of a state or national AAQS; therefore, construction related emissions could be significant. Refer to response 3k., above.

- 4e. The commenter notes that natural gas is not available in Lakeport. References to “natural gas” in the Draft IS/MND have been modified to state “propane.” Propane has similar emission characteristics to natural gas, thus the area source emission estimates would not change. Additionally, as noted by the commenter, the proposed project’s energy conservation features are discussed under Section 3.7, Greenhouse Gas Emissions.
- 4f. The commenter is concerned about the movement of serpentine soil. Construction activities associated with the proposed project would require approximately 78,750 cubic yards of excavated material that would be relocated off-site. As naturally occurring asbestos is known to underlie the proposed project site, the project will be required to comply with LCAQMD Rules and Regulations (specifically, Chapter II, Article IV, Part V). Compliance with the LCAQMD Rules and Regulations regarding naturally occurring asbestos are included in Mitigation Measure AQ-2 (on page 3-13 of the Draft IS/MND). Implementation of Mitigation Measure AQ-2 will ensure that impacts from naturally occurring asbestos will be less than significant. No change to the Draft IS/MND is necessary.
- 4g. The commenter notes that the proposed project site is in close proximity to the LCAQMD’s air monitoring equipment and short and long term activities have the potential to effect the Lake County Air Basin attainment status. Based on the comment received, Section 3.3.c) on page 3-13 in the Draft IS/MND has been modified as follows to address the project’s proximity to the LCAQMD air monitoring equipment and its potential to affect the Basin’s attainment status:

Less than Significant with Mitigation. The Basin is currently designated “unclassified” or “attainment” for all criteria pollutants under applicable California or national AAQS. Therefore, the proposed project would not result in an increase of a criteria pollutant for which the region is non-attainment. Also, construction emissions would be reduced with implementation of **Mitigation Measure AQ-1.** **Therefore, construction activities occurring in close proximity to the LCAQMD’s air monitoring equipment would not exceed the California or national AAQS and would not affect the Lake County Air Basin Attainment Status. Furthermore, and-operational emissions combined with existing background concentrations** would be below the California and national AAQS. A less than significant impact would occur after implementation of **Mitigation Measure AQ-1.** *Therefore, the AOC concludes that project impacts would be less-than-significant.*

- 4h. The commenter requests that the proposed project include the improvements of sidewalks for public and government walkers to local eateries on the west side of Lakeport Boulevard. Comment noted. Additional public transportation and pedestrian connectivity improvements will be addressed during the more detailed design phase of the proposed project. No change to the Draft IS/MND is necessary.
- 4i. The commenter recommends that fair share improvements be done prior to the opening of the new courthouse, allowing for the safety of pedestrian crossing and the control of vehicle traffic. It is also recommended that, at a minimum, a roundabout at the Bevins Street / Lakeport Boulevard intersection, with crosswalks and safe pedestrian access to fast food facilities across State Route 29 be provided.

Refer to response 2d., above, for the summary of the proposed project’s fair share fees per intersection. The proposed project will pay the fair share fees before the opening of the courthouse. The fees will be paid to either the city or Caltrans depending upon the

intersection's jurisdiction. Mitigation Measure TRANS-1 on page 3-87 of the Draft IS/MND indicates the installation of either a roundabout or traffic signal. Additional pedestrian facility details directly related to the proposed project will be addressed during the more detailed design phase of the project.

- 4j. Thank you for your comments. The AOC hopes that your concerns have been addressed.

Comment Letter No. 5

September 22, 2010 letter from the Lake County/City Area Planning Council



LAKE COUNTY/CITY AREA PLANNING COUNCIL

Lisa Davey-Bates, Executive Director
(707) 263-7799 / Fax 463-2212
www.lakeapc.org

367 North State Street, Suite 206
Ukiah, CA 95482

September 22, 2010

Laura Sainz, Administrative Office of the Courts
2860 Gateway Oaks, Suite 400
Sacramento, CA 95833

Re: Comments of the Proposed Lake County Courthouse site in Lakeport

Thank you for the opportunity to comment on the Mitigated Negative Declaration for the proposed site for the new Lake County Courthouse in Lakeport (675 Lakeport Boulevard).

As the Regional Transportation Planning Agency for Lake County, these comments focus on transportation. We recommend a more extensive traffic study be conducted for this project. The traffic study should consider all modes of travel including auto, truck, bicycle, pedestrian, transit and wheelchair/motorized scooter. The study should consider both on-site and off-site circulation issues including emergency vehicle access. Transportation improvements and mitigations for the project should be consistent with the Complete Streets Act of 2008.

5a.

The larger area and off-site impacts/issues, cumulative impacts

The corridor along Martin Street, Bevins Street and Bevins Court has recently experienced commercial development and more commercial and residential development may occur in the area. It is relevant to note that the Bevins Street - Martin Street corridor links downtown Lakeport to services along the Lakeport Boulevard corridor, including the Bruno's shopping center, the Lakeport Senior Center and the proposed location for the courthouse. There is an increasing need along the Martin Street/Bevins Street corridor, and the Lakeport Boulevard corridor for improved transportation facilities, especially sidewalks that allow pedestrian access to transit stops and nearby businesses and services. The proposed courthouse will result in an increase in vehicle, bicycle and pedestrian traffic along these two corridors.

Vehicle traffic:

On page 29, 6.2.2 "Intersection Improvements" the description of the protected turn lanes in the second and third paragraph is not accurate in regards to the direction of the turning traffic. Improvements to the on-ramps and off-ramps at State Rout 29 and Lakeport Boulevard, including signalization, need to be designed to Caltrans specifications. Contact Caltrans regarding the most current and projected traffic volumes at the interchange at State Route 29 and Lakeport Boulevard. The discussion of the needed improvements should include the option of a roundabout at Lakeport Boulevard and Main Street. The City of Lakeport is currently conducting a study of potential intersection improvements for that intersection. The access to the Courthouse from Lakeport Boulevard should be directly aligned with Larrecou Lane.

5b.

Appendix H, Peak Hour Warrants, referenced the MUTCD 2003 version. The current MUTCD 2010 should be referenced for this project.

5c.

Pedestrian

Pedestrian needs and impacts are not adequately addressed in the draft Initial Study.

Page 3-43 Section 3.7.a – Table 3.7-2 of the Initial Study states that “Lakeport Boulevard contains improved sidewalks which promote pedestrian activity.” While the portion of Lakeport Boulevard east of the project site does have improved sidewalks, there are not adequate pedestrian facilities along the frontage of the project site on both the north and south sides of Lakeport Boulevard. It should also be noted that there is a sidewalk along the north side of the Lakeport Boulevard overpass over State Route 29, but not along the south side of the overpass. This results in the need for pedestrians to cross Lakeport Boulevard from the project site to the south side of Lakeport Boulevard to then safely cross State Route 29.

5d.

Additional analysis should consider pedestrian access and circulation both on and off-site site and identify pedestrian access options that limit conflicts between pedestrians and vehicles and meet ADA requirements. The scope of the analysis should consider the pedestrian impacts and travel patterns within a 1/2 mile of the site, especially to the east and west where existing and future businesses will serve employees and visitors of the courthouse. Currently there are four fast food restaurants located west of the project site at the intersection. With the construction of the courthouse, additional development is likely to occur that will generate additional pedestrian traffic between the courthouse and area businesses throughout the day.

Transit

Currently Lake Transit Route 8 serves the project area. The project area is also within the current Lakeport Dial-a-Ride service area. We recommend the proposed bus stop be located and designed to the standards established by Lake Transit. ADA compliant access from the bus stop site(s) to the courthouse needs to be incorporated into the project design. For questions regarding transit, please contact:

5e.

Mark Wall, Manager
Lake Transit Authority
(707) 263-7868

Bicycle routes and on-site facilities

Additional information is needed regarding bicycle route improvements in the vicinity of the project site. The 2006 Lake County Regional Bikeway Plan identifies Lakeport Boulevard from Parallel Drive to South Main Street as a proposed Class II bike route. Bevins Street from Lakeport Boulevard to Martin Street is proposed as a Class III bike route. Bicycle improvements should include the bicycle lane (roadway) improvements as well as signage and striping.

5f.

Bicycle parking for the public, and separate, secured bicycle parking for employees should be incorporated into the design of the project. Shower/locker facilities for employees should also be incorporated into the design of the project and be available for use by employees that bicycle to work.

5g.

The Lake County 2010 Regional Transportation Plan is scheduled for adoption by the Lake APC on October 13th, and the Lake County Regional Bikeway Plan is scheduled to be updated in 2011. The Lake County 2010 Regional Transportation Plan includes policies on Greenhouse Gas emissions and the Lake County 2030 Regional Blueprint planning process. Both documents, once approved, will be posted at www.lakeapc.org. These two documents should be referenced as the project design progresses.

5h.

If you have any questions or would like additional information regarding these comments, please contact me, at (707) 233-7799 or personst@dow-associates.com. Please contact Mark Wall, Manager, Lake Transit Authority, at (707) 263-7868 with any questions regarding transit service and bus stop design standards.

5h.,
Cont.

Sincerely,



Terri Persons
Associate Transportation Planner

Comment Letter No. 5

September 22, 2010 letter from the Lake County/City Area Planning Council

- 5a. The commenter recommends a more extensive traffic study that considers all modes of travel, including auto, truck, bicycle, pedestrian, transit, and wheelchair/motorized scooter. In addition, it is recommended that both on- and off-site circulation issues including emergency vehicle access be addressed, and that transportation improvements and mitigations for the proposed project be consistent with the Complete Streets Act of 2008. The commenter also states that the proposed courthouse will result in an increase in vehicle, bicycle and pedestrian traffic along the Martin Street / Bevins Street corridor, and the Lakeport Boulevard corridor. Mitigation Measures TRANS-3 and TRANS-4 (on page 3-91 of the Draft IS/MND) address the use of transit and pedestrian access. In addition, the Traffic Impact Analysis that was prepared for the proposed project also discusses alternative modes of transportation. Emergency vehicle access will be provided at the site access locations. In addition, the AOC's Office of Emergency Response and Security routinely reviews emergency vehicle access during the more detailed design phase of any AOC capital project. No change to the Draft IS/MND is necessary.
- 5b. The commenter states that the description of the protected turn lanes on page 29 of the Traffic Impact Study is not accurate in regards to the direction of the turning traffic. Comment noted. Access to the proposed project is marginally offset with Larrecou Lane (refer to Figure 7 in Appendix H, Traffic Impact Analysis of the Draft IS/MND). Also refer to Response 3z., above.
- 5c. The commenter requests that the MUTCD 2010 be referenced. Comment noted. Site analysis is consistent with the *Manual on Uniform Traffic Control Devices* (MUTCD) 2010; this reference has been updated in Appendix H of the Traffic Impact Analysis.
- 5d. The commenter notes that there are not adequate pedestrian facilities along the frontage of the proposed project site on both the north and south sides of Lakeport Boulevard. The commenter also notes that there is a sidewalk along the north side of the Lakeport Boulevard overpass over State Route 29, but not along the south side of the overpass. The AOC is aware of the lack of sidewalks on Lakeport Boulevard. As the AOC completes a more detailed design analysis, additional pedestrian access will be reviewed. However, mitigation measures for improving pedestrian access were identified in the Draft IS/MND. No change to the Draft IS/MND is necessary.
- 5e. The commenter recommends that a bus stop be located and designed to the standards established by Lake Transit, and that ADA compliant access from the bus stop site(s) to the courthouse be incorporated into proposed project design. Comment noted. No change to the Draft IS/MND is necessary.
- 5f. The commenter requests additional information regarding bicycle route improvements (including the bicycle lane improvements as well as signage and striping) in the vicinity of the proposed project site. The AOC will consider additional improvements to improve bicycle access that can be incorporated into the proposed project during detailed design. However, the Draft IS/MND includes specific mitigation measures already. No change to the Draft IS/MND is necessary.

- 5g. The commenter requests that bicycle parking and shower/locker facilities be incorporated into the design of the project. Refer to response 5f., above. In addition, the proposed project will be designed to the LEED silver rating. LEED requirements include bicycle parking and shower/locker facilities. No change to the Draft IS/MND is necessary.


- 5h. The commenter requests that the Lake County 2010 Regional Transportation Plan and the Lake County Regional Bikeway Plan be referenced as the proposed project design progresses. Comment noted. No change to the Draft IS/MND is necessary.

Appendix K
Preliminary Conceptual Site Plans

Context

Both Site Options Shown


North




Lakeport Boulevard Site

Existing Topography

North



EXISTING SITE PLAN



EXISTING SECTION



Topographic survey information provided by CSW/ Stroeh, Civil Engineer 7/31/10. This information is provided for general information only.

Option 1

(North Scheme)

Lakeport Boulevard Street Site

North





- A Visibility From Street
- A Parking
- B View From Vista
- \$\$ Site Development
- A Entry From South Site

Option 2

(East Scheme)

Lakeport Boulevard Street Site

North





- A Visibility From Street
- A Parking
- B View From Vista
- \$ Site Development
- A Entry From West Site


Option 1

Lakeport Boulevard Street Site


(North Scheme)




LEVEL 2




LEVEL 1



LEVEL - G2



LEVEL - G1





SECTION


Option 2

(East Scheme)


Lakeport Boulevard Street Site



LEVEL 1



LEVEL - G



LEVEL - G2



SECTION

Appendix M
Mitigation Monitoring Plan

Mitigation Monitoring Plan

Introduction

Section 15097 of CEQA requires all state and local agencies to establish monitoring or reporting programs for projects approved by a public agency, whenever approval involves the adoption of either a “mitigated negative declaration” or specified environmental findings related to environmental impact reports.

As stated in Chapter 2 of the Final Initial Study, the AOC will implement the project in compliance with standard conditions and requirements for state or federal regulations or laws that are independent of CEQA compliance. The standard conditions and requirements serve to prevent specific impacts. Typical standard conditions and requirements include compliance with the provisions of the California Building Code, National Pollutant Discharge Elimination System (NPDES) permit system, Public Resources Code Section 5097 for discovery of unexpectedly encountered human remains, and Lake County Air Quality Management District (LCAQMD) Rules.

The AOC’s plans for the project also include project design features - specific design elements that the AOC has incorporated into the project’s construction and operation to prevent the occurrence of potential environmental effects or reduce the significance of potential environmental effects. The project design features are actions that conform to the California Trial Court Facilities Standards’ specifications. For example, the parties implementing the proposed project will use best management practices and technologies aimed to limit the use of natural resources as well as the project’s operating cost over the life of the building. Because the AOC is incorporating the project design features into the project, the design features do not constitute mitigation measures as defined by CEQA.

The AOC’s proposed courthouse design will conform to the specifications of the California Trial Court Facilities Standards, including the standard that the AOC shall design and construct court buildings using proven best practices and technology with careful use of natural resources. To implement this standard, the project’s project manager will include specifications that design efforts and construction operations implement best management practices and other measures throughout the construction phase to avoid or minimize potential impacts. These project design features, best management practices, and other measures will include:

- General measures:
 - Designate a contact person for public interaction.
 - Inform the Lakeport community through the use of a website that identifies the upcoming work and potential impacts to the surrounding communities.
- Storm water, water quality, and soil erosion management measures:
 - The AOC’s construction contract will include provisions that require the construction contractor to obtain the Central Valley Regional Water Quality Control Board’s (RWQCB) approval of a Storm Water Pollution Prevention Plan (SWPPP). Prior to

the start of construction, the AOC will ensure that the construction contractor prepared a SWPPP and secured the RWQCB's approval of the plan.

- The construction contractor will incorporate BMPs consistent with the guidelines provided in the California Storm Water Best Management Practice Handbooks: Construction (California Stormwater Quality Association, 2003).
 - For construction during the rainy season, the construction contractor will implement erosion measures that may include mulching, geotextiles and mats, earth dikes and drainage swales, temporary drains, silt fence, straw bale barriers, sandbag barriers, brush or rock filters, sediment traps, velocity dissipation devices, and/or other measures.
 - Wherever possible, the construction contractor will perform grading activities outside the normal rainy season to minimize the potential for increased surface runoff and the associated potential for soil erosion.
- Air quality management measures. The construction contractor will:
 - Provide an asbestos-dust-hazard mitigation plan (also referred to a serpentine dust control plan) prior to any construction activities on-site. The Plan should include provisions for dust control measures to achieve no visible emissions, prevent material track-out onto the public road, provide for worker notification of the plan requirements and asbestos hazards, the posting of an asbestos warning notice at the site, and the covering of all disturbed serpentine surfaces subject to traffic wear or wind erosion with non-asbestos containing materials. Exposed serpentine surfaces that may be subject to vehicular traffic should have restricted access (fencing or other effective barriers) until such time as the surface is adequately covered with non-asbestos material.
 - When necessary, apply water or a stabilizing agent to exposed surfaces in sufficient quantity at least two times a day to prevent generation of dust plumes.
 - Moisten or cover excavated soil piles to avoid fugitive dust emissions.
 - Discontinue construction activities that generate substantial dust blowing on unpaved surfaces during windy conditions, trackout, or nuisance conditions. The construction contractor will be required to stop work until corrective measures are in place.
 - Install and use a wheel-washing system to remove bulk material from tires and vehicle undercarriages before vehicles exit the proposed project site.
 - Cover dump trucks hauling soil, sand, and other loose materials with tarps or other enclosures that will reduce fugitive dust emissions.
 - Ensure that all construction and grading equipment is properly maintained.
 - Ensure that construction personnel turn off equipment when equipment is not in use.
 - Ensure that all vehicles and compressors utilize exhaust mufflers and engine enclosure covers (as designed by the manufacturer) at all times.

- When feasible, use electric construction power for construction operations, in lieu of diesel-powered generators to provide adequate power for man/material hoisting, crane, and general construction operations.
- Suspend heavy-equipment operations during first-stage and second-stage smog alerts.
- Noise and vibration measures. The construction contractor will:
 - Equip construction equipment with the best available noise attenuation device such as mufflers or noise attenuation shields.
 - When feasible, for construction operations use electric construction power in lieu of diesel-powered generators to provide adequate power for man/material hoisting, crane, and general construction operations.

The intent of this Mitigation Monitoring Plan is to prescribe and enforce a means for properly and successfully implementing the mitigation measures to reduce or avoid significant environmental impacts. Mitigation measures identified in this Mitigation Monitoring Plan are in the Initial Study prepared for the proposed project. AOC representatives will use this Mitigation Monitoring Plan to ensure compliance with mitigation measures during project implementation.

The following table provides a summary of all mitigation and monitoring that will be conducted for the project. It also identifies the responsible monitoring agency and implementation phase.

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
AIR QUALITY				
<p><i>Would the proposed project violate any air quality standard or contribute substantially to an existing or projected air quality violation?</i></p>	<p>AQ- 1: During construction operations, excessive fugitive dust emissions shall be controlled by regular water or other dust preventive measures using the following best management practices:</p> <ul style="list-style-type: none"> • Limit on-site vehicle speed to 15 miles per hour. • Water material excavated or graded sufficiently to prevent excessive amounts of dust. Water three times daily with complete coverage, preferably in the late morning and after work is done for the day. • Water or securely cover material transported on-site or off-site sufficiently to prevent generating excessive amounts of dust. • Minimize area disturbed by clearing, grading, earth moving, or excavation operations so as to prevent generating excessive amounts of dust. • Indicate these control techniques in project specifications. Compliance with the measure shall be subject to periodic site inspections by the city. 	<p>Incorporate air quality measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that applicable measures are implemented / enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction activities / operations</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<ul style="list-style-type: none"> • Prevent visible dust from the project from emanating beyond the property line, to the maximum extent feasible. • Apply nontoxic chemical soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for ten days or more). • Trucks transporting soil, sand, cut or fill materials, and/or construction debris to or from the site must be tarped from the point of origin. 			
<p><i>Would the proposed project violate any air quality standard or contribute substantially to an existing or projected air quality violation?</i></p>	<p>AQ-2: The project applicant shall notify the Lake County Air Quality Management District of intended operations 30 days prior to construction activity. The project applicant shall file and receive approval of an asbestos-dust-hazard mitigation plan (also referred to as a serpentine dust control plan) prior to any construction activity at the project site. The plan shall address and include mitigation for: excavation, roads, yards, driveways, parking areas, hauling and tracking of material onto adjacent roadways. All</p>	<p>Incorporate air quality measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that the Lake County Air Quality Management District is notified of intended operations. Ensure that an asbestos-dust-hazard mitigation plan / serpentine dust control plan is filed and approved prior to any construction activity.</p>	<p>AOC project manager</p>	<p>30 days prior to commencement of construction activity</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>material shall be transported in a manner minimizing dust emissions. In no instance shall the dust from such operations exceed five percent opacity 20-feet from the traveled surface. The applicant shall inform employees working at the project site of the potential health risk of airborne asbestos and the requirements of the asbestos-dust-hazard mitigation plan. The plan shall be consistent with the California Air Resources Board Section 93105, <i>Final Regulation Order – Asbestos Air Toxic Control Measure for Construction, Grading, Quarrying, and Surface Mining Operations</i>.</p>	<p>Ensure that applicable air quality measures are implemented / enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction activities / operations</p>
BIOLOGICAL RESOURCES				
<p><i>Would the project have a substantial adverse effect on any species identified as a candidate, sensitive, or special-status species?</i></p>	<p>BIO-1: Following the development of a site plan and prior to the commencement of construction activities, the AOC shall prepare a Mitigation Plan to offset impacts to the on-site serpentine herb community and the following three special-status plants species: 1) Colusa layia; 2) serpentine cryptantha; and 3) bent-flowered fiddleneck. Tracy’s clarkia shall also be avoided/protected where possible.</p>	<p>Incorporate biological resource measures into project’s contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Prepare a Mitigation Plan to offset impacts to the on-site serpentine herb community and the following three special-status plants species: 1) Colusa layia; 2) serpentine</p>	<p>AOC CEQA project manager</p>	<p>After development of a site plan and prior to the commencement of construction activities</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>As discussed with California Department of Fish and Game (CDFG) staff, the highest priority for mitigation shall be to avoid and protect the existing on-site populations of the special-status plants to the extent feasible. Secondly, if suitable habitat will be temporarily disturbed but will remain viable in the long term, an effort shall be made to re-establish special-status plant populations in these areas upon completion of construction. If CDFG determines that the available on-site options for plant protection and re-establishment do not fully compensate for the project impacts, off-site mitigation shall be provided. This can be accomplished through preservation or enhancement of off-site serpentine habitats and special-status plant populations, restoration of degraded habitats on other local sites capable of supporting the sensitive resources, creation of new habitats capable of supporting the sensitive resources, and/or purchase of appropriate credits at a qualifying mitigation bank (if available).</p>	<p>cryptantha; and 3) bent-flowered fiddleneck. Tracy's clarkia shall also be avoided/protected where possible.</p>		
		<p>Ensure that the Mitigation Plan is submitted to the California Department of Fish and Game for review, and approved in writing by the California Department of Fish and Game</p>	<p>AOC CEQA project manager</p>	<p>Prior to commencement of construction activities</p>
		<p>Ensure that applicable biological resource measures are enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>The Mitigation Plan shall be submitted to CDFG for review, and shall be approved in writing by CDFG prior to initiation of construction activities. The Plan shall identify the mitigation site(s); methods to be employed to protect, restore, enhance, and/or create serpentine-herb habitat and the associated special-status plant populations; an implementation schedule; success criteria; monitoring and reporting requirements; long-term maintenance provisions; remedial measures to be undertaken if the success criteria are not fully met; and/or other pertinent data to ensure successful mitigation.</p>			
<p><i>Would the project have a substantial adverse effect on any species identified as a candidate, sensitive, or special-status species?</i></p>	<p>BIO-2: Vegetation removal shall be conducted between August 1 and February 28, if feasible. If vegetation removal must be conducted between March 1 and July 31, a nesting bird survey shall be conducted within two weeks prior to initiation of work. If active nests are present, work within 500 feet of the nest(s) shall be postponed until the young have fledged, unless a smaller next buffer zone is authorized by the California</p>	<p>Incorporate biological resource measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that applicable biological resource measures are enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	Department of Fish and Game.			
CULTURAL RESOURCES				
<p><i>Would the proposed project cause a substantial adverse change in the significance of a unique archaeological resource pursuant to §15064.5?</i></p>	<p>CUL-1: If previously unevaluated cultural resources are encountered, all earth-disturbing work shall stop within 50 feet of the find until a qualified archaeologist and a Native American representative can make an assessment of the discovery and recommend/implement mitigation measures as necessary. Prehistoric archaeological materials might include obsidian and chert flaked-stone tools (e.g., projectile points, knives, scrapers) or tool making debris; culturally darkened soil (“midden”) containing heat-affected rocks, artifacts, or shellfish remains; and stone milling equipment (e.g., mortars, pestles, handstones, or milling slabs); and battered stone tools, such as hammerstones and pitted stones. Historic-period materials might include stone, concrete, or adobe footings and walls; filled wells or privies; and deposits of metal, glass, and/or ceramic refuse. If the archaeologist and Native American representative determine that the resources may be significant,</p>	<p>Incorporate cultural resource measures into project’s contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Document incorporation of cultural resource measures into project’s contract specifications to AOC’s environmental analyst</p>	<p>AOC project manager and environmental analyst</p>	<p>Prior to completion of contract specifications</p>
		<p>Document the identity and professional qualifications of qualified archaeological monitor(s) to AOC’s environmental analyst</p>	<p>AOC project manager and environmental analyst</p>	<p>Prior to start of construction</p>
		<p>If an archaeological monitor prepares management recommendations for a discovered resource, the monitor shall document completion of the management recommendations as soon as practical to the AOC’s project</p>	<p>AOC project manager, construction inspector, and environmental analyst</p>	<p>During construction</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>they will notify the AOC. An appropriate treatment plan for the resources should be developed. The archaeologist shall consult with Native American representatives in determining appropriate treatment for prehistoric or Native American cultural resources. In considering any suggested mitigation proposed by the archaeologist and Native American representative, the AOC will determine whether avoidance is necessary and feasible in light of factors such as the nature of the find, project design, costs, and other considerations. If avoidance is infeasible, other appropriate measures (e.g., data recovery) shall be instituted. Work may proceed in other parts of the project area while mitigation for cultural resources is being carried out.</p>	<p>manager, construction inspector, and environmental analyst</p> <p>Ensure that applicable cultural resource measures are enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction</p>
<p><i>Would the proposed project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?</i></p>	<p>CUL-2: In the event that paleontological resources are discovered during ground disturbing activities, grading and construction work within 100 feet of the find shall be suspended until the significance of the features can be determined by a qualified professional paleontologist</p>	<p>Incorporate paleontological resource measures into project's contract specifications</p> <p>Document incorporation of paleontological</p>	<p>AOC project manager</p> <p>AOC project manager and environmental analyst</p>	<p>During preparation of contract specifications</p> <p>Prior to completion of contract specifications</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	as appropriate. A qualified professional paleontologist shall then make recommendations for measures necessary to protect the find, or to undertake data recovery, excavation, analysis, and curation of paleontological materials as appropriate.	resource measures into project's contract specifications to AOC's environmental analyst		
		Document the identity and professional qualifications of qualified paleontological monitor(s) to AOC's environmental analyst	AOC project manager and environmental analyst	Prior to start of construction
		If a paleontological monitor prepares management recommendations for a discovered resource, the monitor shall document completion of the management recommendations as soon as practical to the AOC's project manager, construction inspector, and environmental analyst	AOC project manager, construction inspector, and environmental analyst	During construction
		Ensure that applicable measures are enforced during construction	AOC construction inspector	During construction
<i>Would the proposed project disturb any human remains,</i>	CUL-3: If human remains are encountered unexpectedly during	Incorporate cultural resource measures into	AOC project manager	During preparation of contract specifications

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
<p><i>including those interred outside of formal cemeteries?</i></p>	<p>construction excavation and grading activities, State Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the Lake County Coroner has made the necessary findings as to origin and disposition pursuant to Public Resources Code Section 5097.98. If the remains are determined to be of Native American descent, the coroner has 24 hours to notify the Native American Heritage Commission. The Native American Heritage Commission will then identify the person(s) thought to be the Most Likely Descendent, who will help determine what course of action should be taken in dealing with the remains.</p>	<p>project's contract specifications</p>		
		<p>Document incorporation of cultural resource measures into project's contract specifications to AOC's environmental analyst</p>	<p>AOC project manager and environmental analyst</p>	<p>Prior to completion of contract specifications</p>
		<p>If human remains are discovered, the Lake County Coroner shall be contacted immediately, and no further disturbance shall take place</p>	<p>AOC project manager and construction inspector, and environmental analyst</p>	<p>During construction</p>
		<p>Ensure that applicable cultural resource measures are enforced during construction</p>	<p>AOC construction inspector</p>	<p>During construction</p>
<p>NOISE</p>				
<p><i>Would the project result in exposure of persons to, or generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?</i></p>	<p>NOI-1: Construction shall commence no earlier than 7:00 a.m. and cease no later than 6:00 p.m. on weekdays. Construction work might occur on Saturdays; if so, it shall commence no earlier than 9:00 a.m. and cease no later than 6:00 p.m.</p>	<p>Incorporate noise measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that applicable measures are implemented</p>	<p>AOC construction inspector</p>	<p>During construction</p>
<p><i>Would the project result in exposure of persons to, or</i></p>	<p>NOI-2: To reduce noise impacts due to construction, the project applicant</p>	<p>Incorporate noise measures into project's</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
<p><i>generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?</i></p>	<p>shall require construction contractors to implement the following measures which shall be ongoing through grading and construction:</p> <ul style="list-style-type: none"> • Equipment and trucks used for project construction shall utilize the best available noise control techniques (e.g., improved mufflers, equipment redesign, use of intake silencers, ducts, engine enclosures, and acoustically-attenuating shields or shrouds, wherever feasible). • Impact tools (e.g., jack hammers, pavement breakers, and rock drills) used for project construction shall be hydraulically or electronically powered wherever possible to avoid noise associated with compressed air exhaust from pneumatically powered tools. However, where use of pneumatic tools is unavoidable, an exhaust muffler shall be used; this muffler can lower noise levels from the exhaust by up to about 10 dBA. External jackets on the tools themselves shall be used where feasible, and this could achieve a 	<p>contract specification</p> <p>Ensure that applicable noise measures are implemented</p>	<p>AOC construction inspector</p>	<p>During construction</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>reduction of 5 dBA. Quieter procedures shall be used, such as drills rather than impact equipment, whenever feasible.</p> <p>Stationary noise sources shall be located as far from adjacent receptors as possible, and they shall be muffled and enclosed within temporary sheds, incorporated insulation barriers, or other measures to the extent feasible.</p>			
<p><i>Would the project result in exposure of persons to, or generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?</i></p>	<p>NOI-3: Prior to any ground disturbance activities, the AOC shall develop a list of measures to respond to and track complaints pertaining to construction noise, ongoing throughout demolition, grading, and/or construction. These measures shall include the following:</p> <ul style="list-style-type: none"> • A procedure and phone numbers for notifying the AOC project manager and the construction contractor (during regular construction hours and off-hours); • A sign posted on-site pertaining the permitted construction days and hours and complaint 	<p>Incorporate noise measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that applicable measures are implemented</p>	<p>AOC construction inspector</p>	<p>During construction</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p>procedures and who to notify in the event of a problem. The sign shall also include a listing of the construction contractor's telephone numbers (during regular construction hours and off-hours);</p> <ul style="list-style-type: none"> • The designation of an on-site construction complaint and enforcement manager for the project. The manager shall act as a liaison between the project and its neighbors. The manager's responsibilities and authority shall include the following: <ul style="list-style-type: none"> ○ An active role in monitoring project compliance with respect to noise; ○ Ability to reschedule noisy construction activities to reduce effects on surrounding noise sensitive receivers; ○ Site supervision of all potential sources of noise (e.g., material delivery, shouting, debris box pick-up and delivery) for all trades; and ○ Intervening or discussing mitigation options with 			

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
	<p style="text-align: center;">contractors.</p> <ul style="list-style-type: none"> • Notification of adjacent property owners and occupants at least 30 days in advance of extreme noise generating activities about the estimated duration of the activity; and • A preconstruction meeting shall be held with the job inspectors and the general contractor/on-site project manager to confirm that noise measures and practices (including construction hours, neighborhood notification, posted signs, etc.) are completed. 			
TRANSPORTATION AND TRAFFIC				
<p><i>Would the proposed project conflict with an applicable plan, ordinance or policy, or congestion management policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not</i></p>	<p>TRANS-1: Prior to occupancy and the operation of the courthouse, the AOC would be required to pay the City of Lakeport the proposed project's fair share contribution towards improving the following intersections: Highway 29 SB Ramps/ Lakeport Boulevard; Highway 29 NB Ramps / Lakeport Boulevard; Bevins Street / Lakeport Boulevard; and Main Street / Lakeport Boulevard.</p>	<p>Incorporate transportation and traffic measures into project's contract specifications</p>	<p>AOC project manager</p>	<p>During preparation of contract specifications</p>
		<p>Ensure that the City of Lakeport receives the proposed project's fair share contribution</p>	<p>AOC project manager and AOC CEQA project manager</p>	<p>Prior to occupancy and the operation of the courthouse</p>

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
<i>limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?</i>				
<i>Would the proposed project substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?</i>	TRANS-2: Prior to occupancy and the operation of the courthouse, the AOC would be required to pay the City of Lakeport the proposed project's fair share contribution towards improving the sight distance at the Bevins Street / Lakeport Boulevard intersection.	Incorporate transportation and traffic measures into project's contract specifications	AOC project manager	During preparation of contract specifications
		Ensure that the City of Lakeport receives the proposed project's fair share contribution	AOC project manager and AOC CEQA project manager	Prior to occupancy and the operation of the courthouse
<i>Would the proposed project conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?</i>	TRANS-3: Prior to occupancy and operation of the courthouse, bus stops shall be constructed immediately east and west of the Larrecou Lane / Lakeport Boulevard intersection per Lake Transit standards, in order to provide direct access from the local bus system and indirect access from the regional bus system to and from the proposed project.	Incorporate transportation and traffic measures into project's contract specifications	AOC project manager	During preparation of contract specifications
		Ensure that bus stops are constructed immediately east and west of the Larrecou Lane / Lakeport Boulevard intersection per Lake Transit standards	AOC project manager and construction inspector	Prior to occupancy and the operation of the courthouse
<i>Would the proposed project conflict with adopted policies, plans, or programs regarding</i>	TRANS-4: Prior to occupancy and operation of the courthouse, high visibility crosswalks shall be installed	Incorporate transportation and traffic measures into	AOC project manager	During preparation of contract specifications

***New Lakeport Courthouse
Mitigation Monitoring Plan***

Impact Statement	Mitigation Measure	Monitoring Action	Monitoring Party	Implementation Phase
<p><i>public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?</i></p>	<p>to provide safe access for pedestrians to and from the bus stops. In addition, pedestrian access should be provided throughout the proposed project with links to the existing pedestrian pathways and sidewalks.</p>	<p>project's contract specifications</p>		
		<p>Ensure that high visibility crosswalks are installed for pedestrians to and from the bus stops. Ensure pedestrian access is provided throughout the proposed project with links to existing pathways and sidewalks.</p>	<p>AOC project manager and construction inspector</p>	<p>Prior to occupancy and the operation of the courthouse</p>